

2 Flowchart

[illegible]

	Screening	Randomisation	Dose escalation period								Maintenance period												End of treatment	End of trial	
	V1	V2	V3	V4	V5	V6	V7	V8	V9	V10	V11	V12	V13	V14	V15	V16	V17	V18	V19	V20	P21	V22	P23	V24	V25
Visit (V), Phone (P)	V1	V2																						V24	V25
Timing of Visit (Weeks)	-1	0	2	4	6	8	10	12	14	16	18	20	24	28	32	36	40	44	48	52	56	60	64	68	75
Visit Window (Days)	-7 to 0	±0	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	0 to +5
Tobacco Use ^e (6.4.1)	X																								
Concomitant medication (7.7)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Trial Product Compliance (7.1, 7.6)			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Evaluation of lipid-lowering treatment (9)													X											X	
Evaluation of antihypertensive treatment (9)													X											X	
Evaluation of glycaemic status (9)		X											X											X	
Evaluation of diet and physical activity (9)				X		X		X		X	X	X		X		X		X		X		X		X	
EFFICACY																									
Body measurements (9.1.1)																									
Height	X																								
Body Weight	X	X	X	X		X		X		X	X	X		X		X		X		X		X		X	X
Waist Circumference	X	X		X		X		X		X	X	X		X		X		X		X		X		X	
HbA1c (Appendix 2)	X	X									X									X				X	
Fasting plasma glucose (Appendix 2)		X									X									X				X	
Fasting serum insulin (Appendix 2)		X										X								X				X	

[illegible]

	Screening	Randomisation	Dose escalation period										Maintenance period										End of treatment	End of trial	
	V1	V2	V3	V4	V5	V6	V7	V8	P9	V10	P11	V12	P13	V14	P15	V16	P17	V18	P19	V20	P21	V22	P23	V24	V25
Visit (V), Phone (P)	V1	V2	V3	V4	V5	V6	V7	V8	P9	V10	P11	V12	P13	V14	P15	V16	P17	V18	P19	V20 <td>P21<td>V22</td><td>P23</td><td>V24</td><td>V25</td></td>	P21 <td>V22</td> <td>P23</td> <td>V24</td> <td>V25</td>	V22	P23	V24	V25
Timing of Visit (Weeks)	-1	0	2	4	6	8	10	12	14	16	18	20	24	28	32	36	40	44	48	52	56	60	64	68	75
Visit Window (Days)	-7 to 0	0	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	0 to +5
SAFETY																									
Physical examination (9.4.2)	X																							X	
Pregnancy test (9.4.5, Appendix 5)	X	X		X		X		X		X		X		X		X		X		X		X		X	X
ECG (9.4.4)		X										X												X	
Adverse event (9.2, Appendix 4)		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Technical complaint (9.2.9, Appendix 4)			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Breast neoplasms follow-up ^b (9.4)																								X	X
Colon neoplasms follow-up (9.4)																								X	X
Haematology (Appendix 2)	X											X								X				X	
Biochemistry (Appendix 2)	X											X								X				X	
Anti-Semaglutide Antibody (9.4.6)		X	X	X	X	X		X						X						X				X	X
Vital Signs (9.4.3)																									
Pulse	X	X		X		X		X		X		X		X		X		X		X		X		X	X
Clinical Outcome Assessments (9.4.1)																									
Patient Health Questionnaire-9 (PHQ-9) (9.4.1)	X	X						X				X				X				X				X	
Columbia-Suicide Severity Rating Scale (C-SSRS) (9.4.1)	X	X						X				X				X				X				X	

[illegible]

	Screening	Randomisation	Dose escalation period								Maintenance period												End of treatment	End of trial	
	V1	V2	V3	V4	P5	V6	P7	V8	P9	V10	P11	V12	P13	V14	P15	V16	P17	V18	P19	V20	P21	V22	P23	V24	V25
Visit (V), Phone (P)																									
Timing of Visit (Weeks)	-1	0	2	4	6	8	10	12	14	16	18	20	24	28	32	36	40	44	48	52	56	60	64	68	75
Visit Window (Days)	-7 to 0	±0	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	0 to +5
Hand out dose reminder card (7.1)		X		X		X		X		X															
Hand out and instruct in food diary (9)	X																								
Hand out and instruct in PK diary (9)		X	X	X		X						X						X				X			
Collect, review and transcribe diaries		X	X	X	X	X	X	X		X		X		X		X		X		X		X		X	
Hand out ID card	X																								
Attend visit fasting (6.4.1)		X										X												X	X ^g

^a Demography consists of date of birth, sex, ethnicity, and race (according to local regulation).

^b For all female subjects.

^c Smoking is defined as smoking at least one cigarette or equivalent daily.

^d DEXA scan is performed in a sub-population.

^e DEXA scan should be performed in fasting state prior to randomisation (after informed consent is obtained).

^f Only for subjects where the separate informed consent for future research has been signed.

^g Fasting at V25 is defined as at least 2 hours without food and drink intake except water before attending the visit.