

	Screening	Run-in										Rando- misation		Maintenance period										End of treatment	End of trial
	V1	V2	P3	V4	P5	V6	P7	V8	P9	V10	P11	V12	V13	V14	P15	V16	P17	V18	P19	V20P21	V22P23	V24	V25		
Visit(V), Phone (P)	V1																								
Timing of Visit (Weeks)	-1	0	2	4	6	8	10	12	14	16	18	20	24	28	32	36	40	44	48	52	56	60	64	75	
Visit Window (Days)	-7 to 0	0	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	0 to +5		
Evaluation of lipid-lowering treatment (9)													X									X			
Evaluation of antihypertensive treatment (9)													X									X			
Evaluation of glycaemic status (9)		X											X									X			
EFFICACY																									
Body measurements (9.1.1)																									
Height	X																								
Body Weight	X	X		X		X		X		X		X	X	X		X		X		X		X	X		
Waist Circumference	X	X		X		X		X		X		X	X	X		X		X		X		X			
HbA1c	X	X										X								X		X			
Fasting plasma glucose		X										X								X		X			
Fasting serum insulin		X										X										X			
Lipids (Appendix 2)		X										X										X			
Vital Signs (6.4.2, 9.4.3)																									
Systolic Blood Pressure	X	X		X		X		X		X		X	X	X		X		X		X		X	X		
Diastolic Blood Pressure	X	X		X		X		X		X		X	X	X		X		X		X		X	X		
Clinical Outcome Assessments (9.1.2)																									
Short Form-36 (SF-36)		X				X				X		X				X				X		X			
Weight Related Sign and Symptom Measure (WRSSM)		X				X				X		X				X				X		X			
Patient Global Impression of Severity (PGI-S)		X				X				X		X				X				X		X			

[illegible]

	Screening	Run-in										Randomisation	Maintenance period										End of treatment	End of trial	
	V1	V2	P3	V4	P5	V6	P7	V8	P9	V10	P11	V12	V13	V14	P15	V16	P17	V18	P19	V20	P21	V22	P23	V24	V25
Visit(V), Phone (P)	V1																							V24	V25
Timing of Visit (Weeks)	-1	0	2	4	6	8	10	12	14	16	18	20	24	28	32	36	40	44	48	52	56	60	64	68	75
Visit Window (Days)	-7 to 0	0	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	0 to +5
IWRS session	X	X				X				X		X		X		X		X		X		X		X	
Administration of trial product (7.1, 7.5)																									
Dispensing visit		X				X				X		X		X		X		X		X		X			
Drug accountability		X				X				X		X		X		X		X		X		X		X	
REMINDERS																									
Criteria for discontinuation (8.1)		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Barriers and motivation interview (9)	X																								
Diet and physical activity counselling (7.1.2)		X		X		X		X		X		X		X		X		X		X		X		X	
Training in trial product, pen-handling (7.1.1)		X		X		X		X		X		X		X		X		X		X		X		X	
Hand out direction for use (7.1.1)		X																							
Hand out dose reminder card (7.1)		X		X		X		X		X															
Hand out and instruct in food diary (9)	X																								
Hand out ID card	X																								
Attend visit fasting (6.4.1)		X										X												X	

^a Demography consists of date of birth, sex, ethnicity, and race (according to local regulation)

^b For all female subjects

^c If subjects not fulfil randomisation criteria see Section 6.3.2

^d Smoking is defined as smoking at least one cigarette or equivalent daily