

Protocol
 Trial ID: NN9536-4378

Date:
 Version:

29 June 2018
 3.0

Status:
 Page:

Final
 9 of 94

Novo Nordisk

2 Flowchart

	Screening	Randomisation	Dose escalation period										Maintenance period																			End of treatment	End of trial	
Visit (V), Phone(P)	V1	V2	P3	V4	P5	V6	P7	V8	P9	V10	P11	V12	P13	V14	P15	V16	P17	V18	P19	V20	P21	V22	P23	V24	P25	V26	P27	V28	P29	V30	P31	V32	V33	V34
Timing of Visit (Weeks)	-1	0	2	4	6	8	10	12	14	16	18	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80	84	88	92	96	100	104	111
Visit Window (Days)	-7 to 0	0	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	0 to +5
SUBJECT RELATED INFORMATION AND ASSESSMENTS																																		
Informed consent and Demography ^a Appendix 3	X																																	
Childbearing potential ^b Appendix 5	X																																	
Inclusion criteria (6.1)	X	X																																
Exclusion criteria (6.2)	X	X																																
Randomisation criteria and randomisation (6.3)		X																																
Medical history/Concomitant illness (9.4)	X																																	
Weight History (9)		X																																
History of Gallbladder Disease (9.4)	X																																	
History of Breast Neoplasm ^b (9.4)	X																																	
History of Colon Neoplasm (9.4)	X																																	
History of Skin Cancer (9.4)	X																																	
History of Psychiatric disorder (9.4)	X																																	
Tobacco use ^c	X																																	
Concomitant medication (7.7)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Trial product compliance (7.1) (7.6)			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Evaluation of lipid-lowering treatment (9)													X								X								X				X	
Evaluation of antihypertensive treatment (9)													X								X								X				X	
Evaluation of glycaemic status (9)		X											X								X								X				X	

Protocol
 Trial ID: NN9536-4378

Date:
 Version:

29 June 2018
 3.0 Status:
 Page:

Final
 10 of 94 **Novo Nordisk**

	Screening	Randomisation	Dose escalation period										Maintenance period																		End of treatment	End of trial		
Visit (V), Phone(P)	V1	V2	P3	V4	P5	V6	P7	V8	P9	V10	P11	V12	P13	V14	P15	V16	P17	V18	P19	V20	P21	V22	P23	V24	P25	V26	P27	V28	P29	V30	P31	V32	V33	V34
Timing of Visit (Weeks)	-1	0	2	4	6	8	10	12	14	16	18	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80	84	88	92	96	100	104	111
Visit Window (Days)	-7 to 0	0	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	0 to +5
EFFICACY																																		
Body measurements (9.1.1)																																		
Height	X																																	
Body weight	X	X		X		X		X		X		X		X		X		X		X		X		X		X		X		X		X		X
Waist circumference	X	X		X		X		X		X		X		X		X		X		X		X		X		X		X		X		X		X
HbA _{1c} (Appendix 2)	X	X										X								X								X					X	
Fasting plasma glucose (Appendix 2)		X										X								X								X						X
Fasting serum insulin (Appendix 2)		X																																X
Lipids (Appendix 2)		X										X								X								X						X
Biomarkers (Appendix 2)		X										X								X								X						X
Vital signs (9.4.3)																																		
Systolic Blood Pressure	X	X		X		X		X		X		X		X		X		X		X		X		X		X		X		X		X		X
Diastolic Blood Pressure	X	X		X		X		X		X		X		X		X		X		X		X		X		X		X		X		X		X
Control of Eating Questionnaire (CoEQ) ^d 9.1.3		x										x								x													x	
SAFETY																																		
Physical examination (9.4.2)	X																			X													X	
Pregnancy test ^b (9.4.5, Appendix 5)	X	X		X		X		X		X		X		X		X		X		X		X		X		X		X		X		X		X
ECG (9.4.4)		X										X								X								X						X
Adverse event (9.2, Appendix 4)		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Technical complaint (9.2.9, Appendix 4)			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	

Protocol
 Trial ID: NN9536-4378

Date:
 Version:

29 June 2018
 3.0

Status:
 Page:

Final
 11 of 94

Novo Nordisk

	Screening	Randomisation	Dose escalation period										Maintenance period																				End of treatment	End of trial
Breast neoplasms follow-up ^b (9.4)																															X	X		
Visit (V), Phone(P)	V1	V2	P3	V4	P5	V6	P7	V8	P9	V10	P11	V12	P13	V14	P15	V16	P17	V18	P19	V20	P21	V22	P23	V24	P25	V26	P27	V28	P29	V30	P31	V32	V33	V34
Timing of Visit (Weeks)	-1	0	2	4	6	8	10	12	14	16	18	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80	84	88	92	96	100	104	111
Visit Window (Days)	-7 to 0	0	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±5	0 to +5	
Colon neoplasms follow-up (9.4)																																X	X	
Haematology (Appendix 2)	X											X								X								X					X	
Biochemistry (Appendix 2)	X											X								X								X					X	
Vital Signs (9.4.3)																																		
Pulse	X	X		X		X		X		X		X		X		X		X		X		X		X		X		X		X		X	X	X
Patient Health Questionnaire– 9 (PHQ-9) (9.4.1)	X	X						X				X				X				X				X				X					X	
Columbia Suicide Severity Rating Scale (C-SSRS) (9.4.1)	X	X						X				X				X				X				X				X					X	
TRIAL MATERIAL																																		
First date on trial product			X																															
IWRS session	X	X				X				X		X		X		X		X		X		X		X		X		X		X		X	X	
Administration of trial product (7.1, 7.5)																																		
Dispensing visit		X				X				X		X		X		X		X		X		X		X		X		X		X		X		
Drug accountability		X				X				X		X		X		X		X		X		X		X		X		X		X		X	X	
REMINDERS																																		
Criteria for discontinuation (8.1)			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
Barriers and motivation interview (9)	X																																	
Diet and physical activity counselling (7.1.2)		X		X		X		X		X		X		X		X		X		X		X		X		X		X		X		X	X	
Hand out directions for use (7.1.1)		X																																

Protocol
 Trial ID: NN9536-4378

Date:
 Version:

29 June 2018
 3.0

Status:
 Page:

Final
 12 of 94

Novo Nordisk

	Screening	Randomisation	Dose escalation period								Maintenance period																				End of treatment	End of trial		
Training in trial product, pen-handling (7.1.1)		X		X		X		X		X		X		X		X		X		X		X		X		X		X						
Visit (V), Phone(P)	V1	V2	P3	V4	P5	V6	P7	V8	P9	V10	P11	V12	P13	V14	P15	V16	P17	V18	P19	V20	P21	V22	P23	V24	P25	V26	P27	V28	P29	V30	P31	V32	V33	V34
Timing of visit (Weeks)	-1	0	2	4	6	8	10	12	14	16	18	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80	84	88	92	96	100	104	111
Visit Window (Days)	-7 to 0	0	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±3	±5	0 to +5	
Hand out dose reminder card (7.1)		X		X		X		X		X																								
Hand out and instruct in food diary (9)	X																																	
Hand out ID card	X																																	
Attend visit fasting (6.4.1)		X									X								X								X					X		

^a Demography consists of date of birth, sex, ethnicity, and race (according to local regulation)

^b For all female subjects

^c Smoking is defined as smoking at least one cigarette or equivalent daily

^d Applicable for US and Canada only