### SAFETY DATA SHEET



#### 1. Identification

Covestro LLC formerly Bayer MaterialScience LLC 1 Covestro Circle Pittsburgh, PA 15205 USA TRANSPORTATION EMERGENCY

CALL CHEMTREC: (800) 424-9300 INTERNATIONAL: (703) 527-3887

NON-TRANSPORTATION

Emergency Phone: Call Chemtrec Information Phone: (844) 646-0545

**Product Name:** BAYSYSTEMS 486STAR 4#

Material Number: 80314133 Chemical Family: Polyol System

Use: Polyol components for the production of polyurethanes

#### 2. Hazards Identification

**GHS Classification** 

Eye irritation: Category 2A

**GHS Label Elements** 

Hazard pictograms:

**(!)** 

Signal word: Warning

Hazard statements: Causes serious eye irritation.

Precautionary statements: **Prevention:** 

Wash skin and face thoroughly after handling.

Wear eye and face protection.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical attention.

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 10 %

#### 3. Composition/Information on Ingredients

**Hazardous Components** 

Weight Percent	Components	CAS-No.	Classification
10 - 20%	Polyether Polyol	CAS# is a	Eye irritation Category 2A.
		trade	
		secret	

The specific chemical identity and/or exact percentage of component(s) have been withheld as a trade secret.

#### **OTHER INGREDIENTS**

Weight percent	<u>Components</u>	CAS-No.
0.1 - 1%	Tertiary Amine	CAS# is a trade secret
0.1 - 1%	Tertiary Amine	CAS# is a trade secret

The above potentially hazardous ingredient(s) are contained at levels below disclosure requirements and are provided for informational purposes only.

#### 4. First Aid Measures

#### **Most Important Symptom(s)/Effect(s)**

Acute: Causes serious eye irritation with symptoms of reddening, tearing, swelling, and burning.

#### **Eye Contact**

In case of contact, flush eyes with plenty of lukewarm water. Get medical attention if irritation develops.

#### **Skin Contact**

In case of skin contact, wash affected areas with soap and water. Immediately remove contaminated clothing and shoes. Get medical attention if irritation develops.

#### Inhalation

If inhaled, remove to fresh air. Get medical attention if irritation develops.

#### **Ingestion**

If ingested, do not induce vomiting unless directed to do so by medical personnel. Get medical attention.

#### 5. Firefighting Measures

**Suitable Extinguishing Media:** Carbon dioxide (CO2), Dry chemical, Foam, water spray for large

fires.

Unsuitable Extinguishing Media No Data Available

#### Fire Fighting Procedure

Firefighters should be equipped with self-contained breathing apparatus to protect against potentially toxic and irritating fumes. Use cold water spray to cool fire-exposed containers to minimize the risk of rupture.

#### **Hazardous Decomposition Products**

By Fire: Carbon DioxideCarbon Monoxide other aliphatic fragments which have not been determined

Material Name: BAYSYSTEMS 486STAR 4#	Material Number: 80314133

#### 6. Accidental Release Measures

#### Spill and Leak Procedures

Cover spill with inert material (e. g., dry sand or earth) and collect for proper disposal. Use appropriate personal protective equipment during clean up. Evacuate and keep unnecessary people out of spill area.

#### 7. Handling and Storage

#### **Handling/Storage Precautions**

Handle in accordance with good industrial hygiene and safety practices. Wash thoroughly after handling. Keep container closed when not in use. Material is hygroscopic and may absorb small amounts of atmospheric moisture. If contamination with isocyanates is suspected, do not reseal containers. Avoid breathing dust, vapor, or mist. Avoid contact with eyes. Avoid contact with skin or clothing.

#### **Storage Period:**

6 Months: after receipt of material by customer

**Storage Temperature** 

**Minimum:** 10 °C (50 °F) **Maximum:** 50 °C (122 °F)

#### **Storage Conditions**

Store separate from food products.

Employee education and training in the safe use and handling of this product are required under the OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### **Substances to Avoid**

Oxidizing agents, Isocyanates

#### 8. Exposure Controls/Personal Protection

Country specific exposure limits have not been established or are not applicable

Any component which is listed in section 3 and is not listed in this section does not have a known ACGIH TLV, OSHA PEL or supplier recommended occupational exposure limit.

#### **Industrial Hygiene/Ventilation Measures**

Use local and general exhaust ventilation to control levels of exposure.

#### **Respiratory Protection**

None required under normal conditions of use.

#### **Hand Protection**

Permeation resistant gloves.

#### **Eve Protection**

Chemical safety goggles or safety glasses with side-shields.

#### Skin Protection

Wear cloth work clothing including long pants and long-sleeved shirts.

#### **Additional Protective Measures**

Employees should wash their hands and face before eating, drinking, or using tobacco products. Educate and train employees in the safe use and handling of this product.

#### 9. Physical and Chemical Properties

State of Matter: liquid

Colorless, Amber

Odor: Mild

**Odor Threshold:** No Data Available pH: No Data Available **Freezing Point:** No Data Available **Boiling Point:** No Data Available Flash Point: > 93.34 °C (200.01 °F) **Evaporation Rate:** No Data Available **Lower Explosion Limit:** No Data Available **Upper Explosion Limit:** No Data Available **Vapor Pressure:** No Data Available Vapor Density: No Data Available

**Density:** 0.99 g/cm<sup>3</sup> @ 25 °C (77 °F)

Relative Vapor Density:

Specific Gravity:

Solubility in Water:

Partially soluble

No Data Available

Partially soluble

No Data Available

octanol/water:

Auto-ignition Temperature:No Data AvailableDecomposition Temperature:No Data AvailableDynamic Viscosity:No Data AvailableKinematic Viscosity:No Data Available

#### 10. Stability and Reactivity

#### **Hazardous Reactions**

Hazardous polymerisation does not occur.

#### Stability

Stable

#### **Materials to Avoid**

Oxidizing agents, Isocyanates

#### **Conditions to Avoid**

Avoid heat, flames, sparks and other sources of ignition.

#### **Hazardous Decomposition Products**

By Fire: Carbon Dioxide; Carbon Monoxide; other aliphatic fragments which have not been determined

#### 11. Toxicological Information

**Likely Routes of Exposure:** Skin Contact Eye Contact

#### **Health Effects and Symptoms**

Acute: Causes serious eye irritation with symptoms of reddening, tearing, swelling, and burning.

#### **Toxicity Data for: BAYSYSTEMS 486STAR 4#**

No data available for this product.

#### **Toxicity Data for Polyether Polyol**

#### **Acute Oral Toxicity**

LD50: > 2000 mg/kg (rat, male/female) (OECD Test Guideline 401)

#### **Acute Dermal Toxicity**

LD50: > 2000 mg/kg (rat, male/female) (OECD Test Guideline 402)

#### **Skin Irritation**

rabbit, OECD Test Guideline 404, slight irritant

#### **Eye Irritation**

rabbit, moderate irritant

#### **Carcinogenicity:**

No carcinogenic substances as defined by IARC, NTP and/or OSHA

#### 12. Ecological Information

#### Ecological Data for: BAYSYSTEMS 486STAR 4#

No data available for this product.

#### **Ecological Data for Polyether Polyol**

#### Biodegradation

aerobic, < 50 %, Exposure time: 28 d

#### Acute and Prolonged Toxicity to Fish

LC0: > 1,000 mg/l (Zebra fish (Brachydanio rerio), 48 h)

#### **Toxicity to Microorganisms**

EC0: > 1,000 mg/l, (Activated sludge microorganisms, 3 h)

#### 13. Disposal Considerations

#### Waste Disposal Method

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

#### **Empty Container Precautions**

Recondition or dispose of empty container in accordance with governmental regulations.

#### 14. Transportation Information

#### **Land transport (DOT)**

Non-Regulated

#### Sea transport (IMDG)

#### Non-Regulated

#### Air transport (ICAO/IATA)

Non-Regulated

#### 15. Regulatory Information

#### **United States Federal Regulations**

**US. Toxic Substances Control Act:** Listed on the TSCA Inventory.

No substances are subject to TSCA 12(b) export notification requirements.

#### US. EPA CERCLA Hazardous Substances (40 CFR 302) Components:

None

#### SARA Section 311/312 Hazard Categories:

Acute Health Hazard

# US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A) Components: None

# US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components: None

### US. EPA Resource Conservation and Recovery Act (RCRA) Composite List of Hazardous Wastes and Appendix VIII Hazardous Constituents (40 CFR 261):

Under RCRA, it is the responsibility of the person who generates a solid waste, as defined in 40 CFR 261.2, to determine if that waste is a hazardous waste.

#### **State Right-To-Know Information**

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

#### Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists:

Weight percent	<u>Components</u>	<u>CAS-No.</u>
>=1%	Plasticizer	CAS# is a trade secret
>=1%	Polyether Polyol	CAS# is a trade secret
10 - 20%	Polyether Polyol	CAS# is a trade secret
>=1%	Polyether Polyol	CAS# is a trade secret
>=1%	Polyether Polyol	CAS# is a trade secret

#### California Prop. 65:

Warning! This product contains chemical(s) known to the State of California to be Developmental toxin.

Weight percent	<u>Components</u>	CAS-No.
<1 ppm	Methanol	67-56-1

Based on information provided by our suppliers, this product is considered "DRC Conflict Free" as defined by the SEC Conflict Minerals Final Rule (Release No. 34-67716; File No. S7-40-10; Date: 2012-08-22).

#### 16. Other Information

The method of hazard communication for Covestro LLC is comprised of Product Labels and Safety Data Sheets.

Contact: Product Safety Department

Telephone: (412) 413-2835 SDS Number: 112000028960 Version Date: 08/28/2015

SDS Version: 2.0

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of Covestro LLC. The information in this SDS relates only to the specific material designated herein. Covestro LLC assumes no legal responsibility for use of or reliance upon the information in this SDS.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.