

Tempo2

Generated by Doxygen 1.8.9.1

Thu Sep 17 2015 10:02:06

Contents

1	Main Page	1
2	User Guide	3
3	Core Developers	5
4	Developer Guide	7
4.1	Tempo2 Developer Guide	7
4.1.1	About this guide	7
4.1.2	General code guidelines	7
4.1.3	Development workflow	7
4.1.4	Coding style	8
5	Directory structure	11
6	Git INSTALLATION README	13
7	Todo List	17
8	Module Index	19
8.1	Modules	19
9	Class Index	21
9.1	Class List	21
10	File Index	23
10.1	File List	23
11	Module Documentation	25
11.1	libt2toolkit API	25
11.1.1	Detailed Description	25
11.2	libtempo2 External API	26
11.2.1	Detailed Description	26
12	Class Documentation	27
12.1	Cheby2D Struct Reference	27

12.1.1	Member Data Documentation	27
12.1.1.1	coeff	27
12.1.1.2	nx	27
12.1.1.3	ny	27
12.2	ChebyModel Struct Reference	27
12.2.1	Member Data Documentation	28
12.2.1.1	cheby	28
12.2.1.2	dispersion_constant	28
12.2.1.3	freq_end	28
12.2.1.4	freq_start	28
12.2.1.5	frequency_cheby	28
12.2.1.6	mjd_end	28
12.2.1.7	mjd_start	28
12.2.1.8	psrname	28
12.2.1.9	sitename	28
12.3	ChebyModelSet Struct Reference	29
12.3.1	Member Data Documentation	29
12.3.1.1	nsegments	29
12.3.1.2	segments	29
12.4	clock_correction Struct Reference	29
12.4.1	Detailed Description	30
12.4.2	Member Data Documentation	30
12.4.2.1	correction	30
12.4.2.2	corrects_to	30
12.5	complexVal Struct Reference	30
12.5.1	Member Data Documentation	30
12.5.1.1	imag	30
12.5.1.2	real	30
12.6	DynamicArray Struct Reference	30
12.6.1	Member Data Documentation	30
12.6.1.1	data	30
12.6.1.2	elem_size	30
12.6.1.3	nallocated	31
12.6.1.4	nelem	31
12.7	FitInfo Struct Reference	31
12.7.1	Detailed Description	31
12.7.2	Member Data Documentation	32
12.7.2.1	constraintCounters	32
12.7.2.2	constraintDerivs	32
12.7.2.3	constraintIndex	32

12.7.2.4	nConstraints	32
12.7.2.5	nParams	32
12.7.2.6	paramCounters	32
12.7.2.7	paramDerivs	32
12.7.2.8	paramIndex	32
12.7.2.9	updateFunctions	32
12.8	gwgeneralSrc Struct Reference	32
12.8.1	Member Data Documentation	33
12.8.1.1	across_g	33
12.8.1.2	across_im_g	33
12.8.1.3	aplus_g	33
12.8.1.4	aplus_im_g	33
12.8.1.5	asl_g	33
12.8.1.6	asl_im_g	33
12.8.1.7	ast_g	33
12.8.1.8	ast_im_g	33
12.8.1.9	avx_g	33
12.8.1.10	avx_im_g	33
12.8.1.11	avy_g	33
12.8.1.12	avy_im_g	33
12.8.1.13	dist_bin	33
12.8.1.14	h	33
12.8.1.15	h_im	33
12.8.1.16	inc_bin	33
12.8.1.17	kg	33
12.8.1.18	omega_g	33
12.8.1.19	phase_g	33
12.8.1.20	phi_bin	33
12.8.1.21	phi_g	33
12.8.1.22	phi_polar_g	33
12.8.1.23	theta_bin	33
12.8.1.24	theta_g	33
12.9	gwgenSpec Struct Reference	34
12.9.1	Member Data Documentation	34
12.9.1.1	sl_alpha	34
12.9.1.2	sl_amp	34
12.9.1.3	st_alpha	34
12.9.1.4	st_amp	34
12.9.1.5	tensor_alpha	34
12.9.1.6	tensor_amp	34

12.9.1.7 vl_alpha	34
12.9.1.8 vl_amp	34
12.10gwSrc Struct Reference	34
12.10.1 Member Data Documentation	35
12.10.1.1 across_g	35
12.10.1.2 across_im_g	35
12.10.1.3 aplus_g	35
12.10.1.4 aplus_im_g	35
12.10.1.5 dist_bin	35
12.10.1.6 h	35
12.10.1.7 h_im	35
12.10.1.8 inc_bin	35
12.10.1.9 kg	35
12.10.1.10omega_g	35
12.10.1.11phase_g	35
12.10.1.12phi_bin	35
12.10.1.13phi_g	35
12.10.1.14phi_polar_g	35
12.10.1.15theta_bin	35
12.10.1.16theta_g	35
12.11interpolation_info Struct Reference	35
12.11.1 Member Data Documentation	36
12.11.1.1 np	36
12.11.1.2 nv	36
12.11.1.3 pc	36
12.11.1.4 twot	36
12.11.1.5 vc	36
12.12jpl_eph_data Struct Reference	36
12.12.1 Member Data Documentation	36
12.12.1.1 au	36
12.12.1.2 cache	36
12.12.1.3 curr_cache_loc	37
12.12.1.4 emrat	37
12.12.1.5 ephem_end	37
12.12.1.6 ephem_start	37
12.12.1.7 ephem_step	37
12.12.1.8 ephemeris_version	37
12.12.1.9 ifile	37
12.12.1.10info	37
12.12.1.11ipt	37

12.12.1.12	kernel_size	37
12.12.1.13	ncoeff	37
12.12.1.14	ncon	37
12.12.1.15	pvsun	37
12.12.1.16	recsize	37
12.12.1.17	swap_bytes	37
12.13	observation Struct Reference	37
12.13.1	Detailed Description	39
12.13.2	Member Data Documentation	39
12.13.2.1	addedNoise	39
12.13.2.2	averagebat	39
12.13.2.3	averageerr	39
12.13.2.4	averageres	39
12.13.2.5	bat	39
12.13.2.6	batCorr	39
12.13.2.7	bbat	39
12.13.2.8	clockCorr	39
12.13.2.9	correctionsTT	40
12.13.2.10	correctionTT_TB	40
12.13.2.11	correctionTT_Teph	40
12.13.2.12	correctionUT1	40
12.13.2.13	delayCorr	40
12.13.2.14	deleted	40
12.13.2.15	earth_ssb	40
12.13.2.16	earthMoonBary_earth	40
12.13.2.17	earthMoonBary_ssb	40
12.13.2.18	efac	40
12.13.2.19	einsteinRate	40
12.13.2.20	equad	40
12.13.2.21	flagID	41
12.13.2.22	flagVal	41
12.13.2.23	fname	41
12.13.2.24	freq	41
12.13.2.25	freqSSB	41
12.13.2.26	jump	41
12.13.2.27	jupiter_earth	41
12.13.2.28	clock_correction	41
12.13.2.29	neptune_earth	41
12.13.2.30	nFlags	41
12.13.2.31	nphase	41

12.13.2.32	mutations	41
12.13.2.33	observatory_earth	41
12.13.2.34	obsNjump	41
12.13.2.35	origErr	41
12.13.2.36	origsat	42
12.13.2.37	pet	42
12.13.2.38	phase	42
12.13.2.39	phaseOffset	42
12.13.2.40	planet_ssb	42
12.13.2.41	prefitResidual	42
12.13.2.42	psrPos	42
12.13.2.43	pulseN	42
12.13.2.44	residual	42
12.13.2.45	roemer	42
12.13.2.46	sat	42
12.13.2.47	sat_day	42
12.13.2.48	sat_sec	42
12.13.2.49	saturn_earth	42
12.13.2.50	shapiroDelayJupiter	42
12.13.2.51	shapiroDelayNeptune	43
12.13.2.52	shapiroDelaySaturn	43
12.13.2.53	shapiroDelaySun	43
12.13.2.54	shapiroDelayUranus	43
12.13.2.55	shapiroDelayVenus	43
12.13.2.56	shklovskii	43
12.13.2.57	siteVel	43
12.13.2.58	sun_earth	43
12.13.2.59	sun_ssb	43
12.13.2.60	tdis1	43
12.13.2.61	tdis2	43
12.13.2.62	telID	43
12.13.2.63	TNDMErr	44
12.13.2.64	TNDMSignal	44
12.13.2.65	TNGroupErr	44
12.13.2.66	TNGroupSignal	44
12.13.2.67	TNRedErr	44
12.13.2.68	TNRedSignal	44
12.13.2.69	toaDMErr	44
12.13.2.70	toaErr	44
12.13.2.71	torb	44

12.13.2.72atmosphericDelay	44
12.13.2.73uranus_earth	44
12.13.2.74venus_earth	44
12.13.2.75zenith	45
12.14observatory Struct Reference	45
12.14.1 Member Data Documentation	45
12.14.1.1 clock_name	45
12.14.1.2 code	45
12.14.1.3 height_grs80	45
12.14.1.4 latitude_grs80	45
12.14.1.5 longitude_grs80	45
12.14.1.6 name	45
12.14.1.7 x	45
12.14.1.8 y	45
12.14.1.9 z	45
12.15parameter Struct Reference	45
12.15.1 Detailed Description	46
12.15.2 Member Data Documentation	46
12.15.2.1 aSize	46
12.15.2.2 err	46
12.15.2.3 fitFlag	46
12.15.2.4 label	46
12.15.2.5 linkFrom	46
12.15.2.6 linkTo	46
12.15.2.7 nLinkFrom	46
12.15.2.8 nLinkTo	46
12.15.2.9 paramSet	46
12.15.2.10prefit	47
12.15.2.11prefitErr	47
12.15.2.12shortlabel	47
12.15.2.13val	47
12.16pulsar Struct Reference	47
12.16.1 Detailed Description	53
12.16.2 Member Data Documentation	53
12.16.2.1 addTNGlobalEQ	53
12.16.2.2 auto_constraints	53
12.16.2.3 AverageEpochWidth	53
12.16.2.4 AverageFlag	53
12.16.2.5 AverageResiduals	53
12.16.2.6 binaryModel	53

12.16.2.7 bootStrap	53
12.16.2.8 calcShapiro	53
12.16.2.9 cgw_angpol	53
12.16.2.10cgw_cosinc	53
12.16.2.11cgw_h0	53
12.16.2.12cgw_mc	53
12.16.2.13clk_offsE	53
12.16.2.14clk_offsT	54
12.16.2.15clk_offsV	54
12.16.2.16clkOffsN	54
12.16.2.17clock	54
12.16.2.18clockFromOverride	54
12.16.2.19constraints	54
12.16.2.20correctTroposphere	54
12.16.2.21covar	54
12.16.2.22decjStrPost	54
12.16.2.23decjStrPre	54
12.16.2.24decsim	54
12.16.2.25deleteFileName	54
12.16.2.26dilateFreq	54
12.16.2.27dmoffsCM	54
12.16.2.28dmoffsCM_error	54
12.16.2.29dmoffsCM_mjd	54
12.16.2.30dmoffsCM_weight	54
12.16.2.31dmoffsCMnum	55
12.16.2.32dmoffsDM	55
12.16.2.33dmoffsDM_error	55
12.16.2.34dmoffsDM_mjd	55
12.16.2.35dmoffsDM_weight	55
12.16.2.36dmoffsDMnum	55
12.16.2.37dmOffset	55
12.16.2.38eclCoord	55
12.16.2.39eopc04_file	55
12.16.2.40ephemeris	55
12.16.2.41filterStr	55
12.16.2.42fitChisq	55
12.16.2.43fitFunc	55
12.16.2.44fitinfo	55
12.16.2.45fitJump	55
12.16.2.46fitMode	55

12.16.2.47fitNfree	55
12.16.2.48fitParamGlobal	55
12.16.2.49fitParamGlobalK	55
12.16.2.50fitParamI	56
12.16.2.51fitParamK	56
12.16.2.52fixedFormat	56
12.16.2.53jumpID	56
12.16.2.54globalNfit	56
12.16.2.55globalNoConstrain	56
12.16.2.56gwb_decj	56
12.16.2.57gwb_epoch	56
12.16.2.58gwb_geom_c	56
12.16.2.59gwb_geom_p	56
12.16.2.60gwb_raj	56
12.16.2.61gwb_width	56
12.16.2.62gwecc_dec	56
12.16.2.63gwecc_distance	56
12.16.2.64gwecc_e	56
12.16.2.65gwecc_epoch	56
12.16.2.66gwecc_inc	56
12.16.2.67gwecc_m1	56
12.16.2.68gwecc_m2	56
12.16.2.69gwecc_nodes_orientation	56
12.16.2.70gwecc_orbital_period	56
12.16.2.71gwecc_psrdist	56
12.16.2.72gwecc_pulsarTermOn	56
12.16.2.73gwecc_ra	56
12.16.2.74gwecc_redshift	57
12.16.2.75gwecc_theta_0	57
12.16.2.76gwecc_theta_nodes	57
12.16.2.77gwm_decj	57
12.16.2.78gwm_dphase	57
12.16.2.79gwm_epoch	57
12.16.2.80gwm_phi	57
12.16.2.81gwm_raj	57
12.16.2.82gwsrsrc_across_i	57
12.16.2.83gwsrsrc_across_i_e	57
12.16.2.84gwsrsrc_across_r	57
12.16.2.85gwsrsrc_across_r_e	57
12.16.2.86gwsrsrc_aplus_i	57

12.16.2.87	gwsrc_aplus_i_e	57
12.16.2.88	gwsrc_aplus_r	57
12.16.2.89	gwsrc_aplus_r_e	57
12.16.2.90	gwsrc_dec	57
12.16.2.91	gwsrc_epoch	57
12.16.2.92	gwsrc_psrdist	57
12.16.2.93	gwsrc_ra	57
12.16.2.94	func_weights	57
12.16.2.95	funcE	57
12.16.2.96	funcN	57
12.16.2.97	funcT	57
12.16.2.98	funcV	57
12.16.2.99	pm	57
12.16.2.100	boFormat	58
12.16.2.101	WPL_EPHEMERIS	58
12.16.2.102	ampStr	58
12.16.2.103	ampVal	58
12.16.2.104	ampValErr	58
12.16.2.105	same	58
12.16.2.106	Companion	58
12.16.2.107	constraints	58
12.16.2.108	DMEvents	58
12.16.2.109	dmx	58
12.16.2.110	se_sw	58
12.16.2.111	Fit	58
12.16.2.112	Global	58
12.16.2.113	bits	58
12.16.2.114	Jumps	59
12.16.2.115	obs	59
12.16.2.116	Warnings	59
12.16.2.117	Param	59
12.16.2.118	PhaseJump	59
12.16.2.119	Quad	59
12.16.2.120	StorePrecision	59
12.16.2.121	T2efac	59
12.16.2.122	T2equad	59
12.16.2.123	TelDX	59
12.16.2.124	TelDY	59
12.16.2.125	TelDZ	59
12.16.2.126	TNBandNoise	59

12.16.2.127	TNECORR	59
12.16.2.128	TNEF	59
12.16.2.129	TNEQ	59
12.16.2.130	TNGroupNoise	59
12.16.2.131	TNShapeletEvents	59
12.16.2.132	TNSQ	59
12.16.2.133	TOffset	59
12.16.2.134	White	59
12.16.2.135	White_dm	59
12.16.2.136	bsn	60
12.16.2.137	Offset	60
12.16.2.138	Offset_e	60
12.16.2.139	OutputTMatrix	60
12.16.2.140	Param	60
12.16.2.141	ClassStr	60
12.16.2.142	PhaseJump	60
12.16.2.143	PhaseJumpDir	60
12.16.2.144	PhaseJumpID	60
12.16.2.145	PlanetShapiro	60
12.16.2.146	PosPulsar	60
12.16.2.147	quad_across_i	60
12.16.2.148	quad_across_i_e	60
12.16.2.149	quad_across_r	60
12.16.2.150	quad_across_r_e	60
12.16.2.151	quad_aplus_i	60
12.16.2.152	quad_aplus_i_e	61
12.16.2.153	quad_aplus_r	61
12.16.2.154	quad_aplus_r_e	61
12.16.2.155	quad_ifunc_c_DEC	61
12.16.2.156	quad_ifunc_c_RA	61
12.16.2.157	quad_ifunc_geom_c	61
12.16.2.158	quad_ifunc_geom_p	61
12.16.2.159	quad_ifunc_p_DEC	61
12.16.2.160	quad_ifunc_p_RA	61
12.16.2.161	quad_ifuncE_c	61
12.16.2.162	quad_ifuncE_p	61
12.16.2.163	quad_ifuncN_c	61
12.16.2.164	quad_ifuncN_p	61
12.16.2.165	quad_ifuncT_c	61
12.16.2.166	quad_ifuncT_p	61

12.16.2.167	quad_ifuncV_c	61
12.16.2.168	quad_ifuncV_p	61
12.16.2.169	quadDEC	61
12.16.2.170	quadEpoch	61
12.16.2.171	quadRA	61
12.16.2.172	qStrPost	61
12.16.2.173	qStrPre	61
12.16.2.174	rsim	61
12.16.2.175	rscaleErrChisq	61
12.16.2.176	rsnsPost	61
12.16.2.177	rsnsPre	61
12.16.2.178	rsnust	61
12.16.2.179	setTelVelX	62
12.16.2.180	setTelVelY	62
12.16.2.181	setTelVelZ	62
12.16.2.182	setUnits	62
12.16.2.183	smflag	62
12.16.2.184	sorted	62
12.16.2.185	storePrec	62
12.16.2.186	svm	62
12.16.2.187	tcMethod	62
12.16.2.188	tefacFlagID	62
12.16.2.189	tefacFlagVal	62
12.16.2.190	tefacVal	62
12.16.2.191	tequadFlagID	62
12.16.2.192	tequadFlagVal	62
12.16.2.193	tequadVal	62
12.16.2.194	teglobalEfac	62
12.16.2.195	teIDX_e	62
12.16.2.196	teIDX_t	62
12.16.2.197	teIDX_v	62
12.16.2.198	teIDX_vel	62
12.16.2.199	teIDX_vel_e	62
12.16.2.200	teIDY_e	62
12.16.2.201	teIDY_t	63
12.16.2.202	teIDY_v	63
12.16.2.203	teIDY_vel	63
12.16.2.204	teIDY_vel_e	63
12.16.2.205	teIDZ_e	63
12.16.2.206	teIDZ_t	63

12.16.2.201IDZ_v	63
12.16.2.201IDZ_vel	63
12.16.2.201IDZ_vel_e	63
12.16.2.210Tempo1	63
12.16.2.211TimeEphemeris	63
12.16.2.212TNBANDMAmp	63
12.16.2.212TNBANDMC	63
12.16.2.212TNBANDMGam	63
12.16.2.212TNBANDNoiseAmp	63
12.16.2.212TNBANDNoiseC	63
12.16.2.212TNBANDNoiseGam	63
12.16.2.212TNBANDNoiseHF	63
12.16.2.212TNBANDNoiseLF	63
12.16.2.220TNDMAmp	63
12.16.2.220TNDMC	63
12.16.2.220TNDMCoeffs	63
12.16.2.220TNDMEvAmp	63
12.16.2.220TNDMEvGam	63
12.16.2.220TNDMEvLength	63
12.16.2.220TNDMEvLin	63
12.16.2.220TNDMEvOff	64
12.16.2.220TNDMEvQuad	64
12.16.2.220TNDMEvStart	64
12.16.2.230TNDMGam	64
12.16.2.231TNECORRFlagID	64
12.16.2.231TNECORRFlagVal	64
12.16.2.231TNECORRVal	64
12.16.2.231TNEFFFlagID	64
12.16.2.231TNEFFFlagVal	64
12.16.2.231TNEFVal	64
12.16.2.231TNEQFlagID	64
12.16.2.231TNEQFlagVal	64
12.16.2.231TNEQVal	64
12.16.2.240TNGlobalEF	64
12.16.2.240TNGlobalEQ	64
12.16.2.241TNGroupNoiseAmp	64
12.16.2.241TNGroupNoiseC	64
12.16.2.241TNGroupNoiseFlagID	64
12.16.2.241TNGroupNoiseFlagVal	64
12.16.2.241TNGroupNoiseGam	64

12.16.2.247	INRedAmp	64
12.16.2.248	INRedC	64
12.16.2.249	INRedCoeffs	64
12.16.2.250	INRedCorner	64
12.16.2.251	INRedFlow	64
12.16.2.252	INRedGam	64
12.16.2.253	INShapeletEvFScale	64
12.16.2.254	INShapeletEvN	64
12.16.2.255	INShapeletEvPos	65
12.16.2.256	INShapeletEvWidth	65
12.16.2.257	INSQFlagID	65
12.16.2.258	INSQFlagVal	65
12.16.2.259	INSQVal	65
12.16.2.260	INsubtractDM	65
12.16.2.261	INsubtractRed	65
12.16.2.262	INextraCovar	65
12.16.2.263	INOffset	65
12.16.2.264	INOffset_f1	65
12.16.2.265	INOffset_f2	65
12.16.2.266	INOffset_t1	65
12.16.2.267	INOffset_t2	65
12.16.2.268	INOffsetFlags	65
12.16.2.269	INOffsetSite	65
12.16.2.270	INOrsite	65
12.16.2.271	INUnits	65
12.16.2.272	INuseCalceph	65
12.16.2.273	INuseTNorth	65
12.16.2.274	INusePulsar	65
12.16.2.275	INave_cos	65
12.16.2.276	INave_cos_dm	65
12.16.2.277	INave_cos_dm_err	66
12.16.2.278	INave_cos_err	66
12.16.2.279	INave_sine	66
12.16.2.280	INave_sine_dm	66
12.16.2.281	INave_sine_dm_err	66
12.16.2.282	INave_sine_err	66
12.16.2.283	INaveScale	66
12.16.2.284	INWhiteNoiseModelFile	66
12.17	storePrecision Struct Reference	66
12.17.1	Member Data Documentation	66

12.17.1.1 comment	66
12.17.1.2 minPrec	66
12.17.1.3 routine	66
12.18T1Polyco Struct Reference	66
12.18.1 Member Data Documentation	67
12.18.1.1 binary_frequency	67
12.18.1.2 binary_phase	67
12.18.1.3 coeff	67
12.18.1.4 date_string	67
12.18.1.5 dm	67
12.18.1.6 doppler	67
12.18.1.7 frequency_obs	67
12.18.1.8 frequency_psr_0	67
12.18.1.9 log10rms	67
12.18.1.10mjd_mid	67
12.18.1.11ncoeff	67
12.18.1.12psrname	67
12.18.1.13reference_phase	67
12.18.1.14sitename	67
12.18.1.15span	67
12.18.1.16utc_string	67
12.19T1PolycoSet Struct Reference	68
12.19.1 Member Data Documentation	68
12.19.1.1 nsegments	68
12.19.1.2 segments	68
12.20T2Predictor Struct Reference	68
12.20.1 Member Data Documentation	69
12.20.1.1 cheby	69
12.20.1.2 kind	69
12.20.1.3 modelset	69
12.20.1.4 t1	69
12.21TabulatedFunction Struct Reference	70
12.21.1 Member Data Documentation	70
12.21.1.1 fileName	70
12.21.1.2 header_line	70
12.21.1.3 samples	70
12.22TabulatedFunctionSample Struct Reference	70
12.22.1 Member Data Documentation	70
12.22.1.1 x	70
12.22.1.2 y	71

13 File Documentation	73
13.1 cholesky.h File Reference	73
13.1.1 Function Documentation	73
13.1.1.1 cholesky_covarFunc2matrix	73
13.1.1.2 cholesky_dmModel	73
13.1.1.3 cholesky_dmModelCovarParam	73
13.1.1.4 cholesky_ecm	73
13.1.1.5 cholesky_formUinv	73
13.1.1.6 cholesky_powerlawModel	73
13.1.1.7 cholesky_powerlawModel_withBeta	73
13.1.1.8 cholesky_readFromCovarianceFunction	74
13.2 choleskyRoutines.h File Reference	74
13.2.1 Function Documentation	75
13.2.1.1 T2calculateCholesky	75
13.2.1.2 T2calculateCovarFunc	75
13.2.1.3 T2calculateDailyCovariance	75
13.2.1.4 T2calculateSpectra	75
13.2.1.5 T2cholDecomposition	75
13.2.1.6 T2cubicFit	75
13.2.1.7 T2findSmoothCurve	75
13.2.1.8 T2fitSpectra	75
13.2.1.9 T2get_covFunc_automatic	75
13.2.1.10 T2getHighFreqRes	75
13.2.1.11 T2getWhiteNoiseLevel	75
13.2.1.12 T2getWhiteRes	75
13.2.1.13 T2guess_vals	75
13.2.1.14 T2interpolate	75
13.2.1.15 T2obtainTimingResiduals	76
13.2.1.16 T2writeCovarFuncModel	76
13.2.2 Variable Documentation	76
13.2.2.1 EXPSMOOTH	76
13.2.2.2 FCALPHA	76
13.2.2.3 FCFINAL	76
13.2.2.4 NFIT	76
13.2.2.5 UPW	76
13.2.2.6 WNLEVEL	76
13.3 config.h File Reference	76
13.3.1 Macro Definition Documentation	77
13.3.1.1 _DARWIN_USE_64_BIT_INODE	77
13.3.1.2 F77_FUNC	77

13.3.1.3	F77_FUNC_	77
13.3.1.4	HAVE_BLAS	77
13.3.1.5	HAVE_DLERROR	77
13.3.1.6	HAVE_DLFCN_H	77
13.3.1.7	HAVE_FFTW3	77
13.3.1.8	HAVE_INTTYPES_H	77
13.3.1.9	HAVE_LAPACK	77
13.3.1.10	HAVE_LIBDL	77
13.3.1.11	HAVE_LIBDLLOADER	77
13.3.1.12	HAVE_LIBM	77
13.3.1.13	HAVE_MEMORY_H	77
13.3.1.14	HAVE_PGPLOT	77
13.3.1.15	HAVE_PTHREAD	77
13.3.1.16	HAVE_STDINT_H	77
13.3.1.17	HAVE_STDLIB_H	77
13.3.1.18	HAVE_STRING_H	78
13.3.1.19	HAVE_STRINGS_H	78
13.3.1.20	HAVE_SYS_STAT_H	78
13.3.1.21	HAVE_SYS_TYPES_H	78
13.3.1.22	HAVE_UNISTD_H	78
13.3.1.23	LT_OBJDIR	78
13.3.1.24	PACKAGE	78
13.3.1.25	PACKAGE_BUGREPORT	78
13.3.1.26	PACKAGE_NAME	78
13.3.1.27	PACKAGE_STRING	78
13.3.1.28	PACKAGE_TARNAME	78
13.3.1.29	PACKAGE_URL	78
13.3.1.30	PACKAGE_VERSION	78
13.3.1.31	STDC_HEADERS	78
13.3.1.32	TEMPO2_ARCH	78
13.3.1.33	VERSION	78
13.3.1.34	X_DISPLAY_MISSING	78
13.4	constraints.h File Reference	78
13.4.1	Function Documentation	79
13.4.1.1	autosetDMCM	79
13.4.1.2	computeConstraintWeights	79
13.4.1.3	consFunc_dmmodel_cw	79
13.4.1.4	consFunc_dmmodel_cw_year	79
13.4.1.5	consFunc_dmmodel_dm1	80
13.4.1.6	consFunc_dmmodel_mean	80

13.4.1.7	consFunc_ifunc	80
13.4.1.8	consFunc_ifunc_year	80
13.4.1.9	consFunc_qifunc_c_year	80
13.4.1.10	consFunc_qifunc_p_year	80
13.4.1.11	consFunc_quad_ifunc_c	80
13.4.1.12	consFunc_quad_ifunc_p	80
13.4.1.13	consFunc_tel_dx	80
13.4.1.14	consFunc_tel_dy	80
13.4.1.15	consFunc_tel_dz	80
13.4.1.16	CONSTRAINTfuncs	80
13.4.1.17	get_constraint_name	80
13.4.1.18	standardConstraintFunctions	80
13.5	documentation/1_USER_GUIDE.md File Reference	80
13.6	documentation/2_developers.md File Reference	80
13.7	documentation/3_DEVELOPER_GUIDE.md File Reference	80
13.8	documentation/4_directories.md File Reference	80
13.9	dynarr.h File Reference	81
13.9.1	Function Documentation	81
13.9.1.1	DynamicArray_free	81
13.9.1.2	DynamicArray_init	81
13.9.1.3	DynamicArray_push_back	82
13.9.1.4	DynamicArray_resize	82
13.10	GWsim.h File Reference	82
13.10.1	Typedef Documentation	83
13.10.1.1	gwgeneralSrc	83
13.10.1.2	gwgenSpec	83
13.10.1.3	gwSrc	83
13.10.2	Function Documentation	83
13.10.2.1	calculateResidualgeneralGW	83
13.10.2.2	calculateResidualGW	83
13.10.2.3	dadt	83
13.10.2.4	dedt	83
13.10.2.5	dotProduct	83
13.10.2.6	dtdt	83
13.10.2.7	eccRes	83
13.10.2.8	eccResWithEnergy	84
13.10.2.9	Fe	84
13.10.2.10	Findphi	84
13.10.2.11	1GWanisotropicbackground	84
13.10.2.12	2GWbackground	84

13.10.2.13GWbackground_read	84
13.10.2.14GWbackground_write	84
13.10.2.15GWdipolebackground	84
13.10.2.16GWgeneralanisotropicbackground	84
13.10.2.17GWgeneralbackground	84
13.10.2.18GWgeneralbackground_read	84
13.10.2.19GWgeneralbackground_write	84
13.10.2.20matrixMult	84
13.10.2.21psrangle	84
13.10.2.22Rs	84
13.10.2.23setupgeneralGW	84
13.10.2.24setupGW	84
13.10.2.25setupPulsar_GWsim	84
13.10.2.26spharm	84
13.11 ifteph.h File Reference	84
13.11.1 Macro Definition Documentation	85
13.11.1.1 IFTE_JD0	85
13.11.1.2 IFTE_K	85
13.11.1.3 IFTE_KM1	85
13.11.1.4 IFTE_LC	86
13.11.1.5 IFTE_MJD0	86
13.11.1.6 IFTE_TEPH0	86
13.11.2 Function Documentation	86
13.11.2.1 IFTE_close_file	86
13.11.2.2 IFTE_DeltaT	86
13.11.2.3 IFTE_DeltaTDot	86
13.11.2.4 IFTE_get_DeltaT_DeltaTDot	86
13.11.2.5 IFTE_get_vE	86
13.11.2.6 IFTE_get_vE_vEDot	86
13.11.2.7 IFTE_get_vEDot	86
13.11.2.8 IFTE_init	86
13.12 jpl_int.h File Reference	86
13.12.1 Macro Definition Documentation	86
13.12.1.1 JPL_HEADER_SIZE	86
13.12.1.2 MAX_KERNEL_SIZE	86
13.12.2 Typedef Documentation	86
13.12.2.1 JPLlong	86
13.13 jpleph.h File Reference	86
13.13.1 Macro Definition Documentation	87
13.13.1.1 DLL_FUNC	87

13.13.1.2 JPL_EPHEM_AU_IN_KM	87
13.13.1.3 JPL_EPHEM_EARTH_MOON_RATIO	87
13.13.1.4 JPL_EPHEM_END_JD	87
13.13.1.5 JPL_EPHEM_EPHEMERIS_VERSION	87
13.13.1.6 JPL_EPHEM_KERNEL_NCOEFF	87
13.13.1.7 JPL_EPHEM_KERNEL_RECORD_SIZE	87
13.13.1.8 JPL_EPHEM_KERNEL_SIZE	87
13.13.1.9 JPL_EPHEM_KERNEL_SWAP_BYTES	87
13.13.1.10 JPL_EPHEM_N_CONSTANTS	87
13.13.1.11 JPL_EPHEM_START_JD	87
13.13.1.12 JPL_EPHEM_STEP	87
13.13.2 Function Documentation	88
13.13.2.1 jpl_close_ephemeris	88
13.13.2.2 jpl_get_double	88
13.13.2.3 jpl_get_long	88
13.13.2.4 jpl_init_ephemeris	88
13.13.2.5 jpl_pleph	88
13.13.2.6 jpl_state	88
13.13.2.7 make_sub_ephem	88
13.14 read_fortran.h File Reference	88
13.14.1 Function Documentation	89
13.14.1.1 close_file	89
13.14.1.2 open_file	89
13.14.1.3 read_char	89
13.14.1.4 read_character	89
13.14.1.5 read_double	89
13.14.1.6 read_float	89
13.14.1.7 read_int	89
13.14.1.8 read_record_int	89
13.14.2 Variable Documentation	89
13.14.2.1 c_fileptr	89
13.14.2.2 swapByte	89
13.15 read_fortran2.h File Reference	89
13.15.1 Function Documentation	90
13.15.1.1 close_file2	90
13.15.1.2 open_file2	90
13.15.1.3 read_character2	90
13.15.1.4 read_double2	90
13.15.1.5 read_float2	90
13.15.1.6 read_int2	90

13.15.1.7 read_record_int2	90
13.15.2 Variable Documentation	90
13.15.2.1 c_fileptr2	90
13.15.2.2 swapByte2	90
13.16 README.md File Reference	90
13.17 T2accel.h File Reference	90
13.17.1 Macro Definition Documentation	91
13.17.1.1 ACCEL_LSQ	91
13.17.1.2 ACCEL_MULTMATRIX	91
13.17.1.3 ACCEL_UINV	91
13.17.2 Function Documentation	91
13.17.2.1 accel_lsq_qr	91
13.17.2.2 accel_multMatrix	91
13.17.2.3 accel_multMatrixVec	91
13.17.2.4 accel_uinv	91
13.17.3 Variable Documentation	91
13.17.3.1 useT2accel	91
13.18 t2fit.h File Reference	91
13.18.1 Function Documentation	92
13.18.1.1 t2Fit	92
13.18.1.2 t2Fit_buildConstraintsMatrix	92
13.18.1.3 t2Fit_buildDesignMatrix	92
13.18.1.4 t2Fit_fillFitInfo	92
13.18.1.5 t2Fit_fillGlobalFitInfo	92
13.18.1.6 t2Fit_getFitData	92
13.18.1.7 t2Fit_updateParameters	92
13.19 t2fit_dmmodel.h File Reference	92
13.19.1 Function Documentation	93
13.19.1.1 t2FitFunc_dmmodelCM	93
13.19.1.2 t2FitFunc_dmmodelDM	93
13.19.1.3 t2UpdateFunc_dmmodelCM	94
13.19.1.4 t2UpdateFunc_dmmodelDM	94
13.20 t2fit_fitwaves.h File Reference	94
13.20.1 Function Documentation	94
13.20.1.1 t2FitFunc_fitwaves	94
13.20.1.2 t2UpdateFunc_fitwaves	94
13.21 t2fit_glitch.h File Reference	94
13.21.1 Function Documentation	95
13.21.1.1 t2FitFunc_stdGlitch	95
13.21.1.2 t2UpdateFunc_stdGlitch	95

13.22t2fit_ifunc.h File Reference	95
13.22.1 Function Documentation	96
13.22.1.1 ifunc	96
13.22.1.2 sinfunc	96
13.22.1.3 t2FitFunc_ifunc	96
13.22.1.4 t2FitFunc_sifunc	96
13.22.1.5 t2UpdateFunc_ifunc	96
13.23t2fit_position.h File Reference	96
13.23.1 Function Documentation	97
13.23.1.1 t2FitFunc_stdPosition	97
13.23.1.2 t2UpdateFunc_stdPosition	97
13.24t2fit_stdFitFuncs.h File Reference	97
13.24.1 Function Documentation	98
13.24.1.1 t2FitFunc_binaryModels	98
13.24.1.2 t2FitFunc_ifunc	98
13.24.1.3 t2FitFunc_jump	98
13.24.1.4 t2FitFunc_miscDm	98
13.24.1.5 t2FitFunc_planet	98
13.24.1.6 t2FitFunc_stdDm	98
13.24.1.7 t2FitFunc_stdFreq	98
13.24.1.8 t2FitFunc_stdGravWav	98
13.24.1.9 t2FitFunc_telPos	98
13.24.1.10t2FitFunc_zero	98
13.24.1.11t2UpdateFunc_binaryModels	98
13.24.1.12t2UpdateFunc_ifunc	98
13.24.1.13t2UpdateFunc_jump	98
13.24.1.14t2UpdateFunc_miscDm	98
13.24.1.15t2UpdateFunc_planet	98
13.24.1.16t2UpdateFunc_simpleAdd	99
13.24.1.17t2UpdateFunc_simpleMinus	99
13.24.1.18t2UpdateFunc_stdFreq	99
13.24.1.19t2UpdateFunc_stdGravWav	99
13.24.1.20t2UpdateFunc_telPos	99
13.24.1.21t2UpdateFunc_zero	99
13.25T2toolkit.h File Reference	99
13.25.1 Detailed Description	100
13.25.2 Function Documentation	100
13.25.2.1 genrand_int32	100
13.25.2.2 genrand_real1	100
13.25.2.3 init_genrand	100

13.25.2.4 TKconvertFloat1	100
13.25.2.5 TKconvertFloat2	100
13.25.2.6 TKfindMax_d	100
13.25.2.7 TKfindMax_f	100
13.25.2.8 TKfindMedian_d	100
13.25.2.9 TKfindMedian_f	100
13.25.2.10TKfindMin_d	100
13.25.2.11TKfindMin_f	100
13.25.2.12TKfindRMS_d	100
13.25.2.13TKfindRMS_f	100
13.25.2.14TKfindRMSweight_d	100
13.25.2.15TKgaussDev	100
13.25.2.16TKmean_d	100
13.25.2.17TKmean_f	100
13.25.2.18TKranDev	100
13.25.2.19TKrange_d	100
13.25.2.20TKrange_f	100
13.25.2.21TKretMax_d	100
13.25.2.22TKretMax_f	100
13.25.2.23TKretMin_d	101
13.25.2.24TKretMin_f	101
13.25.2.25TKretMin_i	101
13.25.2.26TKsetSeed	101
13.25.2.27TKsign_d	101
13.25.2.28TKsort_2f	101
13.25.2.29TKsort_3d	101
13.25.2.30TKsort_d	101
13.25.2.31TKsort_f	101
13.25.2.32TKvariance_d	101
13.25.2.33TKzeromean_d	101
13.26tabulatedfunction.h File Reference	101
13.26.1 Function Documentation	102
13.26.1.1 TabulatedFunction_getEndX	102
13.26.1.2 TabulatedFunction_getStartX	102
13.26.1.3 TabulatedFunction_getValue	102
13.26.1.4 TabulatedFunction_load	102
13.27tempo2.h File Reference	102
13.27.1 Detailed Description	108
13.27.2 Macro Definition Documentation	109
13.27.2.1 AU_DIST	109

13.27.2.2 AULTSC	109
13.27.2.3 BIG_G	109
13.27.2.4 DM_CONST	109
13.27.2.5 DM_CONST_SI	109
13.27.2.6 ECLIPTIC_OBLIQUITY_VAL	109
13.27.2.7 FB90_TIMEEPH	109
13.27.2.8 GM	109
13.27.2.9 GM_C3	109
13.27.2.10GMJ_C3	109
13.27.2.11GMN_C3	109
13.27.2.12GMS_C3	109
13.27.2.13GMU_C3	110
13.27.2.14GMV_C3	110
13.27.2.15HAVE_GWSIM_H	110
13.27.2.16F99_TIMEEPH	110
13.27.2.17FTEPH_FILE	110
13.27.2.18LEAPSECOND_FILE	110
13.27.2.19MASYR2RADS	110
13.27.2.20MAX_BPJ_JUMPS	110
13.27.2.21MAX_CLK_CORR	110
13.27.2.22MAX_CLKCORR	110
13.27.2.23MAX_COEFF	110
13.27.2.24MAX_COMPANIONS	110
13.27.2.25MAX_DM_DERIVATIVES	110
13.27.2.26MAX_DMX	111
13.27.2.27MAX_FILELEN	111
13.27.2.28MAX_FIT	111
13.27.2.29MAX_FLAG_LEN	111
13.27.2.30MAX_FLAGS	111
13.27.2.31MAX_FREQ_DERIVATIVES	111
13.27.2.32MAX_IFUNC	111
13.27.2.33MAX_JUMPS	111
13.27.2.34MAX_LEAPSEC	111
13.27.2.35MAX_MSG	111
13.27.2.36MAX_OBSN_VAL	111
13.27.2.37MAX_PARAMS	111
13.27.2.38MAX_PSR_VAL	112
13.27.2.39MAX_QUAD	112
13.27.2.40MAX_SITE	112
13.27.2.41MAX_STOREPRECISION	112

13.27.2.42	MAX_STRLEN	112
13.27.2.43	MAX_T2EFAC	112
13.27.2.44	MAX_T2EQUAD	112
13.27.2.45	MAX_TEL_CLK_OFFS	112
13.27.2.46	MAX_TEL_DX	112
13.27.2.47	MAX_TEL_DY	112
13.27.2.48	MAX_TEL_DZ	112
13.27.2.49	MAX_TNBN	112
13.27.2.50	MAX_TNDMEv	112
13.27.2.51	MAX_TNECORR	113
13.27.2.52	MAX_TNEF	113
13.27.2.53	MAX_TNEQ	113
13.27.2.54	MAX_TNGN	113
13.27.2.55	MAX_TNSQ	113
13.27.2.56	MAX_TOFFSET	113
13.27.2.57	MAX_WHITE	113
13.27.2.58	NE_SW_DEFAULT	113
13.27.2.59	OBLQ	113
13.27.2.60	OBSSYS_FILE	113
13.27.2.61	PCM	113
13.27.2.62	SECDAY	113
13.27.2.63	SECDAYI	114
13.27.2.64	SI_UNITS	114
13.27.2.65	SOLAR_MASS	114
13.27.2.66	SOLAR_RADIUS	114
13.27.2.67	SPEED_LIGHT	114
13.27.2.68	T2C_IAU2000B	114
13.27.2.69	T2C_TEMPO	114
13.27.2.70	TDB_UNITS	114
13.27.2.71	TDBTDT_FILE	114
13.27.2.72	TEMPO2_h_HASH	114
13.27.2.73	TEMPO2_h_MAJOR_VER	114
13.27.2.74	TEMPO2_h_MINOR_VER	114
13.27.2.75	TEMPO2_h_VER	114
13.27.2.76	SUN	114
13.27.2.77	UT1_FILE	114
13.27.3	Typedef Documentation	115
13.27.3.1	constraint_label	115
13.27.3.2	constraintDerivFunc	115
13.27.3.3	FitInfo	115

13.27.3.4 observation	115
13.27.3.5 param_label	115
13.27.3.6 paramDerivFunc	115
13.27.3.7 parameter	115
13.27.3.8 paramUpdateFunc	115
13.27.3.9 pulsar	115
13.27.3.10storePrecision	116
13.27.4 Enumeration Type Documentation	116
13.27.4.1 constraint	116
13.27.4.2 label	117
13.27.5 Function Documentation	120
13.27.5.1 allocateMemory	120
13.27.5.2 autoConstraints	120
13.27.5.3 bootstrap	120
13.27.5.4 BTJmodel	120
13.27.5.5 BTmodel	120
13.27.5.6 BTXmodel	120
13.27.5.7 calcRMS	120
13.27.5.8 calculate_bclt	120
13.27.5.9 compute_tropospheric_delays	120
13.27.5.10copyParam	120
13.27.5.11copyPSR	120
13.27.5.12CVSdisplayVersion	120
13.27.5.13DDGRmodel	120
13.27.5.14DDHmodel	120
13.27.5.15DDKmodel	120
13.27.5.16DDmodel	120
13.27.5.17DDSmodel	120
13.27.5.18defineClockCorrectionSequence	120
13.27.5.19destroyMemory	120
13.27.5.20destroyOne	120
13.27.5.21displayMsg	120
13.27.5.22displayParameters	120
13.27.5.23dm_delays	121
13.27.5.24dms_turn	121
13.27.5.25doFit	121
13.27.5.26doFitAll	121
13.27.5.27doFitDCM	121
13.27.5.28doFitGlobal	121
13.27.5.29dotproduct	121

13.27.5.30ELL1Hmodel	121
13.27.5.31ELL1model	121
13.27.5.32equ2ecl	121
13.27.5.33FITfuncs	121
13.27.5.34formBats	121
13.27.5.35formBatsAll	121
13.27.5.36formResiduals	121
13.27.5.37fortran_mod	121
13.27.5.38fortran_nint	121
13.27.5.39fortran_nlong	121
13.27.5.40get_EOP	121
13.27.5.41get_obsCoord	121
13.27.5.42get_obsCoord_IAU2000B	121
13.27.5.43get_OneobsCoord	121
13.27.5.44getCholeskyMatrix	121
13.27.5.45getClockCorrections	121
13.27.5.46getCorrection	121
13.27.5.47getCorrectionTT	121
13.27.5.48getInputs	122
13.27.5.49getObservatory	122
13.27.5.50getParamDeriv	122
13.27.5.51getParameterValue	122
13.27.5.52hms_turn	122
13.27.5.53d_residual	122
13.27.5.54initialise	122
13.27.5.55initialiseOne	122
13.27.5.56JVmodel	122
13.27.5.57logicFlag	122
13.27.5.58lookup_observatory_alias	122
13.27.5.59MSSmodel	122
13.27.5.60polyco	122
13.27.5.61preProcess	122
13.27.5.62preProcessSimple	122
13.27.5.63preProcessSimple1	122
13.27.5.64preProcessSimple2	122
13.27.5.65preProcessSimple3	122
13.27.5.66processFlag	122
13.27.5.67processSimultaneous	122
13.27.5.68readEphemeris	122
13.27.5.69readEphemeris_calceph	122

13.27.5.70readJBO_bat	122
13.27.5.71readObsFile	122
13.27.5.72readOneEphemeris	122
13.27.5.73readParfile	123
13.27.5.74readParfileGlobal	123
13.27.5.75readSimpleParfile	123
13.27.5.76readTimfile	123
13.27.5.77recordPrecision	123
13.27.5.78secularMotion	123
13.27.5.79setPlugPath	123
13.27.5.80setStart	123
13.27.5.81setupParameterFileDefaults	123
13.27.5.82shapiro_delay	123
13.27.5.83simplePlot	123
13.27.5.84solarWindModel	123
13.27.5.85sortToAs	123
13.27.5.86T2_PTAmode	123
13.27.5.87T2model	123
13.27.5.88tai2tt	123
13.27.5.89tai2ut1	123
13.27.5.90textOutput	123
13.27.5.91toa2utc	123
13.27.5.92transform_units	123
13.27.5.93tt2b	123
13.27.5.94turn_deg	123
13.27.5.95turn_dms	123
13.27.5.96turn_hms	123
13.27.5.97updateBatsAll	123
13.27.5.98updateBT	123
13.27.5.99updateBTJ	123
13.27.5.100updateBTX	124
13.27.5.101updateDD	124
13.27.5.102updateDDGR	124
13.27.5.103updateDDH	124
13.27.5.104updateDDK	124
13.27.5.105updateDDS	124
13.27.5.106updateELL1	124
13.27.5.107updateELL1H	124
13.27.5.108updateJV	124
13.27.5.109updateMSS	124

13.27.5.110	updateParameters	124
13.27.5.111	updateT2	124
13.27.5.112	updateT2_PTA	124
13.27.5.113	useSelectFile	124
13.27.5.114	utc2tai	124
13.27.5.115	vectorPulsar	124
13.27.5.116	vectorscale	124
13.27.5.117	vectorsum	124
13.27.5.118	writeTim	124
13.27.5.119	zoom_graphics	124
13.27.6	Variable Documentation	124
13.27.6.1	covarFuncFile	124
13.27.6.2	dcmFile	124
13.27.6.3	displayCVSversion	124
13.27.6.4	ECLIPTIC_OBLIQUITY	124
13.27.6.5	forceGlobalFit	124
13.27.6.6	MAX_OBSN	125
13.27.6.7	MAX_PSR	125
13.27.6.8	NEWFIT	125
13.27.6.9	TEMPO2_ENVIRON	125
13.27.6.10	TEMPO2_ERROR	125
13.27.6.11	tempo2_plug_path	125
13.27.6.12	tempo2_plug_path_len	125
13.27.6.13	tempo2MachineType	125
13.27.6.14	veryFast	125
13.28	tempo2pred.h File Reference	126
13.28.1	Enumeration Type Documentation	127
13.28.1.1	T2PredictorKind	127
13.28.2	Function Documentation	127
13.28.2.1	T2Predictor_Copy	127
13.28.2.2	T2Predictor_Destroy	127
13.28.2.3	T2Predictor_FRead	127
13.28.2.4	T2Predictor_FWrite	127
13.28.2.5	T2Predictor_GetEndFreq	127
13.28.2.6	T2Predictor_GetEndMJD	127
13.28.2.7	T2Predictor_GetFrequency	127
13.28.2.8	T2Predictor_GetPhase	127
13.28.2.9	T2Predictor_GetPlan	128
13.28.2.10	T2Predictor_GetPlan_Ext	128
13.28.2.11	T2Predictor_GetPSRName	128

13.28.2.12T2Predictor_GetSiteName	128
13.28.2.13T2Predictor_GetStartFreq	128
13.28.2.14T2Predictor_GetStartMJD	128
13.28.2.15T2Predictor_Init	128
13.28.2.16T2Predictor_Insert	128
13.28.2.17T2Predictor_Keep	128
13.28.2.18T2Predictor_Kind	128
13.28.2.19T2Predictor_Read	128
13.28.2.20T2Predictor_Write	128
13.28.3 Variable Documentation	128
13.28.3.1 ChebyModelSet_OutOfRange	128
13.29tempo2pred_int.h File Reference	128
13.29.1 Function Documentation	129
13.29.1.1 Cheby2D_Construct	129
13.29.1.2 Cheby2D_Construct_x_Derivative	129
13.29.1.3 Cheby2D_Test	129
13.29.1.4 ChebyModel_Construct	129
13.29.1.5 ChebyModel_Copy	130
13.29.1.6 ChebyModel_Destroy	130
13.29.1.7 ChebyModel_GetFrequency	130
13.29.1.8 ChebyModel_GetPhase	130
13.29.1.9 ChebyModel_Init	130
13.29.1.10ChebyModel_Read	130
13.29.1.11ChebyModel_Test	130
13.29.1.12ChebyModel_Write	130
13.29.1.13ChebyModelSet_Construct	130
13.29.1.14ChebyModelSet_Destroy	130
13.29.1.15ChebyModelSet_GetFrequency	130
13.29.1.16ChebyModelSet_GetNearest	130
13.29.1.17ChebyModelSet_GetPhase	130
13.29.1.18ChebyModelSet_Init	130
13.29.1.19ChebyModelSet_Insert	130
13.29.1.20ChebyModelSet_Keep	130
13.29.1.21ChebyModelSet_Read	130
13.29.1.22ChebyModelSet_Test	130
13.29.1.23ChebyModelSet_Write	130
13.29.1.24T1Polyco_GetFrequency	130
13.29.1.25T1Polyco_GetPhase	130
13.29.1.26T1Polyco_Read	130
13.29.1.27T1Polyco_Write	130

13.29.1.28T1PolycoSet_Destroy	130
13.29.1.29T1PolycoSet_GetFrequency	130
13.29.1.30T1PolycoSet_GetNearest	130
13.29.1.31T1PolycoSet_GetPhase	131
13.29.1.32T1PolycoSet_Read	131
13.29.1.33T1PolycoSet_Write	131
13.30tempo2Util.h File Reference	131
13.30.1 Function Documentation	131
13.30.1.1 dms_turn	131
13.30.1.2 hms_turn	131
13.30.1.3 turn_deg	131
13.31TKcholesky.h File Reference	131
13.31.1 Function Documentation	131
13.31.1.1 cholesky_covarFunc2matrix	131
13.31.1.2 cholesky_dmModel	131
13.31.1.3 cholesky_dmModelCovarParam	131
13.31.1.4 cholesky_ecm	131
13.31.1.5 cholesky_formUinv	132
13.31.1.6 cholesky_powerlawModel	132
13.31.1.7 cholesky_powerlawModel_withBeta	132
13.31.1.8 cholesky_readFromCovarianceFunction	132
13.32TKfit.h File Reference	132
13.32.1 Function Documentation	133
13.32.1.1 TKconstrainedLeastSquares	133
13.32.1.2 TKfindPoly_d	133
13.32.1.3 TKfitPoly	133
13.32.1.4 TKleastSquares	133
13.32.1.5 TKleastSquares_svd	133
13.32.1.6 TKleastSquares_svd_noErr	133
13.32.1.7 TKremovePoly_d	133
13.32.1.8 TKremovePoly_f	133
13.32.1.9 TKrobustConstrainedLeastSquares	133
13.32.1.10TKrobustLeastSquares	133
13.33TKlog.h File Reference	133
13.33.1 Macro Definition Documentation	135
13.33.1.1 _LOG	135
13.33.1.2 BOLDCOLOR	135
13.33.1.3 DEPRECATED	135
13.33.1.4 ENDERR	135
13.33.1.5 ENDL	135

13.33.1.6 ERRORCOLOR	135
13.33.1.7 LOG_OUTFILE	135
13.33.1.8 logdbg	135
13.33.1.9 logerr	135
13.33.1.10logmsg	135
13.33.1.11logtchk	135
13.33.1.12logwarn	135
13.33.1.13RESETCOLOR	135
13.33.1.14TK_MAX_ERROR_LEN	135
13.33.1.15TK_MAX_ERRORS	135
13.33.1.16TK_STORE_ERROR	136
13.33.1.17TK_STORE_WARNING	136
13.33.1.18WARNCOLOR	136
13.33.1.19WHEREARG	136
13.33.1.20WHEREERR	136
13.33.1.21WHERESTR	136
13.33.1.22WHERECHK	136
13.33.1.23WHEREWARN	136
13.33.2 Function Documentation	136
13.33.2.1 _TKchklog	136
13.33.2.2 logerr_check	136
13.33.3 Variable Documentation	136
13.33.3.1 debugFlag	136
13.33.3.2 tcheck	136
13.33.3.3 timer_clk	136
13.33.3.4 TK_errorCount	136
13.33.3.5 TK_errorlog	136
13.33.3.6 TK_warnCount	136
13.33.3.7 TK_warnlog	136
13.33.3.8 writeResiduals	136
13.34TKlongdouble.float128.h File Reference	136
13.34.1 Macro Definition Documentation	137
13.34.1.1 cosl	137
13.34.1.2 fabsl	137
13.34.1.3 floorl	137
13.34.1.4 FMT_LD	137
13.34.1.5 LD_PI	137
13.34.1.6 longdouble	138
13.34.1.7 LONGDOUBLE_IS_FLOAT128	138
13.34.1.8 LONGDOUBLE_ONE	138

13.34.1.9 <code>sinl</code>	138
13.34.1.10 <code>USE_BUILTIN_LONGDOUBLE</code>	138
13.34.2 Typedef Documentation	138
13.34.2.1 <code>longdouble</code>	138
13.34.3 Function Documentation	138
13.34.3.1 <code>ld_fprintf</code>	138
13.34.3.2 <code>ld_printf</code>	138
13.34.3.3 <code>ld_sprintf</code>	138
13.34.3.4 <code>parse_longdouble</code>	138
13.35TKlongdouble.h File Reference	138
13.35.1 Macro Definition Documentation	139
13.35.1.1 <code>cosl</code>	139
13.35.1.2 <code>fabsl</code>	139
13.35.1.3 <code>floorl</code>	139
13.35.1.4 <code>FMT_LD</code>	139
13.35.1.5 <code>LD_PI</code>	139
13.35.1.6 <code>longdouble</code>	139
13.35.1.7 <code>LONGDOUBLE_IS_FLOAT128</code>	139
13.35.1.8 <code>LONGDOUBLE_ONE</code>	139
13.35.1.9 <code>sinl</code>	139
13.35.1.10 <code>USE_BUILTIN_LONGDOUBLE</code>	139
13.35.2 Typedef Documentation	139
13.35.2.1 <code>longdouble</code>	139
13.35.3 Function Documentation	139
13.35.3.1 <code>ld_fprintf</code>	139
13.35.3.2 <code>ld_printf</code>	140
13.35.3.3 <code>ld_sprintf</code>	140
13.35.3.4 <code>parse_longdouble</code>	140
13.36TKlongdouble.ld.h File Reference	140
13.36.1 Macro Definition Documentation	140
13.36.1.1 <code>ld_fprintf</code>	140
13.36.1.2 <code>LD_PI</code>	140
13.36.1.3 <code>ld_printf</code>	140
13.36.1.4 <code>ld_sprintf</code>	141
13.36.1.5 <code>longdouble</code>	141
13.36.1.6 <code>LONGDOUBLE_IS_IEEE754</code>	141
13.36.1.7 <code>LONGDOUBLE_ONE</code>	141
13.36.1.8 <code>USE_BUILTIN_LONGDOUBLE</code>	141
13.36.2 Typedef Documentation	141
13.36.2.1 <code>longdouble</code>	141

13.36.3 Function Documentation	141
13.36.3.1 parse_longdouble	141
13.37TKmatrix.h File Reference	141
13.37.1 Function Documentation	142
13.37.1.1 free_2df	142
13.37.1.2 free_blas	142
13.37.1.3 free_uinv	142
13.37.1.4 get_blas_cols	142
13.37.1.5 get_blas_rows	142
13.37.1.6 malloc_2df	142
13.37.1.7 malloc_blas	142
13.37.1.8 malloc_uinv	142
13.37.1.9 TKmultMatrix	142
13.37.1.10TKmultMatrix_sq	142
13.37.1.11TKmultMatrixVec	142
13.37.1.12TKmultMatrixVec_sq	142
13.38TKspectrum.h File Reference	142
13.38.1 Macro Definition Documentation	144
13.38.1.1 ABS	144
13.38.1.2 MAX	144
13.38.1.3 MIN	144
13.38.2 Typedef Documentation	144
13.38.2.1 complexVal	144
13.38.3 Function Documentation	144
13.38.3.1 calcSpectra	144
13.38.3.2 calcSpectra_ri	144
13.38.3.3 calcSpectra_ri_T	144
13.38.3.4 calcSpectraErr	144
13.38.3.5 fit4	144
13.38.3.6 fitCosSineFunc	144
13.38.3.7 fitCosSineFunc	144
13.38.3.8 fitMeanSineFunc	144
13.38.3.9 fitMeanSineFunc_IFUNC	144
13.38.3.10getprtj	144
13.38.3.11getweights	144
13.38.3.12indexx8	144
13.38.3.13mat20	144
13.38.3.14readin	144
13.38.3.15sineFunc	145
13.38.3.16TK_dft	145

13.38.3.17TK_fft	145
13.38.3.18TK_fitSine	145
13.38.3.19TK_fitSinusoids	145
13.38.3.20TK_weightLS	145
13.38.3.21TKaveragePts	145
13.38.3.22TKboxcar	145
13.38.3.23TKcalcSigmaz	145
13.38.3.24TKcmonot	145
13.38.3.25TKfirstDifference	145
13.38.3.26TKhann	145
13.38.3.27TKinterpolateSplineSmoothFixedXPts	145
13.38.3.28TKlomb_d	145
13.38.3.29TKsortit	145
13.38.3.30TKspectrum	145
13.38.3.31TKspline_interpolate	145
13.38.4 Variable Documentation	145
13.38.4.1 GLOBAL_OMEGA	145
13.38.4.2 verbose_calc_spectra	145
13.39TKsvd.h File Reference	145
13.39.1 Function Documentation	146
13.39.1.1 TKbacksubstitution_svd	146
13.39.1.2 TKbidiagonal	146
13.39.1.3 TKpythag	146
13.39.1.4 TKsingularValueDecomposition_lsq	146
Index	147

Chapter 1

Main Page

- [User Guide](#)
- [Developer Guide](#)
- [Directory structure](#)

Chapter 2

User Guide

Chapter 3

Core Developers

Tempo2 development team

Tempo2 was originally written by George Hobbs and Russell Edwards.

Core package maintainers

- George Hobbs [GH]george.hobbs@csiro.au
 - Core tempo2 development.
 - Gravitational wave codes.
 - Binary models.
- Michael Keith [MK]mkeith@pulsarastronomy.net
 - C++ code maintainence.
 - Linear algebra and least-squares algorithms.
 - Build system maintainence.
 - Unit testing.

Active contributors

- Joris Verbiest
- Lindley Lentati
- Ryan Shannon
- Paul Demorest
- Lucas Guillemot
- Stefan Osłowski
- Willem van Straten
- Rutger van Haasteren
- Anne Archibald

Past Contributors

- Russell Edwards
- Aiden Hotan
- Ankur Chaudhary
- Ingrid Stairs

Chapter 4

Developer Guide

4.1 Tempo2 Developer Guide

4.1.1 About this guide

This guide has been developed to encourage development of tempo2, and to improve the consistency between developers. The majority of this guide has been written by [MJK](#), although all are welcome to contribute.

4.1.2 General code guidelines

Tempo2 is, for historical reasons, mostly written in C but compiled using a C++ compiler. However, be aware that a few parts of tempo2 use C++ classes or other C++ extensions. There is no particular C or C++ version in use, but for now assume that we are using C++98 with GNU extensions (i.e. `-std=gnu++98`)

Todo determine if we should migrate to C++ 11. It has lots of good features, but we need to check that all compilers support it.

Core tempo2 code

As a general rule, we try to minimise the libraries needed to build the core of tempo2 (not plugins). This means you can't link against `libfftw`, `libpgplot`, etc. from the core code. Some linear algebra features from BLAS/LAPACK are made available to the code code via the T2toolkit, and fallback routines have been generated to ensure that the code still works without BLAS/LAPACK. These routines are being expanded all the time.

plugins

For plugins, the rules are much less strict. Currently we compile plugins with links to `cfitsio`, `fftw` and `pgplot` as part of the main plugin distribution.

libt2toolkit

[MJK](#) is attempting to introduce a little more rigour in the coding standards for the code that makes up libt2toolkit, but in general this is treated exactly the same as code tempo2.

4.1.3 Development workflow

Recommended workflow

The recommended workflow is as follows.

Step 1: create a new branch:

```
git checkout -b myfeature
```

Step 2: Make and commit your changes to that branch

```
git commit -a
```

Step 3: Build, test, run your code.

```
make
make check
```

Step 4: If the new features seem good, promote them to the "master" branch.

```
# if the first time
git push --set-upstream origin docs
# otherwise
git push origin
```

and go to <https://bitbucket.org/mkeith/tempo2/pull-requests/new> to make a new pull request. The code will be reviewed by the core developers to check that the changes do not break any important features. If the modification is accepted (almost always) then it will be merged.

Alternative workflow

If you can't be bothered with branches, you can simply work directly on the "dev" branch:

```
git checkout dev
```

And commit as you want.

```
git commit -a && git push origin
```

The dev branch will be merged into master, after code review, as and when required. The drawbacks of this method are that you have to deal with conflicts yourself.

4.1.4 Coding style

Tempo2 does not have a strict coding style. However, it is recommended to adopt the following practice, as illustrated by the snippet below:

```
// copyright statement up here.
#ifdef HAVE_CONFIG_H
#include <config.h> // make sure to include config.h
#endif

#include <stdint>    // standard libraries are included first
#include <fftw.h>    // then external libraries
#include "TKlog.h"   // then internal libraries

// functions are preferably camelCase with small first letter.
// strings should be declared as const char* (or std::string) as they are immutable.
void myFunction(int anInt, const char *str, double **matrix) {
    // indent is 4 spaces.

    // usestdint types where possible to avoid confusion on 32-bit vs 64-bit machines.
    // use unsigned types where suitable
    // use const when a variable will not change
    const uint64_t myconst = 1024;
```

```

// keywords have a space before parenthesis (e.g. if, for, while).
if (anInt < 10) { // always use braces, even if one line!
    // use TKlog for logging debug messages and warnings.

    // debug for statements that are to be printed when debug flag is set
    logdbg("anInt = %d",anInt);

    // warnings when problem might be an issue but can continue
    logwarn("anInt should be less than 10"); // adds a message to the warning stack

    // messages always appear
    logmsg("Print to terminal")

    // errors for when the operation is likely to fail.
    logerr("aborting because anInt was too large (%d)",anInt);

    // prefer to return on error rather than exit
    return;
}

// best to declare variables in for loops, but give them a proper name (not i, j, k) if possible.
for (size_t iVal = 0; iVal < myconst; iVal++) {
    // ...
}
}

```

Note

Core tempo2 code should be copyright George Hobbs and Russell Edwards until we decide to change this.

Headers should declare the functions and have documentation! Please avoid globals as much as possible, but sometimes they are required. Use any doxygen markup required to document the interface, ESPECIALLY if it is to be called from outside tempo2.

```

// use defines to prevent double declaration
#ifndef myHeader_h
#define myHeader_h

/*!
 * @brief A brief description of the function
 * @param anInt[in] description of this parameter
 * @param str[in] description of this parameter
 * @param matrix[out] description, note if it is an "output" parameter!
 *
 * More description if required
 */

void myFunction(int anInt, const char* str, double** matrix);
#endif

```


Chapter 5

Directory structure

The tempo2 directory structure:

```
.
+-- autoconf.boot
+-- documentation
+-- mpack_lite
+-- plugin
+-- sofa
+-- t2runtime
+-- tests
    +-- gtest-1.7.0
    +-- test_data
+-- unsupported_plugins
```

autoconf.boot

This directory contains the .m4 files used by autoconf to build the configure script. It is copied to autoconf/ by the bootstrap script.

documentation

Includes this documentation

mpack_lite

Source code for multi-precision lapack/blas. This is a subset of the mplapack package from <http://mplapack.sourceforge.net/>

plugin

Source code for plugins

sofa

Source code for the 3rd party fortran SOFA library.

T2runtime

This directory contains the runtime files for tempo2, i.e. the contents of this directory should be reached at \$TEMP2 PO2 This includes the clock correction files, observatory parameters and earth ephemerides, etc.

tests

Source code for the unit tests, and the gtest library. Also contains a number of data files in the test_data subdirectory used by the tests.

unsupported_plugins

Source code for other plugins that are for whatever reason not part of the main distribution.

Chapter 6

Git INSTALLATION README

0. Contents

1. What this package is
2. Quick Guide
3. Requirements
4. Detailed instalation guide
5. Plugins
6. Changes from old makefile
7. Installation troubleshooting

1. What this package is

You (or someone else) have checked out tempo2 from the Git (<https://bitbucket.org/mkeith/tempo2>)

This is the best way to get the latest/cutting edge version, and develop your own additions to the tempo2 code or via plugins.

For more information on tempo2 see: <http://www.atnf.csiro.au/research/pulsar/tempo2/>

This requires the gnu autotools. If you don't have or don't want to install autotools, we recommend you install the latest distributed release from <http://www.atnf.csiro.au/research/pulsar/tempo2/> or use PSRSOFT to install tempo2: <http://www.pulsarastronomy.net/wiki/Software/PSRSoft>

2. Quick Guide

Bootstrap the build system:

```
./bootstrap
```

setup the tempo2 runtime dir

```
cp -r T2runtime /usr/share/tempo2/  
export TEMPO2=/usr/share/tempo2/
```

Configure:

```
./configure [--prefix=/your/install/path]]
```

use `--prefix` to set the path you want to install the binaries and libraries
 Make and install...

```
make && make install
```

You will probably want to build the default plugins (plk, etc). Do this with:

```
make plugins && make plugins-install
```

And you're done.

3. Requirements

Tempo2 requires the following:

- A fortran 77 compiler (tested with gfortran).
- A C compiler (tested with gcc).

Plugins may have other requirements, notably PGPLOT.

5. Plugins

The bootstrap command will create suitable makefiles for the default set of plugins. This is controlled by the contents of the files in `./plugin/plugin_lists/`

- `vanilla.plugins` lists plugins to install which have no dependancies.
- `pgplot.plugins` lists plugins to install that are dependant on PGPLOT.
- `gsl.plugins` lists plugins to install that are dependant on the GSL.

5.1 Building your own plugin

The easiest way to compile your own plugins is:

```
g++ ${CFLAGS} ${LDFLAGS} -fPIC -shared -o ${TEMPO2}/plugins/${PLG_NAME}_${LOGIN_ARCH}_plug.t2 ${SRCLIST}
```

where:

- `{ $PLG_NAME }` is the name of your plugin
- `{ $SRCLIST }` is your plugin's source code.
- `{ $LOGIN_ARCH }` is the result of ``uname`` (usually Linux).
- `{ $CFLAGS }` are the compiler flags your plugin needs... remeber to add a `-I` option to point to the location of [tempo2.h](#)
- `{ $LDFLAGS }` are any linking options you need, e.g. `pgplot`, etc.
- `{ $TEMPO2 }` is the tempo2 runtime dir

For example, to compile a basic plugin called 'foo' on linux, you might do

```
g++ -I/usr/src/tempo2 -fPIC -shared -o $TEMPO2/plugins/foo_${LOGIN_ARCH}_plug.t2 foo_plug.C
```

5.2 Adding a new plugin to the default build list

If your plugin has dependences that are already covered by the lists above, just add the name to the appropriate list, and name your plugin source file as:

name_plug.C

6. Changes from the old Make system.

At the start of 2010, tempo2 moved over to an autotools based make system, replacing the old hand written make-files. This may confuse some people!

Important notes:

- Tempo2 plugins now have a .t2 extension, rather than the old .so This is to ensure reduce confusion on MacOSx and to allow the old make system and the new make system to co-exist for a while.
- Any 3rd party plugins will still work as before. Indeed, to update a plugin, just change the .so extension to a .t2 extension. e.g. mv general_Linux_plug.so general_Linux_plug.t2

7. Installation Troubleshooting

7.1 Can't find PGPLOT

Download pgplot from: <http://www.astro.caltech.edu/~tjp/pgplot/>

Or use PSRSOFT to manage the installation. <http://www.pulsarastronomy.net/wiki/Software/PSRSoft>

If you have pgplot installed, but it is not detected by the configure script, check:

- You have got at least libpgplot.a and libcpgplot.a in your LDFLAGS
- Check you have \$PGPLOT_DIR pointing to the folder with grfont.dat and rgb.txt
- Check that you have \$F77 set to the same compiler that compiled PGPLOT (e.g. setenv F77 gfortran, if you used gfortran for PGPLOT)

7.2 Incompatible C and Fortran compilers

Check that you are using the same build of gcc and gfortran (or whatever compiler you are using).

Note that on MacOSX there is often an issue where the default compiler is incompatible with gfortran. The gfortran compatible version is often called gcc-4 and gxx-4 or similar. Use this with:

```
export CC=gcc-4
export CXX=g++-4
```

and reconfigure.

Chapter 7

Todo List

Page [Developer Guide](#)

determine if we should migrate to C++ 11. It has lots of good features, but we need to check that all compilers support it.

Chapter 8

Module Index

8.1 Modules

Here is a list of all modules:

libt2toolkit API	25
libtempo2 External API	26

Chapter 9

Class Index

9.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Cheby2D	27
ChebyModel	27
ChebyModelSet	29
clock_correction	29
complexVal	30
DynamicArray	30
FitInfo	
Details of the fit	31
gwgeneralSrc	32
gwgenSpec	34
gwSrc	34
interpolation_info	35
jpl_eph_data	36
observation	
A struct containing the details of a single obesrvation	37
observatory	45
parameter	
Holds the values for a parameter	45
pulsar	
Details for a single pulsar	47
storePrecision	66
T1Polyco	66
T1PolycoSet	68
T2Predictor	68
TabulatedFunction	70
TabulatedFunctionSample	70

Chapter 10

File Index

10.1 File List

Here is a list of all files with brief descriptions:

cholesky.h	73
choleskyRoutines.h	74
config.h	76
constraints.h	78
dynarr.h	81
GWsim.h	82
ifteph.h	84
jpl_int.h	86
jpleph.h	86
read_fortran.h	88
read_fortran2.h	89
T2accel.h	90
t2fit.h	91
t2fit_dmmodel.h	92
t2fit_fitwaves.h	94
t2fit_glitch.h	94
t2fit_ifunc.h	95
t2fit_position.h	96
t2fit_stdFitFuncs.h	97
T2toolkit.h	
Set of routines that are commonly used in tempo2 and/or its plugins	99
tabulatedfunction.h	101
tempo2.h	
Main interface to libtempo2	102
tempo2pred.h	126
tempo2pred_int.h	128
tempo2Util.h	131
TKcholesky.h	131
TKfit.h	132
TKlog.h	133
TKlongdouble.float128.h	136
TKlongdouble.h	138
TKlongdouble.ld.h	140
TKmatrix.h	141
TKspectrum.h	142
TKsvd.h	145

Chapter 11

Module Documentation

11.1 libt2toolkit API

Files

- file [T2toolkit.h](#)

Set of routines that are commonly used in tempo2 and/or its plugins.

11.1.1 Detailed Description

11.2 libtempo2 External API

Files

- file [tempo2.h](#)
contains the main interface to libtempo2.

11.2.1 Detailed Description

Chapter 12

Class Documentation

12.1 Cheby2D Struct Reference

```
#include <tempo2pred.h>
```

Public Attributes

- int [nx](#)
- int [ny](#)
- long double * [coeff](#)

12.1.1 Member Data Documentation

12.1.1.1 long double* [Cheby2D::coeff](#)

12.1.1.2 int [Cheby2D::nx](#)

12.1.1.3 int [Cheby2D::ny](#)


The documentation for this struct was generated from the following file:

- [tempo2pred.h](#)

12.2 ChebyModel Struct Reference

```
#include <tempo2pred.h>
```

Collaboration diagram for ChebyModel:



Public Attributes

- char [psrname](#) [64]
- char [sitename](#) [64]
- long double [mjd_start](#)
- long double [mjd_end](#)
- long double [freq_start](#)
- long double [freq_end](#)
- long double [dispersion_constant](#)
- [Cheby2D](#) [cheby](#)
- [Cheby2D](#) [frequency_cheby](#)

12.2.1 Member Data Documentation

12.2.1.1 **Cheby2D** [ChebyModel::cheby](#)

12.2.1.2 long double [ChebyModel::dispersion_constant](#)

12.2.1.3 long double [ChebyModel::freq_end](#)

12.2.1.4 long double [ChebyModel::freq_start](#)

12.2.1.5 **Cheby2D** [ChebyModel::frequency_cheby](#)

12.2.1.6 long double [ChebyModel::mjd_end](#)

12.2.1.7 long double [ChebyModel::mjd_start](#)

12.2.1.8 char [ChebyModel::psrname](#)[64]

12.2.1.9 char [ChebyModel::sitename](#)[64]


The documentation for this struct was generated from the following file:

- [tempo2pred.h](#)

12.3 ChebyModelSet Struct Reference

```
#include <tempo2pred.h>
```

Collaboration diagram for ChebyModelSet:



Public Attributes

- [ChebyModel](#) * [segments](#)
- int [nsegments](#)

12.3.1 Member Data Documentation

12.3.1.1 int [ChebyModelSet::nsegments](#)

12.3.1.2 [ChebyModel](#)* [ChebyModelSet::segments](#)

The documentation for this struct was generated from the following file:

- [tempo2pred.h](#)

12.4 clock_correction Struct Reference

```
#include <tempo2.h>
```

Public Attributes

- double [correction](#)
- char [corrects_to](#) [32]

12.4.1 Detailed Description

[observation](#) contains an array of these, which [getClockCorrections\(\)](#) fills in

12.4.2 Member Data Documentation

12.4.2.1 `double clock_correction::correction`

12.4.2.2 `char clock_correction::corrects_to[32]`

The documentation for this struct was generated from the following file:

- [tempo2.h](#)

12.5 complexVal Struct Reference

```
#include <TKspectrum.h>
```

Public Attributes

- double [real](#)
- double [imag](#)

12.5.1 Member Data Documentation

12.5.1.1 `double complexVal::imag`

12.5.1.2 `double complexVal::real`

The documentation for this struct was generated from the following file:

- [TKspectrum.h](#)

12.6 DynamicArray Struct Reference

```
#include <dynarr.h>
```

Public Attributes

- void * [data](#)
- size_t [nelem](#)
- size_t [elem_size](#)
- size_t [nallocated](#)

12.6.1 Member Data Documentation

12.6.1.1 `void* DynamicArray::data`

12.6.1.2 `size_t DynamicArray::elem_size`

12.6.1.3 `size_t DynamicArray::nallocated`

12.6.1.4 `size_t DynamicArray::nelem`

The documentation for this struct was generated from the following file:


- [dynarr.h](#)

12.7 FitInfo Struct Reference

contains details of the fit

```
#include <tempo2.h>
```

Collaboration diagram for FitInfo:



Public Attributes

- unsigned `nParams`
- unsigned `nConstraints`
- `param_label` `paramIndex` [`MAX_FIT`]
- `constraint_label` `constraintIndex` [`MAX_FIT`]
- int `paramCounters` [`MAX_FIT`]
- int `constraintCounters` [`MAX_FIT`]
- `paramDerivFunc` `paramDerivs` [`MAX_FIT`]
- `constraintDerivFunc` `constraintDerivs` [`MAX_FIT`]
- `paramUpdateFunc` `updateFunctions` [`MAX_FIT`]

12.7.1 Detailed Description

contains details of the fit

Holds references to the fit functions, as well as references linking the index in the derivative matrix to the actual parameter fit for.

12.7.2 Member Data Documentation

- 12.7.2.1 `int FitInfo::constraintCounters[MAX_FIT]`
- 12.7.2.2 `constraintDerivFunc FitInfo::constraintDerivs[MAX_FIT]`
- 12.7.2.3 `constraint_label FitInfo::constraintIndex[MAX_FIT]`
- 12.7.2.4 `unsigned FitInfo::nConstraints`
- 12.7.2.5 `unsigned FitInfo::nParams`
- 12.7.2.6 `int FitInfo::paramCounters[MAX_FIT]`
- 12.7.2.7 `paramDerivFunc FitInfo::paramDerivs[MAX_FIT]`
- 12.7.2.8 `param_label FitInfo::paramIndex[MAX_FIT]`
- 12.7.2.9 `paramUpdateFunc FitInfo::updateFunctions[MAX_FIT]`

The documentation for this struct was generated from the following file:

- [tempo2.h](#)

12.8 gwgeneralSrc Struct Reference

```
#include <GWSim.h>
```

Public Attributes

- [longdouble theta_g](#)
- [longdouble phi_g](#)
- [longdouble omega_g](#)
- [longdouble phi_polar_g](#)
- [longdouble phase_g](#)
- [longdouble aplus_g](#)
- [longdouble aplus_im_g](#)
- [longdouble across_g](#)
- [longdouble across_im_g](#)
- [longdouble ast_g](#)
- [longdouble ast_im_g](#)
- [longdouble asl_g](#)
- [longdouble asl_im_g](#)
- [longdouble avx_g](#)
- [longdouble avx_im_g](#)
- [longdouble avy_g](#)
- [longdouble avy_im_g](#)
- [longdouble phi_bin](#)
- [longdouble theta_bin](#)
- [longdouble inc_bin](#)
- [longdouble dist_bin](#)
- [longdouble h \[3\]\[3\]](#)
- [longdouble h_im \[3\]\[3\]](#)
- [longdouble kg \[3\]](#)

12.8.1 Member Data Documentation

- 12.8.1.1 `longdouble gwgeneralSrc::across_g`
- 12.8.1.2 `longdouble gwgeneralSrc::across_im_g`
- 12.8.1.3 `longdouble gwgeneralSrc::aplus_g`
- 12.8.1.4 `longdouble gwgeneralSrc::aplus_im_g`
- 12.8.1.5 `longdouble gwgeneralSrc::asl_g`
- 12.8.1.6 `longdouble gwgeneralSrc::asl_im_g`
- 12.8.1.7 `longdouble gwgeneralSrc::ast_g`
- 12.8.1.8 `longdouble gwgeneralSrc::ast_im_g`
- 12.8.1.9 `longdouble gwgeneralSrc::avx_g`
- 12.8.1.10 `longdouble gwgeneralSrc::avx_im_g`
- 12.8.1.11 `longdouble gwgeneralSrc::avy_g`
- 12.8.1.12 `longdouble gwgeneralSrc::avy_im_g`
- 12.8.1.13 `longdouble gwgeneralSrc::dist_bin`
- 12.8.1.14 `longdouble gwgeneralSrc::h[3][3]`
- 12.8.1.15 `longdouble gwgeneralSrc::h_im[3][3]`
- 12.8.1.16 `longdouble gwgeneralSrc::inc_bin`
- 12.8.1.17 `longdouble gwgeneralSrc::kg[3]`
- 12.8.1.18 `longdouble gwgeneralSrc::omega_g`
- 12.8.1.19 `longdouble gwgeneralSrc::phase_g`
- 12.8.1.20 `longdouble gwgeneralSrc::phi_bin`
- 12.8.1.21 `longdouble gwgeneralSrc::phi_g`
- 12.8.1.22 `longdouble gwgeneralSrc::phi_polar_g`
- 12.8.1.23 `longdouble gwgeneralSrc::theta_bin`
- 12.8.1.24 `longdouble gwgeneralSrc::theta_g`

The documentation for this struct was generated from the following file:

- [GWsim.h](#)

12.9 gwgenSpec Struct Reference

```
#include <GWsim.h>
```

Public Attributes

- double [tensor_amp](#)
- double [st_amp](#)
- double [sl_amp](#)
- double [vl_amp](#)
- double [tensor_alpha](#)
- double [st_alpha](#)
- double [sl_alpha](#)
- double [vl_alpha](#)

12.9.1 Member Data Documentation

12.9.1.1 double gwgenSpec::sl_alpha

12.9.1.2 double gwgenSpec::sl_amp

12.9.1.3 double gwgenSpec::st_alpha

12.9.1.4 double gwgenSpec::st_amp

12.9.1.5 double gwgenSpec::tensor_alpha

12.9.1.6 double gwgenSpec::tensor_amp

12.9.1.7 double gwgenSpec::vl_alpha

12.9.1.8 double gwgenSpec::vl_amp

The documentation for this struct was generated from the following file:

- [GWsim.h](#)

12.10 gwSrc Struct Reference

```
#include <GWsim.h>
```

Public Attributes

- [longdouble theta_g](#)
- [longdouble phi_g](#)
- [longdouble omega_g](#)
- [longdouble phi_polar_g](#)
- [longdouble phase_g](#)
- [longdouble aplus_g](#)
- [longdouble aplus_im_g](#)
- [longdouble across_g](#)
- [longdouble across_im_g](#)

- [longdouble phi_bin](#)
- [longdouble theta_bin](#)
- [longdouble inc_bin](#)
- [longdouble dist_bin](#)
- [longdouble h \[3\]\[3\]](#)
- [longdouble h_im \[3\]\[3\]](#)
- [longdouble kg \[3\]](#)

12.10.1 Member Data Documentation

- 12.10.1.1 [longdouble gwSrc::across_g](#)
- 12.10.1.2 [longdouble gwSrc::across_im_g](#)
- 12.10.1.3 [longdouble gwSrc::aplus_g](#)
- 12.10.1.4 [longdouble gwSrc::aplus_im_g](#)
- 12.10.1.5 [longdouble gwSrc::dist_bin](#)
- 12.10.1.6 [longdouble gwSrc::h\[3\]\[3\]](#)
- 12.10.1.7 [longdouble gwSrc::h_im\[3\]\[3\]](#)
- 12.10.1.8 [longdouble gwSrc::inc_bin](#)
- 12.10.1.9 [longdouble gwSrc::kg\[3\]](#)
- 12.10.1.10 [longdouble gwSrc::omega_g](#)
- 12.10.1.11 [longdouble gwSrc::phase_g](#)
- 12.10.1.12 [longdouble gwSrc::phi_bin](#)
- 12.10.1.13 [longdouble gwSrc::phi_g](#)
- 12.10.1.14 [longdouble gwSrc::phi_polar_g](#)
- 12.10.1.15 [longdouble gwSrc::theta_bin](#)
- 12.10.1.16 [longdouble gwSrc::theta_g](#)

The documentation for this struct was generated from the following file:

- [GWsim.h](#)

12.11 interpolation_info Struct Reference

```
#include <jpl_int.h>
```

Public Attributes

- [double pc \[18\]](#)

- double [vc](#) [18]
- double [twot](#)
- int [np](#)
- int [nv](#)

12.11.1 Member Data Documentation

12.11.1.1 int interpolation_info::np

12.11.1.2 int interpolation_info::nv

12.11.1.3 double interpolation_info::pc[18]

12.11.1.4 double interpolation_info::twot

12.11.1.5 double interpolation_info::vc[18]

The documentation for this struct was generated from the following file:

- [jpl_int.h](#)

12.12 jpl_eph_data Struct Reference

```
#include <jpl_int.h>
```

Public Attributes

- double [ephem_start](#)
- double [ephem_end](#)
- double [ephem_step](#)
- JPLong [ncon](#)
- double [au](#)
- double [emrat](#)
- JPLong [ipt](#) [13][3]
- JPLong [ephemeris_version](#)
- JPLong [kernel_size](#)
- JPLong [recsize](#)
- JPLong [ncoeff](#)
- JPLong [swap_bytes](#)
- JPLong [curr_cache_loc](#)
- double [pvsun](#) [6]
- double * [cache](#)
- void * [iinfo](#)
- FILE * [ifile](#)

12.12.1 Member Data Documentation

12.12.1.1 double jpl_eph_data::au

12.12.1.2 double* jpl_eph_data::cache

- 12.12.1.3 JPLlong jpl_eph_data::curr_cache_loc
- 12.12.1.4 double jpl_eph_data::emrat
- 12.12.1.5 double jpl_eph_data::ephem_end
- 12.12.1.6 double jpl_eph_data::ephem_start
- 12.12.1.7 double jpl_eph_data::ephem_step
- 12.12.1.8 JPLlong jpl_eph_data::ephemeris_version
- 12.12.1.9 FILE* jpl_eph_data::ifile
- 12.12.1.10 void* jpl_eph_data::iinfo
- 12.12.1.11 JPLlong jpl_eph_data::ipt[13][3]
- 12.12.1.12 JPLlong jpl_eph_data::kernel_size
- 12.12.1.13 JPLlong jpl_eph_data::ncoeff
- 12.12.1.14 JPLlong jpl_eph_data::ncon
- 12.12.1.15 double jpl_eph_data::pvsun[6]
- 12.12.1.16 JPLlong jpl_eph_data::recsize
- 12.12.1.17 JPLlong jpl_eph_data::swap_bytes

The documentation for this struct was generated from the following file:


- [jpl_int.h](#)

12.13 observation Struct Reference

A struct containing the details of a single observation.

```
#include <tempo2.h>
```

Collaboration diagram for observation:



Public Attributes

- [longdouble sat](#)
- [longdouble origsat](#)
- [longdouble sat_day](#)
- [longdouble sat_sec](#)
- [longdouble bat](#)
- [longdouble batCorr](#)
- [longdouble bbat](#)
- [longdouble pet](#)
- [int clockCorr](#)
- [int delayCorr](#)
- [int deleted](#)
- [longdouble prefitResidual](#)
- [longdouble residual](#)
- [double addedNoise](#)
- [double TNRedSignal](#)
- [double TNRedErr](#)
- [double TNDMSignal](#)
- [double TNDMErr](#)
- [double TNGroupSignal](#)
- [double TNGroupErr](#)
- [double freq](#)
- [double freqSSB](#)
- [double toaErr](#)
- [double toaDMErr](#)
- [double origErr](#)
- [double phaseOffset](#)
- [double averagebat](#)
- [double averageres](#)
- [double averageerr](#)
- [char fname](#) [MAX_FILELEN]
- [char telID](#) [100]
- [clock_correction correctionsTT](#) [MAX_CLK_CORR]
- [int nclock_correction](#)
- [longdouble correctionTT_TB](#)
- [double einsteinRate](#)
- [longdouble correctionTT_Teph](#)
- [longdouble correctionUT1](#)
- [double sun_ssb](#) [6]
- [double sun_earth](#) [6]
- [double planet_ssb](#) [9][6]
- [double jupiter_earth](#) [6]
- [double saturn_earth](#) [6]
- [double venus_earth](#) [6]
- [double uranus_earth](#) [6]
- [double neptune_earth](#) [6]
- [double earthMoonBary_ssb](#) [6]
- [double earthMoonBary_earth](#) [6]
- [double earth_ssb](#) [6]
- [double observatory_earth](#) [6]
- [double psrPos](#) [3]
- [double zenith](#) [3]
- [double nutations](#) [6]
- [double siteVel](#) [3]

- [longdouble shklovskii](#)
- [double shapiroDelaySun](#)
- [double shapiroDelayJupiter](#)
- [double shapiroDelaySaturn](#)
- [double shapiroDelayVenus](#)
- [double shapiroDelayUranus](#)
- [double shapiroDelayNeptune](#)
- [double troposphericDelay](#)
- [double tdis1](#)
- [double tdis2](#)
- [longdouble roemer](#)
- [longdouble torb](#)
- [longdouble nphase](#)
- [longdouble phase](#)
- [long long pulseN](#)
- [char flagID \[MAX_FLAGS\]\[MAX_FLAG_LEN\]](#)
- [char flagVal \[MAX_FLAGS\]\[MAX_FLAG_LEN\]](#)
- [int nFlags](#)
- [int jump \[MAX_FLAGS\]](#)
- [int obsNjump](#)
- [double efac](#)
- [double equad](#)

12.13.1 Detailed Description

A struct containing the details of a single obesrvation.

12.13.2 Member Data Documentation

12.13.2.1 [double observation::addedNoise](#)

12.13.2.2 [double observation::averagebat](#)

12.13.2.3 [double observation::averageerr](#)

12.13.2.4 [double observation::averageres](#)

12.13.2.5 [longdouble observation::bat](#)

Infinite frequency barycentric arrival time

12.13.2.6 [longdouble observation::batCorr](#)

12.13.2.7 [longdouble observation::bbat](#)

Arrival time at binary barycentre

12.13.2.8 [int observation::clockCorr](#)

= 1 for clock corrections to be applied, = 0 for BAT

12.13.2.9 clock_correction observation::correctionsTT[MAX_CLK_CORR]

chain of corrections from site TOA to chosen realisation of TT

12.13.2.10 longdouble observation::correctionTT_TB

Correction to TDB/TCB

12.13.2.11 longdouble observation::correctionTT_Teph

Correction to Teph

12.13.2.12 longdouble observation::correctionUT1

Correction from site TOA to UT1

12.13.2.13 int observation::delayCorr

= 1 for time delay corrections to be applied, = 0 for BAT

12.13.2.14 int observation::deleted

= 1 if observation has been deleted, = -1 if not included in fit

12.13.2.15 double observation::earth_ssb[6]

Centre of Earth w.r.t. SSB

12.13.2.16 double observation::earthMoonBary_earth[6]

Position of Earth-Moon barycentre with respect to Earth (sec) (RBE)

12.13.2.17 double observation::earthMoonBary_ssb[6]

Ephem values for Earth-Moon barycentre wrt SSB (sec) (RCB)

12.13.2.18 double observation::efac

Error multiplication factor

12.13.2.19 double observation::einsteinRate

Derivative of correctionTT_TB

12.13.2.20 double observation::equad

Value to add in quadrature

12.13.2.21 char observation::flagID[MAX_FLAGS][MAX_FLAG_LEN]

Flags in .tim file

12.13.2.22 char observation::flagVal[MAX_FLAGS][MAX_FLAG_LEN]

12.13.2.23 char observation::fname[MAX_FILELEN]

Name of data file giving TOA

12.13.2.24 double observation::freq

Frequency of observation (in MHz)

12.13.2.25 double observation::freqSSB

Frequency of observation in barycentric frame (in Hz)

12.13.2.26 int observation::jump[MAX_FLAGS]

Jump region

12.13.2.27 double observation::jupiter_earth[6]

Ephemeris values for Jupiter w.r.t. Earth centre (sec)

12.13.2.28 int observation::nclock_correction

12.13.2.29 double observation::neptune_earth[6]

Ephemeris values for Neptune w.r.t. Earth centre (sec)

12.13.2.30 int observation::nFlags

12.13.2.31 longdouble observation::nphase

allows the pulse number to be determined

12.13.2.32 double observation::nutations[6]

12.13.2.33 double observation::observatory_earth[6]

Observatory site with respect to Earth centre (sec) (REA)

12.13.2.34 int observation::obsNjump

Number of jumps for this observation

12.13.2.35 double observation::origErr

Original error on TOA after reading tim file (in us)

12.13.2.36 **longdouble** observation::origsat

12.13.2.37 **longdouble** observation::pet

Pulsar emission time

12.13.2.38 **longdouble** observation::phase

12.13.2.39 **double** observation::phaseOffset

Phase offset

12.13.2.40 **double** observation::planet_ssb[9][6]

Ephemeris values for all planets w.r.t. SSB (sec)

12.13.2.41 **longdouble** observation::prefitResidual

Pre-fit residual

12.13.2.42 **double** observation::psrPos[3]

Unit vector giving position of the pulsar at observation time from Earth

12.13.2.43 **long long** observation::pulseN

Pulse number

12.13.2.44 **longdouble** observation::residual

residual

12.13.2.45 **longdouble** observation::roemer

Roemer delay

12.13.2.46 **longdouble** observation::sat

Site arrival time

12.13.2.47 **longdouble** observation::sat_day

12.13.2.48 **longdouble** observation::sat_sec

12.13.2.49 **double** observation::saturn_earth[6]

Ephemeris values for Saturn w.r.t. Earth centre (sec)

12.13.2.50 **double** observation::shapiroDelayJupiter

Shapiro Delay due to Jupiter

12.13.2.51 `double observation::shapiroDelayNeptune`

Shapiro Delay due to Neptune

12.13.2.52 `double observation::shapiroDelaySaturn`

Shapiro Delay due to Saturn

12.13.2.53 `double observation::shapiroDelaySun`

Shapiro Delay due to the Sun

12.13.2.54 `double observation::shapiroDelayUranus`

Shapiro Delay due to Uranus

12.13.2.55 `double observation::shapiroDelayVenus`

Shapiro Delay due to Venus

12.13.2.56 `longdouble observation::shklovskii`

Shklovskii delay term

12.13.2.57 `double observation::siteVel[3]`

Observatory velocity w.r.t. geocentre

12.13.2.58 `double observation::sun_earth[6]`

Ephemeris values for Sun w.r.t Earth (sec)

12.13.2.59 `double observation::sun_ssb[6]`

Ephemeris values for Sun w.r.t SSB (sec) (RCS)

12.13.2.60 `double observation::tdis1`

Interstellar dispersion measure delay

12.13.2.61 `double observation::tdis2`

Dispersion measure delay due to solar system

12.13.2.62 `char observation::telID[100]`

Telescope ID

12.13.2.63 double observation::TNDMErr

Error on Model DM signal from temponest fit

12.13.2.64 double observation::TNDMSignal

Model DM signal from temponest fit

12.13.2.65 double observation::TNGroupErr

Error on Model Group Noise signal from temponest fit

12.13.2.66 double observation::TNGroupSignal

Model Group Noise signal from temponest fit

12.13.2.67 double observation::TNRedErr

Error on Model red noise signal from temponest fit

12.13.2.68 double observation::TNRedSignal

Model red noise signal from temponest fit

12.13.2.69 double observation::toaDMErr

Error on TOA due to DM (in us)

12.13.2.70 double observation::toaErr

Error on TOA (in us)

12.13.2.71 longdouble observation::torb

Combined binary delays

12.13.2.72 double observation::troposphericDelay

Delay due to neutral refraction in atmosphere

12.13.2.73 double observation::uranus_earth[6]

Ephemeris values for Uranus w.r.t. Earth centre (sec)

12.13.2.74 double observation::venus_earth[6]

Ephemeris values for Venus w.r.t. Earth centre (sec)

12.13.2.75 double observation::zenith[3]

Zenith vector, in BC frame. Length=geodetic height

The documentation for this struct was generated from the following file:

- [tempo2.h](#)

12.14 observatory Struct Reference

```
#include <tempo2.h>
```

Public Attributes

- double [x](#)
- double [y](#)
- double [z](#)
- double [longitude_grs80](#)
- double [latitude_grs80](#)
- double [height_grs80](#)
- char [name](#) [32]
- char [code](#) [16]
- char [clock_name](#) [16]

12.14.1 Member Data Documentation

12.14.1.1 char observatory::clock_name[16]

12.14.1.2 char observatory::code[16]

12.14.1.3 double observatory::height_grs80

12.14.1.4 double observatory::latitude_grs80

12.14.1.5 double observatory::longitude_grs80

12.14.1.6 char observatory::name[32]

12.14.1.7 double observatory::x

12.14.1.8 double observatory::y

12.14.1.9 double observatory::z

The documentation for this struct was generated from the following file:

- [tempo2.h](#)

12.15 parameter Struct Reference

Holds the values for a parameter.

```
#include <tempo2.h>
```

Public Attributes

- char ** [label](#)
- char ** [shortlabel](#)
- [longdouble](#) * [val](#)
- [longdouble](#) * [err](#)
- int * [fitFlag](#)
- int * [paramSet](#)
- [longdouble](#) * [prefit](#)
- [longdouble](#) * [prefitErr](#)
- int [aSize](#)
- int [linkFrom](#) [5]
- int [linkTo](#) [5]
- int [nLinkTo](#)
- int [nLinkFrom](#)

12.15.1 Detailed Description

Holds the values for a parameter.

May include multiple values, for e.g. F0, F1, F2,...

Note

If this structure is modified - must update copyParam in tempo2Util.C

12.15.2 Member Data Documentation

12.15.2.1 int parameter::aSize

Number of elements in the array for this parameter

12.15.2.2 longdouble* parameter::err

Uncertainty on parameter value

12.15.2.3 int* parameter::fitFlag

= 1 if fitting required, = 2 for global fit

12.15.2.4 char** parameter::label

Label about this parameter

12.15.2.5 int parameter::linkFrom[5]

12.15.2.6 int parameter::linkTo[5]

12.15.2.7 int parameter::nLinkFrom

12.15.2.8 int parameter::nLinkTo

12.15.2.9 int* parameter::paramSet

= 1 if parameter has been set

12.15.2.10 `longdouble* parameter::prefit`

Pre-fit value of the parameter

12.15.2.11 `longdouble* parameter::prefitErr`

Pre-fit value of the uncertainty

12.15.2.12 `char** parameter::shortlabel`

Label about this parameter without units

12.15.2.13 `longdouble* parameter::val`

Value of parameter

The documentation for this struct was generated from the following file:


- [tempo2.h](#)

12.16 pulsar Struct Reference

contains the details for a single pulsar.

```
#include <tempo2.h>
```

Collaboration diagram for pulsar:



Public Attributes

- char [name](#) [100]
- char [eopc04_file](#) [MAX_FILELEN]
- int [fixedFormat](#)
- [parameter](#) [param](#) [MAX_PARAMS]
- char [rajStrPre](#) [100]
- char [decjStrPre](#) [100]
- char [rajStrPost](#) [100]
- char [decjStrPost](#) [100]
- char [binaryModel](#) [100]
- double ** [ToAextraCovar](#)
- int [dmoftsDMnum](#)
- int [dmoftsCMnum](#)
- double [dmoftsDM_mjd](#) [MAX_IFUNC]
- double [dmoftsDM](#) [MAX_IFUNC]
- double [dmoftsDM_error](#) [MAX_IFUNC]
- double [dmoftsDM_weight](#) [MAX_IFUNC]
- double [dmoftsCM_mjd](#) [MAX_IFUNC]
- double [dmoftsCM](#) [MAX_IFUNC]
- double [dmoftsCM_error](#) [MAX_IFUNC]
- double [dmoftsCM_weight](#) [MAX_IFUNC]
- double [gwsrc_ra](#)
- double [gwsrc_dec](#)
- double [gwsrc_aplus_r](#)
- double [gwsrc_aplus_i](#)
- double [gwsrc_across_r](#)
- double [gwsrc_across_i](#)
- double [gwsrc_aplus_r_e](#)
- double [gwsrc_aplus_i_e](#)
- double [gwsrc_across_r_e](#)
- double [gwsrc_across_i_e](#)
- double [gwsrc_epoch](#)
- double [gwsrc_psrdist](#)
- double [cgw_h0](#)
- double [cgw_cosinc](#)
- double [cgw_angpol](#)
- double [cgw_mc](#)
- double [gwm_raj](#)
- double [gwm_decj](#)
- double [gwm_epoch](#)
- double [gwm_phi](#)
- double [gwm_dphase](#)
- double [gwb_epoch](#)
- double [gwb_width](#)
- double [gwb_raj](#)
- double [gwb_decj](#)
- double [gwb_geom_c](#)
- double [gwb_geom_p](#)
- double [gwecc_ra](#)
- double [gwecc_dec](#)
- double [gwecc_m1](#)
- double [gwecc_m2](#)
- double [gwecc_e](#)
- double [gwecc_inc](#)

- double [gwecc_theta_nodes](#)
- double [gwecc_nodes_orientation](#)
- double [gwecc_theta_0](#)
- double [gwecc_orbital_period](#)
- double [gwecc_distance](#)
- double [gwecc_redshift](#)
- double [gwecc_epoch](#)
- double [gwecc_psrdist](#)
- int [gwecc_pulsarTermOn](#)
- double [posPulsar](#) [3]
- double [velPulsar](#) [3]
- longdouble [phaseJump](#) [MAX_JUMPS]
- int [phaseJumpDir](#) [MAX_JUMPS]
- int [phaseJumpID](#) [MAX_JUMPS]
- int [nPhaseJump](#)
- double [dmOffset](#)
- double [ne_sw](#)
- int [nCompanion](#)
- int [eclCoord](#)
- int [nJumps](#)
- char [fjumpID](#) [16]
- double [jumpVal](#) [MAX_JUMPS]
- int [fitJump](#) [MAX_JUMPS]
- double [jumpValErr](#) [MAX_JUMPS]
- char [jumpStr](#) [MAX_JUMPS][MAX_STRLEN]
- char [filterStr](#) [MAX_STRLEN]
- char [passStr](#) [MAX_STRLEN]
- double [tOffset](#) [MAX_TOFFSET]
- double [tOffset_f1](#) [MAX_TOFFSET]
- double [tOffset_f2](#) [MAX_TOFFSET]
- double [tOffset_t1](#) [MAX_TOFFSET]
- double [tOffset_t2](#) [MAX_TOFFSET]
- char [tOffsetSite](#) [MAX_TOFFSET][100]
- char [tOffsetFlags](#) [MAX_TOFFSET][1000]
- int [nToffset](#)
- int [ndmx](#)
- double [fitChisq](#)
- int [fitNfree](#)
- int [globalNfit](#)
- int [globalNoConstrain](#)
- int [nFit](#)
- int [nParam](#)
- int [nGlobal](#)
- int [fitParamGlobalI](#) [MAX_FIT]
- int [fitParamGlobalK](#) [MAX_FIT]
- int [fitParamI](#) [MAX_FIT]
- int [fitParamK](#) [MAX_FIT]
- int [fitMode](#)
- char [robust](#)
- int [rescaleErrChisq](#)
- double [offset](#)
- double [offset_e](#)
- double [** covar](#)
- int [calcShapiro](#)
- int [planetShapiro](#)

- int [jboFormat](#)
- [observation](#) * [obsn](#)
- int [nobs](#)
- int [units](#)
- int [setUnits](#)
- int [tempo1](#)
- int [dilateFreq](#)
- int [timeEphemeris](#)
- int [t2cMethod](#)
- int [correctTroposphere](#)
- int [noWarnings](#)
- char [sorted](#)
- char [clock](#) [16]
- char [clockFromOverride](#) [64]
- char [JPL_EPHEMERIS](#) [MAX_FILELEN]
- char [ephemeris](#) [MAX_FILELEN]
- int [useCalceph](#)
- [storePrecision](#) [storePrec](#) [MAX_STOREPRECISION]
- int [nStorePrecision](#)
- int [bootStrap](#)
- char [tzrsite](#) [100]
- double [rmsPre](#)
- double [rmsPost](#)
- char [deleteFileName](#) [100]
- int [nits](#)
- int [ipm](#)
- int [swm](#)
- double [wave_sine](#) [MAX_WHITE]
- double [wave_sine_err](#) [MAX_WHITE]
- double [wave_cos](#) [MAX_WHITE]
- double [wave_cos_err](#) [MAX_WHITE]
- double [wave_sine_dm](#) [MAX_WHITE]
- double [wave_sine_dm_err](#) [MAX_WHITE]
- double [wave_cos_dm](#) [MAX_WHITE]
- double [wave_cos_dm_err](#) [MAX_WHITE]
- int [nWhite](#)
- int [nWhite_dm](#)
- double [waveScale](#)
- double [quad_aplus_r](#) [MAX_QUAD]
- double [quad_aplus_r_e](#) [MAX_QUAD]
- double [quad_aplus_i](#) [MAX_QUAD]
- double [quad_aplus_i_e](#) [MAX_QUAD]
- double [quad_across_r](#) [MAX_QUAD]
- double [quad_across_r_e](#) [MAX_QUAD]
- double [quad_across_i](#) [MAX_QUAD]
- double [quad_across_i_e](#) [MAX_QUAD]
- double [quadEpoch](#)
- double [quadRA](#)
- double [quadDEC](#)
- int [nQuad](#)
- double [ifuncT](#) [MAX_IFUNC]
- double [ifuncV](#) [MAX_IFUNC]
- double [ifuncE](#) [MAX_IFUNC]
- double [ifunc_weights](#) [MAX_IFUNC]
- int [ifuncN](#)

- double [clk_offsT](#) [[MAX_TEL_CLK_OFFS](#)]
- double [clk_offsV](#) [[MAX_TEL_CLK_OFFS](#)]
- double [clk_offsE](#) [[MAX_TEL_CLK_OFFS](#)]
- int [clkOffsN](#)
- double [quad_ifuncT_p](#) [[MAX_IFUNC](#)]
- double [quad_ifuncV_p](#) [[MAX_IFUNC](#)]
- double [quad_ifuncE_p](#) [[MAX_IFUNC](#)]
- int [quad_ifuncN_p](#)
- double [quad_ifuncT_c](#) [[MAX_IFUNC](#)]
- double [quad_ifuncV_c](#) [[MAX_IFUNC](#)]
- double [quad_ifuncE_c](#) [[MAX_IFUNC](#)]
- int [quad_ifuncN_c](#)
- double [quad_ifunc_p_RA](#)
- double [quad_ifunc_p_DEC](#)
- double [quad_ifunc_c_RA](#)
- double [quad_ifunc_c_DEC](#)
- double [quad_ifunc_geom_p](#)
- double [quad_ifunc_geom_c](#)
- int [nTelDX](#)
- int [setTelVelX](#)
- double [telDX_t](#) [[MAX_TEL_DX](#)]
- double [telDX_v](#) [[MAX_TEL_DX](#)]
- double [telDX_e](#) [[MAX_TEL_DX](#)]
- double [telDX_vel](#) [[MAX_TEL_DX](#)]
- double [telDX_vel_e](#) [[MAX_TEL_DX](#)]
- int [nTelDY](#)
- int [setTelVelY](#)
- double [telDY_t](#) [[MAX_TEL_DY](#)]
- double [telDY_v](#) [[MAX_TEL_DY](#)]
- double [telDY_e](#) [[MAX_TEL_DY](#)]
- double [telDY_vel](#) [[MAX_TEL_DY](#)]
- double [telDY_vel_e](#) [[MAX_TEL_DY](#)]
- int [nTelDZ](#)
- int [setTelVelZ](#)
- double [telDZ_v](#) [[MAX_TEL_DZ](#)]
- double [telDZ_t](#) [[MAX_TEL_DZ](#)]
- double [telDZ_e](#) [[MAX_TEL_DZ](#)]
- double [telDZ_vel](#) [[MAX_TEL_DZ](#)]
- double [telDZ_vel_e](#) [[MAX_TEL_DZ](#)]
- int [nT2efac](#)
- int [nT2equad](#)
- char [T2efacFlagID](#) [[MAX_T2EFAC](#)][[MAX_FLAG_LEN](#)]
- char [T2efacFlagVal](#) [[MAX_T2EFAC](#)][[MAX_FLAG_LEN](#)]
- double [T2efacVal](#) [[MAX_T2EFAC](#)]
- char [T2equadFlagID](#) [[MAX_T2EQUAD](#)][[MAX_FLAG_LEN](#)]
- char [T2equadFlagVal](#) [[MAX_T2EQUAD](#)][[MAX_FLAG_LEN](#)]
- double [T2equadVal](#) [[MAX_T2EQUAD](#)]
- double [T2globalEfac](#)
- int [nTNEF](#)
- int [nTNEQ](#)
- int [nTNSQ](#)
- int [nTNECORR](#)
- char [TNEFFlagID](#) [[MAX_TNEF](#)][[MAX_FLAG_LEN](#)]
- char [TNEFFlagVal](#) [[MAX_TNEF](#)][[MAX_FLAG_LEN](#)]
- double [TNEFVal](#) [[MAX_TNEF](#)]

- double [TNGlobalEF](#)
- char [TNEQFlagID](#) [[MAX_TNEQ](#)][[MAX_FLAG_LEN](#)]
- char [TNEQFlagVal](#) [[MAX_TNEQ](#)][[MAX_FLAG_LEN](#)]
- double [TNEQVal](#) [[MAX_TNEQ](#)]
- double [TNGlobalEQ](#)
- double [addTNGlobalEQ](#)
- char [TNSQFlagID](#) [[MAX_TNSQ](#)][[MAX_FLAG_LEN](#)]
- char [TNSQFlagVal](#) [[MAX_TNSQ](#)][[MAX_FLAG_LEN](#)]
- double [TNSQVal](#) [[MAX_TNSQ](#)]
- char [TNECORRFlagID](#) [[MAX_TNECORR](#)][[MAX_FLAG_LEN](#)]
- char [TNECORRFlagVal](#) [[MAX_TNECORR](#)][[MAX_FLAG_LEN](#)]
- double [TNECORRVal](#) [[MAX_TNECORR](#)]
- double [TNRedAmp](#)
- double [TNRedGam](#)
- int [TNRedC](#)
- double [TNRedCoeffs](#) [200]
- double [TNRedFlow](#)
- double [TNRedCorner](#)
- double [TNDMAmp](#)
- double [TNDMGam](#)
- int [TNDMC](#)
- double [TNDMCoeffs](#) [200]
- int [TNsubtractDM](#)
- int [TNsubtractRed](#)
- int [AverageResiduals](#)
- char [AverageFlag](#) [[MAX_FLAG_LEN](#)]
- float [AverageEpochWidth](#)
- int [outputTMatrix](#)
- int [useTNOrth](#)
- double [TNBandDMAmp](#)
- double [TNBandDMGam](#)
- int [TNBandDMC](#)
- int [nTNBandNoise](#)
- double [TNBandNoiseLF](#) [[MAX_TNBN](#)]
- double [TNBandNoiseHF](#) [[MAX_TNBN](#)]
- double [TNBandNoiseAmp](#) [[MAX_TNBN](#)]
- double [TNBandNoiseGam](#) [[MAX_TNBN](#)]
- int [TNBandNoiseC](#) [[MAX_TNBN](#)]
- int [nTNGroupNoise](#)
- char [TNGroupNoiseFlagID](#) [[MAX_TNGN](#)][[MAX_FLAG_LEN](#)]
- char [TNGroupNoiseFlagVal](#) [[MAX_TNGN](#)][[MAX_FLAG_LEN](#)]
- double [TNGroupNoiseAmp](#) [[MAX_TNGN](#)]
- double [TNGroupNoiseGam](#) [[MAX_TNGN](#)]
- int [TNGroupNoiseC](#) [[MAX_TNGN](#)]
- int [nDMEvents](#)
- double [TNDMEvStart](#) [[MAX_TNDMEv](#)]
- double [TNDMEvLength](#) [[MAX_TNDMEv](#)]
- double [TNDMEvAmp](#) [[MAX_TNDMEv](#)]
- double [TNDMEvGam](#) [[MAX_TNDMEv](#)]
- int [TNDMEvOff](#) [[MAX_TNDMEv](#)]
- int [TNDMEvLin](#) [[MAX_TNDMEv](#)]
- int [TNDMEvQuad](#) [[MAX_TNDMEv](#)]
- int [nTNShapeletEvents](#)
- int [TNShapeletEvN](#) [[MAX_TNDMEv](#)]
- double [TNShapeletEvPos](#) [[MAX_TNDMEv](#)]

- double [TNShapeletEvWidth](#) [[MAX_TNDMEv](#)]
- double [TNShapeletEvFScale](#) [[MAX_TNDMEv](#)]
- char [whiteNoiseModelFile](#) [[MAX_STRLEN](#)]
- double [rasim](#)
- double [decsim](#)
- int [simflag](#)
- char [fitFunc](#) [[MAX_FILELEN](#)]
- int [nconstraints](#)
- enum [constraint constraints](#) [[MAX_PARAMS](#)]
- char [auto_constraints](#)
- [FitInfo](#) [fitinfo](#)

12.16.1 Detailed Description

contains the details for a single pulsar.

Includes an array of [observations](#) and [parameters](#)

12.16.2 Member Data Documentation

12.16.2.1 double [pulsar::addTNGlobalEQ](#)

12.16.2.2 char [pulsar::auto_constraints](#)

12.16.2.3 float [pulsar::AverageEpochWidth](#)

12.16.2.4 char [pulsar::AverageFlag](#)[[MAX_FLAG_LEN](#)]

12.16.2.5 int [pulsar::AverageResiduals](#)

12.16.2.6 char [pulsar::binaryModel](#)[100]

Binary model e.g. BT/ELL1/BT2P etc.

12.16.2.7 int [pulsar::bootStrap](#)

0 if calculating errors using bootstrap Monte-Carlo method

12.16.2.8 int [pulsar::calcShapiro](#)

= 1 Calculate Solar system Shapiro delay (otherwise -1)

12.16.2.9 double [pulsar::cgw_angpol](#)

12.16.2.10 double [pulsar::cgw_cosinc](#)

12.16.2.11 double [pulsar::cgw_h0](#)

12.16.2.12 double [pulsar::cgw_mc](#)

12.16.2.13 double [pulsar::clk_offsE](#)[[MAX_TEL_CLK_OFFS](#)]

12.16.2.14 double pulsar::clk_offsT[MAX_TEL_CLK_OFFS]

12.16.2.15 double pulsar::clk_offsV[MAX_TEL_CLK_OFFS]

12.16.2.16 int pulsar::clkOffsN

12.16.2.17 char pulsar::clock[16]

Clock standard to use as "UTC"

12.16.2.18 char pulsar::clockFromOverride[64]

Clock code to assume TOAs are measured against (e.g. UTC to turn off clock corrections, or TDB/TCG to turn off those + Einstein delay)

12.16.2.19 enum constraint pulsar::constraints[MAX_PARAMS]

Which constraints are specified

12.16.2.20 int pulsar::correctTroposphere

whether or not do correct for tropospheric delay

12.16.2.21 double** pulsar::covar

12.16.2.22 char pulsar::decjStrPost[100]

String containing RAJ and DECJ (postfit)

12.16.2.23 char pulsar::decjStrPre[100]

String containing RAJ and DECJ (prefit)

12.16.2.24 double pulsar::decsim

12.16.2.25 char pulsar::deleteFileName[100]

File name containing deleted points

12.16.2.26 int pulsar::dilateFreq

whether or not to apply SS time dilation to RFs

12.16.2.27 double pulsar::dmoffsCM[MAX_IFUNC]

12.16.2.28 double pulsar::dmoffsCM_error[MAX_IFUNC]

12.16.2.29 double pulsar::dmoffsCM_mjd[MAX_IFUNC]

12.16.2.30 double pulsar::dmoffsCM_weight[MAX_IFUNC]

12.16.2.31 int pulsar::dmoffsCMnum

12.16.2.32 double pulsar::dmoffsDM[MAX_IFUNC]

12.16.2.33 double pulsar::dmoffsDM_error[MAX_IFUNC]

12.16.2.34 double pulsar::dmoffsDM_mjd[MAX_IFUNC]

12.16.2.35 double pulsar::dmoffsDM_weight[MAX_IFUNC]

12.16.2.36 int pulsar::dmoffsDMnum

12.16.2.37 double pulsar::dmOffset

Value to add to DM flags

12.16.2.38 int pulsar::eclCoord

= 1 for ecliptic coords otherwise celestial coords

12.16.2.39 char pulsar::eopc04_file[MAX_FILELEN]

12.16.2.40 char pulsar::ephemeris[MAX_FILELEN]

12.16.2.41 char pulsar::filterStr[MAX_STRLEN]

String describing filters

12.16.2.42 double pulsar::fitChisq

Chisq value from the fit

12.16.2.43 char pulsar::fitFunc[MAX_FILELEN]

12.16.2.44 FitInfo pulsar::fitinfo

12.16.2.45 int pulsar::fitJump[MAX_JUMPS]

= 1 if fit for jump

12.16.2.46 int pulsar::fitMode

= 0 not fitting with errors, = 1 fitting with errors (MODE 1)

12.16.2.47 int pulsar::fitNfree

Number of degrees of freedom in fit

12.16.2.48 int pulsar::fitParamGlobal[MAX_FIT]

12.16.2.49 int pulsar::fitParamGlobalK[MAX_FIT]

12.16.2.50 int pulsar::fitParamI[MAX_FIT]

12.16.2.51 int pulsar::fitParamK[MAX_FIT]

12.16.2.52 int pulsar::fixedFormat

= 0 for separate .par and .tim files, > 0 indicates number of lines to skip

12.16.2.53 char pulsar::fjumpID[16]

12.16.2.54 int pulsar::globalNfit

Total number of parameters in the fit

12.16.2.55 int pulsar::globalNoConstrain

Total number of points without constraints

12.16.2.56 double pulsar::gwb_decj

12.16.2.57 double pulsar::gwb_epoch

12.16.2.58 double pulsar::gwb_geom_c

12.16.2.59 double pulsar::gwb_geom_p

12.16.2.60 double pulsar::gwb_raj

12.16.2.61 double pulsar::gwb_width

12.16.2.62 double pulsar::gwecc_dec

12.16.2.63 double pulsar::gwecc_distance

12.16.2.64 double pulsar::gwecc_e

12.16.2.65 double pulsar::gwecc_epoch

12.16.2.66 double pulsar::gwecc_inc

12.16.2.67 double pulsar::gwecc_m1

12.16.2.68 double pulsar::gwecc_m2

12.16.2.69 double pulsar::gwecc_nodes_orientation

12.16.2.70 double pulsar::gwecc_orbital_period

12.16.2.71 double pulsar::gwecc_psrdist

12.16.2.72 int pulsar::gwecc_pulsarTermOn

12.16.2.73 double pulsar::gwecc_ra

- 12.16.2.74 double pulsar::gwecc_redshift
 - 12.16.2.75 double pulsar::gwecc_theta_0
 - 12.16.2.76 double pulsar::gwecc_theta_nodes
 - 12.16.2.77 double pulsar::gwm_decj
 - 12.16.2.78 double pulsar::gwm_dphase
 - 12.16.2.79 double pulsar::gwm_epoch
 - 12.16.2.80 double pulsar::gwm_phi
 - 12.16.2.81 double pulsar::gwm_raj
 - 12.16.2.82 double pulsar::gwsrc_across_i
 - 12.16.2.83 double pulsar::gwsrc_across_i_e
 - 12.16.2.84 double pulsar::gwsrc_across_r
 - 12.16.2.85 double pulsar::gwsrc_across_r_e
 - 12.16.2.86 double pulsar::gwsrc_aplus_i
 - 12.16.2.87 double pulsar::gwsrc_aplus_i_e
 - 12.16.2.88 double pulsar::gwsrc_aplus_r
 - 12.16.2.89 double pulsar::gwsrc_aplus_r_e
 - 12.16.2.90 double pulsar::gwsrc_dec
 - 12.16.2.91 double pulsar::gwsrc_epoch
 - 12.16.2.92 double pulsar::gwsrc_psrdist
 - 12.16.2.93 double pulsar::gwsrc_ra
 - 12.16.2.94 double pulsar::ifunc_weights[MAX_IFUNC]
 - 12.16.2.95 double pulsar::ifuncE[MAX_IFUNC]
 - 12.16.2.96 int pulsar::ifuncN
 - 12.16.2.97 double pulsar::ifuncT[MAX_IFUNC]
 - 12.16.2.98 double pulsar::ifuncV[MAX_IFUNC]
 - 12.16.2.99 int pulsar::ipm
- = 1 if use interplanetary medium DM correction, = 0 otherwise

12.16.2.100 `int pulsar::jboFormat`

= 1 => JBO arrival time format and file structure (not byte swapping) = 2 => JBO format with byte swapping

12.16.2.101 `char pulsar::JPL_EPHEMERIS[MAX_FILELEN]`

12.16.2.102 `char pulsar::jumpStr[MAX_JUMPS][MAX_STRLEN]`

String describing jump

12.16.2.103 `double pulsar::jumpVal[MAX_JUMPS]`

Value of jump

12.16.2.104 `double pulsar::jumpValErr[MAX_JUMPS]`

Error on jump

12.16.2.105 `char pulsar::name[100]`

12.16.2.106 `int pulsar::nCompanion`

Number of binary companions

12.16.2.107 `int pulsar::nconstraints`

Number of fit constraints specified

12.16.2.108 `int pulsar::nDMEvents`

12.16.2.109 `int pulsar::ndmx`

Number of DM steps

12.16.2.110 `double pulsar::ne_sw`

Electron density at 1AU due to the solar wind

12.16.2.111 `int pulsar::nFit`

Number of points in the fit

12.16.2.112 `int pulsar::nGlobal`

Number of global parameters in the fit

12.16.2.113 `int pulsar::nits`

Number of iterations for the fit

12.16.2.114 int pulsar::nJumps

Number of jumps

12.16.2.115 int pulsar::nobs

Number of observations in .tim file

12.16.2.116 int pulsar::noWarnings

= 1, do not display warning messages

12.16.2.117 int pulsar::nParam

Number of parameters in the fit

12.16.2.118 int pulsar::nPhaseJump

Number of phase jumps

12.16.2.119 int pulsar::nQuad

12.16.2.120 int pulsar::nStorePrecision

12.16.2.121 int pulsar::nT2efac

12.16.2.122 int pulsar::nT2equad

12.16.2.123 int pulsar::nTelDX

12.16.2.124 int pulsar::nTelDY

12.16.2.125 int pulsar::nTelDZ

12.16.2.126 int pulsar::nTNBandNoise

12.16.2.127 int pulsar::nTNECORR

12.16.2.128 int pulsar::nTNEF

12.16.2.129 int pulsar::nTNEQ

12.16.2.130 int pulsar::nTNGroupNoise

12.16.2.131 int pulsar::nTNShapeletEvents

12.16.2.132 int pulsar::nTNSQ

12.16.2.133 int pulsar::nToffset

12.16.2.134 int pulsar::nWhite

12.16.2.135 int pulsar::nWhite_dm

12.16.2.136 **observation*** pulsar::obsn

[MAX_OBSN_VAL];

12.16.2.137 **double** pulsar::offset

Offset, always fitted for

12.16.2.138 **double** pulsar::offset_e

Error in the offset

12.16.2.139 **int** pulsar::outputTMatrix

12.16.2.140 **parameter** pulsar::param[MAX_PARAMS]

12.16.2.141 **char** pulsar::passStr[MAX_STRLEN]

String describing filters

12.16.2.142 **longdouble** pulsar::phaseJump[MAX_JUMPS]

Time of phase jump

12.16.2.143 **int** pulsar::phaseJumpDir[MAX_JUMPS]

Size and direction of phase jump

12.16.2.144 **int** pulsar::phaseJumpID[MAX_JUMPS]

ID of closest point to the phase jump

12.16.2.145 **int** pulsar::planetShapiro

= 1 if included otherwise 0

12.16.2.146 **double** pulsar::posPulsar[3]

3-vector pointing at pulsar

12.16.2.147 **double** pulsar::quad_across_i[MAX_QUAD]

12.16.2.148 **double** pulsar::quad_across_i_e[MAX_QUAD]

12.16.2.149 **double** pulsar::quad_across_r[MAX_QUAD]

12.16.2.150 **double** pulsar::quad_across_r_e[MAX_QUAD]

12.16.2.151 **double** pulsar::quad_aplus_i[MAX_QUAD]

12.16.2.152 double pulsar::quad_aplus_i_e[MAX_QUAD]

12.16.2.153 double pulsar::quad_aplus_r[MAX_QUAD]

12.16.2.154 double pulsar::quad_aplus_r_e[MAX_QUAD]

12.16.2.155 double pulsar::quad_ifunc_c_DEC

12.16.2.156 double pulsar::quad_ifunc_c_RA

12.16.2.157 double pulsar::quad_ifunc_geom_c

12.16.2.158 double pulsar::quad_ifunc_geom_p

12.16.2.159 double pulsar::quad_ifunc_p_DEC

12.16.2.160 double pulsar::quad_ifunc_p_RA

12.16.2.161 double pulsar::quad_ifuncE_c[MAX_IFUNC]

12.16.2.162 double pulsar::quad_ifuncE_p[MAX_IFUNC]

12.16.2.163 int pulsar::quad_ifuncN_c

12.16.2.164 int pulsar::quad_ifuncN_p

12.16.2.165 double pulsar::quad_ifuncT_c[MAX_IFUNC]

12.16.2.166 double pulsar::quad_ifuncT_p[MAX_IFUNC]

12.16.2.167 double pulsar::quad_ifuncV_c[MAX_IFUNC]

12.16.2.168 double pulsar::quad_ifuncV_p[MAX_IFUNC]

12.16.2.169 double pulsar::quadDEC

12.16.2.170 double pulsar::quadEpoch

12.16.2.171 double pulsar::quadRA

12.16.2.172 char pulsar::rajStrPost[100]

12.16.2.173 char pulsar::rajStrPre[100]

12.16.2.174 double pulsar::rasim

12.16.2.175 int pulsar::rescaleErrChisq

= 1 to rescale errors based on the reduced chisq, = 0 not to do this

12.16.2.176 double pulsar::rmsPost

12.16.2.177 double pulsar::rmsPre

12.16.2.178 char pulsar::robust

12.16.2.179 `int pulsar::setTelVelX`

12.16.2.180 `int pulsar::setTelVelY`

12.16.2.181 `int pulsar::setTelVelZ`

12.16.2.182 `int pulsar::setUnits`

12.16.2.183 `int pulsar::simflag`

Which fit function are we using

12.16.2.184 `char pulsar::sorted`

ToAs sorted Path for the file containing the corrections between observatory clocks and UTC(NIST) - set in read↵
Parfile.C `char OBSERVATORY_CLOCK_2.UTC_NIST[MAX_FILELEN];`

12.16.2.185 `storePrecision pulsar::storePrec[MAX_STOREPRECISION]`

12.16.2.186 `int pulsar::swm`

= 0 for basic tempo2 solar wind model, = 1 for XPY Solar wind model For whitening

12.16.2.187 `int pulsar::t2cMethod`

How to transform from terrestrial to celestial coords

12.16.2.188 `char pulsar::T2efacFlagID[MAX_T2EFAC][MAX_FLAG_LEN]`

12.16.2.189 `char pulsar::T2efacFlagVal[MAX_T2EFAC][MAX_FLAG_LEN]`

12.16.2.190 `double pulsar::T2efacVal[MAX_T2EFAC]`

12.16.2.191 `char pulsar::T2equadFlagID[MAX_T2EQUAD][MAX_FLAG_LEN]`

12.16.2.192 `char pulsar::T2equadFlagVal[MAX_T2EQUAD][MAX_FLAG_LEN]`

12.16.2.193 `double pulsar::T2equadVal[MAX_T2EQUAD]`

12.16.2.194 `double pulsar::T2globalEfac`

12.16.2.195 `double pulsar::telDX_e[MAX_TEL_DX]`

12.16.2.196 `double pulsar::telDX_t[MAX_TEL_DX]`

12.16.2.197 `double pulsar::telDX_v[MAX_TEL_DX]`

12.16.2.198 `double pulsar::telDX_vel[MAX_TEL_DX]`

12.16.2.199 `double pulsar::telDX_vel_e[MAX_TEL_DX]`

12.16.2.200 `double pulsar::telDY_e[MAX_TEL_DY]`

12.16.2.201 double pulsar::telDY_t[MAX_TEL_DY]
 12.16.2.202 double pulsar::telDY_v[MAX_TEL_DY]
 12.16.2.203 double pulsar::telDY_vel[MAX_TEL_DY]
 12.16.2.204 double pulsar::telDY_vel_e[MAX_TEL_DY]
 12.16.2.205 double pulsar::telDZ_e[MAX_TEL_DZ]
 12.16.2.206 double pulsar::telDZ_t[MAX_TEL_DZ]
 12.16.2.207 double pulsar::telDZ_v[MAX_TEL_DZ]
 12.16.2.208 double pulsar::telDZ_vel[MAX_TEL_DZ]
 12.16.2.209 double pulsar::telDZ_vel_e[MAX_TEL_DZ]
 12.16.2.210 int pulsar::tempo1

= 1 if tempo1 is emulated

12.16.2.211 int pulsar::timeEphemeris

Which code to use for Einstein delay

12.16.2.212 double pulsar::TNBandDMAmp
 12.16.2.213 int pulsar::TNBandDMC
 12.16.2.214 double pulsar::TNBandDMGam
 12.16.2.215 double pulsar::TNBandNoiseAmp[MAX_TNBN]
 12.16.2.216 int pulsar::TNBandNoiseC[MAX_TNBN]
 12.16.2.217 double pulsar::TNBandNoiseGam[MAX_TNBN]
 12.16.2.218 double pulsar::TNBandNoiseHF[MAX_TNBN]
 12.16.2.219 double pulsar::TNBandNoiseLF[MAX_TNBN]
 12.16.2.220 double pulsar::TNDMAmp
 12.16.2.221 int pulsar::TNDMC
 12.16.2.222 double pulsar::TNDMCoeffs[200]
 12.16.2.223 double pulsar::TNDMEvAmp[MAX_TNDMEv]
 12.16.2.224 double pulsar::TNDMEvGam[MAX_TNDMEv]
 12.16.2.225 double pulsar::TNDMEvLength[MAX_TNDMEv]
 12.16.2.226 int pulsar::TNDMEvLin[MAX_TNDMEv]

12.16.2.227 int pulsar::TNDMEvOff[MAX_TNDMEv]
12.16.2.228 int pulsar::TNDMEvQuad[MAX_TNDMEv]
12.16.2.229 double pulsar::TNDMEvStart[MAX_TNDMEv]
12.16.2.230 double pulsar::TNDMGam
12.16.2.231 char pulsar::TNECORRFlagID[MAX_TNECORR][MAX_FLAG_LEN]
12.16.2.232 char pulsar::TNECORRFlagVal[MAX_TNECORR][MAX_FLAG_LEN]
12.16.2.233 double pulsar::TNECORRVal[MAX_TNECORR]
12.16.2.234 char pulsar::TNEFFlagID[MAX_TNEF][MAX_FLAG_LEN]
12.16.2.235 char pulsar::TNEFFlagVal[MAX_TNEF][MAX_FLAG_LEN]
12.16.2.236 double pulsar::TNEFVal[MAX_TNEF]
12.16.2.237 char pulsar::TNEQFlagID[MAX_TNEQ][MAX_FLAG_LEN]
12.16.2.238 char pulsar::TNEQFlagVal[MAX_TNEQ][MAX_FLAG_LEN]
12.16.2.239 double pulsar::TNEQVal[MAX_TNEQ]
12.16.2.240 double pulsar::TNGlobalEF
12.16.2.241 double pulsar::TNGlobalEQ
12.16.2.242 double pulsar::TNGroupNoiseAmp[MAX_TNGN]
12.16.2.243 int pulsar::TNGroupNoiseC[MAX_TNGN]
12.16.2.244 char pulsar::TNGroupNoiseFlagID[MAX_TNGN][MAX_FLAG_LEN]
12.16.2.245 char pulsar::TNGroupNoiseFlagVal[MAX_TNGN][MAX_FLAG_LEN]
12.16.2.246 double pulsar::TNGroupNoiseGam[MAX_TNGN]
12.16.2.247 double pulsar::TNRedAmp
12.16.2.248 int pulsar::TNRedC
12.16.2.249 double pulsar::TNRedCoeffs[200]
12.16.2.250 double pulsar::TNRedCorner
12.16.2.251 double pulsar::TNRedFlow
12.16.2.252 double pulsar::TNRedGam
12.16.2.253 double pulsar::TNShapeletEvFScale[MAX_TNDMEv]
12.16.2.254 int pulsar::TNShapeletEvN[MAX_TNDMEv]

12.16.2.255 double pulsar::TNShapeletEvPos[MAX_TNDMEv]
 12.16.2.256 double pulsar::TNShapeletEvWidth[MAX_TNDMEv]
 12.16.2.257 char pulsar::TNSQFlagID[MAX_TNSQ][MAX_FLAG_LEN]
 12.16.2.258 char pulsar::TNSQFlagVal[MAX_TNSQ][MAX_FLAG_LEN]
 12.16.2.259 double pulsar::TNSQVal[MAX_TNSQ]
 12.16.2.260 int pulsar::TNsubtractDM
 12.16.2.261 int pulsar::TNsubtractRed
 12.16.2.262 double** pulsar::ToAextraCovar
 12.16.2.263 double pulsar::tOffset[MAX_TOFFSET]

Offsets in TOAs in seconds

12.16.2.264 double pulsar::tOffset_f1[MAX_TOFFSET]
 12.16.2.265 double pulsar::tOffset_f2[MAX_TOFFSET]

Range for offset to be applied

12.16.2.266 double pulsar::tOffset_t1[MAX_TOFFSET]
 12.16.2.267 double pulsar::tOffset_t2[MAX_TOFFSET]
 12.16.2.268 char pulsar::tOffsetFlags[MAX_TOFFSET][1000]
 12.16.2.269 char pulsar::tOffsetSite[MAX_TOFFSET][100]
 12.16.2.270 char pulsar::tzrsite[100]

Site-code for polyco

12.16.2.271 int pulsar::units

TDB or SI units (tempo emulation mode uses TDB) see #define definition above for possible units

12.16.2.272 int pulsar::useCalceph
 12.16.2.273 int pulsar::useTNorth
 12.16.2.274 double pulsar::velPulsar[3]

3-vector giving pulsar's velocity

12.16.2.275 double pulsar::wave_cos[MAX_WHITE]
 12.16.2.276 double pulsar::wave_cos_dm[MAX_WHITE]

12.16.2.277 double pulsar::wave_cos_dm_err[MAX_WHITE]
12.16.2.278 double pulsar::wave_cos_err[MAX_WHITE]
12.16.2.279 double pulsar::wave_sine[MAX_WHITE]
12.16.2.280 double pulsar::wave_sine_dm[MAX_WHITE]
12.16.2.281 double pulsar::wave_sine_dm_err[MAX_WHITE]
12.16.2.282 double pulsar::wave_sine_err[MAX_WHITE]
12.16.2.283 double pulsar::waveScale
12.16.2.284 char pulsar::whiteNoiseModelFile[MAX_STRLEN]

The documentation for this struct was generated from the following file:

- [tempo2.h](#)

12.17 storePrecision Struct Reference

```
#include <tempo2.h>
```

Public Attributes

- [longdouble](#) minPrec
- char [routine](#) [100]
- char [comment](#) [MAX_STRLEN]

12.17.1 Member Data Documentation

12.17.1.1 char storePrecision::comment[MAX_STRLEN]
12.17.1.2 longdouble storePrecision::minPrec
12.17.1.3 char storePrecision::routine[100]

The documentation for this struct was generated from the following file:

- [tempo2.h](#)

12.18 T1Polyco Struct Reference

```
#include <tempo2pred.h>
```

Public Attributes

- char [psrname](#) [64]
- char [date_string](#) [10]
- char [utc_string](#) [13]

- long double [mjd_mid](#)
- double [dm](#)
- double [doppler](#)
- double [log10rms](#)
- long double [reference_phase](#)
- long double [frequency_psr_0](#)
- char [sitename](#) [5]
- int [span](#)
- int [ncoeff](#)
- double [frequency_obs](#)
- double [binary_phase](#)
- double [binary_frequency](#)
- long double [coeff](#) [32]

12.18.1 Member Data Documentation

12.18.1.1 double T1Polyco::binary_frequency

12.18.1.2 double T1Polyco::binary_phase

12.18.1.3 long double T1Polyco::coeff[32]

12.18.1.4 char T1Polyco::date_string[10]

12.18.1.5 double T1Polyco::dm

12.18.1.6 double T1Polyco::doppler

12.18.1.7 double T1Polyco::frequency_obs

12.18.1.8 long double T1Polyco::frequency_psr_0

12.18.1.9 double T1Polyco::log10rms

12.18.1.10 long double T1Polyco::mjd_mid

12.18.1.11 int T1Polyco::ncoeff

12.18.1.12 char T1Polyco::psrname[64]

12.18.1.13 long double T1Polyco::reference_phase

12.18.1.14 char T1Polyco::sitename[5]

12.18.1.15 int T1Polyco::span

12.18.1.16 char T1Polyco::utc_string[13]


The documentation for this struct was generated from the following file:

- [tempo2pred.h](#)

12.19 T1PolycoSet Struct Reference

```
#include <tempo2pred.h>
```

Collaboration diagram for T1PolycoSet:



Public Attributes

- [T1Polyco](#) * [segments](#)
- int [nsegments](#)

12.19.1 Member Data Documentation

12.19.1.1 int T1PolycoSet::nsegments

12.19.1.2 T1Polyco* T1PolycoSet::segments


The documentation for this struct was generated from the following file:

- [tempo2pred.h](#)

12.20 T2Predictor Struct Reference

```
#include <tempo2pred.h>
```

Collaboration diagram for T2Predictor:



Public Attributes

- [T2PredictorKind](#) kind
- union {
 [ChebyModelSet](#) cheby
 [T1PolycoSet](#) t1
 } modelset

12.20.1 Member Data Documentation

12.20.1.1 **ChebyModelSet** T2Predictor::cheby

12.20.1.2 **T2PredictorKind** T2Predictor::kind

12.20.1.3 union { ... } T2Predictor::modelset

12.20.1.4 **T1PolycoSet** T2Predictor::t1


The documentation for this struct was generated from the following file:

- [tempo2pred.h](#)

12.21 TabulatedFunction Struct Reference

```
#include <tabulatedfunction.h>
```

Collaboration diagram for TabulatedFunction:



Public Attributes

- char [fileName](#) [256]
- char [header_line](#) [256]
- [DynamicArray](#) [samples](#)

12.21.1 Member Data Documentation

12.21.1.1 char `TabulatedFunction::fileName`[256]

12.21.1.2 char `TabulatedFunction::header_line`[256]

12.21.1.3 [DynamicArray](#) `TabulatedFunction::samples`

The documentation for this struct was generated from the following file:

- [tabulatedfunction.h](#)

12.22 TabulatedFunctionSample Struct Reference

```
#include <tabulatedfunction.h>
```

Public Attributes

- double [x](#)
- double [y](#)

12.22.1 Member Data Documentation

12.22.1.1 double `TabulatedFunctionSample::x`

12.22.1.2 double TabulatedFunctionSample::y

The documentation for this struct was generated from the following file:

- [tabulatedfunction.h](#)

Chapter 13

File Documentation

13.1 cholesky.h File Reference

Functions

- void [cholesky_readFromCovarianceFunction](#) (double **m, const char *fname, double *resx, double *resy, double *rese, int np, int nc)
- void [cholesky_covarFunc2matrix](#) (double **m, double *covarFunc, int ndays, double *resx, double *resy, double *rese, int np, int nc)
- void [cholesky_powerlawModel](#) (double **m, double modelAlpha, double modelFc, double modelA, double *resx, double *resy, double *rese, int np, int nc)
- void [cholesky_powerlawModel_withBeta](#) (double **m, double modelAlpha, double beta, double modelFc, double modelA, double *resx, double *resy, double *rese, int np, int nc)
- int [cholesky_formUinv](#) (double **uinv, double **m, int np)
- void [cholesky_dmModel](#) (double **m, double D, double d, double ref_freq, double *resx, double *resy, double *rese, int np, int nc)
- void [cholesky_ecm](#) (double **m, char *fileName, double *resx, double *resy, double *rese, int np, int nc)
- void [cholesky_dmModelCovarParam](#) (double **m, double alpha, double a, double b, double *resx, double *resy, double *rese, int np, int nc)

13.1.1 Function Documentation


- 13.1.1.1 void [cholesky_covarFunc2matrix](#) (double ** *m*, double * *covarFunc*, int *ndays*, double * *resx*, double * *resy*, double * *rese*, int *np*, int *nc*)
- 13.1.1.2 void [cholesky_dmModel](#) (double ** *m*, double *D*, double *d*, double *ref_freq*, double * *resx*, double * *resy*, double * *rese*, int *np*, int *nc*)
- 13.1.1.3 void [cholesky_dmModelCovarParam](#) (double ** *m*, double *alpha*, double *a*, double *b*, double * *resx*, double * *resy*, double * *rese*, int *np*, int *nc*)
- 13.1.1.4 void [cholesky_ecm](#) (double ** *m*, char * *fileName*, double * *resx*, double * *resy*, double * *rese*, int *np*, int *nc*)
- 13.1.1.5 int [cholesky_formUinv](#) (double ** *uinv*, double ** *m*, int *np*)
- 13.1.1.6 void [cholesky_powerlawModel](#) (double ** *m*, double *modelAlpha*, double *modelFc*, double *modelA*, double * *resx*, double * *resy*, double * *rese*, int *np*, int *nc*)
- 13.1.1.7 void [cholesky_powerlawModel_withBeta](#) (double ** *m*, double *modelAlpha*, double *beta*, double *modelFc*, double *modelA*, double * *resx*, double * *resy*, double * *rese*, int *np*, int *nc*)

13.1.1.8 void cholesky_readFromCovarianceFunction (double ** m, const char * fname, double * resx, double * resy, double * rese, int np, int nc)

13.2 choleskyRoutines.h File Reference

```
#include "tempo2.h"
```

Include dependency graph for choleskyRoutines.h:



Functions

- void [T2writeCovarFuncModel](#) (double alpha, double fc, double val, double white, char *fname)
- void [T2get_covFunc_automatic](#) (pulsar *psr, double expSmooth, char *outname, double *fc_w, double *fc←_r, double *modelAlpha_out, double *modelVal, double *whiteNoiseLevel, int realflag, int dcmflag)
- void [T2cubicFit](#) (double *resx, double *resy, double *rese, int nres, double *cubicVal, double *cubicErr)
- void [T2findSmoothCurve](#) (double *resx, double *resy, double *rese, int nres, double *cubicVal, double *smoothModel, double expSmooth)
- void [T2interpolate](#) (double *resx, double *resy, double *rese, int nres, double *cubicVal, double *interpX, double *interpY, int *nInterp, int interpTime, double expSmooth)
- void [T2getHighFreqRes](#) (double *resy, double *smoothModel, int nres, double *highFreqRes)
- int [T2calculateSpectra](#) (double *x, double *y, double *e, int n, int useErr, int preWhite, int specType, double *specX, double *specY)
- int [T2fitSpectra](#) (double *preWhiteSpecX, double *preWhiteSpecY, int nPreWhiteSpec, double *modelAlpha, double *modelFc, int *modelNfit, double *modelScale, double *fitVar, int aval, int ipw, double ifc, double iexp, int inpt, double amp, int useBeta, double *betaVal, double cutoff=0.0)
- void [T2calculateCholesky](#) (double modelAlpha, double modelFc, double modelScale, double fitVar, double **uinv, double *covFunc, double *resx, double *resy, double *rese, int np, double *highFreqRes, double *errorScaleFactor, int dcmflag, int useBeta, double betaVal)
- int [T2calculateCovarFunc](#) (double modelAlpha, double modelFc, double modelA, int useBeta, double betaVal, double *covFunc, double *resx, double *resy, double *rese, int np)
- void [T2getWhiteRes](#) (double *resx, double *resy, double *rese, int nres, double **uinv, double *cholWhiteY)
- void [T2calculateDailyCovariance](#) (double *x, double *y, double *e, int n, double *cv, int *in, double *zl, int usewt)

- int [T2obtainTimingResiduals](#) (pulsar *psr, double *resx, double *resy, double *rese)
- int [T2guess_vals](#) (double *x, double *y, int n, double *alpha, double *amp, double *fc, int *nfit, double wn, double *fc_white, int prewhite)
- void [T2getWhiteNoiseLevel](#) (int n, double *y, int nlast, double *av)
- void [T2cholDecomposition](#) (double **a, int n, double *p)

Variables

- double [FCALPHA](#)
- double [WNLEVEL](#)
- double [EXPSMOOTH](#)
- double [UPW](#)
- double [NFIT](#)
- double [FCFINAL](#)

13.2.1 Function Documentation

- 13.2.1.1 void [T2calculateCholesky](#) (double *modelAlpha*, double *modelFc*, double *modelScale*, double *fitVar*, double ***uin*, double **covFunc*, double **resx*, double **resy*, double **rese*, int *np*, double **highFreqRes*, double **errorScaleFactor*, int *dcmflag*, int *useBeta*, double *betaVal*)
- 13.2.1.2 int [T2calculateCovarFunc](#) (double *modelAlpha*, double *modelFc*, double *modelA*, int *useBeta*, double *betaVal*, double **covFunc*, double **resx*, double **resy*, double **rese*, int *np*)
- 13.2.1.3 void [T2calculateDailyCovariance](#) (double **x*, double **y*, double **e*, int *n*, double **cv*, int **in*, double **zl*, int *usewt*)
- 13.2.1.4 int [T2calculateSpectra](#) (double **x*, double **y*, double **e*, int *n*, int *useErr*, int *preWhite*, int *specType*, double **specX*, double **specY*)
- 13.2.1.5 void [T2cholDecomposition](#) (double ***a*, int *n*, double **p*)
- 13.2.1.6 void [T2cubicFit](#) (double **resx*, double **resy*, double **rese*, int *nres*, double **cubicVal*, double **cubicErr*)
- 13.2.1.7 void [T2findSmoothCurve](#) (double **resx*, double **resy*, double **rese*, int *nres*, double **cubicVal*, double **smoothModel*, double *expSmooth*)
- 13.2.1.8 int [T2fitSpectra](#) (double **preWhiteSpecX*, double **preWhiteSpecY*, int *nPreWhiteSpec*, double **modelAlpha*, double **modelFc*, int **modelNfit*, double **modelScale*, double **fitVar*, int *aval*, int *ipw*, double *ifc*, double *iexp*, int *inpt*, double *amp*, int *useBeta*, double **betaVal*, double *cutoff* = 0.0)
- 13.2.1.9 void [T2get_covFunc_automatic](#) (pulsar **psr*, double *expSmooth*, char **outname*, double **fc_w*, double **fc_r*, double **modelAlpha_out*, double **modelVal*, double **whiteNoiseLevel*, int *realflag*, int *dcmflag*)
- 13.2.1.10 void [T2getHighFreqRes](#) (double **resy*, double **smoothModel*, int *nres*, double **highFreqRes*)
- 13.2.1.11 void [T2getWhiteNoiseLevel](#) (int *n*, double **y*, int *nlast*, double **av*)
- 13.2.1.12 void [T2getWhiteRes](#) (double **resx*, double **resy*, double **rese*, int *nres*, double ***uin*, double **cholWhiteY*)
- 13.2.1.13 int [T2guess_vals](#) (double **x*, double **y*, int *n*, double **alpha*, double **amp*, double **fc*, int **nfit*, double *wn*, double **fc_white*, int *prewhite*)
- 13.2.1.14 void [T2interpolate](#) (double **resx*, double **resy*, double **rese*, int *nres*, double **cubicVal*, double **interpX*, double **interpY*, int **nInterp*, int *interpTime*, double *expSmooth*)

13.2.1.15 `int T2obtainTimingResiduals (pulsar * psr, double * resx, double * resy, double * rese)`

13.2.1.16 `void T2writeCovarFuncModel (double alpha, double fc, double val, double white, char * fname)`

13.2.2 Variable Documentation

13.2.2.1 `double EXPSMOOTH`

13.2.2.2 `double FCALPHA`

13.2.2.3 `double FCFINAL`


13.2.2.4 `double NFIT`

13.2.2.5 `double UPW`

13.2.2.6 `double WNLEVEL`

13.3 config.h File Reference

This graph shows which files directly or indirectly include this file:



Macros

- `#define F77_FUNC(name, NAME) name ## _`
- `#define F77_FUNC_(name, NAME) name ## _`
- `#define HAVE_BLAS 1`
- `#define HAVE_DLERROR 1`
- `#define HAVE_DLFCN_H 1`
- `#define HAVE_FFTW3 1`
- `#define HAVE_INTTYPES_H 1`
- `#define HAVE_LAPACK 1`
- `#define HAVE_LIBDL 1`
- `#define HAVE_LIBDLLOADER 1`
- `#define HAVE_LIBM 1`
- `#define HAVE_MEMORY_H 1`
- `#define HAVE_PGLOT 1`
- `#define HAVE_PTHREAD 1`
- `#define HAVE_STDINT_H 1`
- `#define HAVE_STDLIB_H 1`

- `#define HAVE_STRINGS_H 1`
- `#define HAVE_STRING_H 1`
- `#define HAVE_SYS_STAT_H 1`
- `#define HAVE_SYS_TYPES_H 1`
- `#define HAVE_UNISTD_H 1`
- `#define LT_OBJDIR ".libs/"`
- `#define PACKAGE "tempo2"`
- `#define PACKAGE_BUGREPORT "george.hobbs@csiro.au"`
- `#define PACKAGE_NAME "Tempo2"`
- `#define PACKAGE_STRING "Tempo2 2015.09.0"`
- `#define PACKAGE_TARNAME "tempo2"`
- `#define PACKAGE_URL "http://www.bitbucket.org/mkeith/tempo2"`
- `#define PACKAGE_VERSION "2015.09.0"`
- `#define STDC_HEADERS 1`
- `#define TEMPO2_ARCH "linux-gnu"`
- `#define VERSION "2015.09.0"`
- `#define X_DISPLAY_MISSING 1`
- `#define _DARWIN_USE_64_BIT_INODE 1`

13.3.1 Macro Definition Documentation

13.3.1.1 `#define _DARWIN_USE_64_BIT_INODE 1`

13.3.1.2 `#define F77_FUNC(name, NAME) name ## _`

13.3.1.3 `#define F77_FUNC_(name, NAME) name ## _`

13.3.1.4 `#define HAVE_BLAS 1`

13.3.1.5 `#define HAVE_DLERROR 1`

13.3.1.6 `#define HAVE_DLFCN_H 1`

13.3.1.7 `#define HAVE_FFTW3 1`

13.3.1.8 `#define HAVE_INTTYPES_H 1`

13.3.1.9 `#define HAVE_LAPACK 1`

13.3.1.10 `#define HAVE_LIBDL 1`

13.3.1.11 `#define HAVE_LIBDLLOADER 1`

13.3.1.12 `#define HAVE_LIBM 1`

13.3.1.13 `#define HAVE_MEMORY_H 1`

13.3.1.14 `#define HAVE_PGPLOT 1`

13.3.1.15 `#define HAVE_PTHREAD 1`

13.3.1.16 `#define HAVE_STDINT_H 1`

13.3.1.17 `#define HAVE_STDLIB_H 1`

```
13.3.1.18  #define HAVE_STRING_H 1

13.3.1.19  #define HAVE_STRINGS_H 1

13.3.1.20  #define HAVE_SYS_STAT_H 1

13.3.1.21  #define HAVE_SYS_TYPES_H 1

13.3.1.22  #define HAVE_UNISTD_H 1

13.3.1.23  #define LT_OBJDIR ".libs/"

13.3.1.24  #define PACKAGE "tempo2"

13.3.1.25  #define PACKAGE_BUGREPORT "george.hobbs@csiro.au"

13.3.1.26  #define PACKAGE_NAME "Tempo2"

13.3.1.27  #define PACKAGE_STRING "Tempo2 2015.09.0"

13.3.1.28  #define PACKAGE_TARNAME "tempo2"

13.3.1.29  #define PACKAGE_URL "http://www.bitbucket.org/mkeith/tempo2"

13.3.1.30  #define PACKAGE_VERSION "2015.09.0"

13.3.1.31  #define STDC_HEADERS 1

13.3.1.32  #define TEMPO2_ARCH "linux-gnu"


13.3.1.33  #define VERSION "2015.09.0"

13.3.1.34  #define X_DISPLAY_MISSING 1
```

13.4 constraints.h File Reference

```
#include <string.h>
#include "tempo2.h"
```

Include dependency graph for constraints.h:



Functions

- std::string [get_constraint_name](#) (enum [constraint](#) c)
- void [computeConstraintWeights](#) ([pulsar](#) *psr)
- double [consFunc_dmmodel_mean](#) ([pulsar](#) *psr, int ipsr, int i, int k, int order)
- double [consFunc_dmmodel_dm1](#) ([pulsar](#) *psr, int ipsr, int i, int k, int order)
- double [consFunc_dmmodel_cw](#) ([pulsar](#) *psr, int ipsr, int i, int k, int order)
- double [consFunc_dmmodel_cw_year](#) ([pulsar](#) *psr, int ipsr, int i, int k, int order)
- double [consFunc_ifunc](#) ([pulsar](#) *psr, int ipsr, int i, int k, int order)
- double [consFunc_ifunc_year](#) ([pulsar](#) *psr, int ipsr, int i, int k, int order)
- double [consFunc_tel_dx](#) ([pulsar](#) *psr, int ipsr, int i, int k, int order)
- double [consFunc_tel_dy](#) ([pulsar](#) *psr, int ipsr, int i, int k, int order)
- double [consFunc_tel_dz](#) ([pulsar](#) *psr, int ipsr, int i, int k, int order)
- double [consFunc_quad_ifunc_p](#) ([pulsar](#) *psr, int ipsr, int i, int k, int order)
- double [consFunc_quad_ifunc_c](#) ([pulsar](#) *psr, int ipsr, int i, int k, int order)
- double [consFunc_qifunc_p_year](#) ([pulsar](#) *psr, int ipsr, int i, int k, int order)
- double [consFunc_qifunc_c_year](#) ([pulsar](#) *psr, int ipsr, int i, int k, int order)
- void [autosetDMCM](#) ([pulsar](#) *psr, double dmstep, double cmstep, double start, double end, bool fixCMgrid)
- void [CONSTRAINTfuncs](#) ([pulsar](#) *psr, int ipsr, int nparams, int iconstraint, double *OUT)
- double [standardConstraintFunctions](#) ([pulsar](#) *psr, int ipsr, int iconstraint, int iparam, int constraintk, int k)

13.4.1 Function Documentation

13.4.1.1 void [autosetDMCM](#) ([pulsar](#) * *psr*, double *dmstep*, double *cmstep*, double *start*, double *end*, bool *fixCMgrid*)

13.4.1.2 void [computeConstraintWeights](#) ([pulsar](#) * *psr*)

13.4.1.3 double [consFunc_dmmodel_cw](#) ([pulsar](#) * *psr*, int *ipsr*, int *i*, int *k*, int *order*)

13.4.1.4 double [consFunc_dmmodel_cw_year](#) ([pulsar](#) * *psr*, int *ipsr*, int *i*, int *k*, int *order*)

13.4.1.5 double consFunc_dmmodel_dm1 (pulsar * *psr*, int *ip**sr*, int *i*, int *k*, int *order*)

13.4.1.6 double consFunc_dmmodel_mean (pulsar * *psr*, int *ip**sr*, int *i*, int *k*, int *order*)

13.4.1.7 double consFunc_ifunc (pulsar * *psr*, int *ip**sr*, int *i*, int *k*, int *order*)

13.4.1.8 double consFunc_ifunc_year (pulsar * *psr*, int *ip**sr*, int *i*, int *k*, int *order*)

13.4.1.9 double consFunc_qifunc_c_year (pulsar * *psr*, int *ip**sr*, int *i*, int *k*, int *order*)

13.4.1.10 double consFunc_qifunc_p_year (pulsar * *psr*, int *ip**sr*, int *i*, int *k*, int *order*)

13.4.1.11 double consFunc_quad_ifunc_c (pulsar * *psr*, int *ip**sr*, int *i*, int *k*, int *order*)

13.4.1.12 double consFunc_quad_ifunc_p (pulsar * *psr*, int *ip**sr*, int *i*, int *k*, int *order*)

13.4.1.13 double consFunc_tel_dx (pulsar * *psr*, int *ip**sr*, int *i*, int *k*, int *order*)

13.4.1.14 double consFunc_tel_dy (pulsar * *psr*, int *ip**sr*, int *i*, int *k*, int *order*)

13.4.1.15 double consFunc_tel_dz (pulsar * *psr*, int *ip**sr*, int *i*, int *k*, int *order*)

13.4.1.16 void CONSTRAINTfuncs (pulsar * *psr*, int *ip**sr*, int *nparams*, int *iconstraint*, double * *OUT*)

13.4.1.17 std::string get_constraint_name (enum constraint *c*)

13.4.1.18 double standardConstraintFunctions (pulsar * *psr*, int *ip**sr*, int *iconstraint*, int *iparam*, int *constraintk*, int *k*)

13.5 documentation/1_USER_GUIDE.md File Reference


13.6 documentation/2_developers.md File Reference

13.7 documentation/3_DEVELOPER_GUIDE.md File Reference


13.8 documentation/4_directories.md File Reference

13.9 dynarr.h File Reference

`#include <stdlib.h>`
Include dependency graph for dynarr.h:



This graph shows which files directly or indirectly include this file:



Classes

- struct [DynamicArray](#)

Functions

- void [DynamicArray_init](#) ([DynamicArray](#) *, [size_t](#) elemSize)
- void [DynamicArray_resize](#) ([DynamicArray](#) *, [size_t](#) nelem)
- void * [DynamicArray_push_back](#) ([DynamicArray](#) *, void *elem)
- void [DynamicArray_free](#) ([DynamicArray](#) *)

13.9.1 Function Documentation

13.9.1.1 void [DynamicArray_free](#) ([DynamicArray](#) *)

13.9.1.2 void [DynamicArray_init](#) ([DynamicArray](#) *, [size_t](#) elemSize)


13.9.1.3 void* DynamicArray_push_back (DynamicArray *, void * *elem*)

13.9.1.4 void DynamicArray_resize (DynamicArray *, size_t *nelem*)

13.10 GWsim.h File Reference

```
#include "tempo2.h"
```

Include dependency graph for GWsim.h:



Classes

- struct [gwSrc](#)
- struct [gwgeneralSrc](#)
- struct [gwgenSpec](#)

Typedefs

- typedef struct [gwSrc](#) [gwSrc](#)
- typedef struct [gwgeneralSrc](#) [gwgeneralSrc](#)
- typedef struct [gwgenSpec](#) [gwgenSpec](#)

Functions

- double [Fe](#) (double *ec*)
- double [dadt](#) (double *ec*, double *a*, double *m1*, double *m2*)
- double [dedt](#) (double *ec*, double *a*, double *m1*, double *m2*)
- double [dtdt](#) (double *ec*, double *t*, double *p*)
- double [Rs](#) (double *m1*)
- [longdouble eccRes](#) ([pulsar](#) **psr*, int *i*, int **coalesceFlag*, double **prev_p*, double **prev_e*, double **prev_a*, double **prev_epoch*, double **prev_theta*)

- [longdouble eccResWithEnergy](#) ([pulsar](#) *psr, int i, int *coalesceFlag, double *prev_p, double *prev_e, double *prev_a, double *prev_epoch, double *prev_theta, float *eOut)
- void [setupGW](#) ([gwSrc](#) *gw)
- void [matrixMult](#) ([longdouble](#) m1[3][3], [longdouble](#) m2[3][3], [longdouble](#) out[3][3])
- [longdouble](#) [dotProduct](#) ([longdouble](#) *m1, [longdouble](#) *m2)
- void [GWbackground](#) ([gwSrc](#) *gw, int numberGW, long *idum, [longdouble](#) flo, [longdouble](#) fhi, double gwAmp, double alpha, int loglin)
- [longdouble](#) [calculateResidualGW](#) ([longdouble](#) *kp, [gwSrc](#) *gw, [longdouble](#) time, [longdouble](#) dist)
- void [setupPulsar_GWsim](#) ([longdouble](#) ra_p, [longdouble](#) dec_p, [longdouble](#) *kp)
- int [GWbackground_read](#) ([gwSrc](#) *gw, FILE *file, int ireal)
- void [GWbackground_write](#) ([gwSrc](#) *gw, FILE *file, int ngw, int ireal)
- double [psrangle](#) (double centre_long, double centre_lat, double psr_long, double psr_lat)
- double [spharm](#) (int l, int m, double x)
- double [Findphi](#) (double prob, double amp, double phase)
- void [setupgeneralGW](#) ([gwgeneralSrc](#) *gw)
- void [GWgeneralbackground](#) ([gwgeneralSrc](#) *gw, int *numberGW, long *idum, [longdouble](#) flo, [longdouble](#) fhi, [gwgenSpec](#) gwAmps, int loglin)
- void [GWgeneralanisotropicbackground](#) ([gwgeneralSrc](#) *gw, int *numberGW, long *idum, [longdouble](#) flo, [longdouble](#) fhi, [gwgenSpec](#) gwAmps, int loglin, double ***harmlist, int *nharms)
- void [GWanisotropicbackground](#) ([gwSrc](#) *gw, int numberGW, long *idum, [longdouble](#) flo, [longdouble](#) fhi, double gwAmp, double alpha, int loglin, double **harmlist, int nharms)
- void [GWdipolebackground](#) ([gwSrc](#) *gw, int numberGW, long *idum, [longdouble](#) flo, [longdouble](#) fhi, double gwAmp, double alpha, int loglin, double *dipoleamps)
- [longdouble](#) [calculateResidualgeneralGW](#) ([longdouble](#) *kp, [gwgeneralSrc](#) *gw, [longdouble](#) time, [longdouble](#) dist)
- int [GWgeneralbackground_read](#) ([gwgeneralSrc](#) *gw, FILE *file, int ireal)
- void [GWgeneralbackground_write](#) ([gwgeneralSrc](#) *gw, FILE *file, int ngw, int ireal)

13.10.1 Typedef Documentation

13.10.1.1 typedef struct [gwgeneralSrc](#) [gwgeneralSrc](#)

13.10.1.2 typedef struct [gwgenSpec](#) [gwgenSpec](#)

13.10.1.3 typedef struct [gwSrc](#) [gwSrc](#)

13.10.2 Function Documentation

13.10.2.1 [longdouble](#) [calculateResidualgeneralGW](#) ([longdouble](#) * *kp*, [gwgeneralSrc](#) * *gw*, [longdouble](#) *time*, [longdouble](#) *dist*)

13.10.2.2 [longdouble](#) [calculateResidualGW](#) ([longdouble](#) * *kp*, [gwSrc](#) * *gw*, [longdouble](#) *time*, [longdouble](#) *dist*)

13.10.2.3 double [dadt](#) (double *ec*, double *a*, double *m1*, double *m2*)

13.10.2.4 double [dedt](#) (double *ec*, double *a*, double *m1*, double *m2*)

13.10.2.5 [longdouble](#) [dotProduct](#) ([longdouble](#) * *m1*, [longdouble](#) * *m2*)

13.10.2.6 double [dtdt](#) (double *ec*, double *t*, double *p*)


13.10.2.7 [longdouble](#) [eccRes](#) ([pulsar](#) * *psr*, int *i*, int * *coalesceFlag*, double * *prev_p*, double * *prev_e*, double * *prev_a*, double * *prev_epoch*, double * *prev_theta*)

- 13.10.2.8 `longdouble eccResWithEnergy (pulsar * psr, int i, int * coalesceFlag, double * prev_p, double * prev_e, double * prev_a, double * prev_epoch, double * prev_theta, float * eOut)`
- 13.10.2.9 `double Fe (double ec)`
- 13.10.2.10 `double Findphi (double prob, double amp, double phase)`
- 13.10.2.11 `void GWanisotropicbackground (gwSrc * gw, int numberGW, long * idum, longdouble flo, longdouble fhi, double gwAmp, double alpha, int loglin, double ** harmlist, int nharms)`
- 13.10.2.12 `void GWbackground (gwSrc * gw, int numberGW, long * idum, longdouble flo, longdouble fhi, double gwAmp, double alpha, int loglin)`
- 13.10.2.13 `int GWbackground_read (gwSrc * gw, FILE * file, int ireal)`
- 13.10.2.14 `void GWbackground_write (gwSrc * gw, FILE * file, int ngw, int ireal)`
- 13.10.2.15 `void GWdipolebackground (gwSrc * gw, int numberGW, long * idum, longdouble flo, longdouble fhi, double gwAmp, double alpha, int loglin, double * dipoleamps)`
- 13.10.2.16 `void GWgeneralanisotropicbackground (gwgeneralSrc * gw, int * numberGW, long * idum, longdouble flo, longdouble fhi, gwgenSpec gwAmps, int loglin, double *** harmlist, int * nharms)`
- 13.10.2.17 `void GWgeneralbackground (gwgeneralSrc * gw, int * numberGW, long * idum, longdouble flo, longdouble fhi, gwgenSpec gwAmps, int loglin)`
- 13.10.2.18 `int GWgeneralbackground_read (gwgeneralSrc * gw, FILE * file, int ireal)`
- 13.10.2.19 `void GWgeneralbackground_write (gwgeneralSrc * gw, FILE * file, int ngw, int ireal)`
- 13.10.2.20 `void matrixMult (longdouble m1[3][3], longdouble m2[3][3], longdouble out[3][3])`
- 13.10.2.21 `double psrangle (double centre_long, double centre_lat, double psr_long, double psr_lat)`
- 13.10.2.22 `double Rs (double m1)`
- 13.10.2.23 `void setupgeneralGW (gwgeneralSrc * gw)`
- 13.10.2.24 `void setupGW (gwSrc * gw)`
- 13.10.2.25 `void setupPulsar_GWsim (longdouble ra_p, longdouble dec_p, longdouble * kp)`
- 13.10.2.26 `double sphharm (int l, int m, double x)`

13.11 ifteph.h File Reference

```
#include "tempo2.h"
```

Include dependency graph for ifteph.h:



Macros

- `#define IFTE_JD0 2443144.5003725 /* Epoch of TCB, TCG and TT */`
- `#define IFTE_MJD0 43144.0003725`
- `#define IFTE_TEPH0 -65.564518e-6`
- `#define IFTE_LC 1.48082686742e-8`
- `#define IFTE_KM1 1.55051979176e-8`
- `#define IFTE_K (((longdouble)1.0) + ((longdouble)IFTE_KM1)) /* needs quad precision */`

Functions

- `void IFTE_init (const char *fname)`
- `void IFTE_get_DeltaT_DeltaTDot (double Teph0, double Teph1, double *DeltaT, double *DeltaTDot)`
- `double IFTE_DeltaT (double Teph0, double Teph1)`
- `double IFTE_DeltaTDot (double Teph0, double Teph1)`
- `void IFTE_close_file ()`
- `void IFTE_get_vE_vEDot (double Teph0, double Teph1, double *ve, double *vEDot)`
- `void IFTE_get_vE (double Teph0, double Teph1, double *vE)`
- `void IFTE_get_vEDot (double Teph0, double Teph1, double *vEDot)`

13.11.1 Macro Definition Documentation

13.11.1.1 `#define IFTE_JD0 2443144.5003725 /* Epoch of TCB, TCG and TT */`

13.11.1.2 `#define IFTE_K (((longdouble)1.0) + ((longdouble)IFTE_KM1)) /* needs quad precision */`

13.11.1.3 `#define IFTE_KM1 1.55051979176e-8`

13.11.1.4 `#define IFTE_LC 1.48082686742e-8`

13.11.1.5 `#define IFTE_MJD0 43144.0003725`

13.11.1.6 `#define IFTE_TEPH0 -65.564518e-6`

13.11.2 Function Documentation

13.11.2.1 `void IFTE_close_file ()`

13.11.2.2 `double IFTE_DeltaT (double Teph0, double Teph1)`

13.11.2.3 `double IFTE_DeltaTDot (double Teph0, double Teph1)`

13.11.2.4 `void IFTE_get_DeltaT_DeltaTDot (double Teph0, double Teph1, double * DeltaT, double * DeltaTDot)`

13.11.2.5 `void IFTE_get_vE (double Teph0, double Teph1, double * vE)`

13.11.2.6 `void IFTE_get_vE_vEDot (double Teph0, double Teph1, double * ve, double * vEDot)`

13.11.2.7 `void IFTE_get_vEDot (double Teph0, double Teph1, double * vEDot)`

13.11.2.8 `void IFTE_init (const char * fname)`

13.12 jpl_int.h File Reference

Classes

- struct [jpl_eph_data](#)
- struct [interpolation_info](#)

Macros

- `#define MAX_KERNEL_SIZE 2036`
- `#define JPL_HEADER_SIZE (5 * sizeof(double) + 41 * sizeof(JPLlong))`

Typedefs

- `typedef unsigned int JPLlong`

13.12.1 Macro Definition Documentation

13.12.1.1 `#define JPL_HEADER_SIZE (5 * sizeof(double) + 41 * sizeof(JPLlong))`

13.12.1.2 `#define MAX_KERNEL_SIZE 2036`

13.12.2 Typedef Documentation

13.12.2.1 `typedef unsigned int JPLlong`

13.13 jpleph.h File Reference

Macros

- `#define DLL_FUNC`
- `#define JPL_EPHEM_START_JD 0`
- `#define JPL_EPHEM_END_JD 8`
- `#define JPL_EPHEM_STEP 16`
- `#define JPL_EPHEM_N_CONSTANTS 24`
- `#define JPL_EPHEM_AU_IN_KM 28`
- `#define JPL_EPHEM_EARTH_MOON_RATIO 36`
- `#define JPL_EPHEM_EPHEMERIS_VERSION 200`
- `#define JPL_EPHEM_KERNEL_SIZE 204`
- `#define JPL_EPHEM_KERNEL_RECORD_SIZE 208`
- `#define JPL_EPHEM_KERNEL_NCOEFF 212`
- `#define JPL_EPHEM_KERNEL_SWAP_BYTES 216`

Functions

- `void *DLL_FUNC jpl_init_ephemeris` (const char *ephemeris_filename, char nam[][6], double *val)
- `void DLL_FUNC jpl_close_ephemeris` (void *ephem)
- `int DLL_FUNC jpl_state` (void *ephem, const double et[2], const int list[12], double pv[][6], double nut[4], const int bary)
- `int DLL_FUNC jpl_pleph` (void *ephem, const double et[2], const int ntarg, const int ncent, double rrd[], const int calc_velocity)
- `double DLL_FUNC jpl_get_double` (const void *ephem, const int value)
- `double DLL_FUNC jpl_get_long` (const void *ephem, const int value)
- `int DLL_FUNC make_sub_ephem` (const void *ephem, const char *sub_filename, const double start_jd, const double end_jd)

13.13.1 Macro Definition Documentation

13.13.1.1 `#define DLL_FUNC`

13.13.1.2 `#define JPL_EPHEM_AU_IN_KM 28`

13.13.1.3 `#define JPL_EPHEM_EARTH_MOON_RATIO 36`

13.13.1.4 `#define JPL_EPHEM_END_JD 8`

13.13.1.5 `#define JPL_EPHEM_EPHEMERIS_VERSION 200`

13.13.1.6 `#define JPL_EPHEM_KERNEL_NCOEFF 212`

13.13.1.7 `#define JPL_EPHEM_KERNEL_RECORD_SIZE 208`

13.13.1.8 `#define JPL_EPHEM_KERNEL_SIZE 204`

13.13.1.9 `#define JPL_EPHEM_KERNEL_SWAP_BYTES 216`

13.13.1.10 `#define JPL_EPHEM_N_CONSTANTS 24`

13.13.1.11 `#define JPL_EPHEM_START_JD 0`

13.13.1.12 `#define JPL_EPHEM_STEP 16`

13.13.2 Function Documentation

13.13.2.1 void DLL_FUNC jpl_close_ephemeris (void * *ephem*)

13.13.2.2 double DLL_FUNC jpl_get_double (const void * *ephem*, const int *value*)

13.13.2.3 double DLL_FUNC jpl_get_long (const void * *ephem*, const int *value*)

13.13.2.4 void* DLL_FUNC jpl_init_ephemeris (const char * *ephemeris_filename*, char *nam*[[6], double * *val*)

13.13.2.5 int DLL_FUNC jpl_pleph (void * *ephem*, const double *et*[2], const int *ntarg*, const int *ncent*, double *rrd*[], const int *calc_velocity*)

13.13.2.6 int DLL_FUNC jpl_state (void * *ephem*, const double *et*[2], const int *list*[12], double *pv*[[6], double *nut*[4], const int *bary*)


13.13.2.7 int DLL_FUNC make_sub_ephem (const void * *ephem*, const char * *sub_filename*, const double *start_jd*, const double *end_jd*)

13.14 read_fortran.h File Reference

```
#include <stdio.h>
```

```
#include <string.h>
```

Include dependency graph for read_fortran.h:



Functions

- int [open_file](#) (char **fname*)
- void [close_file](#) ()
- void [read_character](#) (int *len*, char **str*)
- char [read_char](#) ()
- int [read_int](#) ()
- float [read_float](#) ()
- double [read_double](#) ()
- int [read_record_int](#) ()

Variables

- FILE * [c_fileptr](#)
- int [swapByte](#)

13.14.1 Function Documentation

13.14.1.1 void close_file ()

13.14.1.2 int open_file (char * *fname*)

13.14.1.3 char read_char ()

13.14.1.4 void read_character (int *len*, char * *str*)

13.14.1.5 double read_double ()

13.14.1.6 float read_float ()

13.14.1.7 int read_int ()

13.14.1.8 int read_record_int ()

13.14.2 Variable Documentation

13.14.2.1 FILE* c_fileptr


13.14.2.2 int swapByte

13.15 read_fortran2.h File Reference

```
#include <stdio.h>
```

```
#include <string.h>
```

Include dependency graph for read_fortran2.h:



Functions

- void [open_file2](#) (char *fname, int *swap)
- void [close_file2](#) ()
- void [read_character2](#) (int len, char *str)
- int [read_int2](#) ()
- float [read_float2](#) ()
- double [read_double2](#) ()
- int [read_record_int2](#) ()

Variables

- FILE * [c_fileptr2](#)
- int [swapByte2](#)

13.15.1 Function Documentation

13.15.1.1 void `close_file2` ()

13.15.1.2 void `open_file2` (char * *fname*, int * *swap*)

13.15.1.3 void `read_character2` (int *len*, char * *str*)

13.15.1.4 double `read_double2` ()

13.15.1.5 float `read_float2` ()

13.15.1.6 int `read_int2` ()

13.15.1.7 int `read_record_int2` ()

13.15.2 Variable Documentation

13.15.2.1 FILE* `c_fileptr2`


13.15.2.2 int `swapByte2`

13.16 README.md File Reference

13.17 T2accel.h File Reference

```
#include "config.h"
```

Include dependency graph for T2accel.h:



Macros

- #define [ACCEL_UINV](#)
- #define [ACCEL_LSQ](#)
- #define [ACCEL_MULTMATRIX](#)

Functions

- int [accel_uinv](#) (double *_m, int n)
- double [accel_lsqr](#) (double **dm, double *data, double *oparm, int ndata, int nparam, double **Ocvm)
- void [accel_multMatrixVec](#) (double *m1, double *v, int ndata, int npol, double *out)
- void [accel_multMatrix](#) (double *m1, double *m2, int ndata, int ndata2, int npol, double *out)

Variables

- char [useT2accel](#)

13.17.1 Macro Definition Documentation

13.17.1.1 `#define ACCEL_LSQ`

13.17.1.2 `#define ACCEL_MULTMATRIX`

13.17.1.3 `#define ACCEL_UINV`

13.17.2 Function Documentation

13.17.2.1 `double accel_lsqr (double ** dm, double * data, double * oparm, int ndata, int nparam, double ** Ocvm)`

13.17.2.2 `void accel_multMatrix (double * m1, double * m2, int ndata, int ndata2, int npol, double * out)`

13.17.2.3 `void accel_multMatrixVec (double * m1, double * v, int ndata, int npol, double * out)`

13.17.2.4 `int accel_uinv (double * _m, int n)`


13.17.3 Variable Documentation

13.17.3.1 `char useT2accel`

13.18 t2fit.h File Reference

```
#include <tempo2.h>
```

Include dependency graph for t2fit.h:



Functions

- void [t2Fit](#) ([pulsar](#) *psr, unsigned int npsr, const char *covarFuncFile)
- unsigned int [t2Fit_getFitData](#) ([pulsar](#) *psr, double *x, double *y, double *e, int *ip)
- void [t2Fit_fillGlobalFitInfo](#) ([pulsar](#) *psr, unsigned int npsr, [FitInfo](#) &OUT)
- void [t2Fit_fillFitInfo](#) ([pulsar](#) *psr, [FitInfo](#) &OUT)
- void [t2Fit_buildDesignMatrix](#) ([pulsar](#) *psr, int ipsr, double x, int ipos, double *afunc)
- void [t2Fit_buildConstraintsMatrix](#) ([pulsar](#) *psr, int ipsr, int iconstraint, double *afunc)
- void [t2Fit_updateParameters](#) ([pulsar](#) *psr, int ipsr, double *val, double *error)

13.18.1 Function Documentation

13.18.1.1 void [t2Fit](#) ([pulsar](#) * *psr*, unsigned int *npsr*, const char * *covarFuncFile*)

13.18.1.2 void [t2Fit_buildConstraintsMatrix](#) ([pulsar](#) * *psr*, int *ipsr*, int *iconstraint*, double * *afunc*)

13.18.1.3 void [t2Fit_buildDesignMatrix](#) ([pulsar](#) * *psr*, int *ipsr*, double *x*, int *ipos*, double * *afunc*)

13.18.1.4 void [t2Fit_fillFitInfo](#) ([pulsar](#) * *psr*, [FitInfo](#) & *OUT*)

13.18.1.5 void [t2Fit_fillGlobalFitInfo](#) ([pulsar](#) * *psr*, unsigned int *npsr*, [FitInfo](#) & *OUT*)


13.18.1.6 unsigned int [t2Fit_getFitData](#) ([pulsar](#) * *psr*, double * *x*, double * *y*, double * *e*, int * *ip*)

13.18.1.7 void [t2Fit_updateParameters](#) ([pulsar](#) * *psr*, int *ipsr*, double * *val*, double * *error*)


13.19 t2fit_dmmodel.h File Reference

```
#include "tempo2.h"
```

Include dependency graph for t2fit_dmmodel.h:



This graph shows which files directly or indirectly include this file:



Functions

- double `t2FitFunc_dmmodelDM` (`pulsar` *psr, int ipsr, double x, int ipos, `param_label` label, int k)
- void `t2UpdateFunc_dmmodelDM` (`pulsar` *psr, int ipsr, `param_label` label, int k, double val, double err)
- double `t2FitFunc_dmmodelCM` (`pulsar` *psr, int ipsr, double x, int ipos, `param_label` label, int k)
- void `t2UpdateFunc_dmmodelCM` (`pulsar` *psr, int ipsr, `param_label` label, int k, double val, double err)

13.19.1 Function Documentation

13.19.1.1 double `t2FitFunc_dmmodelCM` (`pulsar` * *psr*, int *ipsr*, double *x*, int *ipos*, `param_label` *label*, int *k*)


13.19.1.2 double `t2FitFunc_dmmodelDM` (`pulsar` * *psr*, int *ipsr*, double *x*, int *ipos*, `param_label` *label*, int *k*)

13.19.1.3 void t2UpdateFunc_dmmodelCM (pulsar * *psr*, int *ipsr*, param_label *label*, int *k*, double *val*, double *err*)

13.19.1.4 void t2UpdateFunc_dmmodelDM (pulsar * *psr*, int *ipsr*, param_label *label*, int *k*, double *val*, double *err*)

13.20 t2fit_fitwaves.h File Reference

This graph shows which files directly or indirectly include this file:



Functions

- double t2FitFunc_fitwaves (pulsar **psr*, int *ipsr*, double *x*, int *ipos*, param_label *label*, int *k*)
- void t2UpdateFunc_fitwaves (pulsar **psr*, int *ipsr*, param_label *label*, int *k*, double *val*, double *err*)


13.20.1 Function Documentation

13.20.1.1 double t2FitFunc_fitwaves (pulsar * *psr*, int *ipsr*, double *x*, int *ipos*, param_label *label*, int *k*)

13.20.1.2 void t2UpdateFunc_fitwaves (pulsar * *psr*, int *ipsr*, param_label *label*, int *k*, double *val*, double *err*)

13.21 t2fit_glitch.h File Reference

This graph shows which files directly or indirectly include this file:



Functions

- double [t2FitFunc_stdGlitch](#) ([pulsar](#) *psr, int ipsr, double x, int ipos, [param_label](#) label, int k)
- void [t2UpdateFunc_stdGlitch](#) ([pulsar](#) *psr, int ipsr, [param_label](#) label, int k, double val, double err)

13.21.1 Function Documentation


13.21.1.1 double [t2FitFunc_stdGlitch](#) ([pulsar](#) * *psr*, int *ipsr*, double *x*, int *ipos*, [param_label](#) *label*, int *k*)

13.21.1.2 void [t2UpdateFunc_stdGlitch](#) ([pulsar](#) * *psr*, int *ipsr*, [param_label](#) *label*, int *k*, double *val*, double *err*)


13.22 t2fit_ifunc.h File Reference

```
#include "tempo2.h"
```

Include dependency graph for t2fit_ifunc.h:



This graph shows which files directly or indirectly include this file:



Functions

- double [ifunc](#) (const double *mjd, const double t, const int N, const int k)
- double [sifunc](#) (const double *T, const double t, const int k)
- double [t2FitFunc_sifunc](#) (pulsar *psr, int ipsr, double x, int ipos, [param_label label](#), int k)
- double [t2FitFunc_ifunc](#) (pulsar *psr, int ipsr, double x, int ipos, [param_label label](#), int k)
- void [t2UpdateFunc_ifunc](#) (pulsar *psr, int ipsr, [param_label label](#), int k, double val, double err)

13.22.1 Function Documentation

13.22.1.1 double ifunc (const double * *mjd*, const double *t*, const int *N*, const int *k*)

13.22.1.2 double sifunc (const double * *T*, const double *t*, const int *k*)

13.22.1.3 double t2FitFunc_ifunc (pulsar * *psr*, int *ipsr*, double *x*, int *ipos*, [param_label label](#), int *k*)


13.22.1.4 double t2FitFunc_sifunc (pulsar * *psr*, int *ipsr*, double *x*, int *ipos*, [param_label label](#), int *k*)

13.22.1.5 void t2UpdateFunc_ifunc (pulsar * *psr*, int *ipsr*, [param_label label](#), int *k*, double *val*, double *err*)


13.23 t2fit_position.h File Reference

```
#include <tempo2.h>
```

Include dependency graph for t2fit_position.h:



This graph shows which files directly or indirectly include this file:



Functions

- double [t2FitFunc_stdPosition](#) ([pulsar](#) *psr, int ipsr, double x, int ipos, [param_label](#) label, int k)
- void [t2UpdateFunc_stdPosition](#) ([pulsar](#) *psr, int ipsr, [param_label](#) label, int k, double val, double err)

13.23.1 Function Documentation


13.23.1.1 double [t2FitFunc_stdPosition](#) ([pulsar](#) * *psr*, int *ipsr*, double *x*, int *ipos*, [param_label](#) *label*, int *k*)

13.23.1.2 void [t2UpdateFunc_stdPosition](#) ([pulsar](#) * *psr*, int *ipsr*, [param_label](#) *label*, int *k*, double *val*, double *err*)

13.24 t2fit_stdFitFuncs.h File Reference

```
#include <tempo2.h>
#include "t2fit_position.h"
#include "t2fit_fitwaves.h"
#include "t2fit_glitch.h"
#include "t2fit_ifunc.h"
#include "t2fit_dmmodel.h"
```

Include dependency graph for t2fit_stdFitFuncs.h:



Functions

- void [t2UpdateFunc_simpleAdd](#) ([pulsar](#) *psr, int ipsr, [param_label](#) label, int k, double val, double error)
- void [t2UpdateFunc_simpleMinus](#) ([pulsar](#) *psr, int ipsr, [param_label](#) label, int k, double val, double error)
- double [t2FitFunc_zero](#) ([pulsar](#) *psr, int ipsr, double x, int ipos, [param_label](#) label, int k)
- void [t2UpdateFunc_zero](#) ([pulsar](#) *psr, int ipsr, [param_label](#) label, int k, double val, double err)
- double [t2FitFunc_stdFreq](#) ([pulsar](#) *psr, int ipsr, double x, int ipos, [param_label](#) label, int k)
- void [t2UpdateFunc_stdFreq](#) ([pulsar](#) *psr, int ipsr, [param_label](#) label, int k, double val, double err)
- double [t2FitFunc_binaryModels](#) ([pulsar](#) *psr, int ipsr, double x, int ipos, [param_label](#) label, int k)
- void [t2UpdateFunc_binaryModels](#) ([pulsar](#) *psr, int ipsr, [param_label](#) label, int k, double val, double err)
- double [t2FitFunc_planet](#) ([pulsar](#) *psr, int ipsr, double x, int ipos, [param_label](#) label, int k)
- void [t2UpdateFunc_planet](#) ([pulsar](#) *psr, int ipsr, [param_label](#) label, int k, double val, double err)
- double [t2FitFunc_stdDm](#) ([pulsar](#) *psr, int ipsr, double x, int ipos, [param_label](#) label, int k)
- double [t2FitFunc_stdGravWav](#) ([pulsar](#) *psr, int ipsr, double x, int ipos, [param_label](#) label, int k)
- void [t2UpdateFunc_stdGravWav](#) ([pulsar](#) *psr, int ipsr, [param_label](#) label, int k, double val, double err)
- double [t2FitFunc_telPos](#) ([pulsar](#) *psr, int ipsr, double x, int ipos, [param_label](#) label, int k)
- void [t2UpdateFunc_telPos](#) ([pulsar](#) *psr, int ipsr, [param_label](#) label, int k, double val, double err)
- double [t2FitFunc_ifunc](#) ([pulsar](#) *psr, int ipsr, double x, int ipos, [param_label](#) label, int k)
- void [t2UpdateFunc_ifunc](#) ([pulsar](#) *psr, int ipsr, [param_label](#) label, int k, double val, double err)
- double [t2FitFunc_miscDm](#) ([pulsar](#) *psr, int ipsr, double x, int ipos, [param_label](#) label, int k)
- void [t2UpdateFunc_miscDm](#) ([pulsar](#) *psr, int ipsr, [param_label](#) label, int k, double val, double err)
- double [t2FitFunc_jump](#) ([pulsar](#) *psr, int ipsr, double x, int ipos, [param_label](#) label, int k)
- void [t2UpdateFunc_jump](#) ([pulsar](#) *psr, int ipsr, [param_label](#) label, int k, double val, double err)

13.24.1 Function Documentation

- 13.24.1.1 double [t2FitFunc_binaryModels](#) ([pulsar](#) * *psr*, int *ipsr*, double *x*, int *ipos*, [param_label](#) *label*, int *k*)
- 13.24.1.2 double [t2FitFunc_ifunc](#) ([pulsar](#) * *psr*, int *ipsr*, double *x*, int *ipos*, [param_label](#) *label*, int *k*)
- 13.24.1.3 double [t2FitFunc_jump](#) ([pulsar](#) * *psr*, int *ipsr*, double *x*, int *ipos*, [param_label](#) *label*, int *k*)
- 13.24.1.4 double [t2FitFunc_miscDm](#) ([pulsar](#) * *psr*, int *ipsr*, double *x*, int *ipos*, [param_label](#) *label*, int *k*)
- 13.24.1.5 double [t2FitFunc_planet](#) ([pulsar](#) * *psr*, int *ipsr*, double *x*, int *ipos*, [param_label](#) *label*, int *k*)
- 13.24.1.6 double [t2FitFunc_stdDm](#) ([pulsar](#) * *psr*, int *ipsr*, double *x*, int *ipos*, [param_label](#) *label*, int *k*)
- 13.24.1.7 double [t2FitFunc_stdFreq](#) ([pulsar](#) * *psr*, int *ipsr*, double *x*, int *ipos*, [param_label](#) *label*, int *k*)
- 13.24.1.8 double [t2FitFunc_stdGravWav](#) ([pulsar](#) * *psr*, int *ipsr*, double *x*, int *ipos*, [param_label](#) *label*, int *k*)
- 13.24.1.9 double [t2FitFunc_telPos](#) ([pulsar](#) * *psr*, int *ipsr*, double *x*, int *ipos*, [param_label](#) *label*, int *k*)
- 13.24.1.10 double [t2FitFunc_zero](#) ([pulsar](#) * *psr*, int *ipsr*, double *x*, int *ipos*, [param_label](#) *label*, int *k*)
- 13.24.1.11 void [t2UpdateFunc_binaryModels](#) ([pulsar](#) * *psr*, int *ipsr*, [param_label](#) *label*, int *k*, double *val*, double *err*)
- 13.24.1.12 void [t2UpdateFunc_ifunc](#) ([pulsar](#) * *psr*, int *ipsr*, [param_label](#) *label*, int *k*, double *val*, double *err*)
- 13.24.1.13 void [t2UpdateFunc_jump](#) ([pulsar](#) * *psr*, int *ipsr*, [param_label](#) *label*, int *k*, double *val*, double *err*)
- 13.24.1.14 void [t2UpdateFunc_miscDm](#) ([pulsar](#) * *psr*, int *ipsr*, [param_label](#) *label*, int *k*, double *val*, double *err*)
- 13.24.1.15 void [t2UpdateFunc_planet](#) ([pulsar](#) * *psr*, int *ipsr*, [param_label](#) *label*, int *k*, double *val*, double *err*)

- 13.24.1.16 void t2UpdateFunc_simpleAdd (pulsar * *psr*, int *ip**sr*, param_label *label*, int *k*, double *val*, double *error*)
- 13.24.1.17 void t2UpdateFunc_simpleMinus (pulsar * *psr*, int *ip**sr*, param_label *label*, int *k*, double *val*, double *error*)
- 13.24.1.18 void t2UpdateFunc_stdFreq (pulsar * *psr*, int *ip**sr*, param_label *label*, int *k*, double *val*, double *err*)
- 13.24.1.19 void t2UpdateFunc_stdGravWav (pulsar * *psr*, int *ip**sr*, param_label *label*, int *k*, double *val*, double *err*)
- 13.24.1.20 void t2UpdateFunc_telPos (pulsar * *psr*, int *ip**sr*, param_label *label*, int *k*, double *val*, double *err*)
- 13.24.1.21 void t2UpdateFunc_zero (pulsar * *psr*, int *ip**sr*, param_label *label*, int *k*, double *val*, double *err*)

13.25 T2toolkit.h File Reference

Set of routines that are commonly used in tempo2 and/or its plugins.

Functions

- void [TKconvertFloat1](#) (double *x, float *ox, int n)
- void [TKconvertFloat2](#) (double *x, double *y, float *ox, float *oy, int n)
- float [TKfindMin_f](#) (float *x, int n)
- float [TKfindMedian_f](#) (float *val, int count)
- double [TKfindMedian_d](#) (double *val, int count)
- float [TKfindRMS_f](#) (float *x, int n)
- double [TKfindRMS_d](#) (double *x, int n)
- float [TKfindRMSweight_d](#) (double *x, double *e, int n)
- float [TKfindMax_f](#) (float *x, int n)
- float [TKmean_f](#) (float *x, int n)
- double [TKmean_d](#) (double *x, int n)
- double [TKvariance_d](#) (double *x, int n)
- double [TKrange_d](#) (double *x, int n)
- float [TKrange_f](#) (float *x, int n)
- double [TKfindMin_d](#) (double *x, int n)
- double [TKfindMax_d](#) (double *x, int n)
- double [TKsign_d](#) (double a, double b)
- double [TKretMax_d](#) (double a, double b)
- double [TKretMin_d](#) (double a, double b)
- float [TKretMax_f](#) (float a, float b)
- float [TKretMin_f](#) (float a, float b)
- int [TKretMin_i](#) (int a, int b)
- void [TKsort_f](#) (float *val, int nob)
- void [TKsort_d](#) (double *val, int nob)
- void [TKsort_2f](#) (float *val, float *val2, int nob)
- void [TKsort_3d](#) (double *val, double *val2, double *val3, int nob)
- void [TKzeromean_d](#) (int n, double *y)
- double [TKranDev](#) (long *seed)
- double [TKgaussDev](#) (long *seed)
- long [TKsetSeed](#) ()
- void [init_genrand](#) (unsigned long s)
- unsigned long [genrand_int32](#) (void)
- double [genrand_real1](#) (void)

13.25.1 Detailed Description

Set of routines that are commonly used in tempo2 and/or its plugins.

These routines are mainly stand-alone functions and exist for float and double precision variables

G. Hobbs: v2, 31 Dec 2008. Complete rewrite of the routines

NOTES: Related toolkits include: [TKspectrum.h](#): contains routines for spectral estimation [TKfit.h](#): contains routines for fitting

13.25.2 Function Documentation

- 13.25.2.1 unsigned long genrand_int32 (void)
- 13.25.2.2 double genrand_real1 (void)
- 13.25.2.3 void init_genrand (unsigned long s)
- 13.25.2.4 void TKconvertFloat1 (double * x, float * ox, int n)
- 13.25.2.5 void TKconvertFloat2 (double * x, double * y, float * ox, float * oy, int n)
- 13.25.2.6 double TKfindMax_d (double * x, int n)
- 13.25.2.7 float TKfindMax_f (float * x, int n)
- 13.25.2.8 double TKfindMedian_d (double * val, int count)
- 13.25.2.9 float TKfindMedian_f (float * val, int count)
- 13.25.2.10 double TKfindMin_d (double * x, int n)
- 13.25.2.11 float TKfindMin_f (float * x, int n)
- 13.25.2.12 double TKfindRMS_d (double * x, int n)
- 13.25.2.13 float TKfindRMS_f (float * x, int n)
- 13.25.2.14 float TKfindRMSweight_d (double * x, double * e, int n)
- 13.25.2.15 double TKgaussDev (long * seed)
- 13.25.2.16 double TKmean_d (double * x, int n)
- 13.25.2.17 float TKmean_f (float * x, int n)
- 13.25.2.18 double TKranDev (long * seed)
- 13.25.2.19 double TKrange_d (double * x, int n)
- 13.25.2.20 float TKrange_f (float * x, int n)
- 13.25.2.21 double TKretMax_d (double a, double b)
- 13.25.2.22 float TKretMax_f (float a, float b)

13.25.2.23 double TKretMin_d (double *a*, double *b*)

13.25.2.24 float TKretMin_f (float *a*, float *b*)

13.25.2.25 int TKretMin_i (int *a*, int *b*)

13.25.2.26 long TKsetSeed ()

13.25.2.27 double TKsign_d (double *a*, double *b*)

13.25.2.28 void TKsort_2f (float * *val*, float * *val2*, int *nobs*)

13.25.2.29 void TKsort_3d (double * *val*, double * *val2*, double * *val3*, int *nobs*)

13.25.2.30 void TKsort_d (double * *val*, int *nobs*)

13.25.2.31 void TKsort_f (float * *val*, int *nobs*)


13.25.2.32 double TKvariance_d (double * *x*, int *n*)

13.25.2.33 void TKzeromean_d (int *n*, double * *y*)

13.26 tabulatedfunction.h File Reference

```
#include "dynarr.h"
```

Include dependency graph for tabulatedfunction.h:



Classes

- struct [TabulatedFunctionSample](#)
- struct [TabulatedFunction](#)

Functions

- void [TabulatedFunction_load](#) ([TabulatedFunction](#) *func, char *fileName)

- double [TabulatedFunction_getValue](#) ([TabulatedFunction](#) *func, double x)
- double [TabulatedFunction_getStartX](#) ([TabulatedFunction](#) *func)
- double [TabulatedFunction_getEndX](#) ([TabulatedFunction](#) *func)

13.26.1 Function Documentation

13.26.1.1 double [TabulatedFunction_getEndX](#) ([TabulatedFunction](#) * *func*)

13.26.1.2 double [TabulatedFunction_getStartX](#) ([TabulatedFunction](#) * *func*)


13.26.1.3 double [TabulatedFunction_getValue](#) ([TabulatedFunction](#) * *func*, double *x*)

13.26.1.4 void [TabulatedFunction_load](#) ([TabulatedFunction](#) * *func*, char * *fileName*)


13.27 tempo2.h File Reference

contains the main interface to libtempo2.

```
#include <stdio.h>
#include <time.h>
#include "TKlongdouble.h"
#include "TKlog.h"
Include dependency graph for tempo2.h:
```



This graph shows which files directly or indirectly include this file:



Classes

- struct [FitInfo](#)

contains details of the fit

- struct [storePrecision](#)
- struct [parameter](#)

Holds the values for a parameter.

- struct [clock_correction](#)
- struct [observation](#)

A struct containing the details of a single observation.

- struct [pulsar](#)

contains the details for a single pulsar.

- struct [observatory](#)

Macros

- #define [TEMPO2_h_HASH](#) "\$Id: da810cd817da8229f1a155b119a771e9e962a9b7 \$"
- #define [TEMPO2_h_VER](#) "2015.09.0"
- #define [TEMPO2_h_MAJOR_VER](#) 2015.09
- #define [TEMPO2_h_MINOR_VER](#) 0
- #define [TSUN](#) longdouble(4.925490947e-6)
- #define [MAX_FREQ_DERIVATIVES](#) 13
- #define [MAX_DM_DERIVATIVES](#) 10
- #define [MAX_PSR_VAL](#) 40
- #define [MAX_COMPANIONS](#) 4
- #define [NE_SW_DEFAULT](#) 4
- #define [ECLIPTIC_OBLIQUITY_VAL](#) 84381.4059
- #define [MAX_COEFF](#) 5000
- #define [MAX_CLKCORR](#) 5000
- #define [MAX_LEAPSEC](#) 100
- #define [MAX_STRLEN](#) 1000
- #define [MAX_FILELEN](#) 500
- #define [MAX_STOREPRECISION](#) 50
- #define [MAX_OBSN_VAL](#) 20000
- #define [MAX_SITE](#) 100
- #define [MAX_PARAMS](#) 2000
- #define [MAX_JUMPS](#) 2000
- #define [MAX_WHITE](#) 100
- #define [MAX_IFUNC](#) 1000
- #define [MAX_TEL_CLK_OFFS](#) 500
- #define [MAX_TEL_DX](#) 500
- #define [MAX_TEL_DY](#) 500
- #define [MAX_TEL_DZ](#) 500
- #define [MAX_FIT](#) 10000
- #define [MAX_T2EFAC](#) 100
- #define [MAX_T2EQUAD](#) 100
- #define [MAX_TNEF](#) 50
- #define [MAX_TNEQ](#) 50
- #define [MAX_TNGN](#) 50
- #define [MAX_TNBN](#) 50 /*maximum number of TNBandNoise parameters allowed*/
- #define [MAX_TNECORR](#) 50
- #define [MAX_TNDMEv](#) 10 /*Maximum number of TNDMEvents allowed */
- #define [MAX_TNSQ](#) 50
- #define [MAX_BPJ_JUMPS](#) 5
- #define [MAX_TOFFSET](#) 10
- #define [MAX_QUAD](#) 150
- #define [MAX_DMx](#) 512

- #define `MAX_FLAGS` 20
- #define `MAX_FLAG_LEN` 32
- #define `MAX_CLK_CORR` 30
- #define `SECDAY` 86400.0
- #define `SECDAYI` `longdouble`(86400.0)
- #define `SPEED_LIGHT` 299792458.0
- #define `SOLAR_MASS` 1.98892e30
- #define `SOLAR_RADIUS` 6.96e8
- #define `BIG_G` 6.673e-11
- #define `GM` 1.3271243999e20
- #define `GM_C3` 4.925490947e-6
- #define `GMJ_C3` 4.70255e-9
- #define `GMS_C3` 1.40797e-9
- #define `GMV_C3` 1.2061e-11
- #define `GMU_C3` 2.14539e-10
- #define `GMN_C3` 2.54488e-10
- #define `OBLQ` 23.445833333333333
- #define `AULTSC` 499.00478364
- #define `AU_DIST` 1.49598e11
- #define `DM_CONST` 2.41e-4
- #define `DM_CONST_SI` 7.436e6
- #define `PCM` 3.08568025e16
- #define `MASYR2RADS` 1.53628185e-16
- #define `MAX_MSG` 50
- #define `LEAPSECOND_FILE` `"/clock/leap.sec"`
- #define `UT1_FILE` `"/clock/ut1.dat"`
- #define `TDBTDT_FILE` `"/ephemeris/TDB.1950.2050"`
- #define `IFTEPH_FILE` `"/ephemeris/TIMEEPH_short.te405"`
- #define `OBSSYS_FILE` `"/observatory/newobsys.dat"`
- #define `SI_UNITS` 1
- #define `TDB_UNITS` 2
- #define `IF99_TIMEEPH` 1
- #define `FB90_TIMEEPH` 2
- #define `T2C_IAU2000B` 1
- #define `T2C_TEMPO` 2
- #define `HAVE_GWSIM_H`

Typedefs

- typedef int `param_label`
- typedef int `constraint_label`
- typedef double(* `paramDerivFunc`) (struct `pulsar` *, int, double, int, `param_label`, int)
a function used to get the derivative of a parameter w.r.t. data.
- typedef double(* `constraintDerivFunc`) (struct `pulsar` *, int, `constraint_label`, `param_label`, int, int)
a function used to get the derivative of a parameter w.r.t. constraint.
- typedef void(* `paramUpdateFunc`) (struct `pulsar` *, int, `param_label`, int, double, double)
a function used to update the parameters after a fit.
- typedef struct `FitInfo` `FitInfo`
contains details of the fit
- typedef struct `storePrecision` `storePrecision`
- typedef struct `parameter` `parameter`
Holds the values for a parameter.
- typedef struct `observation` `observation`
A struct containing the details of a single obesrvation.
- typedef struct `pulsar` `pulsar`
contains the details for a single pulsar.

Enumerations

- enum `label` {
`param_raj`, `param_decj`, `param_f`, `param_pepoch`,
`param_posepoch`, `param_dmepoch`, `param_dm`, `param_pmra`,
`param_pmdec`, `param_px`, `param_sini`, `param_pb`,
`param_fb`, `param_t0`, `param_a1`, `param_om`,
`param_pmr`, `param_ecc`, `param_edot`, `param_e2dot`,
`param_xpbdot`, `param_pbdot`, `param_a1dot`, `param_a2dot`,
`param_omdot`, `param_om2dot`, `param_orbpx`, `param_tasc`,
`param_eps1`, `param_eps2`, `param_m2`, `param_gamma`,
`param_mtot`, `param_glep`, `param_glph`, `param_glf0`,
`param_glf1`, `param_glf2`, `param_glf0d`, `param_gltd`,
`param_start`, `param_finish`, `param_track`, `param_bp`,
`param_bpp`, `param_tzrmjd`, `param_tzrfreq`, `param_fddc`,
`param_fddi`, `param_fd`, `param_dr`, `param_dtheta`,
`param_tspan`, `param_bpjep`, `param_bpjph`, `param_bpja1`,
`param_bpjec`, `param_bpjom`, `param_bpjpb`, `param_wave_om`,
`param_kom`, `param_kin`, `param_shapmax`, `param_dth`,
`param_a0`, `param_b0`, `param_xomdot`, `param_afac`,
`param_eps1dot`, `param_eps2dot`, `param_tres`, `param_wave_dm`,
`param_waveepoch_dm`, `param_dshk`, `param_ephver`, `param_daop`,
`param_iperharm`, `param_dmassplanet`, `param_waveepoch`, `param_ifunc`,
`param_clk_offs`, `param_dmx`, `param_dmrx1`, `param_dmrx2`,
`param_dmmodel`, `param_gwsingle`, `param_cgw`, `param_quad_om`,
`param_h3`, `param_h4`, `param_nharm`, `param_stig`,
`param_telx`, `param_tely`, `param_telz`, `param_telEpoch`,
`param_quad_ifunc_p`, `param_quad_ifunc_c`, `param_tel_dx`, `param_tel_dy`,
`param_tel_dz`, `param_tel_vx`, `param_tel_vy`, `param_tel_vz`,
`param_tel_x0`, `param_tel_y0`, `param_tel_z0`, `param_gwm_amp`,
`param_gwecc`, `param_gwb_amp`, `param_dm_sin1yr`, `param_dm_cos1yr`,
`param_brake`, `param_stateSwitchT`, `param_df1`, `param_LAST`,
`param_ZERO`, `param_JUMP` }
enumeration for the various parameters that appear in a .par file
- enum `constraint` {
`constraint_dmmodel_mean`, `constraint_dmmodel_dm1`, `constraint_dmmodel_cw_0`, `constraint_dmmodel_cw_1`,
`constraint_dmmodel_cw_2`, `constraint_dmmodel_cw_3`, `constraint_ifunc_0`, `constraint_ifunc_1`,
`constraint_ifunc_2`, `constraint_tel_dx_0`, `constraint_tel_dx_1`, `constraint_tel_dx_2`,
`constraint_tel_dy_0`, `constraint_tel_dy_1`, `constraint_tel_dy_2`, `constraint_tel_dz_0`,
`constraint_tel_dz_1`, `constraint_tel_dz_2`, `constraint_quad_ifunc_p_0`, `constraint_quad_ifunc_p_1`,
`constraint_quad_ifunc_p_2`, `constraint_quad_ifunc_c_0`, `constraint_quad_ifunc_c_1`, `constraint_quad_ifunc_c_2`,
`constraint_dmmodel_cw_year_sin`, `constraint_dmmodel_cw_year_cos`, `constraint_dmmodel_cw_year_xsin`,
`constraint_dmmodel_cw_year_xcos`,
`constraint_dmmodel_cw_year_sin2`, `constraint_dmmodel_cw_year_cos2`, `constraint_dmmodel_cw_px`,
`constraint_ifunc_year_sin`,
`constraint_ifunc_year_cos`, `constraint_ifunc_year_xsin`, `constraint_ifunc_year_xcos`, `constraint_ifunc_year_sin2`,
`constraint_ifunc_year_cos2`, `constraint_qifunc_p_year_sin`, `constraint_qifunc_p_year_cos`, `constraint_qifunc_p_year_xsin`,
`constraint_qifunc_p_year_xcos`, `constraint_qifunc_p_year_sin2`, `constraint_qifunc_p_year_cos2`, `constraint_qifunc_c_year_sin`,
`constraint_qifunc_c_year_cos`, `constraint_qifunc_c_year_xsin`, `constraint_qifunc_c_year_xcos`, `constraint_qifunc_c_year_sin2`,
`constraint_qifunc_c_year_cos2`, `constraint_LAST` }
These represent the possible constraints to the fit that have been implemented.

Functions

- int `id_residual` (float xcurs, float ycurs)
- float `setStart` (float xcurs, float ycurs, int flag)
- int `zoom_graphics` (float xcurs2, float ycurs2, int flag)
- void `getInputs` (`pulsar` *psr, int argc, char *argv[], char timFile[][`MAX_FILELEN`], char parFile[][`MAX_FILELEN`], int *displayParams, int *npsr, int *nGlobal, int *outRes, int *writeModel, char *outputSO, int *polyco, char *polyco_args, char *polyco_file, int *newpar, int *onlypre, char *dcmFile, char *covarFuncFile, char *newparname)
- void `polyco` (`pulsar` *psr, int npsr, `longdouble` polyco_MJD1, `longdouble` polyco_MJD2, int nspan, int ncoeff, `longdouble` maxha, char *sitename, `longdouble` freq, `longdouble` coeff[`MAX_COEFF`], int trueDM, char *polyco_file)
- void `readParfile` (`pulsar` *psr, char parFile[][`MAX_FILELEN`], char timFile[][`MAX_FILELEN`], int npsr)
- void `readParfileGlobal` (`pulsar` *psr, int npsr, char tpar[`MAX_STRLEN`][`MAX_FILELEN`], char ttim[`MAX_STRLEN`][`MAX_FILELEN`])
- int `readSimpleParfile` (FILE *fin, `pulsar` *p)
- int `setupParameterFileDefaults` (`pulsar` *p)
- void `displayParameters` (int pos, char timeFile[][`MAX_FILELEN`], char parFile[][`MAX_FILELEN`], `pulsar` *psr, int npsr)
- void `initialise` (`pulsar` *psr, int noWarnings)
- void `initialiseOne` (`pulsar` *psr, int noWarnings, int fullSetup)
- void `destroyOne` (`pulsar` *psr)
- void `recordPrecision` (`pulsar` *psr, `longdouble` prec, const char *routine, const char *comment)
- void `readTimfile` (`pulsar` *psr, char timFile[][`MAX_FILELEN`], int npsr)
- void `formBats` (`pulsar` *psr, int npsr)
- void `formBatsAll` (`pulsar` *psr, int npsr)
- void `updateBatsAll` (`pulsar` *psr, int npsr)
- void `formResiduals` (`pulsar` *psr, int npsr, int removeMean)
- int `bootstrap` (`pulsar` *psr, int p, int npsr)
- void `doFitAll` (`pulsar` *psr, int npsr, const char *covarFuncFile) DEPRECATED
- void `doFit` (`pulsar` *psr, int npsr, int writeModel) DEPRECATED
- void `doFitDCM` (`pulsar` *psr, const char *dcmFile, const char *covarFuncFile, int npsr, int writeModel) DEPRECATED
- void `doFitGlobal` (`pulsar` *psr, int npsr, double *globalParameter, int nGlobal, int writeModel) DEPRECATED
- void `getCholeskyMatrix` (double **uinv, const char *fname, `pulsar` *psr, double *resx, double *resy, double *rese, int np, int nc, int *ip)
- double `getParamDeriv` (`pulsar` *psr, int ipos, double x, int i, int k) DEPRECATED
- void `textOutput` (`pulsar` *psr, int npsr, double globalParameter, int nGlobal, int outRes, int newpar, const char *fname)
- void `shapiro_delay` (`pulsar` *psr, int npsr, int p, int i, double delt, double dt_SSB)
- void `dm_delays` (`pulsar` *psr, int npsr, int p, int i, double delt, double dt_SSB)
- void `calculate_bclt` (`pulsar` *psr, int npsr)
- void `secularMotion` (`pulsar` *psr, int npsr)
- void `autoConstraints` (`pulsar` *psr, int ipsr, int npsr)
- void `setPlugPath` ()
- void `sortToAs` (`pulsar` *psr)
- void `preProcess` (`pulsar` *psr, int npsr, int argc, char *argv[])
- void `preProcessSimple` (`pulsar` *psr)
- void `preProcessSimple1` (`pulsar` *psr, int tempo1, double thelast)
- void `preProcessSimple2` (`pulsar` *psr, float startdmmjd, int ndm, float *dmvals, int trimonly)
- void `preProcessSimple3` (`pulsar` *psr)
- void `useSelectFile` (char *fname, `pulsar` *psr, int npsr)
- void `processSimultaneous` (char *line, `pulsar` *psr, int npsr)
- void `processFlag` (char *line, `pulsar` *psr, int npsr)
- void `logicFlag` (char *line, `pulsar` *psr, int npsr)

- void [toa2utc](#) ([pulsar](#) *psr, int npsr)
- void [utc2tai](#) ([pulsar](#) *psr, int npsr)
- void [tt2tb](#) ([pulsar](#) *psr, int npsr)
- void [tai2tt](#) ([pulsar](#) *psr, int npsr)
- void [tai2ut1](#) ([pulsar](#) *psr, int npsr)
- void [vectorPulsar](#) ([pulsar](#) *psr, int npsr)
- void [readEphemeris](#) ([pulsar](#) *psr, int npsr, int addEphemNoise)
- void [readOneEphemeris](#) ([pulsar](#) *psr, int npsr, int addEphemNoise, int obsNumber)
- void [readEphemeris_calceph](#) ([pulsar](#) *psr, int npsr)
- void [get_obsCoord](#) ([pulsar](#) *psr, int npsr)
- void [get_OneobsCoord](#) ([pulsar](#) *psr, int npsr, int obs)
- double [calcRMS](#) ([pulsar](#) *psr, int p)
- void [allocateMemory](#) ([pulsar](#) *psr, int realloc)
- void [destroyMemory](#) ([pulsar](#) *psr)
- void [readJBO_bat](#) (char *fname, [pulsar](#) *psr, int p)
- void [readObsFile](#) (double alat[[MAX_SITE](#)], double along[[MAX_SITE](#)], double elev[[MAX_SITE](#)], int icoord[[MAX_SITE](#)], char obsnam[[MAX_SITE](#)][100], char obscode[[MAX_SITE](#)][100], int *nobservatory, int obsnum[[MAX_SITE](#)])
- double [dotproduct](#) (double *v1, double *v2)
- void [vectorsum](#) (double *res, double *v1, double *v2)
- void [vectorscale](#) (double *v, double k)
- void [writeTim](#) (const char *timname, [pulsar](#) *psr, const char *fileFormat)
- int [turn_hms](#) (double turn, char *hms)
- int [turn_dms](#) (double turn, char *dms)
- double [dms_turn](#) (char *line)
- double [hms_turn](#) (char *line)
- double [turn_deg](#) (double turn)
- [longdouble](#) [fortran_mod](#) ([longdouble](#) a, [longdouble](#) p)
- int [fortran_nint](#) (double x)
- long [fortran_nlong](#) ([longdouble](#) x)
- void [equ2ecl](#) (double *x)
- void [copyParam](#) ([parameter](#) p1, [parameter](#) *p2)
- void [copyPSR](#) ([pulsar](#) *p, int p1, int p2)
- [longdouble](#) [getParameterValue](#) ([pulsar](#) *psr, int param, int arr)
- void [simplePlot](#) ([pulsar](#) *psr, double unitFlag)
- double [solarWindModel](#) ([pulsar](#) psr, int iobs)
- double [MSSmodel](#) ([pulsar](#) *psr, int p, int obs, int param)
- void [updateMSS](#) ([pulsar](#) *psr, double val, double err, int pos)
- double [BTmodel](#) ([pulsar](#) *psr, int p, int obs, int param)
- void [updateBT](#) ([pulsar](#) *psr, double val, double err, int pos)
- double [BTJmodel](#) ([pulsar](#) *psr, int p, int obs, int param, int arr)
- void [updateBTJ](#) ([pulsar](#) *psr, double val, double err, int pos, int arr)
- double [BTXmodel](#) ([pulsar](#) *psr, int p, int obs, int param, int arr)
- void [updateBTX](#) ([pulsar](#) *psr, double val, double err, int pos, int arr)
- double [ELL1model](#) ([pulsar](#) *psr, int p, int obs, int param)
- void [updateELL1](#) ([pulsar](#) *psr, double val, double err, int pos)
- [longdouble](#) [DDmodel](#) ([pulsar](#) *psr, int p, int obs, int param)
- void [updateDD](#) ([pulsar](#) *psr, double val, double err, int pos)
- double [T2model](#) ([pulsar](#) *psr, int p, int obs, int param, int arr)
- void [updateT2](#) ([pulsar](#) *psr, double val, double err, int pos, int arr)
- double [T2_PTAmodel](#) ([pulsar](#) *psr, int p, int obs, int param, int arr)
- void [updateT2_PTA](#) ([pulsar](#) *psr, double val, double err, int pos, int arr)
- double [JVmodel](#) ([pulsar](#) *psr, int p, int obs, int param, int arr)
- void [updateJV](#) ([pulsar](#) *psr, double val, double err, int pos, int arr)
- double [DDKmodel](#) ([pulsar](#) *psr, int p, int obs, int param)

- void [updateDDK](#) ([pulsar](#) *psr, double val, double err, int pos)
- double [DDSmodel](#) ([pulsar](#) *psr, int p, int obs, int param)
- void [updateDDS](#) ([pulsar](#) *psr, double val, double err, int pos)
- double [DDGRmodel](#) ([pulsar](#) *psr, int p, int obs, int param)
- void [updateDDGR](#) ([pulsar](#) *psr, double val, double err, int pos)
- double [DDHmodel](#) ([pulsar](#) *psr, int p, int obs, int param)
- void [updateDDH](#) ([pulsar](#) *psr, double val, double err, int pos)
- double [ELL1Hmodel](#) ([pulsar](#) *psr, int p, int obs, int param)
- void [updateELL1H](#) ([pulsar](#) *psr, double val, double err, int pos)
- void [displayMsg](#) (int type, const char *key, const char *searchStr, const char *variableStr, int noWarnings)
- void [CVSdisplayVersion](#) (const char *file, const char *func, const char *verNum)
- void [transform_units](#) (struct [pulsar](#) *psr, int from, int to)
- void [FITfuncs](#) (double x, double afunc[], int ma, [pulsar](#) *psr, int ipos, int ipsr)
- void [updateParameters](#) ([pulsar](#) *psr, int p, double *val, double *error)
- void [defineClockCorrectionSequence](#) (char *fileList, int dispWarnings)
- void [getClockCorrections](#) ([observation](#) *obs, const char *clockFrom, const char *clockTo, int warnings)
- double [getCorrectionTT](#) ([observation](#) *obs)
- double [getCorrection](#) ([observation](#) *obs, const char *clockFrom, const char *clockTo, int warnings)
- [observatory](#) * [getObservatory](#) (char *code)
- void [lookup_observatory_alias](#) (char *incode, char *outcode)
- void [get_obsCoord_IAU2000B](#) (double [observatory_trs](#)[3], double [zenith_trs](#)[3], [longdouble](#) tt_mjd, [longdouble](#) utc_mjd, double [observatory_crs](#)[3], double [zenith_crs](#)[3], double [observatory_velocity_crs](#)[3])
- void [get_EOP](#) (double mjd, double *xp, double *yp, double *dut1, double *dut1dot, int dispWarnings, char *eopcFile)
- void [compute_tropospheric_delays](#) ([pulsar](#) *psr, int npsr)

Variables

- char [TEMPO2_ENVIRON](#) []
- char [TEMPO2_ERROR](#) []
- char [NEWFIT](#)
- int [MAX_PSR](#)
- int [MAX_OBSN](#)
- double [ECLIPTIC_OBLIQUITY](#)
- int [forceGlobalFit](#)
- int [veryFast](#)
- char [tempo2MachineType](#) [[MAX_FILELEN](#)]
- int [displayCVSversion](#)
- char [dcmFile](#) [[MAX_FILELEN](#)]
- char [covarFuncFile](#) [[MAX_FILELEN](#)]
- char [tempo2_plug_path](#) [32][[MAX_STRLEN](#)]
- int [tempo2_plug_path_len](#)

13.27.1 Detailed Description

contains the main interface to libtempo2.

Note

some parts of this to be moved to an internal interface

13.27.2 Macro Definition Documentation

13.27.2.1 `#define AU_DIST 1.49598e11`

1 AU in m

13.27.2.2 `#define AULTSC 499.00478364`

Number of light seconds in 1 AU

13.27.2.3 `#define BIG_G 6.673e-11`

Gravitational constant

13.27.2.4 `#define DM_CONST 2.41e-4`

13.27.2.5 `#define DM_CONST_SI 7.436e6`

Dispersion constant in SI units

13.27.2.6 `#define ECLIPTIC_OBLIQUITY_VAL 84381.4059`

mean obliquity of ecliptic in arcsec

13.27.2.7 `#define FB90_TIMEEPH 2`

Fairhead & Bretagnon time ephemeris

13.27.2.8 `#define GM 1.3271243999e20`

Gravitational constant * mass sun

13.27.2.9 `#define GM_C3 4.925490947e-6`

GM_{\odot}/c^3 (in seconds)

13.27.2.10 `#define GMJ_C3 4.70255e-9`

GM_{jupiter}/c^3 (in seconds)

13.27.2.11 `#define GMN_C3 2.54488e-10`

GM_{neptune}/c^3 (in seconds)

13.27.2.12 `#define GMS_C3 1.40797e-9`

GM_{saturn}/c^3 (in seconds)

13.27.2.13 `#define GMU_C3 2.14539e-10`

GM_uranus/c³ (in seconds)

13.27.2.14 `#define GMV_C3 1.2061e-11`

GM_venus/c³ (in seconds)

13.27.2.15 `#define HAVE_GWSIM_H`

13.27.2.16 `#define IF99_TIMEEPH 1`

Irwin & Fukushima time ephemeris

13.27.2.17 `#define IFTEPH_FILE "/ephemeris/TIMEEPH_short.te405"`

13.27.2.18 `#define LEAPSECOND_FILE "/clock/leap.sec"`

Path for the file containing dates when leap seconds should be added

13.27.2.19 `#define MASYR2RADS 1.53628185e-16`

Converts from mas/yr to rad/s

13.27.2.20 `#define MAX_BPJ_JUMPS 5`

Maximum number of jumps in binary params - for BPJ model

13.27.2.21 `#define MAX_CLK_CORR 30`

Maximum number of steps in the correction to TT

13.27.2.22 `#define MAX_CLKCORR 5000`

Maximum number of lines in time.dat file

13.27.2.23 `#define MAX_COEFF 5000`

Maximum number of coefficients in polyco

13.27.2.24 `#define MAX_COMPANIONS 4`

Maximum number of binary companions

13.27.2.25 `#define MAX_DM_DERIVATIVES 10`

DM0 -> DMn where n=10

13.27.2.26 `#define MAX_DM 512`

Max number of DM steps allowed

13.27.2.27 `#define MAX_FILELEN 500`

Maximum filename length

13.27.2.28 `#define MAX_FIT 10000`

Maximum number of parameters to fit for

13.27.2.29 `#define MAX_FLAG_LEN 32`

Maximum number of characters in each flag

13.27.2.30 `#define MAX_FLAGS 20`

Maximum number of flags in .tim file/observation

13.27.2.31 `#define MAX_FREQ_DERIVATIVES 13`

F0 -> Fn where n=10

13.27.2.32 `#define MAX_IFUNC 1000`

Maximum number of parameters for interpolation function

13.27.2.33 `#define MAX_JUMPS 2000`

Maximum number of phase jumps

13.27.2.34 `#define MAX_LEAPSEC 100`

Maximum number of line in the leap second file

13.27.2.35 `#define MAX_MSG 50`

Maximum number of different warnings

13.27.2.36 `#define MAX_OBSN_VAL 20000`

Maximum number of TOAs

13.27.2.37 `#define MAX_PARAMS 2000`

Maximum number of parameters

13.27.2.38 `#define MAX_PSR_VAL 40`

Maximum number of pulsars

13.27.2.39 `#define MAX_QUAD 150`

Maximum number of frequency channels in quadrupolar function

13.27.2.40 `#define MAX_SITE 100`

Maximum number of observatory sites

13.27.2.41 `#define MAX_STOREPRECISION 50`

How many routines in TEMPO2 store precision information

13.27.2.42 `#define MAX_STRLEN 1000`

Maximum length for strings

13.27.2.43 `#define MAX_T2EFAC 100`

Maximum number of T2EFACs allowed

13.27.2.44 `#define MAX_T2EQUAD 100`

Maximum number of T2EQUADs allowed

13.27.2.45 `#define MAX_TEL_CLK_OFFS 500`

Maximum number of parameters for telescope clock offset

13.27.2.46 `#define MAX_TEL_DX 500`

Maximum number of parameters for interpolation function

13.27.2.47 `#define MAX_TEL_DY 500`

Maximum number of parameters for interpolation function

13.27.2.48 `#define MAX_TEL_DZ 500`

Maximum number of parameters for interpolation function

13.27.2.49 `#define MAX_TNBN 50 /*maximum number of TNBAndNoise parameters allowed*/`

13.27.2.50 `#define MAX_TNDMEv 10 /*Maximum number of TNDMEEvents allowed */`

13.27.2.51 `#define MAX_TNECORR 50`

Maximum number of TNECORRss allowed

13.27.2.52 `#define MAX_TNEF 50`

Maximum number of TNEFACs allowed

13.27.2.53 `#define MAX_TNEQ 50`

Maximum number of TNEQUADs allowed

13.27.2.54 `#define MAX_TNGN 50`

maximum number of TNGroupNoise parameters allowed

13.27.2.55 `#define MAX_TNSQ 50`

Maximum number of TNEQUADs allowed

13.27.2.56 `#define MAX_TOFFSET 10`

Number of time jumps allowed in .par file

13.27.2.57 `#define MAX_WHITE 100`

Maximum number of parameters for whitening

13.27.2.58 `#define NE_SW_DEFAULT 4`

Default value for electron density (cm⁻³) at 1AU due to solar wind

13.27.2.59 `#define OBLQ 23.445833333333333`

Obliquity of the ecliptic

13.27.2.60 `#define OBSSYS_FILE "/observatory/newobsys.dat"`

Path for file containing Observatory data (obsys.dat)

13.27.2.61 `#define PCM 3.08568025e16`

one parsec in meters

13.27.2.62 `#define SECDAY 86400.0`

Number of seconds in 1 day

13.27.2.63 `#define SECDAYI longdouble(86400.0)`

Number of seconds in 1 day

13.27.2.64 `#define SI_UNITS 1`

New tempo2 mode

13.27.2.65 `#define SOLAR_MASS 1.98892e30`

Mass of Sun (kg)

13.27.2.66 `#define SOLAR_RADIUS 6.96e8`

Radius of the Sun (in meters)

13.27.2.67 `#define SPEED_LIGHT 299792458.0`

Speed of light (m/s)

13.27.2.68 `#define T2C_IAU2000B 1`

13.27.2.69 `#define T2C_TEMPO 2`

13.27.2.70 `#define TDB_UNITS 2`

original tempo mode

13.27.2.71 `#define TDBTDT_FILE "/ephemeris/TDB.1950.2050"`

Path for file containing TDB-TDT ephemeris

13.27.2.72 `#define TEMPO2_h_HASH "$Id: da810cd817da8229f1a155b119a771e9e962a9b7 $"`

13.27.2.73 `#define TEMPO2_h_MAJOR_VER 2015.09`

13.27.2.74 `#define TEMPO2_h_MINOR_VER 0`

13.27.2.75 `#define TEMPO2_h_VER "2015.09.0"`

13.27.2.76 `#define TSUN longdouble(4.925490947e-6)`

Solar constant for mass calculations.

13.27.2.77 `#define UT1_FILE "/clock/ut1.dat"`

Path for the file containing TAI-UT1

13.27.3 Typedef Documentation

13.27.3.1 `typedef int constraint_label`

for 'strong typing' - type for enum constraint

13.27.3.2 `typedef double(* constraintDerivFunc) (struct pulsar *, int, constraint_label, param_label, int, int)`

a function used to get the derivative of a parameter w.r.t. constraint.

Used to build the derivative matrix for the least squares solvers.

13.27.3.3 `typedef struct FitInfo FitInfo`

contains details of the fit

Holds references to the fit functions, as well as references linking the index in the derivative matrix to the actual parameter fit for.

13.27.3.4 `typedef struct observation observation`

A struct containing the details of a single observation.

13.27.3.5 `typedef int param_label`

for 'strong typing' - type for enum label

13.27.3.6 `typedef double(* paramDerivFunc) (struct pulsar *, int, double, int, param_label, int)`

a function used to get the derivative of a parameter w.r.t. data.

Used to build the derivative matrix for the least squares solvers.

13.27.3.7 `typedef struct parameter parameter`

Holds the values for a parameter.

May include multiple values, for e.g. F0, F1, F2,...

Note

If this structure is modified - must update copyParam in tempo2Util.C

13.27.3.8 `typedef void(* paramUpdateFunc) (struct pulsar *, int, param_label, int, double, double)`

a function used to update the parameters after a fit.

13.27.3.9 `typedef struct pulsar pulsar`

contains the details for a single pulsar.

Includes an array of [observations](#) and [parameters](#)

13.27.3.10 `typedef struct storePrecision storePrecision`

13.27.4 Enumeration Type Documentation

13.27.4.1 `enum constraint`

These represent the possible constraints to the fit that have been implemented.

Enumerator

- constraint_dmmodel_mean*
- constraint_dmmodel_dm1*
- constraint_dmmodel_cw_0*
- constraint_dmmodel_cw_1*
- constraint_dmmodel_cw_2*
- constraint_dmmodel_cw_3*
- constraint_ifunc_0*
- constraint_ifunc_1*
- constraint_ifunc_2*
- constraint_tel_dx_0*
- constraint_tel_dx_1*
- constraint_tel_dx_2*
- constraint_tel_dy_0*
- constraint_tel_dy_1*
- constraint_tel_dy_2*
- constraint_tel_dz_0*
- constraint_tel_dz_1*
- constraint_tel_dz_2*
- constraint_quad_ifunc_p_0*
- constraint_quad_ifunc_p_1*
- constraint_quad_ifunc_p_2*
- constraint_quad_ifunc_c_0*
- constraint_quad_ifunc_c_1*
- constraint_quad_ifunc_c_2*
- constraint_dmmodel_cw_year_sin*
- constraint_dmmodel_cw_year_cos*
- constraint_dmmodel_cw_year_xsin*
- constraint_dmmodel_cw_year_xcos*
- constraint_dmmodel_cw_year_sin2*
- constraint_dmmodel_cw_year_cos2*
- constraint_dmmodel_cw_px*
- constraint_ifunc_year_sin*
- constraint_ifunc_year_cos*
- constraint_ifunc_year_xsin*
- constraint_ifunc_year_xcos*
- constraint_ifunc_year_sin2*
- constraint_ifunc_year_cos2*

constraint_qifunc_p_year_sin
constraint_qifunc_p_year_cos
constraint_qifunc_p_year_xsin
constraint_qifunc_p_year_xcos
constraint_qifunc_p_year_sin2
constraint_qifunc_p_year_cos2
constraint_qifunc_c_year_sin
constraint_qifunc_c_year_cos
constraint_qifunc_c_year_xsin
constraint_qifunc_c_year_xcos
constraint_qifunc_c_year_sin2
constraint_qifunc_c_year_cos2
constraint_LAST marker for the last constraint

13.27.4.2 enum label

enumeration for the various parameters that appear in a .par file

The last parameter is param_LAST, but there are enumerations after this for special fits. It is important not to change the order of the elements

Note

when adding a new parameter, initialise it in initialise.c after param_LAST.

Enumerator

param_raj
param_decj
param_f
param_pepoch
param_posepoch
param_dmepoch
param_dm
param_pmra
param_pmdec
param_px
param_sini
param_pb
param_fb
param_t0
param_a1
param_om
param_pmr
param_ecc
param_edot
param_e2dot
param_xpbdot

param_pbdot
param_a1dot
param_a2dot
param_omdot
param_om2dot
param_orbpx
param_tasc
param_eps1
param_eps2
param_m2
param_gamma
param_mtot
param_glep
param_glph
param_glf0
param_glf1
param_glf2
param_glf0d
param_gltd
param_start
param_finish
param_track
param_bp
param_bpp
param_tzrmjd
param_tzrfreq
param_fddc
param_fddi
param_fd
param_dr
param_dtheta
param_tspan
param_bpjep
param_bpjph
param_bpja1
param_bpjec
param_bpjom
param_bpjpb
param_wave_om
param_kom
param_kin
param_shapmax
param_dth
param_a0
param_b0

param_xomdot
param_afac
param_eps1dot
param_eps2dot
param_tres
param_wave_dm
param_waveepoch_dm
param_dshk
param_ephver
param_daop
param_iperharm
param_dmassplanet
param_waveepoch
param_ifunc
param_clk_offs
param_dmx
param_dmrx1
param_dmrx2
param_dmmodel
param_gwsingle
param_cgw
param_quad_om
param_h3
param_h4
param_nharm
param_stig
param_telx
param_tely
param_telz
param_telEpoch
param_quad_ifunc_p
param_quad_ifunc_c
param_tel_dx
param_tel_dy
param_tel_dz
param_tel_vx
param_tel_vy
param_tel_vz
param_tel_x0
param_tel_y0
param_tel_z0
param_gwm_amp
param_gwecc
param_gwb_amp
param_dm_sin1yr

param_dm_cos1yr
param_brake
param_stateSwitchT
param_df1
param_LAST Marker for the last param to be used in for loops
param_ZERO virtual parameter for DC offset
param_JUMP virtual parameter for jumps

13.27.5 Function Documentation

- 13.27.5.1 void allocateMemory (**pulsar** * *psr*, int *realloc*)
- 13.27.5.2 void autoConstraints (**pulsar** * *psr*, int *ip**psr*, int *npsr*)
- 13.27.5.3 int bootstrap (**pulsar** * *psr*, int *p*, int *npsr*)
- 13.27.5.4 double BTJmodel (**pulsar** * *psr*, int *p*, int *obs*, int *param*, int *arr*)
- 13.27.5.5 double BTmodel (**pulsar** * *psr*, int *p*, int *obs*, int *param*)
- 13.27.5.6 double BTXmodel (**pulsar** * *psr*, int *p*, int *obs*, int *param*, int *arr*)
- 13.27.5.7 double calcRMS (**pulsar** * *psr*, int *p*)
- 13.27.5.8 void calculate_bclt (**pulsar** * *psr*, int *npsr*)
- 13.27.5.9 void compute_tropospheric_delays (**pulsar** * *psr*, int *npsr*)
- 13.27.5.10 void copyParam (parameter *p1*, parameter * *p2*)
- 13.27.5.11 void copyPSR (**pulsar** * *p*, int *p1*, int *p2*)
- 13.27.5.12 void CVSdisplayVersion (const char * *file*, const char * *func*, const char * *verNum*)
- 13.27.5.13 double DDGRmodel (**pulsar** * *psr*, int *p*, int *obs*, int *param*)
- 13.27.5.14 double DDHmodel (**pulsar** * *psr*, int *p*, int *obs*, int *param*)
- 13.27.5.15 double DDKmodel (**pulsar** * *psr*, int *p*, int *obs*, int *param*)
- 13.27.5.16 longdouble DDmodel (**pulsar** * *psr*, int *p*, int *obs*, int *param*)
- 13.27.5.17 double DDSmodel (**pulsar** * *psr*, int *p*, int *obs*, int *param*)
- 13.27.5.18 void defineClockCorrectionSequence (char * *fileList*, int *dispWarnings*)
- 13.27.5.19 void destroyMemory (**pulsar** * *psr*)
- 13.27.5.20 void destroyOne (**pulsar** * *psr*)
- 13.27.5.21 void displayMsg (int *type*, const char * *key*, const char * *searchStr*, const char * *variableStr*, int *noWarnings*)
- 13.27.5.22 void displayParameters (int *pos*, char *timeFile*[][*MAX_FILELEN*], char *parFile*[][*MAX_FILELEN*], **pulsar** * *psr*, int *npsr*)

- 13.27.5.23 void dm_delays (pulsar * *psr*, int *npsr*, int *p*, int *i*, double *delt*, double *dt_SSB*)
- 13.27.5.24 double dms_turn (char * *line*)
- 13.27.5.25 void doFit (pulsar * *psr*, int *npsr*, int *writeModel*)
- 13.27.5.26 void doFitAll (pulsar * *psr*, int *npsr*, const char * *covarFuncFile*)
- 13.27.5.27 void doFitDCM (pulsar * *psr*, const char * *dcmFile*, const char * *covarFuncFile*, int *npsr*, int *writeModel*)
- 13.27.5.28 void doFitGlobal (pulsar * *psr*, int *npsr*, double * *globalParameter*, int *nGlobal*, int *writeModel*)
- 13.27.5.29 double dotproduct (double * *v1*, double * *v2*)
- 13.27.5.30 double ELL1Hmodel (pulsar * *psr*, int *p*, int *obs*, int *param*)
- 13.27.5.31 double ELL1model (pulsar * *psr*, int *p*, int *obs*, int *param*)
- 13.27.5.32 void equ2ecl (double * *x*)
- 13.27.5.33 void FITfuncs (double *x*, double *afunc*[], int *ma*, pulsar * *psr*, int *ipos*, int *ipsr*)
- 13.27.5.34 void formBats (pulsar * *psr*, int *npsr*)
- 13.27.5.35 void formBatsAll (pulsar * *psr*, int *npsr*)
- 13.27.5.36 void formResiduals (pulsar * *psr*, int *npsr*, int *removeMean*)
- 13.27.5.37 longdouble fortran_mod (longdouble *a*, longdouble *p*)
- 13.27.5.38 int fortran_nint (double *x*)
- 13.27.5.39 long fortran_nlong (longdouble *x*)
- 13.27.5.40 void get_EOP (double *mjd*, double * *xp*, double * *yp*, double * *dut1*, double * *dut1dot*, int *dispWarnings*, char * *eopcFile*)
- 13.27.5.41 void get_obsCoord (pulsar * *psr*, int *npsr*)
- 13.27.5.42 void get_obsCoord_IAU2000B (double *observatory_trs*[3], double *zenith_trs*[3], longdouble *tt_mjd*, longdouble *utc_mjd*, double *observatory_crs*[3], double *zenith_crs*[3], double *observatory_velocity_crs*[3])
- 13.27.5.43 void get_OneobsCoord (pulsar * *psr*, int *npsr*, int *obs*)
- 13.27.5.44 void getCholeskyMatrix (double ** *uinv*, const char * *fname*, pulsar * *psr*, double * *resx*, double * *resy*, double * *rese*, int *np*, int *nc*, int * *ip*)
- 13.27.5.45 void getClockCorrections (observation * *obs*, const char * *clockFrom*, const char * *clockTo*, int *warnings*)
- 13.27.5.46 double getCorrection (observation * *obs*, const char * *clockFrom*, const char * *clockTo*, int *warnings*)
- 13.27.5.47 double getCorrectionTT (observation * *obs*)

- 13.27.5.48 void getInputs (pulsar * *psr*, int *argc*, char * *argv*[], char *timFile*[][MAX_FILELEN], char *parFile*[][MAX_FILELEN], int * *displayParams*, int * *npsr*, int * *nGlobal*, int * *outRes*, int * *writeModel*, char * *outputSO*, int * *polyco*, char * *polyco_args*, char * *polyco_file*, int * *newpar*, int * *onlypre*, char * *dcmFile*, char * *covarFuncFile*, char * *newparname*)
- 13.27.5.49 observatory* getObservatory (char * *code*)
- 13.27.5.50 double getParamDeriv (pulsar * *psr*, int *ipos*, double *x*, int *i*, int *k*)
- 13.27.5.51 longdouble getParameterValue (pulsar * *psr*, int *param*, int *arr*)
- 13.27.5.52 double hms_turn (char * *line*)
- 13.27.5.53 int id_residual (float *xcurs*, float *ycurs*)
- 13.27.5.54 void initialise (pulsar * *psr*, int *noWarnings*)
- 13.27.5.55 void initialiseOne (pulsar * *psr*, int *noWarnings*, int *fullSetup*)
- 13.27.5.56 double JVmodel (pulsar * *psr*, int *p*, int *obs*, int *param*, int *arr*)
- 13.27.5.57 void logicFlag (char * *line*, pulsar * *psr*, int *npsr*)
- 13.27.5.58 void lookup_observatory_alias (char * *incode*, char * *outcode*)
- 13.27.5.59 double MSSmodel (pulsar * *psr*, int *p*, int *obs*, int *param*)
- 13.27.5.60 void polyco (pulsar * *psr*, int *npsr*, longdouble *polyco_MJD1*, longdouble *polyco_MJD2*, int *nspan*, int *ncoeff*, longdouble *maxha*, char * *sitename*, longdouble *freq*, longdouble *coeff*[MAX_COEFF], int *trueDM*, char * *polyco_file*)
- 13.27.5.61 void preProcess (pulsar * *psr*, int *npsr*, int *argc*, char * *argv*[])
- 13.27.5.62 void preProcessSimple (pulsar * *psr*)
- 13.27.5.63 void preProcessSimple1 (pulsar * *psr*, int *tempo1*, double *thelast*)
- 13.27.5.64 void preProcessSimple2 (pulsar * *psr*, float *startdmmjd*, int *ndm*, float * *dmvals*, int *trimonly*)
- 13.27.5.65 void preProcessSimple3 (pulsar * *psr*)
- 13.27.5.66 void processFlag (char * *line*, pulsar * *psr*, int *npsr*)
- 13.27.5.67 void processSimultaneous (char * *line*, pulsar * *psr*, int *npsr*)
- 13.27.5.68 void readEphemeris (pulsar * *psr*, int *npsr*, int *addEphemNoise*)
- 13.27.5.69 void readEphemeris_calceph (pulsar * *psr*, int *npsr*)
- 13.27.5.70 void readJBO_bat (char * *fname*, pulsar * *psr*, int *p*)
- 13.27.5.71 void readObsFile (double *alat*[MAX_SITE], double *along*[MAX_SITE], double *elev*[MAX_SITE], int *icoord*[MAX_SITE], char *obsnam*[MAX_SITE][100], char *obscode*[MAX_SITE][100], int * *nobservatory*, int *obsnum*[MAX_SITE])
- 13.27.5.72 void readOneEphemeris (pulsar * *psr*, int *npsr*, int *addEphemNoise*, int *obsNumber*)

- 13.27.5.73 void readParfile (pulsar * *psr*, char *parFile*[][MAX_FILELEN], char *timFile*[][MAX_FILELEN], int *npsr*)
- 13.27.5.74 void readParfileGlobal (pulsar * *psr*, int *npsr*, char *tpar*[MAX_STRLEN][MAX_FILELEN], char *ttim*[MAX_STRLEN][MAX_FILELEN])
- 13.27.5.75 int readSimpleParfile (FILE * *fin*, pulsar * *p*)
- 13.27.5.76 void readTimfile (pulsar * *psr*, char *timFile*[][MAX_FILELEN], int *npsr*)
- 13.27.5.77 void recordPrecision (pulsar * *psr*, longdouble *prec*, const char * *routine*, const char * *comment*)
- 13.27.5.78 void secularMotion (pulsar * *psr*, int *npsr*)
- 13.27.5.79 void setPlugPath ()
- 13.27.5.80 float setStart (float *xcurs*, float *ycurs*, int *flag*)
- 13.27.5.81 int setupParameterFileDefaults (pulsar * *p*)
- 13.27.5.82 void shapiro_delay (pulsar * *psr*, int *npsr*, int *p*, int *i*, double *delt*, double *dt_SSB*)
- 13.27.5.83 void simplePlot (pulsar * *psr*, double *unitFlag*)
- 13.27.5.84 double solarWindModel (pulsar *psr*, int *iobs*)
- 13.27.5.85 void sortToAs (pulsar * *psr*)
- 13.27.5.86 double T2_PTAmode (pulsar * *psr*, int *p*, int *obs*, int *param*, int *arr*)
- 13.27.5.87 double T2model (pulsar * *psr*, int *p*, int *obs*, int *param*, int *arr*)
- 13.27.5.88 void tai2tt (pulsar * *psr*, int *npsr*)
- 13.27.5.89 void tai2ut1 (pulsar * *psr*, int *npsr*)
- 13.27.5.90 void textOutput (pulsar * *psr*, int *npsr*, double *globalParameter*, int *nGlobal*, int *outRes*, int *newpar*, const char * *fname*)
- 13.27.5.91 void toa2utc (pulsar * *psr*, int *npsr*)
- 13.27.5.92 void transform_units (struct pulsar * *psr*, int *from*, int *to*)
- 13.27.5.93 void tt2tb (pulsar * *psr*, int *npsr*)
- 13.27.5.94 double turn_deg (double *turn*)
- 13.27.5.95 int turn_dms (double *turn*, char * *dms*)
- 13.27.5.96 int turn_hms (double *turn*, char * *hms*)
- 13.27.5.97 void updateBatsAll (pulsar * *psr*, int *npsr*)
- 13.27.5.98 void updateBT (pulsar * *psr*, double *val*, double *err*, int *pos*)
- 13.27.5.99 void updateBTJ (pulsar * *psr*, double *val*, double *err*, int *pos*, int *arr*)

13.27.5.100 void updateBTX (pulsar * *psr*, double *val*, double *err*, int *pos*, int *arr*)

13.27.5.101 void updateDD (pulsar * *psr*, double *val*, double *err*, int *pos*)

13.27.5.102 void updateDDGR (pulsar * *psr*, double *val*, double *err*, int *pos*)

13.27.5.103 void updateDDH (pulsar * *psr*, double *val*, double *err*, int *pos*)

13.27.5.104 void updateDDK (pulsar * *psr*, double *val*, double *err*, int *pos*)

13.27.5.105 void updateDDS (pulsar * *psr*, double *val*, double *err*, int *pos*)

13.27.5.106 void updateELL1 (pulsar * *psr*, double *val*, double *err*, int *pos*)

13.27.5.107 void updateELL1H (pulsar * *psr*, double *val*, double *err*, int *pos*)

13.27.5.108 void updateJV (pulsar * *psr*, double *val*, double *err*, int *pos*, int *arr*)

13.27.5.109 void updateMSS (pulsar * *psr*, double *val*, double *err*, int *pos*)

13.27.5.110 void updateParameters (pulsar * *psr*, int *p*, double * *val*, double * *error*)

13.27.5.111 void updateT2 (pulsar * *psr*, double *val*, double *err*, int *pos*, int *arr*)

13.27.5.112 void updateT2_PTA (pulsar * *psr*, double *val*, double *err*, int *pos*, int *arr*)

13.27.5.113 void useSelectFile (char * *fname*, pulsar * *psr*, int *npsr*)

13.27.5.114 void utc2tai (pulsar * *psr*, int *npsr*)

13.27.5.115 void vectorPulsar (pulsar * *psr*, int *npsr*)

13.27.5.116 void vectorscale (double * *v*, double *k*)

13.27.5.117 void vectorsum (double * *res*, double * *v1*, double * *v2*)

13.27.5.118 void writeTim (const char * *timname*, pulsar * *psr*, const char * *fileFormat*)

13.27.5.119 int zoom_graphics (float *xcurs2*, float *ycurs2*, int *flag*)

13.27.6 Variable Documentation

13.27.6.1 char covarFuncFile[MAX_FILELEN]

13.27.6.2 char dcmFile[MAX_FILELEN]

13.27.6.3 int displayCVSversion

Display CVS version

13.27.6.4 double ECLIPTIC_OBLIQUITY

13.27.6.5 int forceGlobalFit

Global = 1 if we are forcing a global fit

13.27.6.6 int MAX_OBSN

size of the arrays of [observations](#) inside each [pulsar](#)

13.27.6.7 int MAX_PSR

size of the array of [pulsars](#) used in tempo2

13.27.6.8 char NEWFIT

global boolean used to enable new fit.

Warning

this will be removed in future.

13.27.6.9 char TEMPO2_ENVIRON[]

TEMPO2 environment variable

13.27.6.10 char TEMPO2_ERROR[]

TEMPO2 error messages

13.27.6.11 char tempo2_plug_path[32][MAX_STRLEN]

paths to search for plugins

13.27.6.12 int tempo2_plug_path_len

13.27.6.13 char tempo2MachineType[MAX_FILELEN]


13.27.6.14 int veryFast

Global to run the code fast


13.28 tempo2pred.h File Reference

```
#include <stdio.h>
```

Include dependency graph for tempo2pred.h:



This graph shows which files directly or indirectly include this file:



Classes

- struct [Cheby2D](#)
- struct [ChebyModel](#)
- struct [ChebyModelSet](#)
- struct [T1Polyco](#)
- struct [T1PolycoSet](#)
- struct [T2Predictor](#)

Enumerations

- enum [T2PredictorKind](#) { [NonePredType](#), [Cheby](#), [T1](#) }

Functions

- void [T2Predictor_Init](#) ([T2Predictor](#) *t2p)
- void [T2Predictor_Copy](#) ([T2Predictor](#) *into_t2p, const [T2Predictor](#) *from_t2p)
- int [T2Predictor_Insert](#) ([T2Predictor](#) *into_t2p, const [T2Predictor](#) *from_t2p)

- void [T2Predictor_Keep](#) ([T2Predictor](#) *, unsigned nmjd, const long double *mjd)
- void [T2Predictor_Destroy](#) ([T2Predictor](#) *t2p)
- int [T2Predictor_Read](#) ([T2Predictor](#) *t2p, char *fname)
- int [T2Predictor_FRead](#) ([T2Predictor](#) *t2p, FILE *f)
- void [T2Predictor_Write](#) (const [T2Predictor](#) *t2p, char *fname)
- void [T2Predictor_FWrite](#) (const [T2Predictor](#) *t2p, FILE *f)
- char * [T2Predictor_GetPSRName](#) ([T2Predictor](#) *t2p)
- char * [T2Predictor_GetSiteName](#) ([T2Predictor](#) *t2p)
- long double [T2Predictor_GetStartMJD](#) ([T2Predictor](#) *t2p)
- long double [T2Predictor_GetEndMJD](#) ([T2Predictor](#) *t2p)
- long double [T2Predictor_GetStartFreq](#) ([T2Predictor](#) *t2p)
- long double [T2Predictor_GetEndFreq](#) ([T2Predictor](#) *t2p)
- [T2PredictorKind](#) [T2Predictor_Kind](#) ([T2Predictor](#) *t2p)
- long double [T2Predictor_GetPhase](#) (const [T2Predictor](#) *t2p, long double mjd, long double freq)
- long double [T2Predictor_GetFrequency](#) (const [T2Predictor](#) *t2p, long double mjd, long double freq)
- int [T2Predictor_GetPlan](#) (char *filename, long double mjd_start, long double mjd_end, long double step, long double freq, long double *phase0, int *nsegments, long double *pulse_frequencies)
- int [T2Predictor_GetPlan_Ext](#) (char *filename, long double mjd_start, long double mjd_end, long double step, long double freq, char *psrname, char *sitename, long double *phase0, int *nsegments, long double *pulse_frequencies)

Variables

- int [ChebyModelSet_OutOfRange](#)

13.28.1 Enumeration Type Documentation

13.28.1.1 enum T2PredictorKind

Enumerator

NonePredType

Cheby

T1

13.28.2 Function Documentation

13.28.2.1 void [T2Predictor_Copy](#) ([T2Predictor](#) * *into_t2p*, const [T2Predictor](#) * *from_t2p*)

13.28.2.2 void [T2Predictor_Destroy](#) ([T2Predictor](#) * *t2p*)

13.28.2.3 int [T2Predictor_FRead](#) ([T2Predictor](#) * *t2p*, FILE * *f*)

13.28.2.4 void [T2Predictor_FWrite](#) (const [T2Predictor](#) * *t2p*, FILE * *f*)

13.28.2.5 long double [T2Predictor_GetEndFreq](#) ([T2Predictor](#) * *t2p*)

13.28.2.6 long double [T2Predictor_GetEndMJD](#) ([T2Predictor](#) * *t2p*)

13.28.2.7 long double [T2Predictor_GetFrequency](#) (const [T2Predictor](#) * *t2p*, long double *mjd*, long double *freq*)

13.28.2.8 long double [T2Predictor_GetPhase](#) (const [T2Predictor](#) * *t2p*, long double *mjd*, long double *freq*)

- 13.28.2.9 `int T2Predictor_GetPlan (char * filename, long double mjd_start, long double mjd_end, long double step, long double freq, long double * phase0, int * nsegments, long double * pulse_frequencies)`
- 13.28.2.10 `int T2Predictor_GetPlan_Ext (char * filename, long double mjd_start, long double mjd_end, long double step, long double freq, char * psrname, char * sitename, long double * phase0, int * nsegments, long double * pulse_frequencies)`
- 13.28.2.11 `char* T2Predictor_GetPSRName (T2Predictor * t2p)`
- 13.28.2.12 `char* T2Predictor_GetSiteName (T2Predictor * t2p)`
- 13.28.2.13 `long double T2Predictor_GetStartFreq (T2Predictor * t2p)`
- 13.28.2.14 `long double T2Predictor_GetStartMJD (T2Predictor * t2p)`
- 13.28.2.15 `void T2Predictor_Init (T2Predictor * t2p)`
- 13.28.2.16 `int T2Predictor_Insert (T2Predictor * into_t2p, const T2Predictor * from_t2p)`
- 13.28.2.17 `void T2Predictor_Keep (T2Predictor * , unsigned nmjd, const long double * mjd)`
- 13.28.2.18 `T2PredictorKind T2Predictor_Kind (T2Predictor * t2p)`
- 13.28.2.19 `int T2Predictor_Read (T2Predictor * t2p, char * fname)`
- 13.28.2.20 `void T2Predictor_Write (const T2Predictor * t2p, char * fname)`

13.28.3 Variable Documentation


- 13.28.3.1 `int ChebyModelSet_OutOfRange`

13.29 tempo2pred_int.h File Reference

```
#include "tempo2.h"
```

```
#include "tempo2pred.h"
```

Include dependency graph for tempo2pred_int.h:



Functions

- void [ChebyModel_Construct](#) ([ChebyModel](#) *cm, const [pulsar](#) *psr)
- void [ChebyModel_Test](#) ([ChebyModel](#) *cm, const [pulsar](#) *psr, int nmjd, int nfreq, long double *residualRMS, long double *residualMAV)
- void [ChebyModelSet_Construct](#) ([ChebyModelSet](#) *cms, const [pulsar](#) *psr, const char *sitename, long double mjd_start, long double mjd_end, long double segment_length, long double overlap, long double freq_start, long double freq_end, int nmjdcoeff, int nfreqcoeff)
- void [ChebyModelSet_Test](#) ([ChebyModelSet](#) *cms, const [pulsar](#) *psr, int nmjd, int nfreq, long double *residualRMS, long double *residualMAV)
- void [Cheby2D_Construct](#) ([Cheby2D](#) *cheby, void(*func)(long double *x, long double *y, int nx, int ny, long double *z, void *info), void *info)
- void [Cheby2D_Construct_x_Derivative](#) ([Cheby2D](#) *dcheby, const [Cheby2D](#) *cheby)
- void [Cheby2D_Test](#) ([Cheby2D](#) *cheby, int nx_test, int ny_test, void(*func)(long double *x, long double *y, int nx, int ny, long double *z, void *info), void *info, long double *residualRMS, long double *residualMAV)
- void [ChebyModel_Init](#) ([ChebyModel](#) *cmodel, int nmjdcoeff, int nfreqcoeff)
- void [ChebyModel_Copy](#) ([ChebyModel](#) *cm, [ChebyModel](#) *from)
- void [ChebyModel_Destroy](#) ([ChebyModel](#) *cm)
- long double [ChebyModel_GetPhase](#) (const [ChebyModel](#) *cm, long double mjd, long double freq)
- long double [ChebyModel_GetFrequency](#) (const [ChebyModel](#) *cm, long double mjd, long double freq)
- void [ChebyModel_Write](#) (const [ChebyModel](#) *cm, FILE *f)
- int [ChebyModel_Read](#) ([ChebyModel](#) *cm, FILE *f)
- [ChebyModel](#) * [ChebyModelSet_GetNearest](#) (const [ChebyModelSet](#) *cms, long double mjd)
- long double [ChebyModelSet_GetPhase](#) (const [ChebyModelSet](#) *cms, long double mjd, long double freq)
- long double [ChebyModelSet_GetFrequency](#) (const [ChebyModelSet](#) *cms, long double mjd, long double freq)
- void [ChebyModelSet_Write](#) (const [ChebyModelSet](#) *cms, FILE *f)
- int [ChebyModelSet_Read](#) ([ChebyModelSet](#) *cms, FILE *f)
- void [ChebyModelSet_Init](#) ([ChebyModelSet](#) *cms)
- int [ChebyModelSet_Insert](#) ([ChebyModelSet](#) *cms, const [ChebyModelSet](#) *from)
- void [ChebyModelSet_Keep](#) ([ChebyModelSet](#) *cms, unsigned nmjd, const long double *mjd)
- void [ChebyModelSet_Destroy](#) ([ChebyModelSet](#) *cms)
- long double [T1Polyco_GetPhase](#) (const [T1Polyco](#) *t1p, long double mjd, long double freq)
- long double [T1Polyco_GetFrequency](#) (const [T1Polyco](#) *t1p, long double mjd, long double freq)
- void [T1Polyco_Write](#) (const [T1Polyco](#) *t1p, FILE *f)
- int [T1Polyco_Read](#) ([T1Polyco](#) *t1p, FILE *f)
- [T1Polyco](#) * [T1PolycoSet_GetNearest](#) (long double mjd)
- long double [T1PolycoSet_GetPhase](#) (const [T1PolycoSet](#) *t1ps, long double mjd, long double freq)
- long double [T1PolycoSet_GetFrequency](#) (const [T1PolycoSet](#) *t1ps, long double mjd, long double freq)
- void [T1PolycoSet_Write](#) (const [T1PolycoSet](#) *t1ps, FILE *f)
- int [T1PolycoSet_Read](#) ([T1PolycoSet](#) *t1ps, FILE *f)
- void [T1PolycoSet_Destroy](#) ([T1PolycoSet](#) *t1ps)

13.29.1 Function Documentation

- 13.29.1.1 void [Cheby2D_Construct](#) ([Cheby2D](#) * *cheby*, void(*)*(*long double **x*, long double **y*, int nx, int ny, long double **z*, void **info**) func*, void * *info*)
- 13.29.1.2 void [Cheby2D_Construct_x_Derivative](#) ([Cheby2D](#) * *dcheby*, const [Cheby2D](#) * *cheby*)
- 13.29.1.3 void [Cheby2D_Test](#) ([Cheby2D](#) * *cheby*, int *nx_test*, int *ny_test*, void(*)*(*long double **x*, long double **y*, int nx, int ny, long double **z*, void **info**) func*, void * *info*, long double * *residualRMS*, long double * *residualMAV*)
- 13.29.1.4 void [ChebyModel_Construct](#) ([ChebyModel](#) * *cm*, const [pulsar](#) * *psr*)

- 13.29.1.5 void ChebyModel_Copy (ChebyModel * *cm*, ChebyModel * *from*)
- 13.29.1.6 void ChebyModel_Destroy (ChebyModel * *cm*)
- 13.29.1.7 long double ChebyModel_GetFrequency (const ChebyModel * *cm*, long double *mjd*, long double *freq*)
- 13.29.1.8 long double ChebyModel_GetPhase (const ChebyModel * *cm*, long double *mjd*, long double *freq*)
- 13.29.1.9 void ChebyModel_Init (ChebyModel * *cmodel*, int *nmjdccoeff*, int *nfreqcoeff*)
- 13.29.1.10 int ChebyModel_Read (ChebyModel * *cm*, FILE * *f*)
- 13.29.1.11 void ChebyModel_Test (ChebyModel * *cm*, const pulsar * *psr*, int *nmjd*, int *nfreq*, long double * *residualRMS*, long double * *residualMAV*)
- 13.29.1.12 void ChebyModel_Write (const ChebyModel * *cm*, FILE * *f*)
- 13.29.1.13 void ChebyModelSet_Construct (ChebyModelSet * *cms*, const pulsar * *psr*, const char * *sitename*, long double *mjd_start*, long double *mjd_end*, long double *segment_length*, long double *overlap*, long double *freq_start*, long double *freq_end*, int *nmjdccoeff*, int *nfreqcoeff*)
- 13.29.1.14 void ChebyModelSet_Destroy (ChebyModelSet * *cms*)
- 13.29.1.15 long double ChebyModelSet_GetFrequency (const ChebyModelSet * *cms*, long double *mjd*, long double *freq*)
- 13.29.1.16 ChebyModel* ChebyModelSet_GetNearest (const ChebyModelSet * *cms*, long double *mjd*)
- 13.29.1.17 long double ChebyModelSet_GetPhase (const ChebyModelSet * *cms*, long double *mjd*, long double *freq*)
- 13.29.1.18 void ChebyModelSet_Init (ChebyModelSet * *cms*)
- 13.29.1.19 int ChebyModelSet_Insert (ChebyModelSet * *cms*, const ChebyModelSet * *from*)
- 13.29.1.20 void ChebyModelSet_Keep (ChebyModelSet * *cms*, unsigned *nmjd*, const long double * *mjd*)
- 13.29.1.21 int ChebyModelSet_Read (ChebyModelSet * *cms*, FILE * *f*)
- 13.29.1.22 void ChebyModelSet_Test (ChebyModelSet * *cms*, const pulsar * *psr*, int *nmjd*, int *nfreq*, long double * *residualRMS*, long double * *residualMAV*)
- 13.29.1.23 void ChebyModelSet_Write (const ChebyModelSet * *cms*, FILE * *f*)
- 13.29.1.24 long double T1Polyco_GetFrequency (const T1Polyco * *t1p*, long double *mjd*, long double *freq*)
- 13.29.1.25 long double T1Polyco_GetPhase (const T1Polyco * *t1p*, long double *mjd*, long double *freq*)
- 13.29.1.26 int T1Polyco_Read (T1Polyco * *t1p*, FILE * *f*)
- 13.29.1.27 void T1Polyco_Write (const T1Polyco * *t1p*, FILE * *f*)
- 13.29.1.28 void T1PolycoSet_Destroy (T1PolycoSet * *t1ps*)
- 13.29.1.29 long double T1PolycoSet_GetFrequency (const T1PolycoSet * *t1ps*, long double *mjd*, long double *freq*)
- 13.29.1.30 T1Polyco* T1PolycoSet_GetNearest (long double *mjd*)

13.29.1.31 long double T1PolycoSet_GetPhase (const T1PolycoSet * *t1ps*, long double *mjd*, long double *freq*)

13.29.1.32 int T1PolycoSet_Read (T1PolycoSet * *t1ps*, FILE * *f*)

13.29.1.33 void T1PolycoSet_Write (const T1PolycoSet * *t1ps*, FILE * *f*)

13.30 tempo2Util.h File Reference

Functions

- double [turn_deg](#) (double *turn*)
- double [dms_turn](#) (char **line*)
- double [hms_turn](#) (char **line*)

13.30.1 Function Documentation

13.30.1.1 double [dms_turn](#) (char * *line*)

13.30.1.2 double [hms_turn](#) (char * *line*)

13.30.1.3 double [turn_deg](#) (double *turn*)

13.31 TKcholesky.h File Reference

Functions

- void [cholesky_readFromCovarianceFunction](#) (double ***m*, const char **fname*, double **resx*, double **resy*, double **rese*, int *np*, int *nc*)
- void [cholesky_covarFunc2matrix](#) (double ***m*, double **covarFunc*, int *ndays*, double **resx*, double **resy*, double **rese*, int *np*, int *nc*)
- void [cholesky_powerlawModel](#) (double ***m*, double *modelAlpha*, double *modelFc*, double *modelA*, double **resx*, double **resy*, double **rese*, int *np*, int *nc*)
- void [cholesky_powerlawModel_withBeta](#) (double ***m*, double *modelAlpha*, double *beta*, double *modelFc*, double *modelA*, double **resx*, double **resy*, double **rese*, int *np*, int *nc*)
- int [cholesky_formUinv](#) (double ***uinv*, double ***m*, int *np*)
- void [cholesky_dmModel](#) (double ***m*, double *D*, double *d*, double *ref_freq*, double **resx*, double **resy*, double **rese*, int *np*, int *nc*)
- void [cholesky_ecm](#) (double ***m*, char **fileName*, double **resx*, double **resy*, double **rese*, int *np*, int *nc*)
- void [cholesky_dmModelCovarParam](#) (double ***m*, double *alpha*, double *a*, double *b*, double **resx*, double **resy*, double **rese*, int *np*, int *nc*)

13.31.1 Function Documentation

13.31.1.1 void [cholesky_covarFunc2matrix](#) (double ** *m*, double * *covarFunc*, int *ndays*, double * *resx*, double * *resy*, double * *rese*, int *np*, int *nc*)

13.31.1.2 void [cholesky_dmModel](#) (double ** *m*, double *D*, double *d*, double *ref_freq*, double * *resx*, double * *resy*, double * *rese*, int *np*, int *nc*)

13.31.1.3 void [cholesky_dmModelCovarParam](#) (double ** *m*, double *alpha*, double *a*, double *b*, double * *resx*, double * *resy*, double * *rese*, int *np*, int *nc*)


13.31.1.4 void [cholesky_ecm](#) (double ** *m*, char * *fileName*, double * *resx*, double * *resy*, double * *rese*, int *np*, int *nc*)

- 13.31.1.5 `int cholesky_formUinv (double ** uinv, double ** m, int np)`
- 13.31.1.6 `void cholesky_powerlawModel (double ** m, double modelAlpha, double modelFc, double modelA, double * resx, double * resy, double * rese, int np, int nc)`
- 13.31.1.7 `void cholesky_powerlawModel_withBeta (double ** m, double modelAlpha, double beta, double modelFc, double modelA, double * resx, double * resy, double * rese, int np, int nc)`
- 13.31.1.8 `void cholesky_readFromCovarianceFunction (double ** m, const char * fname, double * resx, double * resy, double * rese, int np, int nc)`


13.32 TKfit.h File Reference

```
#include "TKmatrix.h"
```

Include dependency graph for TKfit.h:



This graph shows which files directly or indirectly include this file:



Functions

- double [TKleastSquares](#) (double *b, double *white_b, double **designMatrix, double **white_designMatrix, int n, int nf, double tol, char rescale_errors, double *outP, double *e, double **CVM)
- double [TKrobustLeastSquares](#) (double *b, double *white_b, double **designMatrix, double **white_↵ designMatrix, int n, int nf, double tol, char rescale_errors, double *outP, double *e, double **cvm, char robust)

- double [TKconstrainedLeastSquares](#) (double *b, double *white_b, double **designMatrix, double **white_↵ designMatrix, double **constraintsMatrix, int n, int nf, int nconstraints, double tol, char rescale_errors, double *outP, double *e, double **cvm)
- double [TKrobustConstrainedLeastSquares](#) (double *b, double *white_b, double **designMatrix, double **white_designMatrix, double **constraintsMatrix, int n, int nf, int nconstraints, double tol, char rescale_↵ _errors, double *outP, double *e, double **cvm, char robust)
- void [TKleastSquares_svd](#) (double *x, double *y, double *sig, int n, double *p, double *e, int nf, double **cvm, double *chisq, void(*fitFuncs)(double, double[, int), int weight)
- void [TKleastSquares_svd_noErr](#) (double *x, double *y, int n, double *p, int nf, void(*fitFuncs)(double, double[, int))
- void [TKremovePoly_f](#) (float *px, float *py, int n, int m)
- void [TKremovePoly_d](#) (double *px, double *py, int n, int m)
- void [TKfindPoly_d](#) (double *px, double *py, int n, int m, double *p)
- void [TKfitPoly](#) (double x, double *v, int m)


13.32.1 Function Documentation

- 13.32.1.1 double [TKconstrainedLeastSquares](#) (double * *b*, double * *white_b*, double ** *designMatrix*, double ** *white_designMatrix*, double ** *constraintsMatrix*, int *n*, int *nf*, int *nconstraints*, double *tol*, char *rescale_errors*, double * *outP*, double * *e*, double ** *cvm*)
- 13.32.1.2 void [TKfindPoly_d](#) (double * *px*, double * *py*, int *n*, int *m*, double * *p*)
- 13.32.1.3 void [TKfitPoly](#) (double *x*, double * *v*, int *m*)
- 13.32.1.4 double [TKleastSquares](#) (double * *b*, double * *white_b*, double ** *designMatrix*, double ** *white_designMatrix*, int *n*, int *nf*, double *tol*, char *rescale_errors*, double * *outP*, double * *e*, double ** *CVM*)
- 13.32.1.5 void [TKleastSquares_svd](#) (double * *x*, double * *y*, double * *sig*, int *n*, double * *p*, double * *e*, int *nf*, double ** *cvm*, double * *chisq*, void(*) (double, double[, int) *fitFuncs*, int *weight*)
- 13.32.1.6 void [TKleastSquares_svd_noErr](#) (double * *x*, double * *y*, int *n*, double * *p*, int *nf*, void(*) (double, double[, int) *fitFuncs*)
- 13.32.1.7 void [TKremovePoly_d](#) (double * *px*, double * *py*, int *n*, int *m*)
- 13.32.1.8 void [TKremovePoly_f](#) (float * *px*, float * *py*, int *n*, int *m*)
- 13.32.1.9 double [TKrobustConstrainedLeastSquares](#) (double * *b*, double * *white_b*, double ** *designMatrix*, double ** *white_designMatrix*, double ** *constraintsMatrix*, int *n*, int *nf*, int *nconstraints*, double *tol*, char *rescale_errors*, double * *outP*, double * *e*, double ** *cvm*, char *robust*)
- 13.32.1.10 double [TKrobustLeastSquares](#) (double * *b*, double * *white_b*, double ** *designMatrix*, double ** *white_designMatrix*, int *n*, int *nf*, double *tol*, char *rescale_errors*, double * *outP*, double * *e*, double ** *cvm*, char *robust*)


13.33 TKlog.h File Reference

```
#include <stdio.h>
#include <time.h>
```

Include dependency graph for TKlog.h:



This graph shows which files directly or indirectly include this file:



Macros

- `#define TK_MAX_ERRORS 16`
- `#define TK_MAX_ERROR_LEN 128`
- `#define LOG_OUTFILE stdout`
- `#define RESETCOLOR "\033[0m"`
- `#define WARNCOLOR RESETCOLOR "\033[0;35m"`
- `#define BOLDRESETCOLOR RESETCOLOR "\033[1m"`
- `#define ERRORCOLOR RESETCOLOR "\033[1;31m"`
- `#define WHERESTR "[%s:%d] "`
- `#define WHEREARG __FILE__, __LINE__`
- `#define ENDL "\n"`
- `#define WHEREERR ERRORCOLOR "***ERROR***\n [%s:%d] " RESETCOLOR`
- `#define WHEREWARN BOLDRESETCOLOR "[%s:%d] " WARNCOLOR "Warning: " RESETCOLOR`
- `#define ENDERR "\n***!!!!***"`
- `#define WHERECHECK "[%s:%d] T=%.2f s: "`
- `#define _LOG(_fmt, ...) _TKchklog(LOG_OUTFILE, _fmt, ## __VA_ARGS__)`
- `#define logmsg(_fmt, ...) _LOG(WHERESTR _fmt ENDL, WHEREARG, ## __VA_ARGS__)`
- `#define logdbg(_fmt, ...) if(debugFlag)logmsg(_fmt, ## __VA_ARGS__)`
- `#define logerr(_fmt, ...) do{TK_STORE_ERROR(_fmt, ## __VA_ARGS__); _LOG(WHEREERR _fmt ENDE↵RR ENDL, WHEREARG, ## __VA_ARGS__); }while(0)`
- `#define logwarn(_fmt, ...) do{TK_STORE_WARNING(_fmt, ## __VA_ARGS__); _LOG(WHEREWARN _fmt ENDL, WHEREARG, ## __VA_ARGS__); }while(0)`
- `#define logtchk(_fmt, ...) if(tcheck)_LOG(WHERECHECK _fmt ENDL, WHEREARG, (clock()-timer_↵clk)/(float)CLOCKS_PER_SEC, ## __VA_ARGS__)`
- `#define TK_STORE_ERROR(_fmt, ...) if(TK_errorCount < TK_MAX_ERRORS)snprintf(TK_errorlog[TK_↵errorCount], TK_MAX_ERROR_LEN, _fmt, ## __VA_ARGS__); ++TK_errorCount`

- `#define TK_STORE_WARNING(_fmt, ...) if(TK_warnCount < TK_MAX_ERRORS)snprintf(TK_warnlog[TK_warnCount],TK_MAX_ERROR_LEN, _fmt,##__VA_ARGS__); ++TK_warnCount`
- `#define DEPRECATED`

Functions

- `int logerr_check ()`
- `void _TKchklog (FILE *, const char *,...)`

Variables

- `int debugFlag`
- `int writeResiduals`
- `int tcheck`
- `clock_t timer_clk`
- `unsigned TK_errorCount`
- `unsigned TK_warnCount`
- `char TK_errorlog [TK_MAX_ERRORS][TK_MAX_ERROR_LEN]`
- `char TK_warnlog [TK_MAX_ERRORS][TK_MAX_ERROR_LEN]`

13.33.1 Macro Definition Documentation

13.33.1.1 `#define _LOG(_fmt, ...) _TKchklog(LOG_OUTFILE,_fmt,##__VA_ARGS__)`

13.33.1.2 `#define BOLDCOLOR RESETCOLOR "\033[1m"`

13.33.1.3 `#define DEPRECATED`

13.33.1.4 `#define ENDERR "\n***!!!!***"`

13.33.1.5 `#define ENDL "\n"`

13.33.1.6 `#define ERRORCOLOR RESETCOLOR "\033[1;31m"`

13.33.1.7 `#define LOG_OUTFILE stdout`

13.33.1.8 `#define logdbg(_fmt, ...) if(debugFlag)logmsg(_fmt,##__VA_ARGS__)`

13.33.1.9 `#define logerr(_fmt, ...) do{TK_STORE_ERROR(_fmt,##__VA_ARGS__); _LOG(WHEREERR _fmt
ENDERR ENDL, WHEREARG,##__VA_ARGS__);}while(0)`

13.33.1.10 `#define logmsg(_fmt, ...) _LOG(WHERESTR _fmt ENDL, WHEREARG,##__VA_ARGS__)`

13.33.1.11 `#define logtchk(_fmt, ...) if(tcheck)_LOG(WHERETCHK _fmt ENDL,
WHEREARG,(clock()-timer_clk)/(float)CLOCKS_PER_SEC,##__VA_ARGS__)`

13.33.1.12 `#define logwarn(_fmt, ...) do{TK_STORE_WARNING(_fmt,##__VA_ARGS__); _LOG(WHEREWARN _fmt
ENDL, WHEREARG,##__VA_ARGS__);while(0)`

13.33.1.13 `#define RESETCOLOR "\033[0m"`

13.33.1.14 `#define TK_MAX_ERROR_LEN 128`

13.33.1.15 `#define TK_MAX_ERRORS 16`

```
13.33.1.16 #define TK_STORE_ERROR( _fmt, ... ) if(TK_errorCount < TK_MAX_ERROR↵
    S)snprintf(TK_errorlog[TK_errorCount],TK_MAX_ERROR_LEN, _fmt,##__VA_ARGS__);
    ++TK_errorCount
```

```
13.33.1.17 #define TK_STORE_WARNING( _fmt, ... ) if(TK_warnCount < TK_MAX_ERROR↵
    S)snprintf(TK_warnlog[TK_warnCount],TK_MAX_ERROR_LEN, _fmt,##__VA_ARGS__);
    ++TK_warnCount
```

```
13.33.1.18 #define WARNCOLOR RESETCOLOR "\033[0;35m"
```

```
13.33.1.19 #define WHEREARG __FILE__, __LINE__
```

```
13.33.1.20 #define WHEREERR ERRORCOLOR "***ERROR***\n [%s:%d] " RESETCOLOR
```

```
13.33.1.21 #define WHERESTR "[%s:%d] "
```

```
13.33.1.22 #define WHERECHK "[%s:%d] T=%.2f s: "
```

```
13.33.1.23 #define WHEREWARN BOLDCOLOR "[%s:%d] " WARNCOLOR "Warning: " RESETCOLOR
```

13.33.2 Function Documentation

```
13.33.2.1 void _TKchklog ( FILE *, const char *, ... )
```

```
13.33.2.2 int logerr_check ( )
```

13.33.3 Variable Documentation

```
13.33.3.1 int debugFlag
```

```
13.33.3.2 int tcheck
```

```
13.33.3.3 clock_t timer_clk
```

```
13.33.3.4 unsigned TK_errorCount
```

```
13.33.3.5 char TK_errorlog[TK_MAX_ERRORS][TK_MAX_ERROR_LEN]
```

```
13.33.3.6 unsigned TK_warnCount
```


```
13.33.3.7 char TK_warnlog[TK_MAX_ERRORS][TK_MAX_ERROR_LEN]
```

```
13.33.3.8 int writeResiduals
```

13.34 TKlongdouble.float128.h File Reference

```
#include <math.h>
#include <quadmath.h>
```

Include dependency graph for TKlongdouble.float128.h:



Macros

- `#define USE_BUILTIN_LONGDOUBLE`
- `#define LONGDOUBLE_IS_FLOAT128`
- `#define LONGDOUBLE_ONE 1.0Q`
- `#define longdouble(a) a##Q`
- `#define FMT_LD "Q"`
- `#define LD_PI M_PiQ`
- `#define cosl cosq`
- `#define sinl sinq`
- `#define floorl floorq`
- `#define fabsl fabsq`

Typedefs

- `typedef __float128 longdouble`

Functions

- `longdouble parse_longdouble` (const char *str)
- `int ld_printf` (const char *__format,...)
- `int ld_fprintf` (FILE *__stream, const char *__format,...)
- `int ld_sprintf` (char *__str, const char *__format,...)

13.34.1 Macro Definition Documentation

13.34.1.1 `#define cosl cosq`

13.34.1.2 `#define fabsl fabsq`

13.34.1.3 `#define floorl floorq`

13.34.1.4 `#define FMT_LD "Q"`

13.34.1.5 `#define LD_PI M_PiQ`

13.34.1.6 `#define longdouble(a) a##Q`

13.34.1.7 `#define LONGDOUBLE_IS_FLOAT128`

13.34.1.8 `#define LONGDOUBLE_ONE 1.0Q`

13.34.1.9 `#define sinl sinq`

13.34.1.10 `#define USE_BUILTIN_LONGDOUBLE`

13.34.2 Typedef Documentation

13.34.2.1 `typedef __float128 longdouble`

13.34.3 Function Documentation

13.34.3.1 `int ld_fprintf (FILE * __stream, const char * __format, ...)`

13.34.3.2 `int ld_printf (const char * __format, ...)`

13.34.3.3 `int ld_sprintf (char * __str, const char * __format, ...)`


13.34.3.4 `longdouble parse_longdouble (const char * str)`

13.35 TKlongdouble.h File Reference


```
#include <math.h>
```

```
#include <quadmath.h>
```

Include dependency graph for TKlongdouble.h:



This graph shows which files directly or indirectly include this file:



Macros

- `#define USE_BUILTIN_LONGDOUBLE`
- `#define LONGDOUBLE_IS_FLOAT128`
- `#define LONGDOUBLE_ONE 1.0Q`
- `#define longdouble(a) a##Q`
- `#define FMT_LD "Q"`
- `#define LD_PI M_PiQ`
- `#define cosl cosq`
- `#define sinl sinq`
- `#define floorl floorq`
- `#define fabsl fabsq`

Typedefs

- `typedef __float128 longdouble`

Functions

- `longdouble parse_longdouble` (const char *str)
- `int ld_printf` (const char *__format,...)
- `int ld_fprintf` (FILE *__stream, const char *__format,...)
- `int ld_sprintf` (char *__str, const char *__format,...)

13.35.1 Macro Definition Documentation

13.35.1.1 `#define cosl cosq`

13.35.1.2 `#define fabsl fabsq`

13.35.1.3 `#define floorl floorq`

13.35.1.4 `#define FMT_LD "Q"`

13.35.1.5 `#define LD_PI M_PiQ`

13.35.1.6 `#define longdouble(a) a##Q`

13.35.1.7 `#define LONGDOUBLE_IS_FLOAT128`

13.35.1.8 `#define LONGDOUBLE_ONE 1.0Q`

13.35.1.9 `#define sinl sinq`

13.35.1.10 `#define USE_BUILTIN_LONGDOUBLE`

13.35.2 Typedef Documentation

13.35.2.1 `typedef __float128 longdouble`

13.35.3 Function Documentation

13.35.3.1 `int ld_fprintf (FILE *__stream, const char *__format, ...)`

13.35.3.2 `int ld_printf (const char * __format, ...)`


13.35.3.3 `int ld_sprintf (char * __str, const char * __format, ...)`

13.35.3.4 `longdouble parse_longdouble (const char * str)`

13.36 TKlongdouble.Id.h File Reference

```
#include <math.h>
```

Include dependency graph for TKlongdouble.Id.h:



Macros

- `#define USE_BUILTIN_LONGDOUBLE`
- `#define longdouble(a) a##L`
- `#define LD_PI M_PI`
- `#define LONGDOUBLE_IS_IEEE754`
- `#define LONGDOUBLE_ONE 1.0L`
- `#define ld_printf printf`
- `#define ld_fprintf fprintf`
- `#define ld_sprintf sprintf`

Typedefs

- `typedef long double longdouble`

Functions

- `longdouble parse_longdouble (const char *str)`

13.36.1 Macro Definition Documentation

13.36.1.1 `#define ld_fprintf fprintf`

13.36.1.2 `#define LD_PI M_PI`

13.36.1.3 `#define ld_printf printf`

13.36.1.4 `#define` `ld_sprintf` `sprintf`

13.36.1.5 `#define` `longdouble(a)` `a##L`

13.36.1.6 `#define` `LONGDOUBLE_IS_IEEE754`

13.36.1.7 `#define` `LONGDOUBLE_ONE` `1.0L`

13.36.1.8 `#define` `USE_BUILTIN_LONGDOUBLE`

13.36.2 Typedef Documentation


13.36.2.1 `typedef` `long double` `longdouble`

13.36.3 Function Documentation

13.36.3.1 `longdouble` `parse_longdouble (const char * str)`

13.37 TKmatrix.h File Reference

This graph shows which files directly or indirectly include this file:



Functions

- void `TKmultMatrix_sq` (`double **idcm`, `double **u`, `int ndata`, `int npol`, `double **uout`)
- void `TKmultMatrixVec_sq` (`double **idcm`, `double *b`, `int ndata`, `double *bout`)
- void `TKmultMatrix` (`double **idcm`, `double **u`, `int ndata`, `int ndata2`, `int npol`, `double **uout`)
- void `TKmultMatrixVec` (`double **idcm`, `double *b`, `int ndata`, `int ndata2`, `double *bout`)
- `double ** malloc_uinv` (`int n`)
- `double ** malloc_blas` (`int n`, `int m`)
- void `free_blas` (`double **matrix`)
- void `free_uinv` (`double **uinv`)
- `int get_blas_rows` (`double **uinv`)
- `int get_blas_cols` (`double **uinv`)
- `float ** malloc_2df` (`int rows`, `int cols`)
- void `free_2df` (`float **uinv`)

13.37.1 Function Documentation

13.37.1.1 void free_2df (float ** *uinv*)

13.37.1.2 void free_blas (double ** *matrix*)

13.37.1.3 void free_uinv (double ** *uinv*)

13.37.1.4 int get_blas_cols (double ** *uinv*)

13.37.1.5 int get_blas_rows (double ** *uinv*)

13.37.1.6 float** malloc_2df (int *rows*, int *cols*)

13.37.1.7 double** malloc_blas (int *n*, int *m*)

13.37.1.8 double** malloc_uinv (int *n*)

13.37.1.9 void TKmultMatrix (double ** *idcm*, double ** *u*, int *ndata*, int *ndata2*, int *npol*, double ** *uout*)

13.37.1.10 void TKmultMatrix_sq (double ** *idcm*, double ** *u*, int *ndata*, int *npol*, double ** *uout*)

13.37.1.11 void TKmultMatrixVec (double ** *idcm*, double * *b*, int *ndata*, int *ndata2*, double * *bout*)


13.37.1.12 void TKmultMatrixVec_sq (double ** *idcm*, double * *b*, int *ndata*, double * *bout*)

13.38 TKspectrum.h File Reference

```
#include "tempo2.h"
```

```
#include "TKfit.h"
```

Include dependency graph for TKspectrum.h:



Classes

- struct [complexVal](#)

Macros

- #define [ABS](#)(x) ((x) < 0 ? -(x) : (x))
- #define [MAX](#)(x, y) ((x) > (y) ? (x) : (y))
- #define [MIN](#)(x, y) ((x) < (y) ? (x) : (y))

Typedefs

- typedef struct [complexVal](#) [complexVal](#)

Functions

- void [readin](#) ([pulsar](#) psr)
- void [getprty](#) (int n)
- void [indexx8](#) (int n, double *arrin, int *indx)
- void [getweights](#) (int n, double *wt)
- void [fit4](#) (int *nfit, double *p4, double *cov4, int ndostats, double *chidf, double *avewt)
- void [mat20](#) (double sam[21][21], double a[21][21], int n, double *determ, int *nbad)
- void [sineFunc](#) (double x, double *v, int ma)
- void [TKsortit](#) (double *x, double *y, int n)
- void [TKaveragePts](#) (double *x, double *y, int n, int width, double *meanX, double *meanY, int *nMean)
- void [TKcmonot](#) (int n, double x[], double y[], double yd[][4])
- void [TKspline_interpolate](#) (int n, double *x, double *y, double yd[][4], double *interpX, double *interpY, int nInterp)
- void [TKinterpolateSplineSmoothFixedXPts](#) (double *inX, double *inY, int inN, double *interpX, double *interpY, int nInterp)
- void [TKhann](#) (double *x, double *y, int n, double *ox, double *oy, int *on, int width)
- void [TKfirstDifference](#) (double *x, double *y, int n)
- void [TK_fitSine](#) (double *x, double *y, double *e, int n, int wErr, double *outX, double *outY, int *outN)
- void [TKlomb_d](#) (double *x, double *y, int n, double ofac, double hifac, double *ox, double *oy, int *outN, double *var)
- int [TK_fft](#) (short int dir, long n, double *x, double *y)
- void [TK_dft](#) (double *x, double *y, int n, double *outX, double *outY, int *outN, double *outY_re, double *outY_im)
- void [TK_weightLS](#) (double *x, double *y, double *sig, int n, double *outX, double *outY, int *outN, double *outY_re, double *outY_im)
- void [TK_fitSinusoids](#) (double *x, double *y, double *sig, int n, double *outX, double *outY, int *outN)
- void [fitMeanSineFunc](#) (double x, double *v, int nfit, [pulsar](#) *psr, int ival, int ipsr)
- void [fitCosSineFunc](#) (double x, double *v, int nfit, [pulsar](#) *psr, int ival, int ipsr)
- int [calcSpectraErr](#) (double **uinv, double *resx, double *resy, int nres, double *specX, double *specY, double *specE, int nfit)
- double [TKspectrum](#) (double *x, double *y, double *e, int n, int averageTime, int smoothWidth, int smoothType, int fitSpline, int preWhite, int specType, double ofac, double hifac, int specOut, double *outX, double *outY, int *nout, int calcWhite, int output, double *outY_re, double *outY_im)
- void [TKboxcar](#) (double *x, double *y, int n, double *ox, double *oy, int *on, int width)
- void [TKcalcSigmaZ](#) ([pulsar](#) psr, int weights, double *ret_tau, double *ret_szbias, double *ret_e1, double *ret_e2, int *ret_nval, double mintau)
- int [calcSpectra](#) (double **uinv, double *resx, double *resy, int nres, double *specX, double *specY, int nfit)
- int [calcSpectra_ri](#) (double **uinv, double *resx, double *resy, int nres, double *specX, double *specY_R, double *specY_I, int nfit, [pulsar](#) *psr)

- int `calcSpectra_ri_T` (double ***uinv*, double **resx*, double **resy*, int *nres*, double **specX*, double **specY_R*, double **specY_I*, int *nfit*, double *T*, char *useCM*, [pulsar](#) **psr*)
- void `fitMeanSineFunc_IFUNC` (double *x*, double **v*, int *nfit*, [pulsar](#) **psr*, int *ival*, int *ipsr*)
- void `fitCosSineFunc` (double *x*, double **v*, int *nfit*, [pulsar](#) **psr*, int *ival*)

Variables

- double [GLOBAL_OMEGA](#)
- bool [verbose_calc_spectra](#)

13.38.1 Macro Definition Documentation

13.38.1.1 `#define ABS(x) ((x) < 0 ? -(x) : (x))`

13.38.1.2 `#define MAX(x, y) ((x) > (y) ? (x) : (y))`

13.38.1.3 `#define MIN(x, y) ((x) < (y) ? (x) : (y))`

13.38.2 Typedef Documentation

13.38.2.1 `typedef struct complexVal complexVal`

13.38.3 Function Documentation

13.38.3.1 `int calcSpectra (double ** uinv, double * resx, double * resy, int nres, double * specX, double * specY, int nfit)`

13.38.3.2 `int calcSpectra_ri (double ** uinv, double * resx, double * resy, int nres, double * specX, double * specY_R, double * specY_I, int nfit, pulsar * psr)`

13.38.3.3 `int calcSpectra_ri_T (double ** uinv, double * resx, double * resy, int nres, double * specX, double * specY_R, double * specY_I, int nfit, double T, char useCM, pulsar * psr)`

13.38.3.4 `int calcSpectraErr (double ** uinv, double * resx, double * resy, int nres, double * specX, double * specY, double * specE, int nfit)`

13.38.3.5 `void fit4 (int * nfit, double * p4, double * cov4, int ndostats, double * chidf, double * avewt)`

13.38.3.6 `void fitCosSineFunc (double x, double * v, int nfit, pulsar * psr, int ival, int ipsr)`

13.38.3.7 `void fitCosSineFunc (double x, double * v, int nfit, pulsar * psr, int ival)`

13.38.3.8 `void fitMeanSineFunc (double x, double * v, int nfit, pulsar * psr, int ival, int ipsr)`

13.38.3.9 `void fitMeanSineFunc_IFUNC (double x, double * v, int nfit, pulsar * psr, int ival, int ipsr)`

13.38.3.10 `void getprtj (int n)`

13.38.3.11 `void getweights (int n, double * wt)`

13.38.3.12 `void indexx8 (int n, double * arrin, int * indx)`

13.38.3.13 `void mat20 (double sam[21][21], double a[21][21], int n, double * determ, int * nbad)`

13.38.3.14 `void readin (pulsar psr)`

- 13.38.3.15 void sineFunc (double *x*, double * *v*, int *ma*)
- 13.38.3.16 void TK_dft (double * *x*, double * *y*, int *n*, double * *outX*, double * *outY*, int * *outN*, double * *outY_re*, double * *outY_im*)
- 13.38.3.17 int TK_fft (short int *dir*, long *n*, double * *x*, double * *y*)
- 13.38.3.18 void TK_fitSine (double * *x*, double * *y*, double * *e*, int *n*, int *wErr*, double * *outX*, double * *outY*, int * *outN*)
- 13.38.3.19 void TK_fitSinusoids (double * *x*, double * *y*, double * *sig*, int *n*, double * *outX*, double * *outY*, int * *outN*)
- 13.38.3.20 void TK_weightLS (double * *x*, double * *y*, double * *sig*, int *n*, double * *outX*, double * *outY*, int * *outN*, double * *outY_re*, double * *outY_im*)
- 13.38.3.21 void TKaveragePts (double * *x*, double * *y*, int *n*, int *width*, double * *meanX*, double * *meanY*, int * *nMean*)
- 13.38.3.22 void TKboxcar (double * *x*, double * *y*, int *n*, double * *ox*, double * *oy*, int * *on*, int *width*)
- 13.38.3.23 void TKcalcSigmas (pulsar *psr*, int *weights*, double * *ret_tau*, double * *ret_szbias*, double * *ret_e1*, double * *ret_e2*, int * *ret_nval*, double *mintau*)
- 13.38.3.24 void TKcmonot (int *n*, double *x*[], double *y*[], double *yd*[][4])
- 13.38.3.25 void TKfirstDifference (double * *x*, double * *y*, int *n*)
- 13.38.3.26 void TKhann (double * *x*, double * *y*, int *n*, double * *ox*, double * *oy*, int * *on*, int *width*)
- 13.38.3.27 void TKinterpolateSplineSmoothFixedXPts (double * *inX*, double * *inY*, int *inN*, double * *interpX*, double * *interpY*, int *nInterp*)
- 13.38.3.28 void TKlomb_d (double * *x*, double * *y*, int *n*, double *ofac*, double *hifac*, double * *ox*, double * *oy*, int * *outN*, double * *var*)
- 13.38.3.29 void TKsortit (double * *x*, double * *y*, int *n*)
- 13.38.3.30 double TKspectrum (double * *x*, double * *y*, double * *e*, int *n*, int *averageTime*, int *smoothWidth*, int *smoothType*, int *fitSpline*, int *preWhite*, int *specType*, double *ofac*, double *hifac*, int *specOut*, double * *outX*, double * *outY*, int * *nout*, int *calcWhite*, int *output*, double * *outY_re*, double * *outY_im*)
- 13.38.3.31 void TKspline_interpolate (int *n*, double * *x*, double * *y*, double *yd*[][4], double * *interpX*, double * *interpY*, int *nInterp*)

13.38.4 Variable Documentation

- 13.38.4.1 double GLOBAL_OMEGA
- 13.38.4.2 bool verbose_calc_spectra

13.39 TKsvd.h File Reference

Functions

- void [TKsingularValueDecomposition_Isq](#) (longdouble **designMatrix, int *n*, int *nf*, longdouble ***v*, longdouble **w*, longdouble ***u*)
- void [TKbacksubstitution_svd](#) (longdouble ***V*, longdouble **w*, longdouble ***U*, longdouble **b*, longdouble **x*, int *n*, int *nf*)

- `longdouble TKpythag (longdouble a, longdouble b)`
- `void TKbidiagonal (longdouble **a, longdouble *anorm, int ndata, int nfit, longdouble **v, longdouble *w, longdouble **u, longdouble *rv1)`

13.39.1 Function Documentation

13.39.1.1 `void TKbacksubstitution_svd (longdouble ** V, longdouble * w, longdouble ** U, longdouble * b, longdouble * x, int n, int nf)`

13.39.1.2 `void TKbidiagonal (longdouble ** a, longdouble * anorm, int ndata, int nfit, longdouble ** v, longdouble * w, longdouble ** u, longdouble * rv1)`

13.39.1.3 `longdouble TKpythag (longdouble a, longdouble b)`

13.39.1.4 `void TKsingularValueDecomposition_Isq (longdouble ** designMatrix, int n, int nf, longdouble ** v, longdouble * w, longdouble ** u)`

Index

- `_DARWIN_USE_64_BIT_INODE`
config.h, 77
 - `_LOG`
TKlog.h, 135
 - `_TKchklog`
TKlog.h, 136
- ABS
 - TKspectrum.h, 144
- ACCEL_LSQ
 - T2accel.h, 91
- ACCEL_MULTMATRIX
 - T2accel.h, 91
- ACCEL_UINV
 - T2accel.h, 91
- aSize
 - parameter, 46
- AU_DIST
 - tempo2.h, 109
- AULTSC
 - tempo2.h, 109
- accel_lsqr
 - T2accel.h, 91
- accel_multMatrix
 - T2accel.h, 91
- accel_multMatrixVec
 - T2accel.h, 91
- accel_uinv
 - T2accel.h, 91
- across_g
 - gwSrc, 35
 - gwgeneralSrc, 33
- across_im_g
 - gwSrc, 35
 - gwgeneralSrc, 33
- addTNGlobalEQ
 - pulsar, 53
- addedNoise
 - observation, 39
- allocateMemory
 - tempo2.h, 120
- aplus_g
 - gwSrc, 35
 - gwgeneralSrc, 33
- aplus_im_g
 - gwSrc, 35
 - gwgeneralSrc, 33
- asl_g
 - gwgeneralSrc, 33
- asl_im_g
 - gwgeneralSrc, 33
- ast_g
 - gwgeneralSrc, 33
- ast_im_g
 - gwgeneralSrc, 33
- au
 - jpl_eph_data, 36
- auto_constraints
 - pulsar, 53
- autoConstraints
 - tempo2.h, 120
- autosetDMCM
 - constraints.h, 79
- AverageEpochWidth
 - pulsar, 53
- AverageFlag
 - pulsar, 53
- AverageResiduals
 - pulsar, 53
- averagebat
 - observation, 39
- averageerr
 - observation, 39
- averageres
 - observation, 39
- avx_g
 - gwgeneralSrc, 33
- avx_im_g
 - gwgeneralSrc, 33
- avy_g
 - gwgeneralSrc, 33
- avy_im_g
 - gwgeneralSrc, 33
- BIG_G
 - tempo2.h, 109
- BOLDCOLOR
 - TKlog.h, 135
- BTJmodel
 - tempo2.h, 120
- BTXmodel
 - tempo2.h, 120
- BTmodel
 - tempo2.h, 120
- bat
 - observation, 39
- batCorr
 - observation, 39
- bbat
 - observation, 39

- binary_frequency
 - T1Polyco, [67](#)
- binary_phase
 - T1Polyco, [67](#)
- binaryModel
 - pulsar, [53](#)
- bootStrap
 - pulsar, [53](#)
- bootstrap
 - tempo2.h, [120](#)
- c_fileptr
 - read_fortran.h, [89](#)
- c_fileptr2
 - read_fortran2.h, [90](#)
- CONSTRAINTfuncs
 - constraints.h, [80](#)
- CVSdisplayVersion
 - tempo2.h, [120](#)
- cache
 - jpl_eph_data, [36](#)
- calcRMS
 - tempo2.h, [120](#)
- calcShapiro
 - pulsar, [53](#)
- calcSpectra
 - TKspectrum.h, [144](#)
- calcSpectra_ri
 - TKspectrum.h, [144](#)
- calcSpectra_ri_T
 - TKspectrum.h, [144](#)
- calcSpectraErr
 - TKspectrum.h, [144](#)
- calculate_bclt
 - tempo2.h, [120](#)
- calculateResidualGW
 - GWsim.h, [83](#)
- calculateResidualgeneralGW
 - GWsim.h, [83](#)
- cgw_angpol
 - pulsar, [53](#)
- cgw_cosinc
 - pulsar, [53](#)
- cgw_h0
 - pulsar, [53](#)
- cgw_mc
 - pulsar, [53](#)
- Cheby
 - tempo2pred.h, [127](#)
- cheby
 - ChebyModel, [28](#)
 - T2Predictor, [69](#)
- Cheby2D, [27](#)
 - coeff, [27](#)
 - nx, [27](#)
 - ny, [27](#)
- Cheby2D_Construct
 - tempo2pred_int.h, [129](#)
- Cheby2D_Construct_x_Derivative
 - tempo2pred_int.h, [129](#)
- Cheby2D_Test
 - tempo2pred_int.h, [129](#)
- ChebyModel, [27](#)
 - cheby, [28](#)
 - dispersion_constant, [28](#)
 - freq_end, [28](#)
 - freq_start, [28](#)
 - frequency_cheby, [28](#)
 - mjd_end, [28](#)
 - mjd_start, [28](#)
 - psrname, [28](#)
 - sitename, [28](#)
- ChebyModel_Construct
 - tempo2pred_int.h, [129](#)
- ChebyModel_Copy
 - tempo2pred_int.h, [129](#)
- ChebyModel_Destroy
 - tempo2pred_int.h, [130](#)
- ChebyModel_GetFrequency
 - tempo2pred_int.h, [130](#)
- ChebyModel_GetPhase
 - tempo2pred_int.h, [130](#)
- ChebyModel_Init
 - tempo2pred_int.h, [130](#)
- ChebyModel_Read
 - tempo2pred_int.h, [130](#)
- ChebyModel_Test
 - tempo2pred_int.h, [130](#)
- ChebyModel_Write
 - tempo2pred_int.h, [130](#)
- ChebyModelSet, [29](#)
 - nsegments, [29](#)
 - segments, [29](#)
- ChebyModelSet_Construct
 - tempo2pred_int.h, [130](#)
- ChebyModelSet_Destroy
 - tempo2pred_int.h, [130](#)
- ChebyModelSet_GetFrequency
 - tempo2pred_int.h, [130](#)
- ChebyModelSet_GetNearest
 - tempo2pred_int.h, [130](#)
- ChebyModelSet_GetPhase
 - tempo2pred_int.h, [130](#)
- ChebyModelSet_Init
 - tempo2pred_int.h, [130](#)
- ChebyModelSet_Insert
 - tempo2pred_int.h, [130](#)
- ChebyModelSet_Keep
 - tempo2pred_int.h, [130](#)
- ChebyModelSet_OutOfRange
 - tempo2pred.h, [128](#)
- ChebyModelSet_Read
 - tempo2pred_int.h, [130](#)
- ChebyModelSet_Test
 - tempo2pred_int.h, [130](#)
- ChebyModelSet_Write
 - tempo2pred_int.h, [130](#)

- cholesky.h, [73](#)
 - cholesky_covarFunc2matrix, [73](#)
 - cholesky_dmModel, [73](#)
 - cholesky_dmModelCovarParam, [73](#)
 - cholesky_ecm, [73](#)
 - cholesky_formUinv, [73](#)
 - cholesky_powerlawModel, [73](#)
 - cholesky_powerlawModel_withBeta, [73](#)
 - cholesky_readFromCovarianceFunction, [73](#)
- cholesky_covarFunc2matrix
 - cholesky.h, [73](#)
 - TKcholesky.h, [131](#)
- cholesky_dmModel
 - cholesky.h, [73](#)
 - TKcholesky.h, [131](#)
- cholesky_dmModelCovarParam
 - cholesky.h, [73](#)
 - TKcholesky.h, [131](#)
- cholesky_ecm
 - cholesky.h, [73](#)
 - TKcholesky.h, [131](#)
- cholesky_formUinv
 - cholesky.h, [73](#)
 - TKcholesky.h, [131](#)
- cholesky_powerlawModel
 - cholesky.h, [73](#)
 - TKcholesky.h, [132](#)
- cholesky_powerlawModel_withBeta
 - cholesky.h, [73](#)
 - TKcholesky.h, [132](#)
- cholesky_readFromCovarianceFunction
 - cholesky.h, [73](#)
 - TKcholesky.h, [132](#)
- choleskyRoutines.h, [74](#)
 - EXPSMOOTH, [76](#)
 - FCALPHA, [76](#)
 - FCFINAL, [76](#)
 - NFIT, [76](#)
 - T2calculateCholesky, [75](#)
 - T2calculateCovarFunc, [75](#)
 - T2calculateDailyCovariance, [75](#)
 - T2calculateSpectra, [75](#)
 - T2cholDecomposition, [75](#)
 - T2cubicFit, [75](#)
 - T2findSmoothCurve, [75](#)
 - T2fitSpectra, [75](#)
 - T2get_covFunc_automatic, [75](#)
 - T2getHighFreqRes, [75](#)
 - T2getWhiteNoiseLevel, [75](#)
 - T2getWhiteRes, [75](#)
 - T2guess_vals, [75](#)
 - T2interpolate, [75](#)
 - T2obtainTimingResiduals, [75](#)
 - T2writeCovarFuncModel, [76](#)
 - UPW, [76](#)
 - WNLEVEL, [76](#)
- clk_offsE
 - pulsar, [53](#)
- clk_offsT
 - pulsar, [53](#)
- clk_offsV
 - pulsar, [54](#)
- clkOffsN
 - pulsar, [54](#)
- clock
 - pulsar, [54](#)
- clock_correction, [29](#)
 - correction, [30](#)
 - corrects_to, [30](#)
- clock_name
 - observatory, [45](#)
- clockCorr
 - observation, [39](#)
- clockFromOverride
 - pulsar, [54](#)
- close_file
 - read_fortran.h, [89](#)
- close_file2
 - read_fortran2.h, [90](#)
- code
 - observatory, [45](#)
- coeff
 - Cheby2D, [27](#)
 - T1Polycy, [67](#)
- comment
 - storePrecision, [66](#)
- complexVal, [30](#)
 - imag, [30](#)
 - real, [30](#)
 - TKspectrum.h, [144](#)
- compute_tropospheric_delays
 - tempo2.h, [120](#)
- computeConstraintWeights
 - constraints.h, [79](#)
- config.h, [76](#)
 - _DARWIN_USE_64_BIT_INODE, [77](#)
 - F77_FUNC, [77](#)
 - F77_FUNC_, [77](#)
 - HAVE_BLAS, [77](#)
 - HAVE_DLERROR, [77](#)
 - HAVE_DLFCN_H, [77](#)
 - HAVE_FFTW3, [77](#)
 - HAVE_INTTYPES_H, [77](#)
 - HAVE_LAPACK, [77](#)
 - HAVE_LIBDL, [77](#)
 - HAVE_LIBDLLOADER, [77](#)
 - HAVE_LIBM, [77](#)
 - HAVE_MEMORY_H, [77](#)
 - HAVE_PGPLOT, [77](#)
 - HAVE_PTHREAD, [77](#)
 - HAVE_STDINT_H, [77](#)
 - HAVE_STDLIB_H, [77](#)
 - HAVE_STRING_H, [77](#)
 - HAVE_STRINGS_H, [78](#)
 - HAVE_SYS_STAT_H, [78](#)
 - HAVE_SYS_TYPES_H, [78](#)

HAVE_UNISTD_H, 78
 LT_OBJDIR, 78
 PACKAGE, 78
 PACKAGE_BUGREPORT, 78
 PACKAGE_NAME, 78
 PACKAGE_STRING, 78
 PACKAGE_TARNAME, 78
 PACKAGE_URL, 78
 PACKAGE_VERSION, 78
 STDC_HEADERS, 78
 TEMPO2_ARCH, 78
 VERSION, 78
 X_DISPLAY_MISSING, 78
 consFunc_dmmodel_cw
 constraints.h, 79
 consFunc_dmmodel_cw_year
 constraints.h, 79
 consFunc_dmmodel_dm1
 constraints.h, 79
 consFunc_dmmodel_mean
 constraints.h, 80
 consFunc_ifunc
 constraints.h, 80
 consFunc_ifunc_year
 constraints.h, 80
 consFunc_qifunc_c_year
 constraints.h, 80
 consFunc_qifunc_p_year
 constraints.h, 80
 consFunc_quad_ifunc_c
 constraints.h, 80
 consFunc_quad_ifunc_p
 constraints.h, 80
 consFunc_tel_dx
 constraints.h, 80
 consFunc_tel_dy
 constraints.h, 80
 consFunc_tel_dz
 constraints.h, 80
 constraint
 tempo2.h, 116
 constraint_LAST
 tempo2.h, 117
 constraint_dmmodel_cw_0
 tempo2.h, 116
 constraint_dmmodel_cw_1
 tempo2.h, 116
 constraint_dmmodel_cw_2
 tempo2.h, 116
 constraint_dmmodel_cw_3
 tempo2.h, 116
 constraint_dmmodel_cw_px
 tempo2.h, 116
 constraint_dmmodel_cw_year_cos
 tempo2.h, 116
 constraint_dmmodel_cw_year_cos2
 tempo2.h, 116
 constraint_dmmodel_cw_year_sin
 tempo2.h, 116
 constraint_dmmodel_cw_year_sin2
 tempo2.h, 116
 constraint_dmmodel_cw_year_xcos
 tempo2.h, 116
 constraint_dmmodel_cw_year_xsin
 tempo2.h, 116
 constraint_dmmodel_dm1
 tempo2.h, 116
 constraint_dmmodel_mean
 tempo2.h, 116
 constraint_ifunc_0
 tempo2.h, 116
 constraint_ifunc_1
 tempo2.h, 116
 constraint_ifunc_2
 tempo2.h, 116
 constraint_ifunc_year_cos
 tempo2.h, 116
 constraint_ifunc_year_cos2
 tempo2.h, 116
 constraint_ifunc_year_sin
 tempo2.h, 116
 constraint_ifunc_year_sin2
 tempo2.h, 116
 constraint_ifunc_year_xcos
 tempo2.h, 116
 constraint_ifunc_year_xsin
 tempo2.h, 116
 constraint_label
 tempo2.h, 115
 constraint_qifunc_c_year_cos
 tempo2.h, 117
 constraint_qifunc_c_year_cos2
 tempo2.h, 117
 constraint_qifunc_c_year_sin
 tempo2.h, 117
 constraint_qifunc_c_year_sin2
 tempo2.h, 117
 constraint_qifunc_c_year_xcos
 tempo2.h, 117
 constraint_qifunc_c_year_xsin
 tempo2.h, 117
 constraint_qifunc_p_year_cos
 tempo2.h, 117
 constraint_qifunc_p_year_cos2
 tempo2.h, 117
 constraint_qifunc_p_year_sin
 tempo2.h, 116
 constraint_qifunc_p_year_sin2
 tempo2.h, 117
 constraint_qifunc_p_year_xcos
 tempo2.h, 117
 constraint_qifunc_p_year_xsin
 tempo2.h, 117
 constraint_quad_ifunc_c_0
 tempo2.h, 116
 constraint_quad_ifunc_c_1

- tempo2.h, 116
- constraint_quad_ifunc_c_2
 - tempo2.h, 116
- constraint_quad_ifunc_p_0
 - tempo2.h, 116
- constraint_quad_ifunc_p_1
 - tempo2.h, 116
- constraint_quad_ifunc_p_2
 - tempo2.h, 116
- constraint_tel_dx_0
 - tempo2.h, 116
- constraint_tel_dx_1
 - tempo2.h, 116
- constraint_tel_dx_2
 - tempo2.h, 116
- constraint_tel_dy_0
 - tempo2.h, 116
- constraint_tel_dy_1
 - tempo2.h, 116
- constraint_tel_dy_2
 - tempo2.h, 116
- constraint_tel_dz_0
 - tempo2.h, 116
- constraint_tel_dz_1
 - tempo2.h, 116
- constraint_tel_dz_2
 - tempo2.h, 116
- constraintCounters
 - FitInfo, 32
- constraintDerivFunc
 - tempo2.h, 115
- constraintDerivs
 - FitInfo, 32
- constraintIndex
 - FitInfo, 32
- constraints
 - pulsar, 54
- constraints.h, 78
 - autosetDMCM, 79
 - CONSTRAINTfuncs, 80
 - computeConstraintWeights, 79
 - consFunc_dmmodel_cw, 79
 - consFunc_dmmodel_cw_year, 79
 - consFunc_dmmodel_dm1, 79
 - consFunc_dmmodel_mean, 80
 - consFunc_ifunc, 80
 - consFunc_ifunc_year, 80
 - consFunc_qifunc_c_year, 80
 - consFunc_qifunc_p_year, 80
 - consFunc_quad_ifunc_c, 80
 - consFunc_quad_ifunc_p, 80
 - consFunc_tel_dx, 80
 - consFunc_tel_dy, 80
 - consFunc_tel_dz, 80
 - get_constraint_name, 80
 - standardConstraintFunctions, 80
- copyPSR
 - tempo2.h, 120
- copyParam
 - tempo2.h, 120
- correctTroposphere
 - pulsar, 54
- correction
 - clock_correction, 30
- correctionTT_TB
 - observation, 40
- correctionTT_Teph
 - observation, 40
- correctionUT1
 - observation, 40
- correctionsTT
 - observation, 39
- corrects_to
 - clock_correction, 30
- cosl
 - TKlongdouble.float128.h, 137
 - TKlongdouble.h, 139
- covar
 - pulsar, 54
- covarFuncFile
 - tempo2.h, 124
- curr_cache_loc
 - jpl_eph_data, 36
- DDGRmodel
 - tempo2.h, 120
- DDHmodel
 - tempo2.h, 120
- DDKmodel
 - tempo2.h, 120
- DDSmodel
 - tempo2.h, 120
- DDmodel
 - tempo2.h, 120
- DEPRECATED
 - TKlog.h, 135
- DLL_FUNC
 - jpleph.h, 87
- DM_CONST
 - tempo2.h, 109
- DM_CONST_SI
 - tempo2.h, 109
- dadt
 - GWsim.h, 83
- data
 - DynamicArray, 30
- date_string
 - T1Polyco, 67
- dcmFile
 - tempo2.h, 124
- debugFlag
 - TKlog.h, 136
- decjStrPost
 - pulsar, 54
- decjStrPre
 - pulsar, 54
- decsim

- pulsar, [54](#)
- dedt
 - GWsim.h, [83](#)
- defineClockCorrectionSequence
 - tempo2.h, [120](#)
- delayCorr
 - observation, [40](#)
- deleteFileName
 - pulsar, [54](#)
- deleted
 - observation, [40](#)
- destroyMemory
 - tempo2.h, [120](#)
- destroyOne
 - tempo2.h, [120](#)
- dilateFreq
 - pulsar, [54](#)
- dispersion_constant
 - ChebyModel, [28](#)
- displayCVSversion
 - tempo2.h, [124](#)
- displayMsg
 - tempo2.h, [120](#)
- displayParameters
 - tempo2.h, [120](#)
- dist_bin
 - gwSrc, [35](#)
 - gwgeneralSrc, [33](#)
- dm
 - T1Polyco, [67](#)
- dm_delays
 - tempo2.h, [120](#)
- dmOffset
 - pulsar, [55](#)
- dmoffsCM
 - pulsar, [54](#)
- dmoffsCM_error
 - pulsar, [54](#)
- dmoffsCM_mjd
 - pulsar, [54](#)
- dmoffsCM_weight
 - pulsar, [54](#)
- dmoffsCMnum
 - pulsar, [54](#)
- dmoffsDM
 - pulsar, [55](#)
- dmoffsDM_error
 - pulsar, [55](#)
- dmoffsDM_mjd
 - pulsar, [55](#)
- dmoffsDM_weight
 - pulsar, [55](#)
- dmoffsDMnum
 - pulsar, [55](#)
- dms_turn
 - tempo2.h, [121](#)
 - tempo2Util.h, [131](#)
- doFit
 - tempo2.h, [121](#)
- doFitAll
 - tempo2.h, [121](#)
- doFitDCM
 - tempo2.h, [121](#)
- doFitGlobal
 - tempo2.h, [121](#)
- documentation/1_USER_GUIDE.md, [80](#)
- documentation/2_developers.md, [80](#)
- documentation/3_DEVELOPER_GUIDE.md, [80](#)
- documentation/4_directories.md, [80](#)
- doppler
 - T1Polyco, [67](#)
- dotProduct
 - GWsim.h, [83](#)
- dotproduct
 - tempo2.h, [121](#)
- dtdt
 - GWsim.h, [83](#)
- DynamicArray, [30](#)
 - data, [30](#)
 - elem_size, [30](#)
 - nallocated, [30](#)
 - nelem, [31](#)
- DynamicArray_free
 - dynarr.h, [81](#)
- DynamicArray_init
 - dynarr.h, [81](#)
- DynamicArray_push_back
 - dynarr.h, [81](#)
- DynamicArray_resize
 - dynarr.h, [82](#)
- dynarr.h, [81](#)
 - DynamicArray_free, [81](#)
 - DynamicArray_init, [81](#)
 - DynamicArray_push_back, [81](#)
 - DynamicArray_resize, [82](#)
- ECLIPTIC_OBLIQUITY
 - tempo2.h, [124](#)
- ECLIPTIC_OBLIQUITY_VAL
 - tempo2.h, [109](#)
- ELL1Hmodel
 - tempo2.h, [121](#)
- ELL1model
 - tempo2.h, [121](#)
- ENDERR
 - TKlog.h, [135](#)
- ENDL
 - TKlog.h, [135](#)
- ERRORCOLOR
 - TKlog.h, [135](#)
- EXPSMOOTH
 - choleskyRoutines.h, [76](#)
- earth_ssb
 - observation, [40](#)
- earthMoonBary_earth
 - observation, [40](#)
- earthMoonBary_ssb

- observation, 40
- eccRes
 - GWsim.h, 83
- eccResWithEnergy
 - GWsim.h, 83
- eclCoord
 - pulsar, 55
- efac
 - observation, 40
- einsteinRate
 - observation, 40
- elem_size
 - DynamicArray, 30
- emrat
 - jpl_eph_data, 37
- eopc04_file
 - pulsar, 55
- ephem_end
 - jpl_eph_data, 37
- ephem_start
 - jpl_eph_data, 37
- ephem_step
 - jpl_eph_data, 37
- ephemeris
 - pulsar, 55
- ephemeris_version
 - jpl_eph_data, 37
- equ2ecl
 - tempo2.h, 121
- equad
 - observation, 40
- err
 - parameter, 46
- F77_FUNC
 - config.h, 77
- F77_FUNC_
 - config.h, 77
- FB90_TIMEEPH
 - tempo2.h, 109
- FCALPHA
 - choleskyRoutines.h, 76
- FCFINAL
 - choleskyRoutines.h, 76
- FITfuncs
 - tempo2.h, 121
- FMT_LD
 - TKlongdouble.float128.h, 137
 - TKlongdouble.h, 139
- fabsl
 - TKlongdouble.float128.h, 137
 - TKlongdouble.h, 139
- Fe
 - GWsim.h, 84
- fileName
 - TabulatedFunction, 70
- filterStr
 - pulsar, 55
- Findphi
 - GWsim.h, 84
- fit4
 - TKspectrum.h, 144
- fitChisq
 - pulsar, 55
- fitCosSineFunc
 - TKspectrum.h, 144
- fitFlag
 - parameter, 46
- fitFunc
 - pulsar, 55
- FitInfo, 31
 - constraintCounters, 32
 - constraintDerivs, 32
 - constraintIndex, 32
 - nConstraints, 32
 - nParams, 32
 - paramCounters, 32
 - paramDerivs, 32
 - paramIndex, 32
 - tempo2.h, 115
 - updateFunctions, 32
- fitJump
 - pulsar, 55
- fitMeanSineFunc
 - TKspectrum.h, 144
- fitMeanSineFunc_IFUNC
 - TKspectrum.h, 144
- fitMode
 - pulsar, 55
- fitNfree
 - pulsar, 55
- fitParamGlobal
 - pulsar, 55
- fitParamGlobalK
 - pulsar, 55
- fitParamI
 - pulsar, 55
- fitParamK
 - pulsar, 56
- fitinfo
 - pulsar, 55
- fixedFormat
 - pulsar, 56
- fjumpID
 - pulsar, 56
- flagID
 - observation, 40
- flagVal
 - observation, 41
- floorl
 - TKlongdouble.float128.h, 137
 - TKlongdouble.h, 139
- fname
 - observation, 41
- forceGlobalFit
 - tempo2.h, 124
- formBats

- tempo2.h, [121](#)
- formBatsAll
 - tempo2.h, [121](#)
- formResiduals
 - tempo2.h, [121](#)
- fortran_mod
 - tempo2.h, [121](#)
- fortran_nint
 - tempo2.h, [121](#)
- fortran_nlong
 - tempo2.h, [121](#)
- free_2df
 - TKmatrix.h, [142](#)
- free_blas
 - TKmatrix.h, [142](#)
- free_uinv
 - TKmatrix.h, [142](#)
- freq
 - observation, [41](#)
- freq_end
 - ChebyModel, [28](#)
- freq_start
 - ChebyModel, [28](#)
- freqSSB
 - observation, [41](#)
- frequency_cheby
 - ChebyModel, [28](#)
- frequency_obs
 - T1Polyco, [67](#)
- frequency_psr_0
 - T1Polyco, [67](#)
- GLOBAL_OMEGA
 - TKspectrum.h, [145](#)
- GM
 - tempo2.h, [109](#)
- GM_C3
 - tempo2.h, [109](#)
- GMJ_C3
 - tempo2.h, [109](#)
- GMN_C3
 - tempo2.h, [109](#)
- GMS_C3
 - tempo2.h, [109](#)
- GMU_C3
 - tempo2.h, [109](#)
- GMV_C3
 - tempo2.h, [110](#)
- GWanisotropicbackground
 - GWsim.h, [84](#)
- GWbackground
 - GWsim.h, [84](#)
- GWbackground_read
 - GWsim.h, [84](#)
- GWbackground_write
 - GWsim.h, [84](#)
- GWdipolebackground
 - GWsim.h, [84](#)
- GWgeneralanisotropicbackground
 - GWsim.h, [84](#)
- GWgeneralbackground
 - GWsim.h, [84](#)
- GWgeneralbackground_read
 - GWsim.h, [84](#)
- GWgeneralbackground_write
 - GWsim.h, [84](#)
- GWsim.h, [82](#)
 - calculateResidualGW, [83](#)
 - calculateResidualgeneralGW, [83](#)
 - dadt, [83](#)
 - dedt, [83](#)
 - dotProduct, [83](#)
 - dtdt, [83](#)
 - eccRes, [83](#)
 - eccResWithEnergy, [83](#)
 - Fe, [84](#)
 - Findphi, [84](#)
 - GWanisotropicbackground, [84](#)
 - GWbackground, [84](#)
 - GWbackground_read, [84](#)
 - GWbackground_write, [84](#)
 - GWdipolebackground, [84](#)
 - GWgeneralanisotropicbackground, [84](#)
 - GWgeneralbackground, [84](#)
 - GWgeneralbackground_read, [84](#)
 - GWgeneralbackground_write, [84](#)
 - gwSrc, [83](#)
 - gwgenSpec, [83](#)
 - gwgeneralSrc, [83](#)
 - matrixMult, [84](#)
 - psrangle, [84](#)
 - Rs, [84](#)
 - setupGW, [84](#)
 - setupPulsar_GWsim, [84](#)
 - setupgeneralGW, [84](#)
 - sphharm, [84](#)
- genrand_int32
 - T2toolkit.h, [100](#)
- genrand_real1
 - T2toolkit.h, [100](#)
- get_EOP
 - tempo2.h, [121](#)
- get_OneobsCoord
 - tempo2.h, [121](#)
- get_blas_cols
 - TKmatrix.h, [142](#)
- get_blas_rows
 - TKmatrix.h, [142](#)
- get_constraint_name
 - constraints.h, [80](#)
- get_obsCoord
 - tempo2.h, [121](#)
- get_obsCoord_IAU2000B
 - tempo2.h, [121](#)
- getCholeskyMatrix
 - tempo2.h, [121](#)
- getClockCorrections

- tempo2.h, [121](#)
- getCorrection
 - tempo2.h, [121](#)
- getCorrectionTT
 - tempo2.h, [121](#)
- getInputs
 - tempo2.h, [121](#)
- getObservatory
 - tempo2.h, [122](#)
- getParamDeriv
 - tempo2.h, [122](#)
- getParameterValue
 - tempo2.h, [122](#)
- getprtj
 - TKspectrum.h, [144](#)
- getweights
 - TKspectrum.h, [144](#)
- globalNfit
 - pulsar, [56](#)
- globalNoConstrain
 - pulsar, [56](#)
- gwSrc, [34](#)
 - across_g, [35](#)
 - across_im_g, [35](#)
 - aplus_g, [35](#)
 - aplus_im_g, [35](#)
 - dist_bin, [35](#)
 - GWsim.h, [83](#)
 - h, [35](#)
 - h_im, [35](#)
 - inc_bin, [35](#)
 - kg, [35](#)
 - omega_g, [35](#)
 - phase_g, [35](#)
 - phi_bin, [35](#)
 - phi_g, [35](#)
 - phi_polar_g, [35](#)
 - theta_bin, [35](#)
 - theta_g, [35](#)
- gwb_decj
 - pulsar, [56](#)
- gwb_epoch
 - pulsar, [56](#)
- gwb_geom_c
 - pulsar, [56](#)
- gwb_geom_p
 - pulsar, [56](#)
- gwb_raj
 - pulsar, [56](#)
- gwb_width
 - pulsar, [56](#)
- gwecc_dec
 - pulsar, [56](#)
- gwecc_distance
 - pulsar, [56](#)
- gwecc_e
 - pulsar, [56](#)
- gwecc_epoch
 - pulsar, [56](#)
- gwecc_inc
 - pulsar, [56](#)
- gwecc_m1
 - pulsar, [56](#)
- gwecc_m2
 - pulsar, [56](#)
- gwecc_nodes_orientation
 - pulsar, [56](#)
- gwecc_orbital_period
 - pulsar, [56](#)
- gwecc_psrdist
 - pulsar, [56](#)
- gwecc_pulsarTermOn
 - pulsar, [56](#)
- gwecc_ra
 - pulsar, [56](#)
- gwecc_redshift
 - pulsar, [56](#)
- gwecc_theta_0
 - pulsar, [57](#)
- gwecc_theta_nodes
 - pulsar, [57](#)
- gwgenSpec, [34](#)
 - GWsim.h, [83](#)
 - sl_alpha, [34](#)
 - sl_amp, [34](#)
 - st_alpha, [34](#)
 - st_amp, [34](#)
 - tensor_alpha, [34](#)
 - tensor_amp, [34](#)
 - vl_alpha, [34](#)
 - vl_amp, [34](#)
- gwgeneralSrc, [32](#)
 - across_g, [33](#)
 - across_im_g, [33](#)
 - aplus_g, [33](#)
 - aplus_im_g, [33](#)
 - asl_g, [33](#)
 - asl_im_g, [33](#)
 - ast_g, [33](#)
 - ast_im_g, [33](#)
 - avx_g, [33](#)
 - avx_im_g, [33](#)
 - avy_g, [33](#)
 - avy_im_g, [33](#)
 - dist_bin, [33](#)
 - GWsim.h, [83](#)
 - h, [33](#)
 - h_im, [33](#)
 - inc_bin, [33](#)
 - kg, [33](#)
 - omega_g, [33](#)
 - phase_g, [33](#)
 - phi_bin, [33](#)
 - phi_g, [33](#)
 - phi_polar_g, [33](#)
 - theta_bin, [33](#)

- theta_g, [33](#)
- gwm_decj
 - pulsar, [57](#)
- gwm_dphase
 - pulsar, [57](#)
- gwm_epoch
 - pulsar, [57](#)
- gwm_phi
 - pulsar, [57](#)
- gwm_raj
 - pulsar, [57](#)
- gwsrsrc_across_i
 - pulsar, [57](#)
- gwsrsrc_across_i_e
 - pulsar, [57](#)
- gwsrsrc_across_r
 - pulsar, [57](#)
- gwsrsrc_across_r_e
 - pulsar, [57](#)
- gwsrsrc_aplus_i
 - pulsar, [57](#)
- gwsrsrc_aplus_i_e
 - pulsar, [57](#)
- gwsrsrc_aplus_r
 - pulsar, [57](#)
- gwsrsrc_aplus_r_e
 - pulsar, [57](#)
- gwsrsrc_dec
 - pulsar, [57](#)
- gwsrsrc_epoch
 - pulsar, [57](#)
- gwsrsrc_psrdest
 - pulsar, [57](#)
- gwsrsrc_ra
 - pulsar, [57](#)
- h
 - gwSrc, [35](#)
 - gwgeneralSrc, [33](#)
- h_im
 - gwSrc, [35](#)
 - gwgeneralSrc, [33](#)
- HAVE_BLAS
 - config.h, [77](#)
- HAVE_DLERROR
 - config.h, [77](#)
- HAVE_DLFCN_H
 - config.h, [77](#)
- HAVE_FFTW3
 - config.h, [77](#)
- HAVE_GWSIM_H
 - tempo2.h, [110](#)
- HAVE_INTTYPES_H
 - config.h, [77](#)
- HAVE_LAPACK
 - config.h, [77](#)
- HAVE_LIBDL
 - config.h, [77](#)
- HAVE_LIBDLLOADER
 - config.h, [77](#)
- HAVE_LIBM
 - config.h, [77](#)
- HAVE_MEMORY_H
 - config.h, [77](#)
- HAVE_PGPLOT
 - config.h, [77](#)
- HAVE_PTHREAD
 - config.h, [77](#)
- HAVE_STDINT_H
 - config.h, [77](#)
- HAVE_STDLIB_H
 - config.h, [77](#)
- HAVE_STRING_H
 - config.h, [77](#)
- HAVE_STRINGS_H
 - config.h, [78](#)
- HAVE_SYS_STAT_H
 - config.h, [78](#)
- HAVE_SYS_TYPES_H
 - config.h, [78](#)
- HAVE_UNISTD_H
 - config.h, [78](#)
- header_line
 - TabulatedFunction, [70](#)
- height_grs80
 - observatory, [45](#)
- hms_turn
 - tempo2.h, [122](#)
 - tempo2Util.h, [131](#)
- IF99_TIMEEPH
 - tempo2.h, [110](#)
- IFTE_DeltaT
 - ifteph.h, [86](#)
- IFTE_DeltaTDot
 - ifteph.h, [86](#)
- IFTE_JD0
 - ifteph.h, [85](#)
- IFTE_K
 - ifteph.h, [85](#)
- IFTE_KM1
 - ifteph.h, [85](#)
- IFTE_LC
 - ifteph.h, [85](#)
- IFTE_MJD0
 - ifteph.h, [86](#)
- IFTE_TEPH0
 - ifteph.h, [86](#)
- IFTE_close_file
 - ifteph.h, [86](#)
- IFTE_get_DeltaT_DeltaTDot
 - ifteph.h, [86](#)
- IFTE_get_vE
 - ifteph.h, [86](#)
- IFTE_get_vE_vEDot
 - ifteph.h, [86](#)
- IFTE_get_vEDot
 - ifteph.h, [86](#)

- IFTE_init
 - ifteph.h, 86
- IFTEPH_FILE
 - tempo2.h, 110
- id_residual
 - tempo2.h, 122
- ifile
 - jpl_eph_data, 37
- ifteph.h, 84
 - IFTE_DeltaT, 86
 - IFTE_DeltaTDot, 86
 - IFTE_JD0, 85
 - IFTE_K, 85
 - IFTE_KM1, 85
 - IFTE_LC, 85
 - IFTE_MJD0, 86
 - IFTE_TEPH0, 86
 - IFTE_close_file, 86
 - IFTE_get_DeltaT_DeltaTDot, 86
 - IFTE_get_vE, 86
 - IFTE_get_vE_vEDot, 86
 - IFTE_get_vEDot, 86
 - IFTE_init, 86
- ifunc
 - t2fit_ifunc.h, 96
- ifunc_weights
 - pulsar, 57
- ifuncE
 - pulsar, 57
- ifuncN
 - pulsar, 57
- ifuncT
 - pulsar, 57
- ifuncV
 - pulsar, 57
- iinfo
 - jpl_eph_data, 37
- imag
 - complexVal, 30
- inc_bin
 - gwSrc, 35
 - gwgeneralSrc, 33
- indexx8
 - TKspectrum.h, 144
- init_genrand
 - T2toolkit.h, 100
- initialise
 - tempo2.h, 122
- initialiseOne
 - tempo2.h, 122
- interpolation_info, 35
 - np, 36
 - nv, 36
 - pc, 36
 - twot, 36
 - vc, 36
- ipm
 - pulsar, 57
- ipt
 - jpl_eph_data, 37
- JPL_EPHEM_AU_IN_KM
 - jpleph.h, 87
- JPL_EPHEM_EARTH_MOON_RATIO
 - jpleph.h, 87
- JPL_EPHEM_END_JD
 - jpleph.h, 87
- JPL_EPHEM_EPHEMERIS_VERSION
 - jpleph.h, 87
- JPL_EPHEM_KERNEL_NCOEFF
 - jpleph.h, 87
- JPL_EPHEM_KERNEL_RECORD_SIZE
 - jpleph.h, 87
- JPL_EPHEM_KERNEL_SIZE
 - jpleph.h, 87
- JPL_EPHEM_KERNEL_SWAP_BYTES
 - jpleph.h, 87
- JPL_EPHEM_N_CONSTANTS
 - jpleph.h, 87
- JPL_EPHEM_START_JD
 - jpleph.h, 87
- JPL_EPHEM_STEP
 - jpleph.h, 87
- JPL_EPHEMERIS
 - pulsar, 58
- JPL_HEADER_SIZE
 - jpl_int.h, 86
- JPLlong
 - jpl_int.h, 86
- JVmodel
 - tempo2.h, 122
- jboFormat
 - pulsar, 57
- jpl_close_ephemeris
 - jpleph.h, 88
- jpl_eph_data, 36
 - au, 36
 - cache, 36
 - curr_cache_loc, 36
 - emrat, 37
 - ephem_end, 37
 - ephem_start, 37
 - ephem_step, 37
 - ephemeris_version, 37
 - ifile, 37
 - iinfo, 37
 - ipt, 37
 - kernel_size, 37
 - ncoeff, 37
 - ncon, 37
 - pvsun, 37
 - recsize, 37
 - swap_bytes, 37
- jpl_get_double
 - jpleph.h, 88
- jpl_get_long
 - jpleph.h, 88

- jpl_init_ephemeris
 - jpleph.h, [88](#)
- jpl_int.h, [86](#)
 - JPL_HEADER_SIZE, [86](#)
 - JPLlong, [86](#)
 - MAX_KERNEL_SIZE, [86](#)
- jpl_pleph
 - jpleph.h, [88](#)
- jpl_state
 - jpleph.h, [88](#)
- jpleph.h, [86](#)
 - DLL_FUNC, [87](#)
 - JPL_EPHEM_AU_IN_KM, [87](#)
 - JPL_EPHEM_EARTH_MOON_RATIO, [87](#)
 - JPL_EPHEM_END_JD, [87](#)
 - JPL_EPHEM_EPHEMERIS_VERSION, [87](#)
 - JPL_EPHEM_KERNEL_NCOEFF, [87](#)
 - JPL_EPHEM_KERNEL_RECORD_SIZE, [87](#)
 - JPL_EPHEM_KERNEL_SIZE, [87](#)
 - JPL_EPHEM_KERNEL_SWAP_BYTES, [87](#)
 - JPL_EPHEM_N_CONSTANTS, [87](#)
 - JPL_EPHEM_START_JD, [87](#)
 - JPL_EPHEM_STEP, [87](#)
 - jpl_close_ephemeris, [88](#)
 - jpl_get_double, [88](#)
 - jpl_get_long, [88](#)
 - jpl_init_ephemeris, [88](#)
 - jpl_pleph, [88](#)
 - jpl_state, [88](#)
 - make_sub_ephem, [88](#)
- jump
 - observation, [41](#)
- jumpStr
 - pulsar, [58](#)
- jumpVal
 - pulsar, [58](#)
- jumpValErr
 - pulsar, [58](#)
- jupiter_earth
 - observation, [41](#)
- kernel_size
 - jpl_eph_data, [37](#)
- kg
 - gwSrc, [35](#)
 - gwgeneralSrc, [33](#)
- kind
 - T2Predictor, [69](#)
- LD_PI
 - TKlongdouble.float128.h, [137](#)
 - TKlongdouble.h, [139](#)
 - TKlongdouble.ld.h, [140](#)
- LEAPSECOND_FILE
 - tempo2.h, [110](#)
- LOG_OUTFILE
 - TKlog.h, [135](#)
- LONGDOUBLE_IS_FLOAT128
 - TKlongdouble.float128.h, [138](#)
- TKlongdouble.h, [139](#)
- LONGDOUBLE_IS_IEEE754
 - TKlongdouble.ld.h, [141](#)
- LONGDOUBLE_ONE
 - TKlongdouble.float128.h, [138](#)
 - TKlongdouble.h, [139](#)
 - TKlongdouble.ld.h, [141](#)
- LT_OBJDIR
 - config.h, [78](#)
- label
 - parameter, [46](#)
 - tempo2.h, [117](#)
- latitude_grs80
 - observatory, [45](#)
- ld_fprintf
 - TKlongdouble.float128.h, [138](#)
 - TKlongdouble.h, [139](#)
 - TKlongdouble.ld.h, [140](#)
- ld_printf
 - TKlongdouble.float128.h, [138](#)
 - TKlongdouble.h, [139](#)
 - TKlongdouble.ld.h, [140](#)
- ld_sprintf
 - TKlongdouble.float128.h, [138](#)
 - TKlongdouble.h, [140](#)
 - TKlongdouble.ld.h, [140](#)
- lib2toolkit API, [25](#)
- libtempo2 External API, [26](#)
- linkFrom
 - parameter, [46](#)
- linkTo
 - parameter, [46](#)
- log10rms
 - T1Polyco, [67](#)
- logdbg
 - TKlog.h, [135](#)
- logerr
 - TKlog.h, [135](#)
- logerr_check
 - TKlog.h, [136](#)
- logicFlag
 - tempo2.h, [122](#)
- logmsg
 - TKlog.h, [135](#)
- logchk
 - TKlog.h, [135](#)
- logwarn
 - TKlog.h, [135](#)
- longdouble
 - TKlongdouble.float128.h, [137](#), [138](#)
 - TKlongdouble.h, [139](#)
 - TKlongdouble.ld.h, [141](#)
- longitude_grs80
 - observatory, [45](#)
- lookup_observatory_alias
 - tempo2.h, [122](#)
- MASYR2RADS
 - tempo2.h, [110](#)

- MAX
 - TKspectrum.h, [144](#)
- MAX_BPJ_JUMPS
 - tempo2.h, [110](#)
- MAX_CLK_CORR
 - tempo2.h, [110](#)
- MAX_CLKCORR
 - tempo2.h, [110](#)
- MAX_COEFF
 - tempo2.h, [110](#)
- MAX_COMPANIONS
 - tempo2.h, [110](#)
- MAX_DM_DERIVATIVES
 - tempo2.h, [110](#)
- MAX_DMx
 - tempo2.h, [110](#)
- MAX_FILELEN
 - tempo2.h, [111](#)
- MAX_FIT
 - tempo2.h, [111](#)
- MAX_FLAG_LEN
 - tempo2.h, [111](#)
- MAX_FLAGS
 - tempo2.h, [111](#)
- MAX_FREQ_DERIVATIVES
 - tempo2.h, [111](#)
- MAX_IFUNC
 - tempo2.h, [111](#)
- MAX_JUMPS
 - tempo2.h, [111](#)
- MAX_KERNEL_SIZE
 - jpl_int.h, [86](#)
- MAX_LEAPSEC
 - tempo2.h, [111](#)
- MAX_MSG
 - tempo2.h, [111](#)
- MAX_OBSN
 - tempo2.h, [124](#)
- MAX_OBSN_VAL
 - tempo2.h, [111](#)
- MAX_PARAMS
 - tempo2.h, [111](#)
- MAX_PSR
 - tempo2.h, [125](#)
- MAX_PSR_VAL
 - tempo2.h, [111](#)
- MAX_QUAD
 - tempo2.h, [112](#)
- MAX_SITE
 - tempo2.h, [112](#)
- MAX_STOREPRECISION
 - tempo2.h, [112](#)
- MAX_STRLEN
 - tempo2.h, [112](#)
- MAX_T2EFAC
 - tempo2.h, [112](#)
- MAX_T2EQUAD
 - tempo2.h, [112](#)
- MAX_TEL_CLK_OFFS
 - tempo2.h, [112](#)
- MAX_TEL_DX
 - tempo2.h, [112](#)
- MAX_TEL_DY
 - tempo2.h, [112](#)
- MAX_TEL_DZ
 - tempo2.h, [112](#)
- MAX_TNBN
 - tempo2.h, [112](#)
- MAX_TNDMEv
 - tempo2.h, [112](#)
- MAX_TNECORR
 - tempo2.h, [112](#)
- MAX_TNEF
 - tempo2.h, [113](#)
- MAX_TNEQ
 - tempo2.h, [113](#)
- MAX_TNGN
 - tempo2.h, [113](#)
- MAX_TNSQ
 - tempo2.h, [113](#)
- MAX_TOFFSET
 - tempo2.h, [113](#)
- MAX_WHITE
 - tempo2.h, [113](#)
- MIN
 - TKspectrum.h, [144](#)
- MSSmodel
 - tempo2.h, [122](#)
- make_sub_ephem
 - jpleph.h, [88](#)
- malloc_2df
 - TKmatrix.h, [142](#)
- malloc_blas
 - TKmatrix.h, [142](#)
- malloc_uinv
 - TKmatrix.h, [142](#)
- mat20
 - TKspectrum.h, [144](#)
- matrixMult
 - GWsim.h, [84](#)
- minPrec
 - storePrecision, [66](#)
- mjd_end
 - ChebyModel, [28](#)
- mjd_mid
 - T1Polyco, [67](#)
- mjd_start
 - ChebyModel, [28](#)
- modelset
 - T2Predictor, [69](#)
- nCompanion
 - pulsar, [58](#)
- nConstraints
 - FitInfo, [32](#)
- nDMEvents
 - pulsar, [58](#)

- NE_SW_DEFAULT
 - tempo2.h, [113](#)
- NEWFIT
 - tempo2.h, [125](#)
- NFIT
 - choleskyRoutines.h, [76](#)
- nFit
 - pulsar, [58](#)
- nFlags
 - observation, [41](#)
- nGlobal
 - pulsar, [58](#)
- nJumps
 - pulsar, [58](#)
- nLinkFrom
 - parameter, [46](#)
- nLinkTo
 - parameter, [46](#)
- nParam
 - pulsar, [59](#)
- nParams
 - FitInfo, [32](#)
- nPhaseJump
 - pulsar, [59](#)
- nQuad
 - pulsar, [59](#)
- nStorePrecision
 - pulsar, [59](#)
- nT2efac
 - pulsar, [59](#)
- nT2equad
 - pulsar, [59](#)
- nTNBandNoise
 - pulsar, [59](#)
- nTNECORR
 - pulsar, [59](#)
- nTNEF
 - pulsar, [59](#)
- nTNEQ
 - pulsar, [59](#)
- nTNGroupNoise
 - pulsar, [59](#)
- nTNSQ
 - pulsar, [59](#)
- nTNShapeletEvents
 - pulsar, [59](#)
- nTelDX
 - pulsar, [59](#)
- nTelDY
 - pulsar, [59](#)
- nTelDZ
 - pulsar, [59](#)
- nTOffset
 - pulsar, [59](#)
- nWhite
 - pulsar, [59](#)
- nWhite_dm
 - pulsar, [59](#)
- nallocated
 - DynamicArray, [30](#)
- name
 - observatory, [45](#)
 - pulsar, [58](#)
- nclock_correction
 - observation, [41](#)
- ncoeff
 - jpl_eph_data, [37](#)
 - T1Polyco, [67](#)
- ncon
 - jpl_eph_data, [37](#)
- nconstraints
 - pulsar, [58](#)
- ndmx
 - pulsar, [58](#)
- ne_sw
 - pulsar, [58](#)
- nelem
 - DynamicArray, [31](#)
- neptune_earth
 - observation, [41](#)
- nits
 - pulsar, [58](#)
- noWarnings
 - pulsar, [59](#)
- nobs
 - pulsar, [59](#)
- NonePredType
 - tempo2pred.h, [127](#)
- np
 - interpolation_info, [36](#)
- nphase
 - observation, [41](#)
- nsegments
 - ChebyModelSet, [29](#)
 - T1PolycoSet, [68](#)
- nutations
 - observation, [41](#)
- nv
 - interpolation_info, [36](#)
- nx
 - Cheby2D, [27](#)
- ny
 - Cheby2D, [27](#)
- OBLQ
 - tempo2.h, [113](#)
- OBSSYS_FILE
 - tempo2.h, [113](#)
- obsNjump
 - observation, [41](#)
- observation, [37](#)
 - addedNoise, [39](#)
 - averagebat, [39](#)
 - averageerr, [39](#)
 - averageres, [39](#)
 - bat, [39](#)
 - batCorr, [39](#)

- bbat, 39
- clockCorr, 39
- correctionTT_TB, 40
- correctionTT_Teph, 40
- correctionUT1, 40
- correctionsTT, 39
- delayCorr, 40
- deleted, 40
- earth_ssb, 40
- earthMoonBary_earth, 40
- earthMoonBary_ssb, 40
- efac, 40
- einsteinRate, 40
- equad, 40
- flagID, 40
- flagVal, 41
- fname, 41
- freq, 41
- freqSSB, 41
- jump, 41
- jupiter_earth, 41
- nFlags, 41
- nclock_correction, 41
- neptune_earth, 41
- nphase, 41
- nutations, 41
- obsNjump, 41
- observatory_earth, 41
- origErr, 41
- origsat, 41
- pet, 42
- phase, 42
- phaseOffset, 42
- planet_ssb, 42
- prefitResidual, 42
- psrPos, 42
- pulseN, 42
- residual, 42
- roemer, 42
- sat, 42
- sat_day, 42
- sat_sec, 42
- saturn_earth, 42
- shapiroDelayJupiter, 42
- shapiroDelayNeptune, 42
- shapiroDelaySaturn, 43
- shapiroDelaySun, 43
- shapiroDelayUranus, 43
- shapiroDelayVenus, 43
- shklovskii, 43
- siteVel, 43
- sun_earth, 43
- sun_ssb, 43
- TNDMErr, 43
- TNDMSignal, 44
- TNGroupErr, 44
- TNGroupSignal, 44
- TNRedErr, 44
- TNRedSignal, 44
- tdis1, 43
- tdis2, 43
- tellID, 43
- tempo2.h, 115
- toaDMErr, 44
- toaErr, 44
- torb, 44
- troposphericDelay, 44
- uranus_earth, 44
- venus_earth, 44
- zenith, 44
- observatory, 45
 - clock_name, 45
 - code, 45
 - height_grs80, 45
 - latitude_grs80, 45
 - longitude_grs80, 45
 - name, 45
 - x, 45
 - y, 45
 - z, 45
- observatory_earth
 - observation, 41
- obsn
 - pulsar, 59
- offset
 - pulsar, 60
- offset_e
 - pulsar, 60
- omega_g
 - gwSrc, 35
 - gwgeneralSrc, 33
- open_file
 - read_fortran.h, 89
- open_file2
 - read_fortran2.h, 90
- origErr
 - observation, 41
- origsat
 - observation, 41
- outputTMatrix
 - pulsar, 60
- PACKAGE
 - config.h, 78
- PACKAGE_BUGREPORT
 - config.h, 78
- PACKAGE_NAME
 - config.h, 78
- PACKAGE_STRING
 - config.h, 78
- PACKAGE_TARNAME
 - config.h, 78
- PACKAGE_URL
 - config.h, 78
- PACKAGE_VERSION
 - config.h, 78
- PCM

tempo2.h, 113
 param
 pulsar, 60
 param_JUMP
 tempo2.h, 120
 param_LAST
 tempo2.h, 120
 param_ZERO
 tempo2.h, 120
 param_a0
 tempo2.h, 118
 param_a1
 tempo2.h, 117
 param_a1dot
 tempo2.h, 118
 param_a2dot
 tempo2.h, 118
 param_afac
 tempo2.h, 119
 param_b0
 tempo2.h, 118
 param_bp
 tempo2.h, 118
 param_bpja1
 tempo2.h, 118
 param_bpjec
 tempo2.h, 118
 param_bpjep
 tempo2.h, 118
 param_bpjom
 tempo2.h, 118
 param_bpjpb
 tempo2.h, 118
 param_bpjph
 tempo2.h, 118
 param_bpp
 tempo2.h, 118
 param_brake
 tempo2.h, 120
 param_cgw
 tempo2.h, 119
 param_clk_offs
 tempo2.h, 119
 param_daop
 tempo2.h, 119
 param_decj
 tempo2.h, 117
 param_df1
 tempo2.h, 120
 param_dm
 tempo2.h, 117
 param_dm_cos1yr
 tempo2.h, 119
 param_dm_sin1yr
 tempo2.h, 119
 param_dmassplanet
 tempo2.h, 119
 param_dmepoch
 tempo2.h, 117
 param_dmmodel
 tempo2.h, 119
 param_dmx
 tempo2.h, 119
 param_dmxr1
 tempo2.h, 119
 param_dmxr2
 tempo2.h, 119
 param_dr
 tempo2.h, 118
 param_dshk
 tempo2.h, 119
 param_dth
 tempo2.h, 118
 param_dtheta
 tempo2.h, 118
 param_e2dot
 tempo2.h, 117
 param_ecc
 tempo2.h, 117
 param_edot
 tempo2.h, 117
 param_ephver
 tempo2.h, 119
 param_eps1
 tempo2.h, 118
 param_eps1dot
 tempo2.h, 119
 param_eps2
 tempo2.h, 118
 param_eps2dot
 tempo2.h, 119
 param_f
 tempo2.h, 117
 param_fb
 tempo2.h, 117
 param_fd
 tempo2.h, 118
 param_fddc
 tempo2.h, 118
 param_fddi
 tempo2.h, 118
 param_finish
 tempo2.h, 118
 param_gamma
 tempo2.h, 118
 param_glep
 tempo2.h, 118
 param_glf0
 tempo2.h, 118
 param_glf0d
 tempo2.h, 118
 param_glf1
 tempo2.h, 118
 param_glf2
 tempo2.h, 118
 param_glph

tempo2.h, 118
param_gltid
tempo2.h, 118
param_gwb_amp
tempo2.h, 119
param_gwecc
tempo2.h, 119
param_gwm_amp
tempo2.h, 119
param_gwsingle
tempo2.h, 119
param_h3
tempo2.h, 119
param_h4
tempo2.h, 119
param_ifunc
tempo2.h, 119
param_iperharm
tempo2.h, 119
param_kin
tempo2.h, 118
param_kom
tempo2.h, 118
param_label
tempo2.h, 115
param_m2
tempo2.h, 118
param_mtot
tempo2.h, 118
param_nharm
tempo2.h, 119
param_om
tempo2.h, 117
param_om2dot
tempo2.h, 118
param_omdot
tempo2.h, 118
param_orbpx
tempo2.h, 118
param_pb
tempo2.h, 117
param_pbdot
tempo2.h, 117
param_pepoch
tempo2.h, 117
param_pmdec
tempo2.h, 117
param_pmra
tempo2.h, 117
param_pmr
tempo2.h, 117
param_posepoch
tempo2.h, 117
param_px
tempo2.h, 117
param_quad_ifunc_c
tempo2.h, 119
param_quad_ifunc_p
tempo2.h, 119
param_quad_om
tempo2.h, 119
param_raj
tempo2.h, 117
param_shapmax
tempo2.h, 118
param_sini
tempo2.h, 117
param_start
tempo2.h, 118
param_stateSwitchT
tempo2.h, 120
param_stig
tempo2.h, 119
param_t0
tempo2.h, 117
param_tasc
tempo2.h, 118
param_tel_dx
tempo2.h, 119
param_tel_dy
tempo2.h, 119
param_tel_dz
tempo2.h, 119
param_tel_vx
tempo2.h, 119
param_tel_vy
tempo2.h, 119
param_tel_vz
tempo2.h, 119
param_tel_x0
tempo2.h, 119
param_tel_y0
tempo2.h, 119
param_tel_z0
tempo2.h, 119
param_telEpoch
tempo2.h, 119
param_telx
tempo2.h, 119
param_tely
tempo2.h, 119
param_telz
tempo2.h, 119
param_track
tempo2.h, 118
param_tres
tempo2.h, 119
param_tspan
tempo2.h, 118
param_tzrfreq
tempo2.h, 118
param_tzrmjd
tempo2.h, 118
param_wave_dm
tempo2.h, 119
param_wave_om

- tempo2.h, 118
- param_waveepoch
 - tempo2.h, 119
- param_waveepoch_dm
 - tempo2.h, 119
- param_xomdot
 - tempo2.h, 118
- param_xpbdot
 - tempo2.h, 117
- paramCounters
 - FitInfo, 32
- paramDerivFunc
 - tempo2.h, 115
- paramDerivs
 - FitInfo, 32
- paramIndex
 - FitInfo, 32
- paramSet
 - parameter, 46
- paramUpdateFunc
 - tempo2.h, 115
- parameter, 45
 - aSize, 46
 - err, 46
 - fitFlag, 46
 - label, 46
 - linkFrom, 46
 - linkTo, 46
 - nLinkFrom, 46
 - nLinkTo, 46
 - paramSet, 46
 - prefit, 46
 - prefitErr, 47
 - shortlabel, 47
 - tempo2.h, 115
 - val, 47
- parse_longdouble
 - TKlongdouble.float128.h, 138
 - TKlongdouble.h, 140
 - TKlongdouble.Id.h, 141
- passStr
 - pulsar, 60
- pc
 - interpolation_info, 36
- pet
 - observation, 42
- phase
 - observation, 42
- phase_g
 - gwSrc, 35
 - gwgeneralSrc, 33
- phaseJump
 - pulsar, 60
- phaseJumpDir
 - pulsar, 60
- phaseJumpID
 - pulsar, 60
- phaseOffset
 - observation, 42
- phi_bin
 - gwSrc, 35
 - gwgeneralSrc, 33
- phi_g
 - gwSrc, 35
 - gwgeneralSrc, 33
- phi_polar_g
 - gwSrc, 35
 - gwgeneralSrc, 33
- planet_ssb
 - observation, 42
- planetShapiro
 - pulsar, 60
- polyco
 - tempo2.h, 122
- posPulsar
 - pulsar, 60
- preProcess
 - tempo2.h, 122
- preProcessSimple
 - tempo2.h, 122
- preProcessSimple1
 - tempo2.h, 122
- preProcessSimple2
 - tempo2.h, 122
- preProcessSimple3
 - tempo2.h, 122
- prefit
 - parameter, 46
- prefitErr
 - parameter, 47
- prefitResidual
 - observation, 42
- processFlag
 - tempo2.h, 122
- processSimultaneous
 - tempo2.h, 122
- psrPos
 - observation, 42
- psrangle
 - GWsim.h, 84
- psrname
 - ChebyModel, 28
 - T1Polyco, 67
- pulsar, 47
 - addTNGlobalEQ, 53
 - auto_constraints, 53
 - AverageEpochWidth, 53
 - AverageFlag, 53
 - AverageResiduals, 53
 - binaryModel, 53
 - bootstrap, 53
 - calcShapiro, 53
 - cgw_angpol, 53
 - cgw_cosinc, 53
 - cgw_h0, 53
 - cgw_mc, 53

clk_offsE, [53](#)
 clk_offsT, [53](#)
 clk_offsV, [54](#)
 clkOffsN, [54](#)
 clock, [54](#)
 clockFromOverride, [54](#)
 constraints, [54](#)
 correctTroposphere, [54](#)
 covar, [54](#)
 decjStrPost, [54](#)
 decjStrPre, [54](#)
 decsim, [54](#)
 deleteFileName, [54](#)
 dilateFreq, [54](#)
 dmOffset, [55](#)
 dmoffsCM, [54](#)
 dmoffsCM_error, [54](#)
 dmoffsCM_mjd, [54](#)
 dmoffsCM_weight, [54](#)
 dmoffsCMnum, [54](#)
 dmoffsDM, [55](#)
 dmoffsDM_error, [55](#)
 dmoffsDM_mjd, [55](#)
 dmoffsDM_weight, [55](#)
 dmoffsDMnum, [55](#)
 eclCoord, [55](#)
 eopc04_file, [55](#)
 ephemeris, [55](#)
 filterStr, [55](#)
 fitChisq, [55](#)
 fitFunc, [55](#)
 fitJump, [55](#)
 fitMode, [55](#)
 fitNfree, [55](#)
 fitParamGlobal, [55](#)
 fitParamGlobalK, [55](#)
 fitParamI, [55](#)
 fitParamK, [56](#)
 fitinfo, [55](#)
 fixedFormat, [56](#)
 fjumpID, [56](#)
 globalNfit, [56](#)
 globalNoConstrain, [56](#)
 gwb_decj, [56](#)
 gwb_epoch, [56](#)
 gwb_geom_c, [56](#)
 gwb_geom_p, [56](#)
 gwb_raj, [56](#)
 gwb_width, [56](#)
 gwecc_dec, [56](#)
 gwecc_distance, [56](#)
 gwecc_e, [56](#)
 gwecc_epoch, [56](#)
 gwecc_inc, [56](#)
 gwecc_m1, [56](#)
 gwecc_m2, [56](#)
 gwecc_nodes_orientation, [56](#)
 gwecc_orbital_period, [56](#)
 gwecc_psrdist, [56](#)
 gwecc_pulsarTermOn, [56](#)
 gwecc_ra, [56](#)
 gwecc_redshift, [56](#)
 gwecc_theta_0, [57](#)
 gwecc_theta_nodes, [57](#)
 gwm_decj, [57](#)
 gwm_dphase, [57](#)
 gwm_epoch, [57](#)
 gwm_phi, [57](#)
 gwm_raj, [57](#)
 gwsrsrc_across_i, [57](#)
 gwsrsrc_across_i_e, [57](#)
 gwsrsrc_across_r, [57](#)
 gwsrsrc_across_r_e, [57](#)
 gwsrsrc_aplus_i, [57](#)
 gwsrsrc_aplus_i_e, [57](#)
 gwsrsrc_aplus_r, [57](#)
 gwsrsrc_aplus_r_e, [57](#)
 gwsrsrc_dec, [57](#)
 gwsrsrc_epoch, [57](#)
 gwsrsrc_psrdist, [57](#)
 gwsrsrc_ra, [57](#)
 ifunc_weights, [57](#)
 ifuncE, [57](#)
 ifuncN, [57](#)
 ifuncT, [57](#)
 ifuncV, [57](#)
 ipm, [57](#)
 JPL_EPHEMERIS, [58](#)
 jboFormat, [57](#)
 jumpStr, [58](#)
 jumpVal, [58](#)
 jumpValErr, [58](#)
 nCompanion, [58](#)
 nDMEvents, [58](#)
 nFit, [58](#)
 nGlobal, [58](#)
 nJumps, [58](#)
 nParam, [59](#)
 nPhaseJump, [59](#)
 nQuad, [59](#)
 nStorePrecision, [59](#)
 nT2efac, [59](#)
 nT2equad, [59](#)
 nTNBAndNoise, [59](#)
 nTNECORR, [59](#)
 nTNEF, [59](#)
 nTNEQ, [59](#)
 nTNGroupNoise, [59](#)
 nTNSQ, [59](#)
 nTNShapeletEvents, [59](#)
 nTelDX, [59](#)
 nTelDY, [59](#)
 nTelDZ, [59](#)
 nToffset, [59](#)
 nWhite, [59](#)
 nWhite_dm, [59](#)

name, 58
 nconstraints, 58
 ndmx, 58
 ne_sw, 58
 nits, 58
 noWarnings, 59
 nobs, 59
 obsn, 59
 offset, 60
 offset_e, 60
 outputTMatrix, 60
 param, 60
 passStr, 60
 phaseJump, 60
 phaseJumpDir, 60
 phaseJumpID, 60
 planetShapiro, 60
 posPulsar, 60
 quad_across_i, 60
 quad_across_i_e, 60
 quad_across_r, 60
 quad_across_r_e, 60
 quad_aplus_i, 60
 quad_aplus_i_e, 60
 quad_aplus_r, 61
 quad_aplus_r_e, 61
 quad_ifunc_c_DEC, 61
 quad_ifunc_c_RA, 61
 quad_ifunc_geom_c, 61
 quad_ifunc_geom_p, 61
 quad_ifunc_p_DEC, 61
 quad_ifunc_p_RA, 61
 quad_ifuncE_c, 61
 quad_ifuncE_p, 61
 quad_ifuncN_c, 61
 quad_ifuncN_p, 61
 quad_ifuncT_c, 61
 quad_ifuncT_p, 61
 quad_ifuncV_c, 61
 quad_ifuncV_p, 61
 quadDEC, 61
 quadEpoch, 61
 quadRA, 61
 rajStrPost, 61
 rajStrPre, 61
 rasim, 61
 rescaleErrChisq, 61
 rmsPost, 61
 rmsPre, 61
 robust, 61
 setTelVelX, 61
 setTelVelY, 62
 setTelVelZ, 62
 setUnits, 62
 simflag, 62
 sorted, 62
 storePrec, 62
 swm, 62
 t2cMethod, 62
 T2efacFlagID, 62
 T2efacFlagVal, 62
 T2efacVal, 62
 T2equadFlagID, 62
 T2equadFlagVal, 62
 T2equadVal, 62
 T2globalEfac, 62
 TNBandDMAmp, 63
 TNBandDMC, 63
 TNBandDMGam, 63
 TNBandNoiseAmp, 63
 TNBandNoiseC, 63
 TNBandNoiseGam, 63
 TNBandNoiseHF, 63
 TNBandNoiseLF, 63
 TNDMAmp, 63
 TNDMC, 63
 TNDMCoeffs, 63
 TNDMEvAmp, 63
 TNDMEvGam, 63
 TNDMEvLength, 63
 TNDMEvLin, 63
 TNDMEvOff, 63
 TNDMEvQuad, 64
 TNDMEvStart, 64
 TNDMGam, 64
 TNECORRFlagID, 64
 TNECORRFlagVal, 64
 TNECORRVal, 64
 TNEFFFlagID, 64
 TNEFFFlagVal, 64
 TNEFVal, 64
 TNEQFlagID, 64
 TNEQFlagVal, 64
 TNEQVal, 64
 TNGlobalEF, 64
 TNGlobalEQ, 64
 TNGroupNoiseAmp, 64
 TNGroupNoiseC, 64
 TNGroupNoiseFlagID, 64
 TNGroupNoiseFlagVal, 64
 TNGroupNoiseGam, 64
 TNRedAmp, 64
 TNRedC, 64
 TNRedCoeffs, 64
 TNRedCorner, 64
 TNRedFlow, 64
 TNRedGam, 64
 TNSQFlagID, 65
 TNSQFlagVal, 65
 TNSQVal, 65
 TNShapeletEvFScale, 64
 TNShapeletEvN, 64
 TNShapeletEvPos, 64
 TNShapeletEvWidth, 65
 TNsubtractDM, 65
 TNsubtractRed, 65

- tOffset, [65](#)
- tOffset_f1, [65](#)
- tOffset_f2, [65](#)
- tOffset_t1, [65](#)
- tOffset_t2, [65](#)
- tOffsetFlags, [65](#)
- tOffsetSite, [65](#)
- telDX_e, [62](#)
- telDX_t, [62](#)
- telDX_v, [62](#)
- telDX_vel, [62](#)
- telDX_vel_e, [62](#)
- telDY_e, [62](#)
- telDY_t, [62](#)
- telDY_v, [63](#)
- telDY_vel, [63](#)
- telDY_vel_e, [63](#)
- telDZ_e, [63](#)
- telDZ_t, [63](#)
- telDZ_v, [63](#)
- telDZ_vel, [63](#)
- telDZ_vel_e, [63](#)
- tempo1, [63](#)
- tempo2.h, [115](#)
- timeEphemeris, [63](#)
- ToAextraCovar, [65](#)
- tzrsite, [65](#)
- units, [65](#)
- useCalceph, [65](#)
- useTNOOrth, [65](#)
- velPulsar, [65](#)
- wave_cos, [65](#)
- wave_cos_dm, [65](#)
- wave_cos_dm_err, [65](#)
- wave_cos_err, [66](#)
- wave_sine, [66](#)
- wave_sine_dm, [66](#)
- wave_sine_dm_err, [66](#)
- wave_sine_err, [66](#)
- waveScale, [66](#)
- whiteNoiseModelFile, [66](#)
- pulseN
 - observation, [42](#)
- pvsun
 - jpl_eph_data, [37](#)
- quad_across_i
 - pulsar, [60](#)
- quad_across_i_e
 - pulsar, [60](#)
- quad_across_r
 - pulsar, [60](#)
- quad_across_r_e
 - pulsar, [60](#)
- quad_aplus_i
 - pulsar, [60](#)
- quad_aplus_i_e
 - pulsar, [60](#)
- quad_aplus_r
 - pulsar, [61](#)
- quad_aplus_r_e
 - pulsar, [61](#)
- quad_ifunc_c_DEC
 - pulsar, [61](#)
- quad_ifunc_c_RA
 - pulsar, [61](#)
- quad_ifunc_geom_c
 - pulsar, [61](#)
- quad_ifunc_geom_p
 - pulsar, [61](#)
- quad_ifunc_p_DEC
 - pulsar, [61](#)
- quad_ifunc_p_RA
 - pulsar, [61](#)
- quad_ifuncE_c
 - pulsar, [61](#)
- quad_ifuncE_p
 - pulsar, [61](#)
- quad_ifuncN_c
 - pulsar, [61](#)
- quad_ifuncN_p
 - pulsar, [61](#)
- quad_ifuncT_c
 - pulsar, [61](#)
- quad_ifuncT_p
 - pulsar, [61](#)
- quad_ifuncV_c
 - pulsar, [61](#)
- quad_ifuncV_p
 - pulsar, [61](#)
- quadDEC
 - pulsar, [61](#)
- quadEpoch
 - pulsar, [61](#)
- quadRA
 - pulsar, [61](#)
- README.md, [90](#)
- RESETCOLOR
 - TKlog.h, [135](#)
- rajStrPost
 - pulsar, [61](#)
- rajStrPre
 - pulsar, [61](#)
- rasim
 - pulsar, [61](#)
- read_char
 - read_fortran.h, [89](#)
- read_character
 - read_fortran.h, [89](#)
- read_character2
 - read_fortran2.h, [90](#)
- read_double
 - read_fortran.h, [89](#)
- read_double2
 - read_fortran2.h, [90](#)
- read_float
 - read_fortran.h, [89](#)

- read_float2
 - read_fortran2.h, 90
- read_fortran.h, 88
 - c_fileptr, 89
 - close_file, 89
 - open_file, 89
 - read_char, 89
 - read_character, 89
 - read_double, 89
 - read_float, 89
 - read_int, 89
 - read_record_int, 89
 - swapByte, 89
- read_fortran2.h, 89
 - c_fileptr2, 90
 - close_file2, 90
 - open_file2, 90
 - read_character2, 90
 - read_double2, 90
 - read_float2, 90
 - read_int2, 90
 - read_record_int2, 90
 - swapByte2, 90
- read_int
 - read_fortran.h, 89
- read_int2
 - read_fortran2.h, 90
- read_record_int
 - read_fortran.h, 89
- read_record_int2
 - read_fortran2.h, 90
- readEphemeris
 - tempo2.h, 122
- readEphemeris_calceph
 - tempo2.h, 122
- readJBO_bat
 - tempo2.h, 122
- readObsFile
 - tempo2.h, 122
- readOneEphemeris
 - tempo2.h, 122
- readParfile
 - tempo2.h, 122
- readParfileGlobal
 - tempo2.h, 123
- readSimpleParfile
 - tempo2.h, 123
- readTimfile
 - tempo2.h, 123
- readin
 - TKspectrum.h, 144
- real
 - complexVal, 30
- recordPrecision
 - tempo2.h, 123
- reccsize
 - jpl_eph_data, 37
- reference_phase
 - T1Polyco, 67
- rescaleErrChisq
 - pulsar, 61
- residual
 - observation, 42
- rmsPost
 - pulsar, 61
- rmsPre
 - pulsar, 61
- robust
 - pulsar, 61
- roemer
 - observation, 42
- routine
 - storePrecision, 66
- Rs
 - GWsim.h, 84
- SECDAY
 - tempo2.h, 113
- SECDAYI
 - tempo2.h, 113
- SI_UNITS
 - tempo2.h, 114
- SOLAR_MASS
 - tempo2.h, 114
- SOLAR_RADIUS
 - tempo2.h, 114
- SPEED_LIGHT
 - tempo2.h, 114
- STDC_HEADERS
 - config.h, 78
- samples
 - TabulatedFunction, 70
- sat
 - observation, 42
- sat_day
 - observation, 42
- sat_sec
 - observation, 42
- saturn_earth
 - observation, 42
- secularMotion
 - tempo2.h, 123
- segments
 - ChebyModelSet, 29
 - T1PolycoSet, 68
- setPlugPath
 - tempo2.h, 123
- setStart
 - tempo2.h, 123
- setTelVelX
 - pulsar, 61
- setTelVelY
 - pulsar, 62
- setTelVelZ
 - pulsar, 62
- setUnits
 - pulsar, 62

- setupGW
 - GWsim.h, [84](#)
- setupParameterFileDefaults
 - tempo2.h, [123](#)
- setupPulsar_GWsim
 - GWsim.h, [84](#)
- setupgeneralGW
 - GWsim.h, [84](#)
- shapiro_delay
 - tempo2.h, [123](#)
- shapiroDelayJupiter
 - observation, [42](#)
- shapiroDelayNeptune
 - observation, [42](#)
- shapiroDelaySaturn
 - observation, [43](#)
- shapiroDelaySun
 - observation, [43](#)
- shapiroDelayUranus
 - observation, [43](#)
- shapiroDelayVenus
 - observation, [43](#)
- shklovskii
 - observation, [43](#)
- shortlabel
 - parameter, [47](#)
- simflag
 - pulsar, [62](#)
- simplePlot
 - tempo2.h, [123](#)
- sineFunc
 - TKspectrum.h, [144](#)
- sinefunc
 - t2fit_ifunc.h, [96](#)
- sinl
 - TKlongdouble.float128.h, [138](#)
 - TKlongdouble.h, [139](#)
- siteVel
 - observation, [43](#)
- sitename
 - ChebyModel, [28](#)
 - T1Polyco, [67](#)
- sl_alpha
 - gwgenSpec, [34](#)
- sl_amp
 - gwgenSpec, [34](#)
- solarWindModel
 - tempo2.h, [123](#)
- sortToAs
 - tempo2.h, [123](#)
- sorted
 - pulsar, [62](#)
- span
 - T1Polyco, [67](#)
- spharm
 - GWsim.h, [84](#)
- st_alpha
 - gwgenSpec, [34](#)
- st_amp
 - gwgenSpec, [34](#)
- standardConstraintFunctions
 - constraints.h, [80](#)
- storePrec
 - pulsar, [62](#)
- storePrecision, [66](#)
 - comment, [66](#)
 - minPrec, [66](#)
 - routine, [66](#)
 - tempo2.h, [115](#)
- sun_earth
 - observation, [43](#)
- sun_ssb
 - observation, [43](#)
- swap_bytes
 - jpl_eph_data, [37](#)
- swapByte
 - read_fortran.h, [89](#)
- swapByte2
 - read_fortran2.h, [90](#)
- swm
 - pulsar, [62](#)
- T1
 - tempo2pred.h, [127](#)
- t1
 - T2Predictor, [69](#)
- T1Polyco, [66](#)
 - binary_frequency, [67](#)
 - binary_phase, [67](#)
 - coeff, [67](#)
 - date_string, [67](#)
 - dm, [67](#)
 - doppler, [67](#)
 - frequency_obs, [67](#)
 - frequency_psr_0, [67](#)
 - log10rms, [67](#)
 - mjd_mid, [67](#)
 - ncoeff, [67](#)
 - psrname, [67](#)
 - reference_phase, [67](#)
 - sitename, [67](#)
 - span, [67](#)
 - utc_string, [67](#)
- T1Polyco_GetFrequency
 - tempo2pred_int.h, [130](#)
- T1Polyco_GetPhase
 - tempo2pred_int.h, [130](#)
- T1Polyco_Read
 - tempo2pred_int.h, [130](#)
- T1Polyco_Write
 - tempo2pred_int.h, [130](#)
- T1PolycoSet, [68](#)
 - nsegments, [68](#)
 - segments, [68](#)
- T1PolycoSet_Destroy
 - tempo2pred_int.h, [130](#)
- T1PolycoSet_GetFrequency

- tempo2pred_int.h, 130
- T1PolycoSet_GetNearest
 - tempo2pred_int.h, 130
- T1PolycoSet_GetPhase
 - tempo2pred_int.h, 130
- T1PolycoSet_Read
 - tempo2pred_int.h, 131
- T1PolycoSet_Write
 - tempo2pred_int.h, 131
- T2_PTAmode1
 - tempo2.h, 123
- T2C_IAU2000B
 - tempo2.h, 114
- T2C_TEMPO
 - tempo2.h, 114
- t2Fit
 - t2fit.h, 92
- t2Fit_buildConstraintsMatrix
 - t2fit.h, 92
- t2Fit_buildDesignMatrix
 - t2fit.h, 92
- t2Fit_fillFitInfo
 - t2fit.h, 92
- t2Fit_fillGlobalFitInfo
 - t2fit.h, 92
- t2Fit_getFitData
 - t2fit.h, 92
- t2Fit_updateParameters
 - t2fit.h, 92
- t2FitFunc_binaryModels
 - t2fit_stdFitFuncs.h, 98
- t2FitFunc_dmmodelCM
 - t2fit_dmmodel.h, 93
- t2FitFunc_dmmodelDM
 - t2fit_dmmodel.h, 93
- t2FitFunc_fitwaves
 - t2fit_fitwaves.h, 94
- t2FitFunc_ifunc
 - t2fit_ifunc.h, 96
 - t2fit_stdFitFuncs.h, 98
- t2FitFunc_jump
 - t2fit_stdFitFuncs.h, 98
- t2FitFunc_miscDm
 - t2fit_stdFitFuncs.h, 98
- t2FitFunc_planet
 - t2fit_stdFitFuncs.h, 98
- t2FitFunc_sifunc
 - t2fit_ifunc.h, 96
- t2FitFunc_stdDm
 - t2fit_stdFitFuncs.h, 98
- t2FitFunc_stdFreq
 - t2fit_stdFitFuncs.h, 98
- t2FitFunc_stdGlitch
 - t2fit_glitch.h, 95
- t2FitFunc_stdGravWav
 - t2fit_stdFitFuncs.h, 98
- t2FitFunc_stdPosition
 - t2fit_position.h, 97
- t2FitFunc_telPos
 - t2fit_stdFitFuncs.h, 98
- t2FitFunc_zero
 - t2fit_stdFitFuncs.h, 98
- T2Predictor, 68
 - cheby, 69
 - kind, 69
 - modelset, 69
 - t1, 69
- T2Predictor_Copy
 - tempo2pred.h, 127
- T2Predictor_Destroy
 - tempo2pred.h, 127
- T2Predictor_FRead
 - tempo2pred.h, 127
- T2Predictor_FWrite
 - tempo2pred.h, 127
- T2Predictor_GetEndFreq
 - tempo2pred.h, 127
- T2Predictor_GetEndMJD
 - tempo2pred.h, 127
- T2Predictor_GetFrequency
 - tempo2pred.h, 127
- T2Predictor_GetPSRName
 - tempo2pred.h, 128
- T2Predictor_GetPhase
 - tempo2pred.h, 127
- T2Predictor_GetPlan
 - tempo2pred.h, 127
- T2Predictor_GetPlan_Ext
 - tempo2pred.h, 128
- T2Predictor_GetSiteName
 - tempo2pred.h, 128
- T2Predictor_GetStartFreq
 - tempo2pred.h, 128
- T2Predictor_GetStartMJD
 - tempo2pred.h, 128
- T2Predictor_Init
 - tempo2pred.h, 128
- T2Predictor_Insert
 - tempo2pred.h, 128
- T2Predictor_Keep
 - tempo2pred.h, 128
- T2Predictor_Kind
 - tempo2pred.h, 128
- T2Predictor_Read
 - tempo2pred.h, 128
- T2Predictor_Write
 - tempo2pred.h, 128
- T2PredictorKind
 - tempo2pred.h, 127
- t2UpdateFunc_binaryModels
 - t2fit_stdFitFuncs.h, 98
- t2UpdateFunc_dmmodelCM
 - t2fit_dmmodel.h, 93
- t2UpdateFunc_dmmodelDM
 - t2fit_dmmodel.h, 94
- t2UpdateFunc_fitwaves

- t2fit_fitwaves.h, [94](#)
- t2UpdateFunc_ifunc
 - t2fit_ifunc.h, [96](#)
 - t2fit_stdFitFuncs.h, [98](#)
- t2UpdateFunc_jump
 - t2fit_stdFitFuncs.h, [98](#)
- t2UpdateFunc_miscDm
 - t2fit_stdFitFuncs.h, [98](#)
- t2UpdateFunc_planet
 - t2fit_stdFitFuncs.h, [98](#)
- t2UpdateFunc_simpleAdd
 - t2fit_stdFitFuncs.h, [98](#)
- t2UpdateFunc_simpleMinus
 - t2fit_stdFitFuncs.h, [99](#)
- t2UpdateFunc_stdFreq
 - t2fit_stdFitFuncs.h, [99](#)
- t2UpdateFunc_stdGlitch
 - t2fit_glitch.h, [95](#)
- t2UpdateFunc_stdGravWav
 - t2fit_stdFitFuncs.h, [99](#)
- t2UpdateFunc_stdPosition
 - t2fit_position.h, [97](#)
- t2UpdateFunc_telPos
 - t2fit_stdFitFuncs.h, [99](#)
- t2UpdateFunc_zero
 - t2fit_stdFitFuncs.h, [99](#)
- T2accel.h, [90](#)
 - ACCEL_LSQ, [91](#)
 - ACCEL_MULTMATRIX, [91](#)
 - ACCEL_UINV, [91](#)
 - accel_lsq_qr, [91](#)
 - accel_multMatrix, [91](#)
 - accel_multMatrixVec, [91](#)
 - accel_uinv, [91](#)
 - useT2accel, [91](#)
- t2cMethod
 - pulsar, [62](#)
- T2calculateCholesky
 - choleskyRoutines.h, [75](#)
- T2calculateCovarFunc
 - choleskyRoutines.h, [75](#)
- T2calculateDailyCovariance
 - choleskyRoutines.h, [75](#)
- T2calculateSpectra
 - choleskyRoutines.h, [75](#)
- T2cholDecomposition
 - choleskyRoutines.h, [75](#)
- T2cubicFit
 - choleskyRoutines.h, [75](#)
- T2efacFlagID
 - pulsar, [62](#)
- T2efacFlagVal
 - pulsar, [62](#)
- T2efacVal
 - pulsar, [62](#)
- T2equadFlagID
 - pulsar, [62](#)
- T2equadFlagVal
 - pulsar, [62](#)
- T2equadVal
 - pulsar, [62](#)
- T2findSmoothCurve
 - choleskyRoutines.h, [75](#)
- t2fit.h, [91](#)
 - t2Fit, [92](#)
 - t2Fit_buildConstraintsMatrix, [92](#)
 - t2Fit_buildDesignMatrix, [92](#)
 - t2Fit_fillFitInfo, [92](#)
 - t2Fit_fillGlobalFitInfo, [92](#)
 - t2Fit_getFitData, [92](#)
 - t2Fit_updateParameters, [92](#)
- t2fit_dmmodel.h, [92](#)
 - t2FitFunc_dmmodelCM, [93](#)
 - t2FitFunc_dmmodelDM, [93](#)
 - t2UpdateFunc_dmmodelCM, [93](#)
 - t2UpdateFunc_dmmodelDM, [94](#)
- t2fit_fitwaves.h, [94](#)
 - t2FitFunc_fitwaves, [94](#)
 - t2UpdateFunc_fitwaves, [94](#)
- t2fit_glitch.h, [94](#)
 - t2FitFunc_stdGlitch, [95](#)
 - t2UpdateFunc_stdGlitch, [95](#)
- t2fit_ifunc.h, [95](#)
 - ifunc, [96](#)
 - sifunc, [96](#)
 - t2FitFunc_ifunc, [96](#)
 - t2FitFunc_sifunc, [96](#)
 - t2UpdateFunc_ifunc, [96](#)
- t2fit_position.h, [96](#)
 - t2FitFunc_stdPosition, [97](#)
 - t2UpdateFunc_stdPosition, [97](#)
- t2fit_stdFitFuncs.h, [97](#)
 - t2FitFunc_binaryModels, [98](#)
 - t2FitFunc_ifunc, [98](#)
 - t2FitFunc_jump, [98](#)
 - t2FitFunc_miscDm, [98](#)
 - t2FitFunc_planet, [98](#)
 - t2FitFunc_stdDm, [98](#)
 - t2FitFunc_stdFreq, [98](#)
 - t2FitFunc_stdGravWav, [98](#)
 - t2FitFunc_telPos, [98](#)
 - t2FitFunc_zero, [98](#)
 - t2UpdateFunc_binaryModels, [98](#)
 - t2UpdateFunc_ifunc, [98](#)
 - t2UpdateFunc_jump, [98](#)
 - t2UpdateFunc_miscDm, [98](#)
 - t2UpdateFunc_planet, [98](#)
 - t2UpdateFunc_simpleAdd, [98](#)
 - t2UpdateFunc_simpleMinus, [99](#)
 - t2UpdateFunc_stdFreq, [99](#)
 - t2UpdateFunc_stdGravWav, [99](#)
 - t2UpdateFunc_telPos, [99](#)
 - t2UpdateFunc_zero, [99](#)
- T2fitSpectra
 - choleskyRoutines.h, [75](#)
- T2get_covFunc_automatic

- choleskyRoutines.h, 75
- T2getHighFreqRes
 - choleskyRoutines.h, 75
- T2getWhiteNoiseLevel
 - choleskyRoutines.h, 75
- T2getWhiteRes
 - choleskyRoutines.h, 75
- T2globalEfac
 - pulsar, 62
- T2guess_vals
 - choleskyRoutines.h, 75
- T2interpolate
 - choleskyRoutines.h, 75
- T2model
 - tempo2.h, 123
- T2obtainTimingResiduals
 - choleskyRoutines.h, 75
- T2toolkit.h, 99
 - genrand_int32, 100
 - genrand_real1, 100
 - init_genrand, 100
 - TKconvertFloat1, 100
 - TKconvertFloat2, 100
 - TKfindMax_d, 100
 - TKfindMax_f, 100
 - TKfindMedian_d, 100
 - TKfindMedian_f, 100
 - TKfindMin_d, 100
 - TKfindMin_f, 100
 - TKfindRMS_d, 100
 - TKfindRMS_f, 100
 - TKfindRMSweight_d, 100
 - TKgaussDev, 100
 - TKmean_d, 100
 - TKmean_f, 100
 - TKranDev, 100
 - TKrange_d, 100
 - TKrange_f, 100
 - TKretMax_d, 100
 - TKretMax_f, 100
 - TKretMin_d, 100
 - TKretMin_f, 101
 - TKretMin_i, 101
 - TKsetSeed, 101
 - TKsign_d, 101
 - TKsort_2f, 101
 - TKsort_3d, 101
 - TKsort_d, 101
 - TKsort_f, 101
 - TKvariance_d, 101
 - TKzeromean_d, 101
- T2writeCovarFuncModel
 - choleskyRoutines.h, 76
- TDB_UNITS
 - tempo2.h, 114
- TDBTDT_FILE
 - tempo2.h, 114
- TEMPO2_ARCH
 - config.h, 78
- TEMPO2_ENVIRON
 - tempo2.h, 125
- TEMPO2_ERROR
 - tempo2.h, 125
- TEMPO2_h_HASH
 - tempo2.h, 114
- TEMPO2_h_MAJOR_VER
 - tempo2.h, 114
- TEMPO2_h_MINOR_VER
 - tempo2.h, 114
- TEMPO2_h_VER
 - tempo2.h, 114
- TK_MAX_ERROR_LEN
 - TKlog.h, 135
- TK_MAX_ERRORS
 - TKlog.h, 135
- TK_STORE_ERROR
 - TKlog.h, 135
- TK_STORE_WARNING
 - TKlog.h, 136
- TK_dft
 - TKspectrum.h, 145
- TK_errorCount
 - TKlog.h, 136
- TK_errorlog
 - TKlog.h, 136
- TK_fft
 - TKspectrum.h, 145
- TK_fitSine
 - TKspectrum.h, 145
- TK_fitSinusoids
 - TKspectrum.h, 145
- TK_warnCount
 - TKlog.h, 136
- TK_warnlog
 - TKlog.h, 136
- TK_weightLS
 - TKspectrum.h, 145
- TKaveragePts
 - TKspectrum.h, 145
- TKbacksubstitution_svd
 - TKsvd.h, 146
- TKbidiagonal
 - TKsvd.h, 146
- TKboxcar
 - TKspectrum.h, 145
- TKcalcSigmaz
 - TKspectrum.h, 145
- TKcholesky.h, 131
 - cholesky_covarFunc2matrix, 131
 - cholesky_dmModel, 131
 - cholesky_dmModelCovarParam, 131
 - cholesky_ecm, 131
 - cholesky_formUinv, 131
 - cholesky_powerlawModel, 132
 - cholesky_powerlawModel_withBeta, 132
 - cholesky_readFromCovarianceFunction, 132

- TKcmonot
 - TKspectrum.h, [145](#)
- TKconstrainedLeastSquares
 - TKfit.h, [133](#)
- TKconvertFloat1
 - T2toolkit.h, [100](#)
- TKconvertFloat2
 - T2toolkit.h, [100](#)
- TKfindMax_d
 - T2toolkit.h, [100](#)
- TKfindMax_f
 - T2toolkit.h, [100](#)
- TKfindMedian_d
 - T2toolkit.h, [100](#)
- TKfindMedian_f
 - T2toolkit.h, [100](#)
- TKfindMin_d
 - T2toolkit.h, [100](#)
- TKfindMin_f
 - T2toolkit.h, [100](#)
- TKfindPoly_d
 - TKfit.h, [133](#)
- TKfindRMS_d
 - T2toolkit.h, [100](#)
- TKfindRMS_f
 - T2toolkit.h, [100](#)
- TKfindRMSweight_d
 - T2toolkit.h, [100](#)
- TKfirstDifference
 - TKspectrum.h, [145](#)
- TKfit.h, [132](#)
 - TKconstrainedLeastSquares, [133](#)
 - TKfindPoly_d, [133](#)
 - TKfitPoly, [133](#)
 - TKleastSquares, [133](#)
 - TKleastSquares_svd, [133](#)
 - TKleastSquares_svd_noErr, [133](#)
 - TKremovePoly_d, [133](#)
 - TKremovePoly_f, [133](#)
 - TKrobustConstrainedLeastSquares, [133](#)
 - TKrobustLeastSquares, [133](#)
- TKfitPoly
 - TKfit.h, [133](#)
- TKgaussDev
 - T2toolkit.h, [100](#)
- TKhann
 - TKspectrum.h, [145](#)
- TKinterpolateSplineSmoothFixedXPts
 - TKspectrum.h, [145](#)
- TKleastSquares
 - TKfit.h, [133](#)
- TKleastSquares_svd
 - TKfit.h, [133](#)
- TKleastSquares_svd_noErr
 - TKfit.h, [133](#)
- TKlog.h, [133](#)
 - _LOG, [135](#)
 - _TKchklog, [136](#)
- BOLDCOLOR, [135](#)
- DEPRECATED, [135](#)
- debugFlag, [136](#)
- ENDERR, [135](#)
- ENDL, [135](#)
- ERRORCOLOR, [135](#)
- LOG_OUTFILE, [135](#)
- logdbg, [135](#)
- logerr, [135](#)
- logerr_check, [136](#)
- logmsg, [135](#)
- logtchk, [135](#)
- logwarn, [135](#)
- RESETCOLOR, [135](#)
- TK_MAX_ERROR_LEN, [135](#)
- TK_MAX_ERRORS, [135](#)
- TK_STORE_ERROR, [135](#)
- TK_STORE_WARNING, [136](#)
- TK_errorCount, [136](#)
- TK_errorlog, [136](#)
- TK_warnCount, [136](#)
- TK_warnlog, [136](#)
- tcheck, [136](#)
- timer_clk, [136](#)
- WARNCOLOR, [136](#)
- WHEREARG, [136](#)
- WHEREERR, [136](#)
- WHERESTR, [136](#)
- WHERECHK, [136](#)
- WHEREWARN, [136](#)
- writeResiduals, [136](#)
- TKlomb_d
 - TKspectrum.h, [145](#)
- TKlongdouble.float128.h, [136](#)
 - cosl, [137](#)
 - FMT_LD, [137](#)
 - fabsl, [137](#)
 - floorl, [137](#)
 - LD_PI, [137](#)
 - LONGDOUBLE_IS_FLOAT128, [138](#)
 - LONGDOUBLE_ONE, [138](#)
 - ld_fprintf, [138](#)
 - ld_printf, [138](#)
 - ld_sprintf, [138](#)
 - longdouble, [137](#), [138](#)
 - parse_longdouble, [138](#)
 - sinl, [138](#)
 - USE_BUILTIN_LONGDOUBLE, [138](#)
- TKlongdouble.h, [138](#)
 - cosl, [139](#)
 - FMT_LD, [139](#)
 - fabsl, [139](#)
 - floorl, [139](#)
 - LD_PI, [139](#)
 - LONGDOUBLE_IS_FLOAT128, [139](#)
 - LONGDOUBLE_ONE, [139](#)
 - ld_fprintf, [139](#)
 - ld_printf, [139](#)

- ld_sprintf, 140
- longdouble, 139
- parse_longdouble, 140
- sinl, 139
- USE_BUILTIN_LONGDOUBLE, 139
- TKlongdouble.ld.h, 140
- LD_PI, 140
- LONGDOUBLE_IS_IEEE754, 141
- LONGDOUBLE_ONE, 141
- ld_fprintf, 140
- ld_printf, 140
- ld_sprintf, 140
- longdouble, 141
- parse_longdouble, 141
- USE_BUILTIN_LONGDOUBLE, 141
- TKmatrix.h, 141
- free_2df, 142
- free_blas, 142
- free_uinv, 142
- get_blas_cols, 142
- get_blas_rows, 142
- malloc_2df, 142
- malloc_blas, 142
- malloc_uinv, 142
- TKmultMatrix, 142
- TKmultMatrix_sq, 142
- TKmultMatrixVec, 142
- TKmultMatrixVec_sq, 142
- TKmean_d
 - T2toolkit.h, 100
- TKmean_f
 - T2toolkit.h, 100
- TKmultMatrix
 - TKmatrix.h, 142
- TKmultMatrix_sq
 - TKmatrix.h, 142
- TKmultMatrixVec
 - TKmatrix.h, 142
- TKmultMatrixVec_sq
 - TKmatrix.h, 142
- TKpythag
 - TKsvd.h, 146
- TKranDev
 - T2toolkit.h, 100
- TKrange_d
 - T2toolkit.h, 100
- TKrange_f
 - T2toolkit.h, 100
- TKremovePoly_d
 - TKfit.h, 133
- TKremovePoly_f
 - TKfit.h, 133
- TKretMax_d
 - T2toolkit.h, 100
- TKretMax_f
 - T2toolkit.h, 100
- TKretMin_d
 - T2toolkit.h, 100
- TKretMin_f
 - T2toolkit.h, 101
- TKretMin_i
 - T2toolkit.h, 101
- TKrobustConstrainedLeastSquares
 - TKfit.h, 133
- TKrobustLeastSquares
 - TKfit.h, 133
- TKsetSeed
 - T2toolkit.h, 101
- TKsign_d
 - T2toolkit.h, 101
- TKsingularValueDecomposition_lsq
 - TKsvd.h, 146
- TKsort_2f
 - T2toolkit.h, 101
- TKsort_3d
 - T2toolkit.h, 101
- TKsort_d
 - T2toolkit.h, 101
- TKsort_f
 - T2toolkit.h, 101
- TKsortit
 - TKspectrum.h, 145
- TKspectrum
 - TKspectrum.h, 145
- TKspectrum.h, 142
 - ABS, 144
 - calcSpectra, 144
 - calcSpectra_ri, 144
 - calcSpectra_ri_T, 144
 - calcSpectraErr, 144
 - complexVal, 144
 - fit4, 144
 - fitCosSineFunc, 144
 - fitMeanSineFunc, 144
 - fitMeanSineFunc_IFUNC, 144
 - GLOBAL_OMEGA, 145
 - getprtj, 144
 - getweights, 144
 - indexx8, 144
 - MAX, 144
 - MIN, 144
 - mat20, 144
 - readin, 144
 - sineFunc, 144
 - TK_dft, 145
 - TK_fft, 145
 - TK_fitSine, 145
 - TK_fitSinusoids, 145
 - TK_weightLS, 145
 - TKaveragePts, 145
 - TKboxcar, 145
 - TKcalcSigmaz, 145
 - TKcmonot, 145
 - TKfirstDifference, 145
 - TKhann, 145
 - TKinterpolateSplineSmoothFixedXPts, 145

- TKlomb_d, [145](#)
- TKsortit, [145](#)
- TKspectrum, [145](#)
- TKspline_interpolate, [145](#)
- verbose_calc_spectra, [145](#)
- TKspline_interpolate
 - TKspectrum.h, [145](#)
- TKsvd.h, [145](#)
 - TKbacksubstitution_svd, [146](#)
 - TKbidiagonal, [146](#)
 - TKpythag, [146](#)
 - TKsingularValueDecomposition_lsqr, [146](#)
- TKvariance_d
 - T2toolkit.h, [101](#)
- TKzeromean_d
 - T2toolkit.h, [101](#)
- TNBandDMAmp
 - pulsar, [63](#)
- TNBandDMC
 - pulsar, [63](#)
- TNBandDMGam
 - pulsar, [63](#)
- TNBandNoiseAmp
 - pulsar, [63](#)
- TNBandNoiseC
 - pulsar, [63](#)
- TNBandNoiseGam
 - pulsar, [63](#)
- TNBandNoiseHF
 - pulsar, [63](#)
- TNBandNoiseLF
 - pulsar, [63](#)
- TNDMAmp
 - pulsar, [63](#)
- TNDMC
 - pulsar, [63](#)
- TNDMCoeffs
 - pulsar, [63](#)
- TNDMErr
 - observation, [43](#)
- TNDMEvAmp
 - pulsar, [63](#)
- TNDMEvGam
 - pulsar, [63](#)
- TNDMEvLength
 - pulsar, [63](#)
- TNDMEvLin
 - pulsar, [63](#)
- TNDMEvOff
 - pulsar, [63](#)
- TNDMEvQuad
 - pulsar, [64](#)
- TNDMEvStart
 - pulsar, [64](#)
- TNDMGam
 - pulsar, [64](#)
- TNDMSignal
 - observation, [44](#)
- TNECORRFlagID
 - pulsar, [64](#)
- TNECORRFlagVal
 - pulsar, [64](#)
- TNECORRVal
 - pulsar, [64](#)
- TNEFFFlagID
 - pulsar, [64](#)
- TNEFFFlagVal
 - pulsar, [64](#)
- TNEFVal
 - pulsar, [64](#)
- TNEQFlagID
 - pulsar, [64](#)
- TNEQFlagVal
 - pulsar, [64](#)
- TNEQVal
 - pulsar, [64](#)
- TNGlobalEF
 - pulsar, [64](#)
- TNGlobalEQ
 - pulsar, [64](#)
- TNGroupErr
 - observation, [44](#)
- TNGroupNoiseAmp
 - pulsar, [64](#)
- TNGroupNoiseC
 - pulsar, [64](#)
- TNGroupNoiseFlagID
 - pulsar, [64](#)
- TNGroupNoiseFlagVal
 - pulsar, [64](#)
- TNGroupNoiseGam
 - pulsar, [64](#)
- TNGroupSignal
 - observation, [44](#)
- TNRedAmp
 - pulsar, [64](#)
- TNRedC
 - pulsar, [64](#)
- TNRedCoeffs
 - pulsar, [64](#)
- TNRedCorner
 - pulsar, [64](#)
- TNRedErr
 - observation, [44](#)
- TNRedFlow
 - pulsar, [64](#)
- TNRedGam
 - pulsar, [64](#)
- TNRedSignal
 - observation, [44](#)
- TNSQFlagID
 - pulsar, [65](#)
- TNSQFlagVal
 - pulsar, [65](#)
- TNSQVal
 - pulsar, [65](#)

- TNShapeletEvFScale
 - pulsar, [64](#)
- TNShapeletEvN
 - pulsar, [64](#)
- TNShapeletEvPos
 - pulsar, [64](#)
- TNShapeletEvWidth
 - pulsar, [65](#)
- TNsubtractDM
 - pulsar, [65](#)
- TNsubtractRed
 - pulsar, [65](#)
- tOffset
 - pulsar, [65](#)
- tOffset_f1
 - pulsar, [65](#)
- tOffset_f2
 - pulsar, [65](#)
- tOffset_t1
 - pulsar, [65](#)
- tOffset_t2
 - pulsar, [65](#)
- tOffsetFlags
 - pulsar, [65](#)
- tOffsetSite
 - pulsar, [65](#)
- TSUN
 - tempo2.h, [114](#)
- TabulatedFunction, [70](#)
 - fileName, [70](#)
 - header_line, [70](#)
 - samples, [70](#)
- TabulatedFunction_getEndX
 - tabulatedfunction.h, [102](#)
- TabulatedFunction_getStartX
 - tabulatedfunction.h, [102](#)
- TabulatedFunction_getValue
 - tabulatedfunction.h, [102](#)
- TabulatedFunction_load
 - tabulatedfunction.h, [102](#)
- TabulatedFunctionSample, [70](#)
 - x, [70](#)
 - y, [70](#)
- tabulatedfunction.h, [101](#)
 - TabulatedFunction_getEndX, [102](#)
 - TabulatedFunction_getStartX, [102](#)
 - TabulatedFunction_getValue, [102](#)
 - TabulatedFunction_load, [102](#)
- tai2tt
 - tempo2.h, [123](#)
- tai2ut1
 - tempo2.h, [123](#)
- tcheck
 - TKlog.h, [136](#)
- tdis1
 - observation, [43](#)
- tdis2
 - observation, [43](#)
- telDX_e
 - pulsar, [62](#)
- telDX_t
 - pulsar, [62](#)
- telDX_v
 - pulsar, [62](#)
- telDX_vel
 - pulsar, [62](#)
- telDX_vel_e
 - pulsar, [62](#)
- telDY_e
 - pulsar, [62](#)
- telDY_t
 - pulsar, [62](#)
- telDY_v
 - pulsar, [63](#)
- telDY_vel
 - pulsar, [63](#)
- telDY_vel_e
 - pulsar, [63](#)
- telDZ_e
 - pulsar, [63](#)
- telDZ_t
 - pulsar, [63](#)
- telDZ_v
 - pulsar, [63](#)
- telDZ_vel
 - pulsar, [63](#)
- telDZ_vel_e
 - pulsar, [63](#)
- telID
 - observation, [43](#)
- tempo1
 - pulsar, [63](#)
- tempo2.h, [102](#)
 - AU_DIST, [109](#)
 - AULTSC, [109](#)
 - allocateMemory, [120](#)
 - autoConstraints, [120](#)
 - BIG_G, [109](#)
 - BTJmodel, [120](#)
 - BTXmodel, [120](#)
 - BTmodel, [120](#)
 - bootstrap, [120](#)
 - CVSdisplayVersion, [120](#)
 - calcRMS, [120](#)
 - calculate_bclt, [120](#)
 - compute_tropospheric_delays, [120](#)
 - constraint, [116](#)
 - constraint_LAST, [117](#)
 - constraint_dmmmodel_cw_0, [116](#)
 - constraint_dmmmodel_cw_1, [116](#)
 - constraint_dmmmodel_cw_2, [116](#)
 - constraint_dmmmodel_cw_3, [116](#)
 - constraint_dmmmodel_cw_px, [116](#)
 - constraint_dmmmodel_cw_year_cos, [116](#)
 - constraint_dmmmodel_cw_year_cos2, [116](#)
 - constraint_dmmmodel_cw_year_sin, [116](#)

constraint_dmmodel_cw_year_sin2, 116
constraint_dmmodel_cw_year_xcos, 116
constraint_dmmodel_cw_year_xsin, 116
constraint_dmmodel_dm1, 116
constraint_dmmodel_mean, 116
constraint_ifunc_0, 116
constraint_ifunc_1, 116
constraint_ifunc_2, 116
constraint_ifunc_year_cos, 116
constraint_ifunc_year_cos2, 116
constraint_ifunc_year_sin, 116
constraint_ifunc_year_sin2, 116
constraint_ifunc_year_xcos, 116
constraint_ifunc_year_xsin, 116
constraint_label, 115
constraint_qifunc_c_year_cos, 117
constraint_qifunc_c_year_cos2, 117
constraint_qifunc_c_year_sin, 117
constraint_qifunc_c_year_sin2, 117
constraint_qifunc_c_year_xcos, 117
constraint_qifunc_c_year_xsin, 117
constraint_qifunc_p_year_cos, 117
constraint_qifunc_p_year_cos2, 117
constraint_qifunc_p_year_sin, 116
constraint_qifunc_p_year_sin2, 117
constraint_qifunc_p_year_xcos, 117
constraint_qifunc_p_year_xsin, 117
constraint_quad_ifunc_c_0, 116
constraint_quad_ifunc_c_1, 116
constraint_quad_ifunc_c_2, 116
constraint_quad_ifunc_p_0, 116
constraint_quad_ifunc_p_1, 116
constraint_quad_ifunc_p_2, 116
constraint_tel_dx_0, 116
constraint_tel_dx_1, 116
constraint_tel_dx_2, 116
constraint_tel_dy_0, 116
constraint_tel_dy_1, 116
constraint_tel_dy_2, 116
constraint_tel_dz_0, 116
constraint_tel_dz_1, 116
constraint_tel_dz_2, 116
constraintDerivFunc, 115
copyPSR, 120
copyParam, 120
covarFuncFile, 124
DDGRmodel, 120
DDHmodel, 120
DDKmodel, 120
DDSmodel, 120
DDmodel, 120
DM_CONST, 109
DM_CONST_SI, 109
dcmFile, 124
defineClockCorrectionSequence, 120
destroyMemory, 120
destroyOne, 120
displayCVSversion, 124
displayMsg, 120
displayParameters, 120
dm_delays, 120
dms_turn, 121
doFit, 121
doFitAll, 121
doFitDCM, 121
doFitGlobal, 121
dotproduct, 121
ECLIPTIC_OBLIQUITY, 124
ECLIPTIC_OBLIQUITY_VAL, 109
ELL1Hmodel, 121
ELL1model, 121
equ2ecl, 121
FB90_TIMEEPH, 109
FITfuncs, 121
FitInfo, 115
forceGlobalFit, 124
formBats, 121
formBatsAll, 121
formResiduals, 121
fortran_mod, 121
fortran_nint, 121
fortran_nlong, 121
GM, 109
GM_C3, 109
GMJ_C3, 109
GMN_C3, 109
GMS_C3, 109
GMU_C3, 109
GMV_C3, 110
get_EOP, 121
get_OneobsCoord, 121
get_obsCoord, 121
get_obsCoord_IAU2000B, 121
getCholeskyMatrix, 121
getClockCorrections, 121
getCorrection, 121
getCorrectionTT, 121
getInputs, 121
getObservatory, 122
getParamDeriv, 122
getParameterValue, 122
HAVE_GWSIM_H, 110
hms_turn, 122
IF99_TIMEEPH, 110
IFTEPH_FILE, 110
id_residual, 122
initialise, 122
initialiseOne, 122
JVmodel, 122
LEAPSECOND_FILE, 110
label, 117
logicFlag, 122
lookup_observatory_alias, 122
MASYR2RADS, 110
MAX_BPJ_JUMPS, 110
MAX_CLK_CORR, 110

MAX_CLKCORR, 110
 MAX_COEFF, 110
 MAX_COMPANIONS, 110
 MAX_DM_DERIVATIVES, 110
 MAX_DMx, 110
 MAX_FILELEN, 111
 MAX_FIT, 111
 MAX_FLAG_LEN, 111
 MAX_FLAGS, 111
 MAX_FREQ_DERIVATIVES, 111
 MAX_IFUNC, 111
 MAX_JUMPS, 111
 MAX_LEAPSEC, 111
 MAX_MSG, 111
 MAX_OBSN, 124
 MAX_OBSN_VAL, 111
 MAX_PARAMS, 111
 MAX_PSR, 125
 MAX_PSR_VAL, 111
 MAX_QUAD, 112
 MAX_SITE, 112
 MAX_STOREPRECISION, 112
 MAX_STRLEN, 112
 MAX_T2EFAC, 112
 MAX_T2EQUAD, 112
 MAX_TEL_CLK_OFFSETS, 112
 MAX_TEL_DX, 112
 MAX_TEL_DY, 112
 MAX_TEL_DZ, 112
 MAX_TNBN, 112
 MAX_TNDMEv, 112
 MAX_TNECORR, 112
 MAX_TNEF, 113
 MAX_TNEQ, 113
 MAX_TNGN, 113
 MAX_TNSQ, 113
 MAX_TOFFSET, 113
 MAX_WHITE, 113
 MSSmodel, 122
 NE_SW_DEFAULT, 113
 NEWFIT, 125
 OBLQ, 113
 OBSSYS_FILE, 113
 observation, 115
 PCM, 113
 param_JUMP, 120
 param_LAST, 120
 param_ZERO, 120
 param_a0, 118
 param_a1, 117
 param_a1dot, 118
 param_a2dot, 118
 param_afac, 119
 param_b0, 118
 param_bp, 118
 param_bpja1, 118
 param_bpjec, 118
 param_bpjep, 118
 param_bpjom, 118
 param_bpjpb, 118
 param_bpjph, 118
 param_bpp, 118
 param_brake, 120
 param_cgw, 119
 param_clk_offs, 119
 param_daop, 119
 param_decj, 117
 param_df1, 120
 param_dm, 117
 param_dm_cos1yr, 119
 param_dm_sin1yr, 119
 param_dmassplanet, 119
 param_dmepoch, 117
 param_dmmode, 119
 param_dmx, 119
 param_dmxr1, 119
 param_dmxr2, 119
 param_dr, 118
 param_dshk, 119
 param_dth, 118
 param_dtheta, 118
 param_e2dot, 117
 param_ecc, 117
 param_edot, 117
 param_ephver, 119
 param_eps1, 118
 param_eps1dot, 119
 param_eps2, 118
 param_eps2dot, 119
 param_f, 117
 param_fb, 117
 param_fd, 118
 param_fddc, 118
 param_fddi, 118
 param_finish, 118
 param_gamma, 118
 param_glep, 118
 param_glf0, 118
 param_glf0d, 118
 param_glf1, 118
 param_glf2, 118
 param_glph, 118
 param_gltd, 118
 param_gwb_amp, 119
 param_gwecc, 119
 param_gwm_amp, 119
 param_gwsingle, 119
 param_h3, 119
 param_h4, 119
 param_ifunc, 119
 param_iperharm, 119
 param_kin, 118
 param_kom, 118
 param_label, 115
 param_m2, 118
 param_mtot, 118

param_nharm, 119
param_om, 117
param_om2dot, 118
param_omdot, 118
param_orbpx, 118
param_pb, 117
param_pbdot, 117
param_pepoch, 117
param_pmdec, 117
param_pmra, 117
param_pmr, 117
param_posepoch, 117
param_px, 117
param_quad_ifunc_c, 119
param_quad_ifunc_p, 119
param_quad_om, 119
param_raj, 117
param_shapmax, 118
param_sini, 117
param_start, 118
param_stateSwitchT, 120
param_stig, 119
param_t0, 117
param_tasc, 118
param_tel_dx, 119
param_tel_dy, 119
param_tel_dz, 119
param_tel_vx, 119
param_tel_vy, 119
param_tel_vz, 119
param_tel_x0, 119
param_tel_y0, 119
param_tel_z0, 119
param_telEpoch, 119
param_telx, 119
param_tely, 119
param_telz, 119
param_track, 118
param_tres, 119
param_tspan, 118
param_tzfrq, 118
param_tzrmjd, 118
param_wave_dm, 119
param_wave_om, 118
param_waveepoch, 119
param_waveepoch_dm, 119
param_xomdot, 118
param_xpbdot, 117
paramDerivFunc, 115
paramUpdateFunc, 115
parameter, 115
polyco, 122
preProcess, 122
preProcessSimple, 122
preProcessSimple1, 122
preProcessSimple2, 122
preProcessSimple3, 122
processFlag, 122
processSimultaneous, 122
pulsar, 115
readEphemeris, 122
readEphemeris_calceph, 122
readJBO_bat, 122
readObsFile, 122
readOneEphemeris, 122
readParfile, 122
readParfileGlobal, 123
readSimpleParfile, 123
readTimfile, 123
recordPrecision, 123
SECDAY, 113
SECDAYI, 113
SI_UNITS, 114
SOLAR_MASS, 114
SOLAR_RADIUS, 114
SPEED_LIGHT, 114
secularMotion, 123
setPlugPath, 123
setStart, 123
setupParameterFileDefaults, 123
shapiro_delay, 123
simplePlot, 123
solarWindModel, 123
sortToAs, 123
storePrecision, 115
T2_PTAmode, 123
T2C_IAU2000B, 114
T2C_TEMPO, 114
T2model, 123
TDB_UNITS, 114
TDBTDT_FILE, 114
TEMPO2_ENVIRON, 125
TEMPO2_ERROR, 125
TEMPO2_h_HASH, 114
TEMPO2_h_MAJOR_VER, 114
TEMPO2_h_MINOR_VER, 114
TEMPO2_h_VER, 114
TSUN, 114
tai2tt, 123
tai2ut1, 123
tempo2_plug_path, 125
tempo2_plug_path_len, 125
tempo2MachineType, 125
textOutput, 123
toa2utc, 123
transform_units, 123
tt2tb, 123
turn_deg, 123
turn_dms, 123
turn_hms, 123
UT1_FILE, 114
updateBT, 123
updateBTJ, 123
updateBTX, 123
updateBatsAll, 123
updateDD, 124

- updateDDGR, 124
- updateDDH, 124
- updateDDK, 124
- updateDDS, 124
- updateELL1, 124
- updateELL1H, 124
- updateJV, 124
- updateMSS, 124
- updateParameters, 124
- updateT2, 124
- updateT2_PTA, 124
- useSelectFile, 124
- utc2tai, 124
- vectorPulsar, 124
- vectorscale, 124
- vectorsum, 124
- veryFast, 125
- writeTim, 124
- zoom_graphics, 124
- tempo2_plug_path
 - tempo2.h, 125
- tempo2_plug_path_len
 - tempo2.h, 125
- tempo2MachineType
 - tempo2.h, 125
- tempo2Util.h, 131
 - dms_turn, 131
 - hms_turn, 131
 - turn_deg, 131
- tempo2pred.h, 126
 - Cheby, 127
 - ChebyModelSet_OutOfRange, 128
 - NonePredType, 127
 - T1, 127
 - T2Predictor_Copy, 127
 - T2Predictor_Destroy, 127
 - T2Predictor_FRead, 127
 - T2Predictor_FWrite, 127
 - T2Predictor_GetEndFreq, 127
 - T2Predictor_GetEndMJD, 127
 - T2Predictor_GetFrequency, 127
 - T2Predictor_GetPSRName, 128
 - T2Predictor_GetPhase, 127
 - T2Predictor_GetPlan, 127
 - T2Predictor_GetPlan_Ext, 128
 - T2Predictor_GetSiteName, 128
 - T2Predictor_GetStartFreq, 128
 - T2Predictor_GetStartMJD, 128
 - T2Predictor_Init, 128
 - T2Predictor_Insert, 128
 - T2Predictor_Keep, 128
 - T2Predictor_Kind, 128
 - T2Predictor_Read, 128
 - T2Predictor_Write, 128
 - T2PredictorKind, 127
- tempo2pred_int.h, 128
 - Cheby2D_Construct, 129
 - Cheby2D_Construct_x_Derivative, 129
 - Cheby2D_Test, 129
 - ChebyModel_Construct, 129
 - ChebyModel_Copy, 129
 - ChebyModel_Destroy, 130
 - ChebyModel_GetFrequency, 130
 - ChebyModel_GetPhase, 130
 - ChebyModel_Init, 130
 - ChebyModel_Read, 130
 - ChebyModel_Test, 130
 - ChebyModel_Write, 130
 - ChebyModelSet_Construct, 130
 - ChebyModelSet_Destroy, 130
 - ChebyModelSet_GetFrequency, 130
 - ChebyModelSet_GetNearest, 130
 - ChebyModelSet_GetPhase, 130
 - ChebyModelSet_Init, 130
 - ChebyModelSet_Insert, 130
 - ChebyModelSet_Keep, 130
 - ChebyModelSet_Read, 130
 - ChebyModelSet_Test, 130
 - ChebyModelSet_Write, 130
 - T1Polyco_GetFrequency, 130
 - T1Polyco_GetPhase, 130
 - T1Polyco_Read, 130
 - T1Polyco_Write, 130
 - T1PolycoSet_Destroy, 130
 - T1PolycoSet_GetFrequency, 130
 - T1PolycoSet_GetNearest, 130
 - T1PolycoSet_GetPhase, 130
 - T1PolycoSet_Read, 131
 - T1PolycoSet_Write, 131
- tensor_alpha
 - gwgenSpec, 34
- tensor_amp
 - gwgenSpec, 34
- textOutput
 - tempo2.h, 123
- theta_bin
 - gwSrc, 35
 - gwgeneralSrc, 33
- theta_g
 - gwSrc, 35
 - gwgeneralSrc, 33
- timeEphemeris
 - pulsar, 63
- timer_clk
 - TKlog.h, 136
- ToAextraCovar
 - pulsar, 65
- toa2utc
 - tempo2.h, 123
- toaDMErr
 - observation, 44
- toaErr
 - observation, 44
- torb
 - observation, 44
- transform_units

- tempo2.h, [123](#)
- troposphericDelay
 - observation, [44](#)
- tt2tb
 - tempo2.h, [123](#)
- turn_deg
 - tempo2.h, [123](#)
 - tempo2Util.h, [131](#)
- turn_dms
 - tempo2.h, [123](#)
- turn_hms
 - tempo2.h, [123](#)
- twot
 - interpolation_info, [36](#)
- tzrsite
 - pulsar, [65](#)
- UPW
 - choleskyRoutines.h, [76](#)
- USE_BUILTIN_LONGDOUBLE
 - TKlongdouble.float128.h, [138](#)
 - TKlongdouble.h, [139](#)
 - TKlongdouble.ld.h, [141](#)
- UT1_FILE
 - tempo2.h, [114](#)
- units
 - pulsar, [65](#)
- updateBT
 - tempo2.h, [123](#)
- updateBTJ
 - tempo2.h, [123](#)
- updateBTX
 - tempo2.h, [123](#)
- updateBatsAll
 - tempo2.h, [123](#)
- updateDD
 - tempo2.h, [124](#)
- updateDDGR
 - tempo2.h, [124](#)
- updateDDH
 - tempo2.h, [124](#)
- updateDDK
 - tempo2.h, [124](#)
- updateDDS
 - tempo2.h, [124](#)
- updateELL1
 - tempo2.h, [124](#)
- updateELL1H
 - tempo2.h, [124](#)
- updateFunctions
 - FitInfo, [32](#)
- updateJV
 - tempo2.h, [124](#)
- updateMSS
 - tempo2.h, [124](#)
- updateParameters
 - tempo2.h, [124](#)
- updateT2
 - tempo2.h, [124](#)
- updateT2_PTA
 - tempo2.h, [124](#)
- uranus_earth
 - observation, [44](#)
- useCalceph
 - pulsar, [65](#)
- useSelectFile
 - tempo2.h, [124](#)
- useT2accel
 - T2accel.h, [91](#)
- useTNOrth
 - pulsar, [65](#)
- utc2tai
 - tempo2.h, [124](#)
- utc_string
 - T1Polyco, [67](#)
- VERSION
 - config.h, [78](#)
- val
 - parameter, [47](#)
- vc
 - interpolation_info, [36](#)
- vectorPulsar
 - tempo2.h, [124](#)
- vectorscale
 - tempo2.h, [124](#)
- vectorsum
 - tempo2.h, [124](#)
- velPulsar
 - pulsar, [65](#)
- venus_earth
 - observation, [44](#)
- verbose_calc_spectra
 - TKspectrum.h, [145](#)
- veryFast
 - tempo2.h, [125](#)
- vl_alpha
 - gwgenSpec, [34](#)
- vl_amp
 - gwgenSpec, [34](#)
- WARNCOLOR
 - TKlog.h, [136](#)
- WHEREARG
 - TKlog.h, [136](#)
- WHEREERR
 - TKlog.h, [136](#)
- WHERESTR
 - TKlog.h, [136](#)
- WHERECHK
 - TKlog.h, [136](#)
- WHEREWARN
 - TKlog.h, [136](#)
- WNLEVEL
 - choleskyRoutines.h, [76](#)
- wave_cos
 - pulsar, [65](#)
- wave_cos_dm

- pulsar, [65](#)
- wave_cos_dm_err
 - pulsar, [65](#)
- wave_cos_err
 - pulsar, [66](#)
- wave_sine
 - pulsar, [66](#)
- wave_sine_dm
 - pulsar, [66](#)
- wave_sine_dm_err
 - pulsar, [66](#)
- wave_sine_err
 - pulsar, [66](#)
- waveScale
 - pulsar, [66](#)
- whiteNoiseModelFile
 - pulsar, [66](#)
- writeResiduals
 - TKlog.h, [136](#)
- writeTim
 - tempo2.h, [124](#)
- x
 - observatory, [45](#)
 - TabulatedFunctionSample, [70](#)
- X_DISPLAY_MISSING
 - config.h, [78](#)
- y
 - observatory, [45](#)
 - TabulatedFunctionSample, [70](#)
- z
 - observatory, [45](#)
- zenith
 - observation, [44](#)
- zoom_graphics
 - tempo2.h, [124](#)