

<class name>
<semester>

<assignment name>
<optional - e.g. team>

Exercise 1

(a)

Question 1 Example with \maketitle only

$$\int_{-\infty}^{\infty} e^{-r^2} dr = \sqrt{\pi}$$

Definition 1 (Example DFN). This is an example definition using thm.

Theorem 2 (Example Thm). *This is an example thm using thm.*

$$\text{NP} \subset \text{P}_{\text{poly}} \implies \text{PH} = \Sigma_2^P$$

Proof. Trivial. (not really)

□

We are at git commit 3b62f5f+.

This is a URL: <https://www.example.com>. See Theorem 2 for an example theorem, and [1] for an example citation.

References

- [1] Erich Grädel. “Capturing complexity classes by fragments of second-order logic”. In: *Theoretical Computer Science* 101 (1992), pp. 35–57. DOI: [10.1016/0304-3975\(92\)90149-A](https://doi.org/10.1016/0304-3975(92)90149-A).

<class name>
<semester>

<assignment name>
<optional - e.g. team>

First, Last Name	ID
Alan Turing	135790
Noam Chomsky	123456
Stephen Cole Kleene	789123

Exercise 2

(b) Example with \maketitle and \makegrouproster.

$$\int_{-\infty}^{\infty} e^{-r^2} dr = \sqrt{\pi}$$

Definition 3 (Example DFN). This is an example definition using thm.

Theorem 4 (Example Thm). *This is an example thm using thm.*

$$\text{NP} \subset \text{P}_{/\text{poly}} \implies \text{PH} = \Sigma_2^P$$

Proof. Trivial. (not really) □

- ◆ This is an example itemize list.
- ◆ It uses the enumitem package, which is loaded by default.
 - ▶ This is a nested itemize list.
 - ▶ Look at the nice labels
 - This is a nested nested itemize list.

We are at git commit 3b62f5f+.

This is a URL: <https://www.example.com>. See Theorem 6 for an example theorem, and [1] for an example citation.

References

[1] Erich Grädel. “Capturing complexity classes by fragments of second-order logic”. In: *Theoretical Computer Science* 101 (1992), pp. 35–57. DOI: [10.1016/0304-3975\(92\)90149-A](https://doi.org/10.1016/0304-3975(92)90149-A).

Exercise 3

(c) Example page without title and roster.

$$\int_{-\infty}^{\infty} e^{-r^2} dr = \sqrt{\pi}$$

Definition 5 (Example DFN). This is an example definition using thm.

Theorem 6 (Example Thm). *This is an example thm using thm.*

$$\text{NP} \subset \text{P/poly} \implies \text{PH} = \Sigma_2^p$$

Proof. Trivial. (not really) □

- ◆ This is an example itemize list.
- ◆ It uses the `enumitem` package, which is loaded by default.
 - ▶ This is a nested itemize list.
 - ▶ Look at the nice labels
 - This is a nested nested itemize list.

We are at git commit 3b62f5f+.

This is a URL: <https://www.example.com>. See Theorem 6 for an example theorem, and [1] for an example citation.

References

[1] Erich Grädel. “Capturing complexity classes by fragments of second-order logic”. In: *Theoretical Computer Science* 101 (1992), pp. 35–57. DOI: [10.1016/0304-3975\(92\)90149-A](https://doi.org/10.1016/0304-3975(92)90149-A).