













Comment	Description	Designator	Footprint	LibRef	Order info	Quantity	T qrés
100nF	Capacitor	C1, C2, C3, C5, C6, C7, C8, C9, C10, C11, C12, C15, C16, C20, C21, C28, C29, C31	FP_0603_CAP_08	Сар	82-04-85	18	10%
1000uF 10V	Polarized Capacitor (Radial)	C4	CAP_ALU_ELRO_ 10D_10,5H	Cap Pol1	91-01-02	1	
22p	Capacitor	C13, C14	FP_0603_CAP_08	Сар	82-02-18	2	
47uF	Capacitor	C17, C18	FP_1206_CAP_12 5	Сар	82-08-04		10%
	Polarized		CAP_ALU_ELKO_			2	1078
220uF 50V	Capacitor (Radial)	C21_e, C22_e	10D_10,5H FP_1206_CAP_08	Cap Pol1	91-00-96		000/ V7D
10uF	Capacitor NXP - PMEG3020EJ,115 - SCHOTTKY RECT 30V 2A	C30, C32	5	Сар	82-08-03	2	20% X7R
SS36	SOD323F	D22, D23	DIODE_SMC	SCHOTTKY	83-02-57	2	
100uH	Inductor Header, 5-Pin,	L1	SRR1206_T HEADER_TU_BO	Inductor	93-03-42	1	
Header 5X2	Dual row	P1	X Sorkapocs 2P	Header 5X2	43-20-93	1	
Header 2	Header, 2-Pin	P2	5mm	Header 2	43-06-54	1	
Motor	Header, 2-Pin	P3	Sorkapocs 2P 5mm	Header 2	43-06-54	1	
Motor	Header, 2-Pin	P4	3.96mm 2P 90° NCW396-02R	Header 2	43-12-66	1	
Header 4	Header, 4-Pin	P5	jst-s4b-xh-a	Header 4	43-17-55	1	
Header 8	Header, 8-Pin	P6	Sorkapocs 8P 5mm	Header 8	4 db: 43-06-54	1	
Header 3	Header, 3-Pin	P7	50rkapocs 3P 5mm	Header 3	43-06-55	1	
47k	Resistor	R1, R3, R4, R5, R6, R7, R12, R13, R15, R16, R17, R19, R28	FP_0603_RES	Res3	81-10-46	13	5%
330	Resistor	R2, R96	FP_0603_RES	Res3	81-17-48		1%
1k 390R	Resistor Resistor	R8, R9, R10, R11, R14, R18, R21, R22, R23, R24, R26, R27, R29, R30, R31	FP_0603_RES FP_0603_RES	Res3 RES	81-10-26 81-10-21	1	5%
3k9	Resistor	R25	FP_0603_RES	Res3	81-10-33 http://nu.rameii.co	1	5%
IRFS7730PBF		T1, T2, T3, T4	FET_D2-PAK_7	NMOS	m/international- rectifier/irfs3107- 7ppbf/mosfet-n-ch- 75v- d2pak/dp/168858 7	4	
PMBF170		T5, T6	FET_SOT23	NMOS	86-01-96	2	
TC4427	Speed Power MOSFET Driver	U1	DIGITAL_SOIC8	TC4427	89-22-85	1	
VOM1271T	Photodiode Output Optocouplers MOSFET DRVR ISOLATED SOP4	U2, U4	OPTO_SOP-4	VOM1271T	nttp:// nu.rameii.co m/ vishay- semiconductor/ vo m1271t/driver- mosfet-high-side- sop- 4/ dp/ 2395899	2	
	STM32 ARM- based 32-bit MCU with 256 Kbytes Flash, 64-pin LQFP, Industrial				nttp://nu.rameii.co m/stmicroelectroni cs/stm32f100rct6tr /mcu-32bit-cortex- m3-24mhz-		
STM32F103RET6	Temperature	U3	LQFP64_N	STM32F103RBT6	lqfp/dp/2333147	1	
SN74AHC1G08	GATE Step Down DC-DC	U5, U9	GATE_SOT23-5 SUPPLY_TO-263	SN74AHC1G08	87-02-78	2	
		U6	5	TS2576	89-09-12	1	
TS2576CM5-ADJ	Converter				1	l .	Ī
TS2576CM5-ADJ	reg	U7	SUPPLY_SOT223	LD1117xx	89-06-98	1	
	LUTTT7XX 3,3V IIN	U7 U10	SUPPLY_SOT223 DIGITAL_SOIC16		89-06-98 89-12-11	1	