

Studentų duomenų valdymo programa

Generated by Doxygen 1.13.2

1 Hierarchical Index	1
1.1 Class Hierarchy	1
2 Class Index	3
2.1 Class List	3
3 File Index	5
3.1 File List	5
4 Class Documentation	7
4.1 Studentas Class Reference	7
4.1.1 Constructor & Destructor Documentation	8
4.1.1.1 Studentas() [1/4]	8
4.1.1.2 Studentas() [2/4]	8
4.1.1.3 ~Studentas()	8
4.1.1.4 Studentas() [3/4]	8
4.1.1.5 Studentas() [4/4]	9
4.1.2 Member Function Documentation	9
4.1.2.1 getEgzaminas()	9
4.1.2.2 getHw()	9
4.1.2.3 getPavarde()	9
4.1.2.4 getPazM()	9
4.1.2.5 getPazVid()	9
4.1.2.6 getVardas()	9
4.1.2.7 istrintiPaskutiniHw()	9
4.1.2.8 iv1()	10
4.1.2.9 iv2()	10
4.1.2.10 iv3()	10
4.1.2.11 iv4()	10
4.1.2.12 mediana()	10
4.1.2.13 operator=() [1/2]	10
4.1.2.14 operator=() [2/2]	10
4.1.2.15 pazymioPridejimas()	10
4.1.2.16 pazymys_mediana()	10
4.1.2.17 pazymys_vidurkis()	11
4.1.2.18 setEgzaminas()	11
4.1.2.19 setHw()	11
4.1.2.20 setPavarde()	11
4.1.2.21 setPazM()	11
4.1.2.22 setPazVid()	11
4.1.2.23 setVardas()	11
4.1.2.24 test()	11
4.1.2.25 vidurkis()	11

4.1.3 Friends And Related Symbol Documentation	12
4.1.3.1 operator<<	12
4.1.3.2 operator>>	12
4.2 Zmogus Class Reference	12
4.2.1 Constructor & Destructor Documentation	13
4.2.1.1 ~Zmogus()	13
4.2.2 Member Function Documentation	13
4.2.2.1 getPavarde()	13
4.2.2.2 getPazM()	13
4.2.2.3 getPazVid()	13
4.2.2.4 getVardas()	13
4.2.2.5 setPavarde()	13
4.2.2.6 setVardas()	13
4.2.3 Member Data Documentation	14
4.2.3.1 pavarde	14
4.2.3.2 vardas	14
5 File Documentation	15
5.1 vektoriai/code.h File Reference	15
5.1.1 Function Documentation	15
5.1.1.1 apdorojimo_laikas()	15
5.1.1.2 generavimas()	15
5.1.1.3 raide()	15
5.2 code.h	16
5.3 vektoriai/functions.cpp File Reference	16
5.3.1 Function Documentation	16
5.3.1.1 apdorojimo_laikas()	16
5.3.1.2 generavimas()	16
5.3.1.3 raide()	16
5.4 vektoriai/my.h File Reference	17
5.5 my.h	17
5.6 vektoriai/students.cpp File Reference	18
5.6.1 Function Documentation	18
5.6.1.1 operator<<()	18
5.6.1.2 operator>>()	18
5.7 vektoriai/students.h File Reference	18
5.8 students.h	19
5.9 vektoriai/vektoriuMain.cpp File Reference	20
5.9.1 Function Documentation	20
5.9.1.1 main()	20
5.10 vektoriai/Zmogus.h File Reference	20
5.10.1 Function Documentation	21

5.10.1.1 operator<<()	21
5.11 Zmogus.h	21
Index	23

Chapter 1

Hierarchical Index

1.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Zmogus	12
Studentas	7

Chapter 2

Class Index

2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Studentas		7
Zmogus		12

Chapter 3

File Index

3.1 File List

Here is a list of all files with brief descriptions:

vektoriai/ code.h	15
vektoriai/ functions.cpp	16
vektoriai/ my.h	17
vektoriai/ students.cpp	18
vektoriai/ students.h	18
vektoriai/ vektoriuMain.cpp	20
vektoriai/ Zmogus.h	20


Chapter 4

Class Documentation

4.1 Studentas Class Reference

```
#include <students.h>
```

Inheritance diagram for Studentas:



Public Member Functions

- [Studentas](#) ()
- [Studentas](#) (const string &[vardas](#), const string &[pavarde](#), const vector< int > &hw, int egzaminas)
- [~Studentas](#) ()
- [Studentas](#) (const [Studentas](#) &other)
- [Studentas](#) & [operator=](#) (const [Studentas](#) &other)
- [Studentas](#) ([Studentas](#) &&other) noexcept
- [Studentas](#) & [operator=](#) ([Studentas](#) &&other) noexcept
- string [getVardas](#) () const override
- string [getPavarde](#) () const override
- double [getPazVid](#) () const override
- double [getPazM](#) () const override
- int [getEgzaminas](#) () const
- vector< int > [getHw](#) () const
- void [setVardas](#) (const string &v) override
- void [setPavarde](#) (const string &p) override
- void [setPazVid](#) (const double &vid)
- void [setPazM](#) (const double &med)
- void [setEgzaminas](#) (const int &egz)
- void [setHw](#) (const vector< int > &nd)
- void [pazymioPridejimas](#) (int nd)
- void [istrintiPaskutiniHw](#) ()
- void [test](#) ()

- double [vidurkis](#) () const
- double [mediana](#) () const
- void [pazymys_mediana](#) ()
- void [pazymys_vidurkis](#) ()
- void [iv1](#) ()
- void [iv2](#) (mt19937 &gen)
- void [iv3](#) (vector< string > &vardai, vector< string > &pavardes, mt19937 &gen)
- double [iv4](#) (vector< unique_ptr< [Zmogus](#) > > &grupe, ofstream &laiko_failas)

Public Member Functions inherited from [Zmogus](#)

- virtual [~Zmogus](#) ()=0

Friends

- ostream & [operator<<](#) (ostream &os, const [Zmogus](#) &zm)
- istream & [operator>>](#) (istream &is, [Studentas](#) &s)

Additional Inherited Members

Protected Attributes inherited from [Zmogus](#)

- string [vardas](#)
- string [pavarde](#)

4.1.1 Constructor & Destructor Documentation

4.1.1.1 [Studentas\(\)](#) [1/4]

```
Studentas::Studentas () [inline]
```

4.1.1.2 [Studentas\(\)](#) [2/4]

```
Studentas::Studentas (
    const string & vardas,
    const string & pavarde,
    const vector< int > & hw,
    int egzaminas) [inline]
```

4.1.1.3 [~Studentas\(\)](#)

```
Studentas::~~Studentas () [inline]
```

4.1.1.4 [Studentas\(\)](#) [3/4]

```
Studentas::Studentas (
    const Studentas & other) [inline]
```

4.1.1.5 Studentas() [4/4]

```
Studentas::Studentas (  
    Studentas && other)    [inline], [noexcept]
```

4.1.2 Member Function Documentation

4.1.2.1 getEgzaminas()

```
int Studentas::getEgzaminas () const    [inline]
```

4.1.2.2 getHw()

```
vector< int > Studentas::getHw () const    [inline]
```

4.1.2.3 getPavarde()

```
string Studentas::getPavarde () const    [override], [virtual]
```

Reimplemented from [Zmogus](#).

4.1.2.4 getPazM()

```
double Studentas::getPazM () const    [inline], [override], [virtual]
```

Implements [Zmogus](#).

4.1.2.5 getPazVid()

```
double Studentas::getPazVid () const    [inline], [override], [virtual]
```

Implements [Zmogus](#).

4.1.2.6 getVardas()

```
string Studentas::getVardas () const    [override], [virtual]
```

Reimplemented from [Zmogus](#).

4.1.2.7 istrintiPaskutiniHw()

```
void Studentas::istrintiPaskutiniHw ()    [inline]
```

4.1.2.8 iv1()

```
void Studentas::iv1 ()
```

4.1.2.9 iv2()

```
void Studentas::iv2 (  
    mt19937 & gen)
```

4.1.2.10 iv3()

```
void Studentas::iv3 (  
    vector< string > & vardai,  
    vector< string > & pavardes,  
    mt19937 & gen)
```

4.1.2.11 iv4()

```
double Studentas::iv4 (  
    vector< unique_ptr< Zmogus > > & grupe,  
    ofstream & laiko_failas)
```

4.1.2.12 mediana()

```
double Studentas::mediana () const
```

4.1.2.13 operator=() [1/2]

```
Studentas & Studentas::operator= (  
    const Studentas & other) [inline]
```

4.1.2.14 operator=() [2/2]

```
Studentas & Studentas::operator= (  
    Studentas && other) [inline], [noexcept]
```

4.1.2.15 pazymioPridejimas()

```
void Studentas::pazymioPridejimas (  
    int nd) [inline]
```

4.1.2.16 pazymys_mediana()

```
void Studentas::pazymys_mediana ()
```

4.1.2.17 pazymys_vidurkis()

```
void Studentas::pazymys_vidurkis ()
```

4.1.2.18 setEgzaminas()

```
void Studentas::setEgzaminas (  
    const int & egz) [inline]
```

4.1.2.19 setHw()

```
void Studentas::setHw (  
    const vector< int > & nd) [inline]
```

4.1.2.20 setPavarde()

```
void Studentas::setPavarde (  
    const string & p) [inline], [override], [virtual]
```

Implements [Zmogus](#).

4.1.2.21 setPazM()

```
void Studentas::setPazM (  
    const double & med) [inline]
```

4.1.2.22 setPazVid()

```
void Studentas::setPazVid (  
    const double & vid) [inline]
```

4.1.2.23 setVardas()

```
void Studentas::setVardas (  
    const string & v) [inline], [override], [virtual]
```

Implements [Zmogus](#).

4.1.2.24 test()

```
void Studentas::test ()
```

4.1.2.25 vidurkis()

```
double Studentas::vidurkis () const
```

4.1.3 Friends And Related Symbol Documentation

4.1.3.1 operator<<

```
ostream & operator<< (  
    ostream & os,  
    const Zmogus & zm) [friend]
```

4.1.3.2 operator>>

```
istream & operator>> (  
    istream & is,  
    Studentas & s) [friend]
```


The documentation for this class was generated from the following files:

- [vektoriai/students.h](#)
- [vektoriai/students.cpp](#)

4.2 Zmogus Class Reference

```
#include <Zmogus.h>
```

Inheritance diagram for Zmogus:



Public Member Functions

- virtual [~Zmogus](#) ()=0
- virtual string [getVardas](#) () const
- virtual string [getPavarde](#) () const
- virtual double [getPazVid](#) () const =0
- virtual double [getPazM](#) () const =0
- virtual void [setVardas](#) (const string &v)=0
- virtual void [setPavarde](#) (const string &p)=0

Protected Attributes

- string [vardas](#)
- string [pavarde](#)

4.2.1 Constructor & Destructor Documentation

4.2.1.1 ~Zmogus()

```
Zmogus::~~Zmogus () [pure virtual]
```

4.2.2 Member Function Documentation

4.2.2.1 getPavarde()

```
virtual string Zmogus::getPavarde () const [inline], [virtual]
```

Reimplemented in [Studentas](#).

4.2.2.2 getPazM()

```
virtual double Zmogus::getPazM () const [pure virtual]
```

Implemented in [Studentas](#).

4.2.2.3 getPazVid()

```
virtual double Zmogus::getPazVid () const [pure virtual]
```

Implemented in [Studentas](#).

4.2.2.4 getVardas()

```
virtual string Zmogus::getVardas () const [inline], [virtual]
```

Reimplemented in [Studentas](#).

4.2.2.5 setPavarde()

```
virtual void Zmogus::setPavarde (  
    const string & p) [pure virtual]
```

Implemented in [Studentas](#).

4.2.2.6 setVardas()

```
virtual void Zmogus::setVardas (  
    const string & v) [pure virtual]
```

Implemented in [Studentas](#).

4.2.3 Member Data Documentation

4.2.3.1 pavarde

```
string Zmogus::pavarde [protected]
```

4.2.3.2 vardas

```
string Zmogus::vardas [protected]
```

The documentation for this class was generated from the following files:

- [vektoriai/Zmogus.h](#)
- [vektoriai/students.cpp](#)

Chapter 5

File Documentation

5.1 vektoriai/code.h File Reference

```
#include "my.h"
```

Functions

- string [raide](#) (string vardai)
- void [generavimas](#) (string failas)
- double [apdorojimo_laikas](#) (high_resolution_clock::time_point start, high_resolution_clock::time_point end)

5.1.1 Function Documentation

5.1.1.1 apdorojimo_laikas()

```
double apdorojimo_laikas (  
    high_resolution_clock::time_point start,  
    high_resolution_clock::time_point end)
```

5.1.1.2 generavimas()

```
void generavimas (  
    string failas)
```

5.1.1.3 raide()

```
string raide (  
    string vardai)
```

5.2 code.h

[Go to the documentation of this file.](#)

```
00001
00002 #ifndef CODE_H
00003 #define CODE_H
00004 #include "my.h"
00005
00006 string raide(string vardai);
00007 void generavimas(string failas);
00008 double apdorojimo_laikas(high_resolution_clock::time_point start, high_resolution_clock::time_point
    end);
00009 //void generavimo_laikas(string& filename, ofstream& laiko_failas);
00010 //void RAM(ofstream& report);
00011 //void CPU(ofstream& report);
00012 //void Disk(ofstream& report);
00013
00014
00015 #endif
```

5.3 vektoriai/functions.cpp File Reference

```
#include "my.h"
#include "code.h"
#include "students.h"
#include "Zmogus.h"
```

Functions

- string [raide](#) (string vardai)
- void [generavimas](#) (string failas)
- double [apdorojimo_laikas](#) (high_resolution_clock::time_point start, high_resolution_clock::time_point end)

5.3.1 Function Documentation

5.3.1.1 apdorojimo_laikas()

```
double apdorojimo_laikas (
    high_resolution_clock::time_point start,
    high_resolution_clock::time_point end)
```

5.3.1.2 generavimas()

```
void generavimas (
    string failas)
```

5.3.1.3 raide()

```
string raide (
    string vardai)
```

5.4 vektoriai/my.h File Reference

```
#include <iostream>
#include <fstream>
#include <vector>
#include <iomanip>
#include <string>
#include <algorithm>
#include <ctime>
#include <chrono>
#include <numeric>
#include <random>
#include <sstream>
#include <windows.h>
#include <cassert>
#include <memory>
```

5.5 my.h

[Go to the documentation of this file.](#)

```
00001 #ifndef MY_H
00002 #define MY_H
00003 #include <iostream>
00004 #include <fstream>
00005 #include <vector>
00006 #include <iomanip>
00007 #include <string>
00008 #include <algorithm>
00009 #include <ctime>
00010 #include <chrono>
00011 #include <numeric>
00012 #include <random>
00013 #include <sstream>
00014 #include <windows.h>
00015 #include <cassert>
00016 #include <memory>
00017
00018 using std::cout;
00019 using std::cin;
00020 using std::string;
00021 using std::vector;
00022 using std::endl;
00023 using std::fixed;
00024 using std::setprecision;
00025 using std::left;
00026 using std::setw;
00027 using std::sort;
00028 using std::ifstream;
00029 using std::ofstream;
00030 using std::transform;
00031 using std::exception;
00032 using std::cerr;
00033 using std::invalid_argument;
00034 using std::out_of_range;
00035 using std::to_string;
00036 using namespace std::chrono;
00037 using std::accumulate;
00038 using std::random_device;
00039 using std::mt19937;
00040 using std::uniform_int_distribution;
00041 using std::uniform_real_distribution;
00042 using std::runtime_error;
00043 using std::stringstream;
00044 using std::ios;
00045 using std::copy_if;
00046 using std::back_inserter;
00047 using std::remove_if;
00048 using std::istringstream;
00049 using std::move;
00050 using std::ostream;
```

```
00051 using std::istream;
00052 using std::getline;
00053 using std::abs;
00054 using std::logic_error;
00055 using std::unique_ptr;
00056 using std::make_unique;
00057
00058 #endif
```

5.6 vektoriai/students.cpp File Reference

```
#include "my.h"
#include "code.h"
#include "students.h"
#include "Zmogus.h"
#include <memory>
```

Functions

- ostream & [operator<<](#) (ostream &os, const [Zmogus](#) &zm)
- istream & [operator>>](#) (istream &is, [Studentas](#) &B)

5.6.1 Function Documentation

5.6.1.1 operator<<()

```
ostream & operator<< (
    ostream & os,
    const Zmogus & zm)
```

5.6.1.2 operator>>()

```
istream & operator>> (
    istream & is,
    Studentas & B)
```

5.7 vektoriai/students.h File Reference

```
#include <iostream>
#include <string>
#include <vector>
#include <algorithm>
#include <random>
#include <cmath>
#include "my.h"
#include "code.h"
#include "Zmogus.h"
```

Classes

- class [Studentas](#)

5.8 students.h

[Go to the documentation of this file.](#)

```

00001 #ifndef STUDENTS_H
00002 #define STUDENTS_H
00003 #include <iostream>
00004 #include <string>
00005 #include <vector>
00006 #include <algorithm>
00007 #include <random>
00008 #include <cmath>
00009 #include "my.h"
00010 #include "code.h"
00011 #include "Zmogus.h"
00012
00013 class Studentas: public Zmogus{
00014     vector<int> hw;
00015     int egzaminas;
00016     double paz_m;
00017     double paz_vid;
00018 public:
00019     // Default constructor
00020     Studentas()
00021     : egzaminas(0), paz_m(0), paz_vid(0) { vardas = ""; pavarde = ""; }
00022
00023     Studentas(const string& vardas, const string& pavarde, const vector<int>& hw, int egzaminas)
00024     : hw(hw), egzaminas(egzaminas) { this->vardas = vardas; this->pavarde = pavarde; }
00025
00026     ~Studentas() {}
00027
00028     Studentas(const Studentas& other)
00029     : egzaminas(other.egzaminas), hw(other.hw),
00030       paz_m(other.paz_m), paz_vid(other.paz_vid) { vardas = other.vardas; pavarde = other.pavarde; }
00031
00032     Studentas& operator=(const Studentas& other) {
00033         if (this != &other) {
00034             vardas = other.vardas;
00035             pavarde = other.pavarde;
00036             hw = other.hw;
00037             egzaminas = other.egzaminas;
00038             paz_m = other.paz_m;
00039             paz_vid = other.paz_vid;
00040         }
00041         return *this;
00042     }
00043
00044     Studentas(Studentas&& other) noexcept
00045     : hw(move(other.hw)), egzaminas(other.egzaminas),
00046       paz_m(other.paz_m), paz_vid(other.paz_vid) { vardas = move(other.vardas); pavarde =
00047         move(other.pavarde); }
00048
00049     Studentas& operator=(Studentas&& other) noexcept {
00050         if (this != &other) {
00051             vardas = move(other.vardas);
00052             pavarde = move(other.pavarde);
00053             hw = move(other.hw);
00054             egzaminas = other.egzaminas;
00055             paz_m = other.paz_m;
00056             paz_vid = other.paz_vid;
00057         }
00058         return *this;
00059     }
00060
00061     //Input and output operations
00062     friend ostream& operator<<(ostream& os, const Zmogus& zm);
00063     friend istream& operator>>(istream& is, Studentas& s);
00064
00065     // Getters
00066     string getVardas() const override;
00067     string getPavarde() const override;
00068     double getPazVid() const override { return paz_vid; }
00069     double getPazM() const override { return paz_m; }
00070     int getEgzaminas() const { return egzaminas; }
00071     vector<int> getHw() const { return hw; }
00072
00073     //Setters

```

```

00073     void setVardas(const string& v) override { vardas = v; };
00074     void setPavarde(const string& p) override { pavarde = p; };
00075     void setPazVid(const double& vid) { paz_vid = vid; }
00076     void setPazM(const double& med) { paz_m = med; }
00077     void setEgzaminas(const int& egz) { egzaminas = egz; }
00078     void setHw(const vector<int>& nd) { hw = nd; }
00079
00080     void pazymioPridejimas(int nd) {
00081         hw.push_back(nd);
00082     }
00083
00084     void istrintiPaskutiniHw() {
00085         if (!hw.empty()) hw.pop_back();
00086     }
00087
00088     // Methods
00089     void test ();
00090     double vidurkis() const;
00091     double mediana() const;
00092     void pazymys_mediana();
00093     void pazymys_vidurkis();
00094     void iv1();
00095     void iv2(mt19937& gen);
00096     void iv3(vector<string>& vardai, vector<string>& pavardes, mt19937& gen);
00097     double iv4(vector<unique_ptr<Zmogus>& grupe, ofstream& laiko_failas);
00098
00099 };
00100
00101 #endif

```

5.9 vektoriai/vektoriuMain.cpp File Reference

```

#include "my.h"
#include "code.h"
#include "students.h"
#include "Zmogus.h"

```

Functions

- int [main](#) ()

5.9.1 Function Documentation

5.9.1.1 main()

```
int main ()
```

5.10 vektoriai/Zmogus.h File Reference

```

#include <iostream>
#include <string>
#include <vector>
#include <algorithm>
#include <random>
#include <cmath>
#include "my.h"
#include "code.h"

```

Classes

- class [Zmogus](#)

Functions

- ostream & [operator<<](#) (ostream &os, const [Zmogus](#) &zm)

5.10.1 Function Documentation**5.10.1.1 operator<<()**

```
ostream & operator<< (
    ostream & os,
    const Zmogus & zm)
```

5.11 Zmogus.h

[Go to the documentation of this file.](#)

```
00001 #ifndef ZMOGUS_H
00002 #define ZMOGUS_H
00003 #include <iostream>
00004 #include <string>
00005 #include <vector>
00006 #include <algorithm>
00007 #include <random>
00008 #include <cmath>
00009 #include "my.h"
00010 #include "code.h"
00011
00012
00013 class Zmogus {
00014     protected:
00015         string vardas;
00016         string pavarde;
00017
00018     public:
00019         virtual ~Zmogus() = 0; //pure virtual destructor
00020
00021         //Getters
00022         virtual string getVardas() const { return vardas; }
00023         virtual string getPavarde() const { return pavarde; }
00024         virtual double getPazVid() const = 0;
00025         virtual double getPazM() const = 0;
00026
00027         //Setters
00028         virtual void setVardas(const string& v) = 0;
00029         virtual void setPavarde(const string& p) = 0;
00030
00031 };
00032
00033
00034 //Zmogus::~Zmogus() {} // definition of pure virtual destructor
00035 ostream& operator<<(ostream& os, const Zmogus& zm);
00036
00037
00038 #endif
```


Index

- ~Studentas
 - Studentas, [8](#)
- ~Zmogus
 - Zmogus, [13](#)
- apdorojimo_laikas
 - code.h, [15](#)
 - functions.cpp, [16](#)
- code.h
 - apdorojimo_laikas, [15](#)
 - generavimas, [15](#)
 - raide, [15](#)
- functions.cpp
 - apdorojimo_laikas, [16](#)
 - generavimas, [16](#)
 - raide, [16](#)
- generavimas
 - code.h, [15](#)
 - functions.cpp, [16](#)
- getEgzaminas
 - Studentas, [9](#)
- getHw
 - Studentas, [9](#)
- getPavarde
 - Studentas, [9](#)
 - Zmogus, [13](#)
- getPazM
 - Studentas, [9](#)
 - Zmogus, [13](#)
- getPazVid
 - Studentas, [9](#)
 - Zmogus, [13](#)
- getVarDas
 - Studentas, [9](#)
 - Zmogus, [13](#)
- istrintiPaskutiniHw
 - Studentas, [9](#)
- iv1
 - Studentas, [9](#)
- iv2
 - Studentas, [10](#)
- iv3
 - Studentas, [10](#)
- iv4
 - Studentas, [10](#)
- main
 - vektoriuMain.cpp, [20](#)
- mediana
 - Studentas, [10](#)
- operator<<
 - Studentas, [12](#)
 - students.cpp, [18](#)
 - Zmogus.h, [21](#)
- operator>>
 - Studentas, [12](#)
 - students.cpp, [18](#)
- operator=
 - Studentas, [10](#)
- pavarde
 - Zmogus, [14](#)
- pazymioPridejimas
 - Studentas, [10](#)
- pazymys_mediana
 - Studentas, [10](#)
- pazymys_vidurkis
 - Studentas, [10](#)
- raide
 - code.h, [15](#)
 - functions.cpp, [16](#)
- setEgzaminas
 - Studentas, [11](#)
- setHw
 - Studentas, [11](#)
- setPavarde
 - Studentas, [11](#)
 - Zmogus, [13](#)
- setPazM
 - Studentas, [11](#)
- setPazVid
 - Studentas, [11](#)
- setVardas
 - Studentas, [11](#)
 - Zmogus, [13](#)
- Studentas, [7](#)
 - ~Studentas, [8](#)
 - getEgzaminas, [9](#)
 - getHw, [9](#)
 - getPavarde, [9](#)
 - getPazM, [9](#)
 - getPazVid, [9](#)
 - getVarDas, [9](#)
 - istrintiPaskutiniHw, [9](#)

- iv1, [9](#)
- iv2, [10](#)
- iv3, [10](#)
- iv4, [10](#)
- mediana, [10](#)
- operator<<, [12](#)
- operator>>, [12](#)
- operator=, [10](#)
- pazymioPridejimas, [10](#)
- pazymys_mediana, [10](#)
- pazymys_vidurkis, [10](#)
- setEgzaminas, [11](#)
- setHw, [11](#)
- setPavarde, [11](#)
- setPazM, [11](#)
- setPazVid, [11](#)
- setVardas, [11](#)
- Studentas, [8](#)
- test, [11](#)
- vidurkis, [11](#)
- students.cpp
 - operator<<, [18](#)
 - operator>>, [18](#)
- test
 - Studentas, [11](#)
- vardas
 - Zmogus, [14](#)
- vektoriai/code.h, [15](#), [16](#)
- vektoriai/functions.cpp, [16](#)
- vektoriai/my.h, [17](#)
- vektoriai/students.cpp, [18](#)
- vektoriai/students.h, [18](#), [19](#)
- vektoriai/vektoriuMain.cpp, [20](#)
- vektoriai/Zmogus.h, [20](#), [21](#)
- vektoriuMain.cpp
 - main, [20](#)
- vidurkis
 - Studentas, [11](#)
- Zmogus, [12](#)
 - ~Zmogus, [13](#)
 - getPavarde, [13](#)
 - getPazM, [13](#)
 - getPazVid, [13](#)
 - getVardas, [13](#)
 - pavarde, [14](#)
 - setPavarde, [13](#)
 - setVardas, [13](#)
 - vardas, [14](#)
- Zmogus.h
 - operator<<, [21](#)