

---

Workgroup: Network Working Group  
Internet-Draft: draft-rathnayake-xml2rfc-unicode-00  
Published: 7 March 2023  
Intended Status: Experimental  
Expires: 8 September 2023  
Author: K. Nanayakkara Rathnayake  
*IETF Administration LLC*

# Unicode characters supported by xml2rfc for publication

---

## Abstract

This draft lists all Unicode characters that is ready to published without xml2rfc too.

## Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 8 September 2023.

## Copyright Notice

Copyright (c) 2023 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document.

## Table of Contents

1. [Introduction](#)
2. [Basic Latin](#)
3. [Latin-1 Supplement](#)
4. [Latin Extended-A](#)
5. [Latin Extended-B](#)
6. [IPA Extensions](#)
7. [Spacing Modifier Letters](#)
8. [Combining Diacritical Marks](#)
9. [Greek and Coptic](#)
10. [Cyrillic](#)
11. [Cyrillic Supplement](#)
12. [Armenian](#)
13. [Hebrew](#)
14. [Arabic](#)
15. [Syriac](#)
16. [Arabic Supplement](#)
17. [Thaana](#)
18. [Nko](#)
19. [Samaritan](#)
20. [Mandaic](#)
21. [Syriac Supplement](#)
22. [Arabic Extended-A](#)
23. [Devanagari](#)
24. [Bengali](#)
25. [Gurmukhi](#)
26. [Gujarati](#)
27. [Oriya](#)
28. [Tamil](#)

- 29. Telugu
- 30. Kannada
- 31. Malayalam
- 32. Sinhala
- 33. Thai
- 34. Lao
- 35. Tibetan
- 36. Myanmar
- 37. Georgian
- 38. Hangul Jamo
- 39. Ethiopic
- 40. Ethiopic Supplement
- 41. Cherokee
- 42. Unified Canadian Aboriginal Syllabics
- 43. Ogham
- 44. Runic
- 45. Tagalog
- 46. Hanunoo
- 47. Buhid
- 48. Tagbanwa
- 49. Khmer
- 50. Mongolian
- 51. Unified Canadian Aboriginal Syllabics Extended
- 52. Limbu
- 53. Tai Le
- 54. New Tai Lue
- 55. Khmer Symbols
- 56. Buginese
- 57. Tai Tham
- 58. Combining Diacritical Marks Extended

- 59. Balinese
- 60. Sundanese
- 61. Batak
- 62. Lepcha
- 63. Ol Chiki
- 64. Cyrillic Extended-C
- 65. Georgian Extended
- 66. Sundanese Supplement
- 67. Vedic Extensions
- 68. Phonetic Extensions
- 69. Phonetic Extensions Supplement
- 70. Combining Diacritical Marks Supplement
- 71. Latin Extended Additional
- 72. Greek Extended
- 73. General Punctuation
- 74. Superscripts and Subscripts
- 75. Currency Symbols
- 76. Combining Diacritical Marks for Symbols
- 77. Letterlike Symbols
- 78. Number Forms
- 79. Arrows
- 80. Mathematical Operators
- 81. Miscellaneous Technical
- 82. Control Pictures
- 83. Optical Character Recognition
- 84. Enclosed Alphanumerics
- 85. Box Drawing
- 86. Block Elements
- 87. Geometric Shapes
- 88. Miscellaneous Symbols

- 89. Dingbats
- 90. Miscellaneous Mathematical Symbols-A
- 91. Supplemental Arrows-A
- 92. Braille Patterns
- 93. Supplemental Arrows-B
- 94. Miscellaneous Mathematical Symbols-B
- 95. Supplemental Mathematical Operators
- 96. Miscellaneous Symbols and Arrows
- 97. Glagolitic
- 98. Latin Extended-C
- 99. Coptic
- 100. Georgian Supplement
- 101. Tifinagh
- 102. Ethiopic Extended
- 103. Cyrillic Extended-A
- 104. Supplemental Punctuation
- 105. CJK Radicals Supplement
- 106. Kangxi Radicals
- 107. Ideographic Description Characters
- 108. CJK Symbols and Punctuation
- 109. Hiragana
- 110. Katakana
- 111. Bopomofo
- 112. Hangul Compatibility Jamo
- 113. Kanbun
- 114. Bopomofo Extended
- 115. CJK Strokes
- 116. Katakana Phonetic Extensions
- 117. Enclosed CJK Letters and Months
- 118. CJK Compatibility

- 119. CJK Unified Ideographs Extension A
- 120. Yijing Hexagram Symbols
- 121. CJK Unified Ideographs
- 122. Yi Syllables
- 123. Yi Radicals
- 124. Lisu
- 125. Vai
- 126. Cyrillic Extended-B
- 127. Bamum
- 128. Modifier Tone Letters
- 129. Latin Extended-D
- 130. Syloti Nagri
- 131. Common Indic Number Forms
- 132. Phags-pa
- 133. Saurashtra
- 134. Devanagari Extended
- 135. Kayah Li
- 136. Rejang
- 137. Hangul Jamo Extended-A
- 138. Javanese
- 139. Myanmar Extended-B
- 140. Cham
- 141. Myanmar Extended-A
- 142. Tai Viet
- 143. Meetei Mayek Extensions
- 144. Ethiopic Extended-A
- 145. Latin Extended-E
- 146. Cherokee Supplement
- 147. Meetei Mayek
- 148. Hangul Syllables

- 149. Hangul Jamo Extended-B
- 150. High Surrogates
- 151. High Private Use Surrogates
- 152. Low Surrogates
- 153. Private Use Area
- 154. CJK Compatibility Ideographs
- 155. Alphabetic Presentation Forms
- 156. Arabic Presentation Forms-A
- 157. Variation Selectors
- 158. Vertical Forms
- 159. Combining Half Marks
- 160. CJK Compatibility Forms
- 161. Small Form Variants
- 162. Arabic Presentation Forms-B
- 163. Halfwidth and Fullwidth Forms
- 164. Specials
- 165. Linear B Syllabary
- 166. Linear B Ideograms
- 167. Aegean Numbers
- 168. Ancient Greek Numbers
- 169. Ancient Symbols
- 170. Phaistos Disc
- 171. Lycian
- 172. Carian
- 173. Coptic Epact Numbers
- 174. Old Italic
- 175. Gothic
- 176. Old Permic
- 177. Ugaritic
- 178. Old Persian

- 179. Deseret
- 180. Shavian
- 181. Osmanya
- 182. Osage
- 183. Elbasan
- 184. Caucasian Albanian
- 185. Linear A
- 186. Cypriot Syllabary
- 187. Imperial Aramaic
- 188. Palmyrene
- 189. Nabataean
- 190. Hatran
- 191. Phoenician
- 192. Lydian
- 193. Meroitic Hieroglyphs
- 194. Meroitic Cursive
- 195. Kharoshthi
- 196. Old South Arabian
- 197. Old North Arabian
- 198. Manichaean
- 199. Avestan
- 200. Inscriptional Parthian
- 201. Inscriptional Pahlavi
- 202. Psalter Pahlavi
- 203. Old Turkic
- 204. Old Hungarian
- 205. Hanifi Rohingya
- 206. Rumi Numeral Symbols
- 207. Old Sogdian
- 208. Sogdian



- 209. Brahmi
- 210. Kaithi
- 211. Sora Sompeng
- 212. Chakma
- 213. Mahajani
- 214. Sharada
- 215. Sinhala Archaic Numbers
- 216. Khojki
- 217. Multani
- 218. Khudawadi
- 219. Grantha
- 220. Newa
- 221. Tirhuta
- 222. Siddham
- 223. Modi
- 224. Mongolian Supplement
- 225. Takri
- 226. Ahom
- 227. Dogra
- 228. Warang Citi
- 229. Zanabazar Square
- 230. Soyombo
- 231. Pau Cin Hau
- 232. Bhaiksuki
- 233. Marchen
- 234. Masaram Gondi
- 235. Gunjala Gondi
- 236. Makasar
- 237. Cuneiform
- 238. Cuneiform Numbers and Punctuation

- 239. Early Dynastic Cuneiform
- 240. Egyptian Hieroglyphs
- 241. Anatolian Hieroglyphs
- 242. Bamum Supplement
- 243. Mro
- 244. Bassa Vah
- 245. Pahawh Hmong
- 246. Medefaidrin
- 247. Miao
- 248. Ideographic Symbols and Punctuation
- 249. Tangut
- 250. Tangut Components
- 251. Kana Supplement
- 252. Kana Extended-A
- 253. Nushu
- 254. Duployan
- 255. Shorthand Format Controls
- 256. Byzantine Musical Symbols
- 257. Musical Symbols
- 258. Ancient Greek Musical Notation
- 259. Mayan Numerals
- 260. Tai Xuan Jing Symbols
- 261. Counting Rod Numerals
- 262. Mathematical Alphanumeric Symbols
- 263. Sutton SignWriting
- 264. Glagolitic Supplement
- 265. Mende Kikakui
- 266. Adlam
- 267. Indic Siyaq Numbers
- 268. Arabic Mathematical Alphabetic Symbols

[269. Mahjong Tiles](#)  
[270. Domino Tiles](#)  
[271. Playing Cards](#)  
[272. Enclosed Alphanumeric Supplement](#)  
[273. Enclosed Ideographic Supplement](#)  
[274. Miscellaneous Symbols and Pictographs](#)  
[275. Emoticons](#)  
[276. Ornamental Dingbats](#)  
[277. Transport and Map Symbols](#)  
[278. Alchemical Symbols](#)  
[279. Geometric Shapes Extended](#)  
[280. Supplemental Arrows-C](#)  
[281. Supplemental Symbols and Pictographs](#)  
[282. Chess Symbols](#)  
[283. CJK Unified Ideographs Extension B](#)  
[284. CJK Unified Ideographs Extension C](#)  
[285. CJK Unified Ideographs Extension D](#)  
[286. CJK Unified Ideographs Extension E](#)  
[287. CJK Unified Ideographs Extension F](#)  
[288. CJK Compatibility Ideographs Supplement](#)  
[289. Tags](#)  
[290. Variation Selectors Supplement](#)  
[291. Supplementary Private Use Area-A](#)  
[292. Supplementary Private Use Area-B](#)  
[Author's Address](#)

## 1. Introduction

The xml2rfc supports Unicode but there are publishing limitation due to the fonts. The xml2rfc has support for the all Unicode that belongs to the scripts range and limited support for symbols and punctuation.

## 2. Basic Latin

Unicode character range: 0000..007F

[Unicode Basic Latin character list](#)

Scripts list as identified by xml2rfc: Latin

Following fonts are available:

- Noto Serif

Example: "g" (LATIN SMALL LETTER G, U+0067)

## 3. Latin-1 Supplement

Unicode character range: 0080..00FF

[Unicode Latin-1 Supplement character list](#)

Scripts list as identified by xml2rfc: Latin

Following fonts are available:

- Noto Serif

Example: "ü" (LATIN SMALL LETTER U WITH DIAERESIS, U+00FC)

## 4. Latin Extended-A

Unicode character range: 0100..017F

[Unicode Latin Extended-A character list](#)

Scripts list as identified by xml2rfc: Latin

Following fonts are available:

- Noto Serif

Example: "ş" (LATIN SMALL LETTER S WITH CEDILLA, U+015F)

## 5. Latin Extended-B

Unicode character range: 0180..024F

[Unicode Latin Extended-B character list](#)

Scripts list as identified by xml2rfc: Latin

Following fonts are available:

- Noto Serif

Example: "j̄" (LATIN SMALL LETTER J WITH STROKE, U+0249)

## 6. IPA Extensions

Unicode character range: 0250..02AF

[Unicode IPA Extensions character list](#)

Scripts list as identified by xml2rfc: Latin

Following fonts are available:

- Noto Serif

Example: "g̃" (LATIN SMALL LETTER G WITH HOOK, U+0260)

## 7. Spacing Modifier Letters

Unicode character range: 02B0..02FF

[Unicode Spacing Modifier Letters character list](#)

Scripts list as identified by xml2rfc: Bopomofo

Following fonts are available:

- Noto Sans Bopomofo

Example: "ɿ" (MODIFIER LETTER YANG DEPARTING TONE MARK, U+02EB)

## 8. Combining Diacritical Marks

Unicode character range: 0300..036F

[Unicode Combining Diacritical Marks character list](#)

Scripts list as identified by xml2rfc: Inherited

Following fonts are available:

- Noto Sans Inherited

Example: "̀" (COMBINING GRAVE TONE MARK, U+0340)

## 9. Greek and Coptic

Unicode character range: 0370..03FF

[Unicode Greek and Coptic character list](#)

Scripts list as identified by xml2rfc: Greek

Following fonts are available:

- Noto Serif

Example: "6" (GREEK BETA SYMBOL, U+03D0)

## 10. Cyrillic

Unicode character range: 0400..04FF

[Unicode Cyrillic character list](#)

Scripts list as identified by xml2rfc: Cyrillic

Following fonts are available:

- Noto Serif

Example: "т" (CYRILLIC SMALL LETTER TE WITH DESCENDER, U+04AD)

## 11. Cyrillic Supplement

Unicode character range: 0500..052F

[Unicode Cyrillic Supplement character list](#)

Scripts list as identified by xml2rfc: Cyrillic

Following fonts are available:

- Noto Serif

Example: "ѣ" (CYRILLIC SMALL LETTER KOMI DZJE, U+0507)

## 12. Armenian

Unicode character range: 0530..058F

[Unicode Armenian character list](#)

Scripts list as identified by xml2rfc: Armenian

Following fonts are available:

- Noto Serif Armenian

Example: "կ" (ARMENIAN SMALL LETTER KEN, U+056F)

## 13. Hebrew

Unicode character range: 0590..05FF

[Unicode Hebrew character list](#)

Scripts list as identified by xml2rfc: Hebrew

Following fonts are available:

- Noto Serif Hebrew

Example: "י" (HEBREW LETTER YOD, U+05D9)

## 14. Arabic

Unicode character range: 0600..06FF

[Unicode Arabic character list](#)

Scripts list as identified by xml2rfc: Arabic, Common

Following fonts are available:

- Noto Sans Arabic
- Noto Serif

Example: "﷞" (ARABIC START OF RUB EL HIZB, U+06DE)

## 15. Syriac

Unicode character range: 0700..074F

[Unicode Syriac character list](#)

Scripts list as identified by xml2rfc: Syriac

Following fonts are available:

- Noto Sans Syriac

Example: "" (SYRIAC QUSHSHAYA, U+0741)

## 16. Arabic Supplement

Unicode character range: 0750..077F

[Unicode Arabic Supplement character list](#)

Scripts list as identified by xml2rfc: Arabic

Following fonts are available:

- Noto Sans Arabic

Example: "ﻉ" (ARABIC LETTER KEHEH WITH THREE DOTS ABOVE, U+0763)

## 17. Thaana

Unicode character range: 0780..07BF

[Unicode Thaana character list](#)

Scripts list as identified by xml2rfc: Thaana

Following fonts are available:

- Noto Sans Thaana

Example: "ޅ" (THAANA LETTER TAVIYANI, U+0793)

## 18. NKo

Unicode character range: 07C0..07FF

[Unicode NKo character list](#)

Scripts list as identified by xml2rfc: Nko

Following fonts are available:

- Noto Sans Nko

Example: "Ɑ" (NKO DIGIT SEVEN, U+07C7)

## 19. Samaritan

Unicode character range: 0800..083F

[Unicode Samaritan character list](#)



Scripts list as identified by xml2rfc: Samaritan

Following fonts are available:

- Noto Sans Samaritan

Example: "𐤀" (SAMARITAN PUNCTUATION SOF MASHFAAT, U+083D)

## 20. Mandaic

Unicode character range: 0840..085F

[Unicode Mandaic character list](#)

Scripts list as identified by xml2rfc: Mandaic

Following fonts are available:

- Noto Sans Mandaic

Example: "𐤀" (MANDAIC LETTER AZ, U+0846)

## 21. Syriac Supplement

Unicode character range: 0860..086F

[Unicode Syriac Supplement character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 22. Arabic Extended-A

Unicode character range: 08A0..08FF

[Unicode Arabic Extended-A character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 23. Devanagari

Unicode character range: 0900..097F

[Unicode Devanagari character list](#)

Scripts list as identified by xml2rfc: Devanagari

Following fonts are available:

- Noto Serif Devanagari

Example: "य़" (DEVANAGARI LETTER YYA, U+095F)

## 24. Bengali

Unicode character range: 0980..09FF

[Unicode Bengali character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 25. Gurmukhi

Unicode character range: 0A00..0A7F

[Unicode Gurmukhi character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 26. Gujarati

Unicode character range: 0A80..0AFF

[Unicode Gujarati character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 27. Oriya

Unicode character range: 0B00..0B7F

[Unicode Oriya character list](#)

Scripts list as identified by xml2rfc: Oriya

Following fonts are available:

- Noto Sans Oriya

Example: "ୠ" (ORIYA VOWEL SIGN VOCALIC LL, U+0B63)

## 28. Tamil

Unicode character range: 0B80..0BFF

[Unicode Tamil character list](#)

Scripts list as identified by xml2rfc: Tamil

Following fonts are available:

- Noto Serif Tamil

Example: "ஜ" (TAMIL LETTER JA, U+0B9C)

## 29. Telugu

Unicode character range: 0C00..0C7F

[Unicode Telugu character list](#)

Scripts list as identified by xml2rfc: Telugu

Following fonts are available:

- Noto Serif Telugu

Example: "ఱ" (TELUGU LETTER VOCALIC LL, U+0C61)

## 30. Kannada

Unicode character range: 0C80..0CFF

[Unicode Kannada character list](#)

Scripts list as identified by xml2rfc: Kannada

Following fonts are available:

- Noto Serif Kannada

Example: "ಙ" (KANNADA LETTER NGA, U+0C99)

## 31. Malayalam

Unicode character range: 0D00..0D7F

[Unicode Malayalam character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 32. Sinhala

Unicode character range: 0D80..0DFF

[Unicode Sinhala character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 33. Thai

Unicode character range: 0E00..0E7F

[Unicode Thai character list](#)

Scripts list as identified by xml2rfc: Thai

Following fonts are available:

- Noto Serif Thai

Example: "๓" (THAI CHARACTER HO NOKHUK, U+0E2E)

## 34. Lao

Unicode character range: 0E80..0EFF

[Unicode Lao character list](#)

Scripts list as identified by xml2rfc: Lao

Following fonts are available:

- Noto Serif Lao

Example: "ຊ" (LAO LETTER SO TAM, U+0E8A)

## 35. Tibetan

Unicode character range: 0F00..0FFF

[Unicode Tibetan character list](#)

Scripts list as identified by xml2rfc: Tibetan

Following fonts are available:

- Noto Sans Tibetan

Example: "ྱ" (TIBETAN MARK RIN CHEN SPUNGS SHAD, U+0F11)

## 36. Myanmar

Unicode character range: 1000..109F

[Unicode Myanmar character list](#)

Scripts list as identified by xml2rfc: Myanmar

Following fonts are available:

- Noto Serif Myanmar

Example: "ၘ" (MYANMAR SHAN DIGIT EIGHT, U+1098)

## 37. Georgian

Unicode character range: 10A0..10FF

[Unicode Georgian character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 38. Hangul Jamo

Unicode character range: 1100..11FF

[Unicode Hangul Jamo character list](#)

Scripts list as identified by xml2rfc: Hangul

Following fonts are available:

- Noto Serif CJK KR

Example: " ᄀ" (HANGUL JUNGSEONG YEO, U+1167)

## 39. Ethiopic

Unicode character range: 1200..137F

### [Unicode Ethiopic character list](#)

Scripts list as identified by xml2rfc: Ethiopic

Following fonts are available:

- Noto Serif Ethiopic

Example: "ጸ" (ETHIOPIC SYLLABLE XWAA, U+128B)

## **40. Ethiopic Supplement**

Unicode character range: 1380..139F

### [Unicode Ethiopic Supplement character list](#)

Scripts list as identified by xml2rfc: Ethiopic

Following fonts are available:

- Noto Serif Ethiopic

Example: "ቦ" (ETHIOPIC SYLLABLE BWI, U+1385)

## **41. Cherokee**

Unicode character range: 13A0..13FF

### [Unicode Cherokee character list](#)

Scripts list as identified by xml2rfc: Cherokee

Following fonts are available:

- Noto Sans Cherokee

Example: "Ꮖ" (CHEROKEE LETTER WI, U+13EB)

## **42. Unified Canadian Aboriginal Syllabics**

Unicode character range: 1400..167F

### [Unicode Unified Canadian Aboriginal Syllabics character list](#)

Scripts list as identified by xml2rfc: Canadian\_Aboriginal

Following fonts are available:

- Noto Sans Canadian Aboriginal

Example: "ᑭ" (CANADIAN SYLLABICS MH, U+14BD)

## 43. Ogham

Unicode character range: 1680..169F

[Unicode Ogham character list](#)

Scripts list as identified by xml2rfc: Ogham

Following fonts are available:

- Noto Sans Ogham

Example: "◀" (OGHAM REVERSED FEATHER MARK, U+169C)

## 44. Runic

Unicode character range: 16A0..16FF

[Unicode Runic character list](#)

Scripts list as identified by xml2rfc: Runic

Following fonts are available:

- Noto Sans Runic

Example: "ᚠ" (RUNIC LETTER LAUKAZ LAGU LOGR L, U+16DA)

## 45. Tagalog

Unicode character range: 1700..171F

[Unicode Tagalog character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 46. Hanunoo

Unicode character range: 1720..173F

[Unicode Hanunoo character list](#)

Scripts list as identified by xml2rfc: Hanunoo

Following fonts are available:

- Noto Sans Hanunoo

Example: "ᐃ"(HANUNOO SIGN PAMUDPOD, U+1734)

## 47. Buhid

Unicode character range: 1740..175F

[Unicode Buhid character list](#)

Scripts list as identified by xml2rfc: Buhid

Following fonts are available:

- Noto Sans Buhid

Example: "᜚" (BUHID LETTER SA, U+1750)

## 48. Tagbanwa

Unicode character range: 1760..177F

[Unicode Tagbanwa character list](#)

Scripts list as identified by xml2rfc: Tagbanwa

Following fonts are available:

- Noto Sans Tagbanwa

Example: "ᜎ" (TAGBANWA LETTER NA, U+1768)

## 49. Khmer

Unicode character range: 1780..17FF

[Unicode Khmer character list](#)

Scripts list as identified by xml2rfc: Khmer

Following fonts are available:

- Noto Serif Khmer

Example: "ឃ" (KHMER LETTER TTHA, U+178B)



## 50. Mongolian

Unicode character range: 1800..18AF

[Unicode Mongolian character list](#)

Scripts list as identified by xml2rfc: Mongolian

Following fonts are available:

- Noto Sans Mongolian

Example: "ᠠ" (MONGOLIAN LETTER ALI GALI I, U+1888)

## 51. Unified Canadian Aboriginal Syllabics Extended

Unicode character range: 18B0..18FF

[Unicode Unified Canadian Aboriginal Syllabics Extended character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 52. Limbu

Unicode character range: 1900..194F

[Unicode Limbu character list](#)

Scripts list as identified by xml2rfc: Limbu

Following fonts are available:

- Noto Sans Limbu

Example: "ᱠ" (LIMBU SMALL LETTER NGA, U+1931)

## 53. Tai Le

Unicode character range: 1950..197F

[Unicode Tai Le character list](#)

Scripts list as identified by xml2rfc: Tai\_Le

Following fonts are available:

- Noto Sans Tai Le

Example: "ᩢ" (TAI LE LETTER UE, U+196A)

## 54. New Tai Lue

Unicode character range: 1980..19DF

[Unicode New Tai Lue character list](#)

Scripts list as identified by xml2rfc: New\_Tai\_Lue

Following fonts are available:

- Noto Sans New Tai Lue

Example: "᩠" (NEW TAI LUE LETTER LOW TSA, U+198B)

## 55. Khmer Symbols

Unicode character range: 19E0..19FF

[Unicode Khmer Symbols character list](#)

Scripts list as identified by xml2rfc: Khmer

Following fonts are available:

- Noto Serif Khmer

Example: "្ក" (KHMER SYMBOL DAP-PII ROC, U+19FC)

## 56. Buginese

Unicode character range: 1A00..1A1F

[Unicode Buginese character list](#)

Scripts list as identified by xml2rfc: Buginese

Following fonts are available:

- Noto Sans Buginese

Example: "ᮊ" (BUGINESE LETTER NGA, U+1A02)

## 57. Tai Tham

Unicode character range: 1A20..1AAF

[Unicode Tai Tham character list](#)

Scripts list as identified by xml2rfc: Tai\_Tham

Following fonts are available:

- Noto Sans Tai Tham

Example: "ꪀ" (TAI THAM CONSONANT SIGN MEDIAL RA, U+1A55)

## 58. Combining Diacritical Marks Extended

Unicode character range: 1AB0..1AFF

[Unicode Combining Diacritical Marks Extended character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 59. Balinese

Unicode character range: 1B00..1B7F

[Unicode Balinese character list](#)

Scripts list as identified by xml2rfc: Balinese

Following fonts are available:

- Noto Sans Balinese

Example: "ꦱꦸꦱ꧀" (BALINESE VOWEL SIGN ULU SARI, U+1B37)

## 60. Sundanese

Unicode character range: 1B80..1BBF

[Unicode Sundanese character list](#)

Scripts list as identified by xml2rfc: Sundanese

Following fonts are available:

- Noto Sans Sundanese

Example: "ᮊ" (SUNDANESE AVAGRAHA, U+1BBA)

## 61. Batak

Unicode character range: 1BC0..1BFF

[Unicode Batak character list](#)

Scripts list as identified by xml2rfc: Batak

Following fonts are available:

- Noto Sans Batak

Example: "ᮊ" (BATAK LETTER MBA, U+1BE3)

## 62. Lepcha

Unicode character range: 1C00..1C4F

[Unicode Lepcha character list](#)

Scripts list as identified by xml2rfc: Lepcha

Following fonts are available:

- Noto Sans Lepcha

Example: "Ი" (LEPCHA PUNCTUATION CER-WA, U+1C3D)

## 63. Ol Chiki

Unicode character range: 1C50..1C7F

[Unicode Ol Chiki character list](#)

Scripts list as identified by xml2rfc: Ol\_Chiki

Following fonts are available:

- Noto Sans Ol Chiki

Example: "ᱵ" (OL CHIKI LETTER IH, U+1C66)

## 64. Cyrillic Extended-C

Unicode character range: 1C80..1C8F

[Unicode Cyrillic Extended-C character list](#)

Scripts list as identified by xml2rfc: Cyrillic

Following fonts are available:

- Noto Serif

Example: "o" (CYRILLIC SMALL LETTER NARROW O, U+1C82)

## 65. Georgian Extended

Unicode character range: 1C90..1CBF

[Unicode Georgian Extended character list](#)

Scripts list as identified by xml2rfc: Georgian

Following fonts are available:

- Noto Serif Georgian

Example: " " (GEORGIAN MTAVRULI CAPITAL LETTER LAS, U+1C9A)

## 66. Sundanese Supplement

Unicode character range: 1CC0..1CCF

[Unicode Sundanese Supplement character list](#)

Scripts list as identified by xml2rfc: Sundanese

Following fonts are available:

- Noto Sans Sundanese

Example: "o" (SUNDANESE PUNCTUATION BINDU CAKRA, U+1CC3)

## 67. Vedic Extensions

Unicode character range: 1CD0..1CFF

[Unicode Vedic Extensions character list](#)

Scripts list as identified by xml2rfc: Common, Devanagari

Following fonts are available:

- Noto Serif
- Noto Serif Devanagari

Example: "ॐ" (VEDIC SIGN ANUSVARA ANTARGOMUKHA, U+1CE9)

## 68. Phonetic Extensions

Unicode character range: 1D00..1D7F

[Unicode Phonetic Extensions character list](#)

Scripts list as identified by xml2rfc: Latin

Following fonts are available:

- Noto Serif

Example: "ſ" (LATIN SMALL LETTER S WITH MIDDLE TILDE, U+1D74)

## 69. Phonetic Extensions Supplement

Unicode character range: 1D80..1DBF

[Unicode Phonetic Extensions Supplement character list](#)

Scripts list as identified by xml2rfc: Latin

Following fonts are available:

- Noto Serif

Example: "ɥ" (MODIFIER LETTER SMALL T WITH PALATAL HOOK, U+1DB5)

## 70. Combining Diacritical Marks Supplement

Unicode character range: 1DC0..1DFF

[Unicode Combining Diacritical Marks Supplement character list](#)

Scripts list as identified by xml2rfc: Inherited

Following fonts are available:

- Noto Sans Inherited

Example: "𐀀" (COMBINING LATIN SMALL LETTER AO, U+1DD5)

## 71. Latin Extended Additional

Unicode character range: 1E00..1EFF

[Unicode Latin Extended Additional character list](#)

Scripts list as identified by xml2rfc: Latin

Following fonts are available:

- Noto Serif

Example: "Š" (LATIN CAPITAL LETTER S WITH ACUTE AND DOT ABOVE, U+1E64)

## 72. Greek Extended

Unicode character range: 1F00..1FFF

[Unicode Greek Extended character list](#)

Scripts list as identified by xml2rfc: Greek

Following fonts are available:

- Noto Serif

Example: "Ἠ" (GREEK CAPITAL LETTER ETA WITH DASIA AND PERISPOMENI AND PROSGEGRAMMENI, U+1F9F)

## 73. General Punctuation

Unicode character range: 2000..206F

[Unicode General Punctuation character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "⋈" (DOTTED CROSS, U+205C)

## 74. Superscripts and Subscripts

Unicode character range: 2070..209F

### [Unicode Superscripts and Subscripts character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "⁷" (SUPERSCRIPT SEVEN, U+2077)

## 75. Currency Symbols

Unicode character range: 20A0..20CF

### [Unicode Currency Symbols character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "₱" (PESO SIGN, U+20B1)

## 76. Combining Diacritical Marks for Symbols

Unicode character range: 20D0..20FF

### [Unicode Combining Diacritical Marks for Symbols character list](#)

Scripts list as identified by xml2rfc: Inherited

Following fonts are available:

- Noto Sans Inherited

Example: "⁂" (COMBINING WIDE BRIDGE ABOVE, U+20E9)

## 77. Letterlike Symbols

Unicode character range: 2100..214F

### [Unicode Letterlike Symbols character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif



Example: "ᳵ" (SCRUPLE, U+2108)

## 78. Number Forms

Unicode character range: 2150..218F

[Unicode Number Forms character list](#)

Scripts list as identified by xml2rfc: Latin

Following fonts are available:

- Noto Serif

Example: "Ⅹ" (ROMAN NUMERAL TEN, U+2169)

## 79. Arrows

Unicode character range: 2190..21FF

[Unicode Arrows character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "↵" (LEFTWARDS WHITE ARROW, U+21E6)

## 80. Mathematical Operators

Unicode character range: 2200..22FF

[Unicode Mathematical Operators character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "⋈" (BOWTIE, U+22C8)

## 81. Miscellaneous Technical

Unicode character range: 2300..23FF

[Unicode Miscellaneous Technical character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "☐" (CLEAR SCREEN SYMBOL, U+239A)

## 82. Control Pictures

Unicode character range: 2400..243F

[Unicode Control Pictures character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "□" (OPEN BOX, U+2423)

## 83. Optical Character Recognition

Unicode character range: 2440..245F

[Unicode Optical Character Recognition character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 84. Enclosed Alphanumerics

Unicode character range: 2460..24FF

[Unicode Enclosed Alphanumerics character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "Ⓛ" (CIRCLED LATIN CAPITAL LETTER L, U+24C1)

## 85. Box Drawing

Unicode character range: 2500..257F

### [Unicode Box Drawing character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "┘" (BOX DRAWINGS DOWN LIGHT AND LEFT UP HEAVY, U+2529)

## 86. Block Elements

Unicode character range: 2580..259F

### [Unicode Block Elements character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "▀" (LOWER THREE QUARTERS BLOCK, U+2586)

## 87. Geometric Shapes

Unicode character range: 25A0..25FF

### [Unicode Geometric Shapes character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "◀" (INVERSE BULLET, U+25D8)

## 88. Miscellaneous Symbols

Unicode character range: 2600..26FF

### [Unicode Miscellaneous Symbols character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "☢" (RADIOACTIVE SIGN, U+2622)

## 89. Dingbats

Unicode character range: 2700..27BF

[Unicode Dingbats character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "❄" (HEAVY CHEVRON SNOWFLAKE, U+2746)

## 90. Miscellaneous Mathematical Symbols-A

Unicode character range: 27C0..27EF

[Unicode Miscellaneous Mathematical Symbols-A character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "⤴" (LARGE UP TACK, U+27D8)

## 91. Supplemental Arrows-A

Unicode character range: 27F0..27FF

[Unicode Supplemental Arrows-A character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "⇒" (LONG RIGHTWARDS DOUBLE ARROW, U+27F9)

## 92. Braille Patterns

Unicode character range: 2800..28FF

### [Unicode Braille Patterns character list](#)

Scripts list as identified by xml2rfc: Braille

Following fonts are available:

- Noto Sans Braille

Example: "⠠⠨" (BRAILLE PATTERN DOTS-4578, U+28D8)

## 93. Supplemental Arrows-B

Unicode character range: 2900..297F

### [Unicode Supplemental Arrows-B character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "➔" (RIGHTWARDS ARROW WITH PLUS BELOW, U+2945)

## 94. Miscellaneous Mathematical Symbols-B

Unicode character range: 2980..29FF

### [Unicode Miscellaneous Mathematical Symbols-B character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "∠" (ACUTE ANGLE, U+299F)

## 95. Supplemental Mathematical Operators

Unicode character range: 2A00..2AFF

### [Unicode Supplemental Mathematical Operators character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "⌘" (PLUS SIGN IN LEFT HALF CIRCLE, U+2A2D)

## 96. Miscellaneous Symbols and Arrows

Unicode character range: 2B00..2BFF

[Unicode Miscellaneous Symbols and Arrows character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "↵" (LEFTWARDS TWO-HEADED ARROW WITH TRIANGLE ARROWHEADS, U+2BEC)

## 97. Glagolitic

Unicode character range: 2C00..2C5F

[Unicode Glagolitic character list](#)

Scripts list as identified by xml2rfc: Glagolitic

Following fonts are available:

- Noto Sans Glagolitic

Example: "Ѣ" (GLAGOLITIC CAPITAL LETTER YU, U+2C23)

## 98. Latin Extended-C

Unicode character range: 2C60..2C7F

[Unicode Latin Extended-C character list](#)

Scripts list as identified by xml2rfc: Latin

Following fonts are available:

- Noto Serif

Example: "Ł" (LATIN CAPITAL LETTER L WITH MIDDLE TILDE, U+2C62)

## 99. Coptic

Unicode character range: 2C80..2CFF

[Unicode Coptic character list](#)

Scripts list as identified by xml2rfc: Coptic

Following fonts are available:

- Noto Sans Coptic

Example: "Ⲛ" (COPTIC CAPITAL LETTER CRYPTOGRAMMIC EIE, U+2CB6)

## 100. Georgian Supplement

Unicode character range: 2D00..2D2F

[Unicode Georgian Supplement character list](#)

Scripts list as identified by xml2rfc: Georgian

Following fonts are available:

- Noto Serif Georgian

Example: "Ა" (GEORGIAN SMALL LETTER IN, U+2D08)

## 101. Tifinagh

Unicode character range: 2D30..2D7F

[Unicode Tifinagh character list](#)

Scripts list as identified by xml2rfc: Tifinagh

Following fonts are available:

- Noto Sans Tifinagh

Example: "ⵝ" (TIFINAGH LETTER YAG, U+2D33)

## 102. Ethiopic Extended

Unicode character range: 2D80..2DDF

[Unicode Ethiopic Extended character list](#)

Scripts list as identified by xml2rfc: Ethiopic

Following fonts are available:

- Noto Serif Ethiopic

Example: "፳፻" (ETHIOPIC SYLLABLE THOA, U+2D8F)

## 103. Cyrillic Extended-A

Unicode character range: 2DE0..2DFF

[Unicode Cyrillic Extended-A character list](#)

Scripts list as identified by xml2rfc: Cyrillic

Following fonts are available:

- Noto Serif

Example: "Ѣ" (COMBINING CYRILLIC LETTER HA, U+2DEF)

## 104. Supplemental Punctuation

Unicode character range: 2E00..2E7F

[Unicode Supplemental Punctuation character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 105. CJK Radicals Supplement

Unicode character range: 2E80..2EFF

[Unicode CJK Radicals Supplement character list](#)

Scripts list as identified by xml2rfc: Han

Following fonts are available:

- Noto Serif CJK SC

Example: "𠂇" (CJK RADICAL HEAD, U+2EE1)

## 106. Kangxi Radicals

Unicode character range: 2F00..2FDF

[Unicode Kangxi Radicals character list](#)

Scripts list as identified by xml2rfc: Han



Following fonts are available:

- Noto Serif CJK SC

Example: "𠂇" (KANGXI RADICAL HALF TREE TRUNK, U+2F59)

## 107. Ideographic Description Characters

Unicode character range: 2FF0..2FFF

[Unicode Ideographic Description Characters character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "𐄣" (IDEOGRAPHIC DESCRIPTION CHARACTER ABOVE TO MIDDLE AND BELOW, U+2FF3)

## 108. CJK Symbols and Punctuation

Unicode character range: 3000..303F

[Unicode CJK Symbols and Punctuation character list](#)

Scripts list as identified by xml2rfc: Bopomofo, Common, Han, Hangul, Hiragana, Katakana

Following fonts are available:

- Noto Sans Bopomofo
- Noto Serif
- Noto Serif CJK SC
- Noto Serif CJK KR
- Noto Serif CJK JP
- Noto Serif CJK JP

Example: " ` " (REVERSED DOUBLE PRIME QUOTATION MARK, U+301D)

## 109. Hiragana

Unicode character range: 3040..309F

[Unicode Hiragana character list](#)

Scripts list as identified by xml2rfc: Hiragana

Following fonts are available:

- Noto Serif CJK JP

Example: "た" (HIRAGANA LETTER TA, U+305F)

## 110. Katakana

Unicode character range: 30A0..30FF

[Unicode Katakana character list](#)

Scripts list as identified by xml2rfc: Katakana

Following fonts are available:

- Noto Serif CJK JP

Example: "ユ" (KATAKANA LETTER YU, U+30E6)

## 111. Bopomofo

Unicode character range: 3100..312F

[Unicode Bopomofo character list](#)

Scripts list as identified by xml2rfc: Bopomofo

Following fonts are available:

- Noto Sans Bopomofo

Example: "ㄗ" (BOPOMOFO LETTER Z, U+3117)

## 112. Hangul Compatibility Jamo

Unicode character range: 3130..318F

[Unicode Hangul Compatibility Jamo character list](#)

Scripts list as identified by xml2rfc: Hangul

Following fonts are available:

- Noto Serif CJK KR

Example: "ㅇ" (HANGUL LETTER SSANGIEUNG, U+3180)

## 113. Kanbun

Unicode character range: 3190..319F

[Unicode Kanbun character list](#)

Scripts list as identified by xml2rfc: Common, Han

Following fonts are available:

- Noto Serif
- Noto Serif CJK SC

Example: "地" (IDEOGRAPHIC ANNOTATION EARTH MARK, U+319E)

## 114. Bopomofo Extended

Unicode character range: 31A0..31BF

[Unicode Bopomofo Extended character list](#)

Scripts list as identified by xml2rfc: Bopomofo

Following fonts are available:

- Noto Sans Bopomofo

Example: "ㄞ" (BOPOMOFO LETTER AINN, U+31AE)

## 115. CJK Strokes

Unicode character range: 31C0..31EF

[Unicode CJK Strokes character list](#)

Scripts list as identified by xml2rfc: Common, Han

Following fonts are available:

- Noto Serif
- Noto Serif CJK SC

Example: "丿" (CJK STROKE SWZ, U+31D8)

## 116. Katakana Phonetic Extensions

Unicode character range: 31F0..31FF

### [Unicode Katakana Phonetic Extensions character list](#)

Scripts list as identified by xml2rfc: Katakana

Following fonts are available:

- Noto Serif CJK JP

Example: "ル" (KATAKANA LETTER SMALL RU, U+31FD)

## **117. Enclosed CJK Letters and Months**

Unicode character range: 3200..32FF

### [Unicode Enclosed CJK Letters and Months character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "㊦" (KOREAN STANDARD SYMBOL, U+327F)

## **118. CJK Compatibility**

Unicode character range: 3300..33FF

### [Unicode CJK Compatibility character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "㍿" (SQUARE ML, U+3396)

## **119. CJK Unified Ideographs Extension A**

Unicode character range: 3400..4DBF

### [Unicode CJK Unified Ideographs Extension A character list](#)

Scripts list as identified by xml2rfc: Han

Following fonts are available:

- Noto Serif CJK SC

Example: "𪛗" (CJK UNIFIED IDEOGRAPH-44E3, U+44E3)

## 120. Yijing Hexagram Symbols

Unicode character range: 4DC0..4DFF

[Unicode Yijing Hexagram Symbols character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "䷆" (HEXAGRAM FOR COMING TO MEET, U+4DEB)

## 121. CJK Unified Ideographs

Unicode character range: 4E00..9FFF

[Unicode CJK Unified Ideographs character list](#)

Scripts list as identified by xml2rfc: Han

Following fonts are available:

- Noto Serif CJK SC

Example: "𣎵" (CJK UNIFIED IDEOGRAPH-739D, U+739D)

## 122. Yi Syllables

Unicode character range: A000..A48F

[Unicode Yi Syllables character list](#)

Scripts list as identified by xml2rfc: Yi

Following fonts are available:

- Noto Sans Yi

Example: "𐍑" (YI SYLLABLE NZAT, U+A2F4)

## 123. Yi Radicals

Unicode character range: A490..A4CF

[Unicode Yi Radicals character list](#)

Scripts list as identified by xml2rfc: Yi

Following fonts are available:

- Noto Sans Yi

Example: "Თ" (YI RADICAL CUOP, U+A4BD)

## 124. Lisu

Unicode character range: A4D0..A4FF

[Unicode Lisu character list](#)

Scripts list as identified by xml2rfc: Lisu

Following fonts are available:

- Noto Sans Lisu

Example: "ᐁ" (LISU LETTER TONE MYA CYA, U+A4FA)

## 125. Vai

Unicode character range: A500..A63F

[Unicode Vai character list](#)

Scripts list as identified by xml2rfc: Vai

Following fonts are available:

- Noto Sans Vai

Example: "𞏊" (VAI SYLLABLE DHHI, U+A536)

## 126. Cyrillic Extended-B

Unicode character range: A640..A69F

[Unicode Cyrillic Extended-B character list](#)

Scripts list as identified by xml2rfc: Cyrillic

Following fonts are available:

- Noto Serif

Example: "Ј" (CYRILLIC CAPITAL LETTER SOFT EL, U+A664)

## 127. Bamum

Unicode character range: A6A0..A6FF

[Unicode Bamum character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 128. Modifier Tone Letters

Unicode character range: A700..A71F

[Unicode Modifier Tone Letters character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "\*" (MODIFIER LETTER RAISED DOWN ARROW, U+A71C)

## 129. Latin Extended-D

Unicode character range: A720..A7FF

[Unicode Latin Extended-D character list](#)

Scripts list as identified by xml2rfc: Latin

Following fonts are available:

- Noto Serif

Example: "R̥" (LATIN LETTER SMALL CAPITAL RUM, U+A776)

## 130. Syloti Nagri

Unicode character range: A800..A82F

[Unicode Syloti Nagri character list](#)

Scripts list as identified by xml2rfc: Syloti\_Nagri

Following fonts are available:

- Noto Sans Syloti Nagri

Example: "𑌕" (SYLOTI NAGRI LETTER JO, U+A80E)

## 131. Common Indic Number Forms

Unicode character range: A830..A83F

[Unicode Common Indic Number Forms character list](#)

Scripts list as identified by xml2rfc: Common, Devanagari, Dogra, Gujarati, Gurmukhi, Kaithi, Kannada, Khojki, Khudawadi, Mahajani, Malayalam, Modi, Takri, Tirhuta

Following fonts are available:

- Noto Serif
- Noto Serif Devanagari
- Noto Sans Dogra
- Noto Serif Gujarati
- Noto Sans Gurmukhi
- Noto Sans Kaithi
- Noto Serif Kannada
- Noto Sans Khojki
- Noto Sans Khudawadi
- Noto Sans Mahajani
- Noto Serif Malayalam
- Noto Sans Modi
- Noto Sans Takri
- Noto Sans Tirhuta

Example: "𑌖" (NORTH INDIC FRACTION THREE QUARTERS, U+A832)

## 132. Phags-pa

Unicode character range: A840..A87F

[Unicode Phags-pa character list](#)

Scripts list as identified by xml2rfc: Phags\_Pa

Following fonts are available:

- Noto Sans Phags Pa



Example: "ᱏ" (PHAGS-PA SINGLE HEAD MARK, U+A874)

## 133. Saurashtra

Unicode character range: A880..A8DF

[Unicode Saurashtra character list](#)

Scripts list as identified by xml2rfc: Saurashtra

Following fonts are available:

- Noto Sans Saurashtra

Example: "ᱠ" (SAURASHTRA VOWEL SIGN AA, U+A8B5)

## 134. Devanagari Extended

Unicode character range: A8E0..A8FF

[Unicode Devanagari Extended character list](#)

Scripts list as identified by xml2rfc: Devanagari

Following fonts are available:

- Noto Serif Devanagari

Example: "ᱠᱵᱚ" (COMBINING DEVANAGARI LETTER RA, U+A8EF)

## 135. Kayah Li

Unicode character range: A900..A92F

[Unicode Kayah Li character list](#)

Scripts list as identified by xml2rfc: Kayah\_Li

Following fonts are available:

- Noto Sans Kayah Li

Example: "ၵ" (KAYAH LI DIGIT FIVE, U+A905)

## 136. Rejang

Unicode character range: A930..A95F

[Unicode Rejang character list](#)

Scripts list as identified by xml2rfc: Rejang

Following fonts are available:

- Noto Sans Rejang

Example: "Ʞ" (REJANG VOWEL SIGN AI, U+A94A)

## 137. Hangul Jamo Extended-A

Unicode character range: A960..A97F

[Unicode Hangul Jamo Extended-A character list](#)

Scripts list as identified by xml2rfc: Hangul

Following fonts are available:

- Noto Serif CJK KR

Example: "ᄃᆫ" (HANGUL CHOSEONG HIEUH-SIOS, U+A97B)

## 138. Javanese

Unicode character range: A980..A9DF

[Unicode Javanese character list](#)

Scripts list as identified by xml2rfc: Javanese

Following fonts are available:

- Noto Sans Javanese

Example: "ꦠꦺ" (JAVANESE VOWEL SIGN TALING, U+A9BA)

## 139. Myanmar Extended-B

Unicode character range: A9E0..A9FF

[Unicode Myanmar Extended-B character list](#)

Scripts list as identified by xml2rfc: Myanmar

Following fonts are available:

- Noto Serif Myanmar

Example: "၂" (MYANMAR TAI LAING DIGIT TWO, U+A9F2)

## 140. Cham

Unicode character range: AA00..AA5F

[Unicode Cham character list](#)

Scripts list as identified by xml2rfc: Cham

Following fonts are available:

- Noto Sans Cham

Example: "꠆" (CHAM LETTER I, U+AA01)

## 141. Myanmar Extended-A

Unicode character range: AA60..AA7F

[Unicode Myanmar Extended-A character list](#)

Scripts list as identified by xml2rfc: Myanmar

Following fonts are available:

- Noto Serif Myanmar

Example: "ꠘ" (MYANMAR LOGOGRAM KHAMTI QN, U+AA75)

## 142. Tai Viet

Unicode character range: AA80..AADF

[Unicode Tai Viet character list](#)

Scripts list as identified by xml2rfc: Tai\_Viet

Following fonts are available:

- Noto Serif

Example: "ᨆ" (TAI VIET LETTER HIGH LO, U+AAA9)

## 143. Meetei Mayek Extensions

Unicode character range: AAE0..AAFF

[Unicode Meetei Mayek Extensions character list](#)

Scripts list as identified by xml2rfc: Meetei\_Mayek

Following fonts are available:

- Noto Sans Meetei Mayek

Example: ᱫᱷᱟᱱ (MEETEI MAYEK VOWEL SIGN AAI, U+AAED)

## 144. Ethiopic Extended-A

Unicode character range: AB00..AB2F

[Unicode Ethiopic Extended-A character list](#)

Scripts list as identified by xml2rfc: Ethiopic

Following fonts are available:

- Noto Serif Ethiopic

Example: ረሺ (ETHIOPIC SYLLABLE CCHHI, U+AB22)

## 145. Latin Extended-E

Unicode character range: AB30..AB6F

[Unicode Latin Extended-E character list](#)

Scripts list as identified by xml2rfc: Latin

Following fonts are available:

- Noto Serif

Example: "ø" (LATIN SMALL LETTER TURNED O OPEN-O, U+AB43)

## 146. Cherokee Supplement

Unicode character range: AB70..ABBF

[Unicode Cherokee Supplement character list](#)

Scripts list as identified by xml2rfc: Cherokee

Following fonts are available:

- Noto Sans Cherokee

Example: "Ꮊ" (CHEROKEE SMALL LETTER WI, U+ABBB)

## 147. Meetei Mayek

Unicode character range: ABC0..ABFF

[Unicode Meetei Mayek character list](#)

Scripts list as identified by xml2rfc: Meetei\_Mayek

Following fonts are available:

- Noto Sans Meetei Mayek

Example: "Რ" (MEETEI MAYEK LETTER KHOU, U+ABC8)

## 148. Hangul Syllables

Unicode character range: AC00..D7AF

[Unicode Hangul Syllables character list](#)

Scripts list as identified by xml2rfc: Hangul

Following fonts are available:

- Noto Serif CJK KR

Example: "험" (HANGUL SYLLABLE HYELS, U+D628)

## 149. Hangul Jamo Extended-B

Unicode character range: D7B0..D7FF

[Unicode Hangul Jamo Extended-B character list](#)

Scripts list as identified by xml2rfc: Hangul

Following fonts are available:

- Noto Serif CJK KR

Example: "ᄀ" (HANGUL JONGSEONG SSANGSIOS-KIYEOK, U+D7EC)

## 150. High Surrogates

Unicode character range: D800..DB7F

[Unicode High Surrogates character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 151. High Private Use Surrogates

Unicode character range: DB80..DBFF

[Unicode High Private Use Surrogates character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 152. Low Surrogates

Unicode character range: DC00..DFFF

[Unicode Low Surrogates character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 153. Private Use Area

Unicode character range: E000..F8FF

[Unicode Private Use Area character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 154. CJK Compatibility Ideographs

Unicode character range: F900..FAFF

[Unicode CJK Compatibility Ideographs character list](#)

Scripts list as identified by xml2rfc: Han

Following fonts are available:

- Noto Serif CJK SC

Example: "調" (CJK COMPATIBILITY IDEOGRAPH-FA62, U+FA62)

## 155. Alphabetic Presentation Forms

Unicode character range: FB00..FB4F

[Unicode Alphabetic Presentation Forms character list](#)

Scripts list as identified by xml2rfc: Hebrew

Following fonts are available:

- Noto Serif Hebrew

Example: "֠" (HEBREW LETTER WIDE ALEF, U+FB21)

## 156. Arabic Presentation Forms-A

Unicode character range: FB50..FDFF

[Unicode Arabic Presentation Forms-A character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 157. Variation Selectors

Unicode character range: FE00..FE0F

[Unicode Variation Selectors character list](#)

Scripts list as identified by xml2rfc: Inherited

Following fonts are available:

- Noto Sans Inherited

Example: "" (VARIATION SELECTOR-4, U+FE03)

## 158. Vertical Forms

Unicode character range: FE10..FE1F

[Unicode Vertical Forms character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "⌞" (PRESENTATION FORM FOR VERTICAL LEFT WHITE LENTICULAR BRACKET, U+FE17)

## 159. Combining Half Marks

Unicode character range: FE20..FE2F

[Unicode Combining Half Marks character list](#)

Scripts list as identified by xml2rfc: Inherited

Following fonts are available:

- Noto Sans Inherited

Example: "͡" (COMBINING LIGATURE LEFT HALF BELOW, U+FE27)

## 160. CJK Compatibility Forms

Unicode character range: FE30..FE4F

[Unicode CJK Compatibility Forms character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "〰" (DOUBLE WAVY OVERLINE, U+FE4C)

## 161. Small Form Variants

Unicode character range: FE50..FE6F

[Unicode Small Form Variants character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "‰" (SMALL PERCENT SIGN, U+FE6A)



## 162. Arabic Presentation Forms-B

Unicode character range: FE70..FEFF

[Unicode Arabic Presentation Forms-B character list](#)

Scripts list as identified by xml2rfc: Arabic

Following fonts are available:

- Noto Sans Arabic

Example: "ﻻ" (ARABIC LETTER ZAH MEDIAL FORM, U+FEC8)

## 163. Halfwidth and Fullwidth Forms

Unicode character range: FF00..FFEF

[Unicode Halfwidth and Fullwidth Forms character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 164. Specials

Unicode character range: FFF0..FFFF

[Unicode Specials character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 165. Linear B Syllabary

Unicode character range: 10000..1007F

[Unicode Linear B Syllabary character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 166. Linear B Ideograms

Unicode character range: 10080..100FF

### [Unicode Linear B Ideograms character list](#)

Scripts list as identified by xml2rfc: Linear\_B

Following fonts are available:

- Noto Sans Linear B

Example: "𐀀" (LINEAR B IDEOGRAM VESSEL B208, U+100E7)

## 167. Aegean Numbers

Unicode character range: 10100..1013F

### [Unicode Aegean Numbers character list](#)

Scripts list as identified by xml2rfc: Common, Cypriot, Linear\_A, Linear\_B

Following fonts are available:

- Noto Serif
- Noto Sans Cypriot
- Noto Sans Linear A
- Noto Sans Linear B

Example: "𐀀" (AEGEAN NUMBER EIGHTY THOUSAND, U+10132)

## 168. Ancient Greek Numbers

Unicode character range: 10140..1018F

### [Unicode Ancient Greek Numbers character list](#)

Scripts list as identified by xml2rfc: Greek

Following fonts are available:

- Noto Serif

Example: "Ϡ" (GREEK TALENT SIGN, U+1017A)

## 169. Ancient Symbols

Unicode character range: 10190..101CF

### [Unicode Ancient Symbols character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "2" (ROMAN SEXTULA SIGN, U+10193)

## 170. Phaistos Disc

Unicode character range: 101D0..101FF

[Unicode Phaistos Disc character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "𐀀" (PHAISTOS DISC SIGN SHIP, U+101E8)

## 171. Lycian

Unicode character range: 10280..1029F

[Unicode Lycian character list](#)

Scripts list as identified by xml2rfc: Lycian

Following fonts are available:

- Noto Sans Lycian

Example: "+" (LYCIAN LETTER H, U+1029B)

## 172. Carian

Unicode character range: 102A0..102DF

[Unicode Carian character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 173. Coptic Epact Numbers

Unicode character range: 102E0..102FF

[Unicode Coptic Epact Numbers character list](#)

Scripts list as identified by xml2rfc: Arabic, Common, Coptic

Following fonts are available:

- Noto Sans Arabic
- Noto Serif
- Noto Sans Coptic

Example: "Ⲛ" (COPTIC EPACT NUMBER ONE HUNDRED, U+102F3)

## 174. Old Italic

Unicode character range: 10300..1032F

[Unicode Old Italic character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 175. Gothic

Unicode character range: 10330..1034F

[Unicode Gothic character list](#)

Scripts list as identified by xml2rfc: Gothic

Following fonts are available:

- Noto Sans Gothic

Example: "𐌛" (GOTHIC LETTER NINETY, U+10341)

## 176. Old Permic

Unicode character range: 10350..1037F

[Unicode Old Permic character list](#)

Scripts list as identified by xml2rfc: Old\_Permic

Following fonts are available:

- Noto Sans Old Permic

Example: "𐌶" (OLD PERMIC LETTER YRY, U+10367)

## 177. Ugaritic

Unicode character range: 10380..1039F

[Unicode Ugaritic character list](#)

Scripts list as identified by xml2rfc: Ugaritic

Following fonts are available:

- Noto Sans Ugaritic

Example: "𐎧" (UGARITIC LETTER DHAL, U+1038F)

## 178. Old Persian

Unicode character range: 103A0..103DF

[Unicode Old Persian character list](#)

Scripts list as identified by xml2rfc: Old\_Persian

Following fonts are available:

- Noto Sans Old Persian

Example: "𐎧" (OLD PERSIAN SIGN JA, U+103A9)

## 179. Deseret

Unicode character range: 10400..1044F

[Unicode Deseret character list](#)

Scripts list as identified by xml2rfc: Deseret

Following fonts are available:

- Noto Sans Deseret

Example: "𐌆" (DESERET SMALL LETTER JEE, U+1043E)

## 180. Shavian

Unicode character range: 10450..1047F

[Unicode Shavian character list](#)

Scripts list as identified by xml2rfc: Shavian

Following fonts are available:

- Noto Sans Shavian

Example: "Უ" (SHAVIAN LETTER OIL, U+10476)

## 181. Osmanya

Unicode character range: 10480..104AF

[Unicode Osmanya character list](#)

Scripts list as identified by xml2rfc: Osmanya

Following fonts are available:

- Noto Sans Osmanya

Example: "Უ" (OSMANYA LETTER OO, U+1049D)

## 182. Osage

Unicode character range: 104B0..104FF

[Unicode Osage character list](#)

Scripts list as identified by xml2rfc: Osage

Following fonts are available:

- Noto Sans Osage

Example: "Უ" (OSAGE SMALL LETTER O, U+104EA)

## 183. Elbasan

Unicode character range: 10500..1052F

[Unicode Elbasan character list](#)

Scripts list as identified by xml2rfc: Elbasan

Following fonts are available:

- Noto Sans Elbasan

Example: "Უ" (ELBASAN LETTER GE, U+1050A)

## 184. Caucasian Albanian

Unicode character range: 10530..1056F

[Unicode Caucasian Albanian character list](#)

Scripts list as identified by xml2rfc: Caucasian\_Albanian

Following fonts are available:

- Noto Sans Caucasian Albanian

Example: " " (CAUCASIAN ALBANIAN LETTER ZARL, U+10535)

## 185. Linear A

Unicode character range: 10600..1077F

[Unicode Linear A character list](#)

Scripts list as identified by xml2rfc: Linear\_A

Following fonts are available:

- Noto Sans Linear A

Example: " " (LINEAR A SIGN A645, U+10725)

## 186. Cypriot Syllabary

Unicode character range: 10800..1083F

[Unicode Cypriot Syllabary character list](#)

Scripts list as identified by xml2rfc: Cypriot

Following fonts are available:

- Noto Sans Cypriot

Example: "𐎠" (CYPRIOT SYLLABLE TE, U+1082E)

## 187. Imperial Aramaic

Unicode character range: 10840..1085F

[Unicode Imperial Aramaic character list](#)

Scripts list as identified by xml2rfc: Imperial\_Aramaic

Following fonts are available:

- Noto Sans Imperial Aramaic

Example: "𐤌" (IMPERIAL ARAMAIC NUMBER TEN, U+1085B)

## 188. Palmyrene

Unicode character range: 10860..1087F

[Unicode Palmyrene character list](#)

Scripts list as identified by xml2rfc: Palmyrene

Following fonts are available:

- Noto Sans Palmyrene

Example: "𐤍" (PALMYRENE LETTER WAW, U+10865)

## 189. Nabataean

Unicode character range: 10880..108AF

[Unicode Nabataean character list](#)

Scripts list as identified by xml2rfc: Nabataean

Following fonts are available:

- Noto Sans Nabataean

Example: "𐤌" (NABATAEAN NUMBER TEN, U+108AD)

## 190. Hatran

Unicode character range: 108E0..108FF

[Unicode Hatran character list](#)

Scripts list as identified by xml2rfc: Hatran

Following fonts are available:

- Noto Sans Hatran

Example: "𐤌" (HATRAN LETTER TAW, U+108F5)



## 191. Phoenician

Unicode character range: 10900..1091F

[Unicode Phoenician character list](#)

Scripts list as identified by xml2rfc: Phoenician

Following fonts are available:

- Noto Sans Phoenician

Example: "𐤁" (PHOENICIAN LETTER BET, U+10901)

## 192. Lydian

Unicode character range: 10920..1093F

[Unicode Lydian character list](#)

Scripts list as identified by xml2rfc: Lydian

Following fonts are available:

- Noto Sans Lydian

Example: "𐤂" (LYDIAN LETTER Y, U+10927)

## 193. Meroitic Hieroglyphs

Unicode character range: 10980..1099F

[Unicode Meroitic Hieroglyphs character list](#)

Scripts list as identified by xml2rfc: Meroitic\_Hieroglyphs

Following fonts are available:

- Noto Sans Meroitic Hieroglyphs

Example: "𐎂" (MEROITIC HIEROGLYPHIC LETTER YA, U+10984)

## 194. Meroitic Cursive

Unicode character range: 109A0..109FF

[Unicode Meroitic Cursive character list](#)

Scripts list as identified by xml2rfc: Meroitic\_Cursive

Following fonts are available:

- Noto Sans Meroitic Cursive

Example: " " (MEROITIC CURSIVE NUMBER ONE, U+109C0)

## 195. Kharoshthi

Unicode character range: 10A00..10A5F

[Unicode Kharoshthi character list](#)

Scripts list as identified by xml2rfc: Kharoshthi

Following fonts are available:

- Noto Sans Kharoshthi

Example: "𑀓" (KHAROSHTHI LETTER SSA, U+10A2E)

## 196. Old South Arabian

Unicode character range: 10A60..10A7F

[Unicode Old South Arabian character list](#)

Scripts list as identified by xml2rfc: Old\_South\_Arabian

Following fonts are available:

- Noto Sans Old South Arabian

Example: "𐩣" (OLD SOUTH ARABIAN LETTER TAW, U+10A69)

## 197. Old North Arabian

Unicode character range: 10A80..10A9F

[Unicode Old North Arabian character list](#)

Scripts list as identified by xml2rfc: Old\_North\_Arabian

Following fonts are available:

- Noto Sans Old North Arabian

Example: "𐩣" (OLD NORTH ARABIAN LETTER AIN, U+10A92)

## 198. Manichaean

Unicode character range: 10AC0..10AFF

[Unicode Manichaean character list](#)

Scripts list as identified by xml2rfc: Manichaean

Following fonts are available:

- Noto Sans Manichaean

Example: " " (MANICHAEAN LETTER ZHAYIN, U+10ACA)

## 199. Avestan

Unicode character range: 10B00..10B3F

[Unicode Avestan character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 200. Inscriptional Parthian

Unicode character range: 10B40..10B5F

[Unicode Inscriptional Parthian character list](#)

Scripts list as identified by xml2rfc: Inscriptional\_Parthian

Following fonts are available:

- Noto Sans Inscriptional Parthian

Example: "𐭮" (INSCRIPTIONAL PARTHIAN LETTER DALETH, U+10B43)

## 201. Inscriptional Pahlavi

Unicode character range: 10B60..10B7F

[Unicode Inscriptional Pahlavi character list](#)

Scripts list as identified by xml2rfc: Inscriptional\_Pahlavi

Following fonts are available:

- Noto Sans Inscriptional Pahlavi

Example: "𐭥" (INSCRIPTIONAL PAHLAVI NUMBER ONE HUNDRED, U+10B7E)

## 202. Psalter Pahlavi

Unicode character range: 10B80..10BAF

[Unicode Psalter Pahlavi character list](#)

Scripts list as identified by xml2rfc: Psalter\_Pahlavi

Following fonts are available:

- Noto Sans Psalter Pahlavi

Example: "𐭢" (PSALTER PAHLAVI LETTER BETH, U+10B81)

## 203. Old Turkic

Unicode character range: 10C00..10C4F

[Unicode Old Turkic character list](#)

Scripts list as identified by xml2rfc: Old\_Turkic

Following fonts are available:

- Noto Sans Old Turkic

Example: "𐰽" (OLD TURKIC LETTER YENISEI ESH, U+10C42)

## 204. Old Hungarian

Unicode character range: 10C80..10CFF

[Unicode Old Hungarian character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 205. Hanifi Rohingya

Unicode character range: 10D00..10D3F

[Unicode Hanifi Rohingya character list](#)

Scripts list as identified by xml2rfc: Hanifi\_Rohingya

Following fonts are available:

- Noto Sans Hanifi Rohingya

Example: " " (HANIFI ROHINGYA LETTER NYA, U+10D1B)

## 206. Rumi Numeral Symbols

Unicode character range: 10E60..10E7F

[Unicode Rumi Numeral Symbols character list](#)

Scripts list as identified by xml2rfc: Arabic

Following fonts are available:

- Noto Sans Arabic

Example: "٤" (RUMI NUMBER THREE HUNDRED, U+10E74)

## 207. Old Sogdian

Unicode character range: 10F00..10F2F

[Unicode Old Sogdian character list](#)

Scripts list as identified by xml2rfc: Old\_Sogdian

Following fonts are available:

- Noto Sans Old Sogdian

Example: " " (OLD SOGDIAN NUMBER THIRTY, U+10F24)

## 208. Sogdian

Unicode character range: 10F30..10F6F

[Unicode Sogdian character list](#)

Scripts list as identified by xml2rfc: Sogdian

Following fonts are available:

- Noto Sans Sogdian

Example: " " (SOGDIAN LETTER FETH, U+10F43)

## 209. Brahmi

Unicode character range: 11000..1107F

[Unicode Brahmi character list](#)

Scripts list as identified by xml2rfc: Brahmi

Following fonts are available:

- Noto Sans Brahmi

Example: ꣳ (BRAHMI VOWEL SIGN AI, U+11043)

## 210. Kaithi

Unicode character range: 11080..110CF

[Unicode Kaithi character list](#)

Scripts list as identified by xml2rfc: Kaithi

Following fonts are available:

- Noto Sans Kaithi

Example: "𑂔" (KAITHI LETTER DDDHA, U+1109A)

## 211. Sora Sompeng

Unicode character range: 110D0..110FF

[Unicode Sora Sompeng character list](#)

Scripts list as identified by xml2rfc: Sora\_Sompeng

Following fonts are available:

- Noto Sans Sora Sompeng

Example: "𑜄𑜂𑜆" (SORA SOMPENG DIGIT ONE, U+110F1)

## 212. Chakma

Unicode character range: 11100..1114F

[Unicode Chakma character list](#)

Scripts list as identified by xml2rfc: Chakma

Following fonts are available:

- Noto Sans Chakma

Example: "𑄧" (CHAKMA LETTER NYAA, U+11110)

## 213. Mahajani

Unicode character range: 11150..1117F

[Unicode Mahajani character list](#)

Scripts list as identified by xml2rfc: Mahajani

Following fonts are available:

- Noto Sans Mahajani

Example: "𑄧" (MAHAJANI LETTER U, U+11152)

## 214. Sharada

Unicode character range: 11180..111DF

[Unicode Sharada character list](#)

Scripts list as identified by xml2rfc: Sharada

Following fonts are available:

- Noto Sans Sharada

Example: "𑄧" (SHARADA LETTER DA, U+111A2)

## 215. Sinhala Archaic Numbers

Unicode character range: 111E0..111FF

[Unicode Sinhala Archaic Numbers character list](#)

Scripts list as identified by xml2rfc: Sinhala

Following fonts are available:

- Noto Serif Sinhala

Example: "𑄧" (SINHALA ARCHAIC NUMBER THIRTY, U+111EC)

## 216. Khojki

Unicode character range: 11200..1124F

[Unicode Khojki character list](#)

Scripts list as identified by xml2rfc: Khojki

Following fonts are available:

- Noto Sans Khojki

Example: " " (KHOJKI DANDA, U+11238)

## 217. Multani

Unicode character range: 11280..112AF

[Unicode Multani character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 218. Khudawadi

Unicode character range: 112B0..112FF

[Unicode Khudawadi character list](#)

Scripts list as identified by xml2rfc: Khudawadi

Following fonts are available:

- Noto Sans Khudawadi

Example: " " (KHUDAWADI LETTER RRA, U+112CA)

## 219. Grantha

Unicode character range: 11300..1137F

[Unicode Grantha character list](#)

Scripts list as identified by xml2rfc: Grantha



Following fonts are available:

- Noto Sans Grantha

Example: " " (GRANTHA VOWEL SIGN AA, U+1133E)

## 220. Newa

Unicode character range: 11400..1147F

[Unicode Newa character list](#)

Scripts list as identified by xml2rfc: Newa

Following fonts are available:

- Noto Sans Newa

Example: " " (NEWA SANDHI MARK, U+1145E)

## 221. Tirhuta

Unicode character range: 11480..114DF

[Unicode Tirhuta character list](#)

Scripts list as identified by xml2rfc: Tirhuta

Following fonts are available:

- Noto Sans Tirhuta

Example: " " (U+114c8, U+114C8)

## 222. Siddham

Unicode character range: 11580..115FF

[Unicode Siddham character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 223. Modi

Unicode character range: 11600..1165F

[Unicode Modi character list](#)

Scripts list as identified by xml2rfc: Modi

Following fonts are available:

- Noto Sans Modi

Example: " " (MODI LETTER JHA, U+11616)

## 224. Mongolian Supplement

Unicode character range: 11660..1167F

[Unicode Mongolian Supplement character list](#)

Scripts list as identified by xml2rfc: Mongolian

Following fonts are available:

- Noto Sans Mongolian

Example: " " (MONGOLIAN TRIPLE BIRGA WITH ORNAMENT, U+11663)

## 225. Takri

Unicode character range: 11680..116CF

[Unicode Takri character list](#)

Scripts list as identified by xml2rfc: Takri

Following fonts are available:

- Noto Sans Takri

Example: " " (TAKRI VOWEL SIGN I, U+116AE)

## 226. Ahom

Unicode character range: 11700..1173F

[Unicode Ahom character list](#)

Scripts list as identified by xml2rfc: Ahom

Following fonts are available:

- Noto Sans Ahom

Example: " " (AHOM SYMBOL VI, U+1173F)

## 227. Dogra

Unicode character range: 11800..1184F

[Unicode Dogra character list](#)

Scripts list as identified by xml2rfc: Dogra

Following fonts are available:

- Noto Sans Dogra

Example: " " (DOGRA LETTER BA, U+11820)

## 228. Warang Citi

Unicode character range: 118A0..118FF

[Unicode Warang Citi character list](#)

Scripts list as identified by xml2rfc: Warang\_Citi

Following fonts are available:

- Noto Sans Warang Citi

Example: " " (WARANG CITI NUMBER SIXTY, U+118EF)

## 229. Zanabazar Square

Unicode character range: 11A00..11A4F

[Unicode Zanabazar Square character list](#)

Scripts list as identified by xml2rfc: Zanabazar\_Square

Following fonts are available:

- Noto Sans Zanabazar Square

Example: " " (ZANABAZAR SQUARE LETTER YA, U+11A2A)

## 230. Soyombo

Unicode character range: 11A50..11AAF

[Unicode Soyombo character list](#)

Scripts list as identified by xml2rfc: Soyombo

Following fonts are available:

- Noto Sans Soyombo

Example: " " (SOYOMBO LETTER PA, U+11A70)

## 231. Pau Cin Hau

Unicode character range: 11AC0..11AFF

[Unicode Pau Cin Hau character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 232. Bhaiksuki

Unicode character range: 11C00..11C6F

[Unicode Bhaiksuki character list](#)

Scripts list as identified by xml2rfc: Bhaiksuki

Following fonts are available:

- Noto Sans Bhaiksuki

Example: " " (BHAIKSUKI NUMBER THREE, U+11C5C)

## 233. Marchen

Unicode character range: 11C70..11CBF

[Unicode Marchen character list](#)

Scripts list as identified by xml2rfc: Marchen

Following fonts are available:

- Noto Sans Marchen

Example: " " (MARCHEN LETTER JA, U+11C78)

## 234. Masaram Gondi

Unicode character range: 11D00..11D5F

### [Unicode Masaram Gondi character list](#)

Scripts list as identified by xml2rfc: Masaram\_Gondi

Following fonts are available:

- Noto Sans Masaram Gondi

Example: " " (MASARAM GONDI LETTER II, U+11D03)

## **235. Gunjala Gondi**

Unicode character range: 11D60..11DAF

### [Unicode Gunjala Gondi character list](#)

Scripts list as identified by xml2rfc: Gunjala\_Gondi

Following fonts are available:

- Noto Sans Gunjala Gondi

Example: " " (GUNJALA GONDI LETTER TTHA, U+11D7E)

## **236. Makasar**

Unicode character range: 11EE0..11EFF

### [Unicode Makasar character list](#)

Scripts list as identified by xml2rfc: Makasar

Following fonts are available:

- Noto Sans Makasar

Example: " " (MAKASAR LETTER MA, U+11EE5)

## **237. Cuneiform**

Unicode character range: 12000..123FF

### [Unicode Cuneiform character list](#)

Scripts list as identified by xml2rfc: Cuneiform

Following fonts are available:

- Noto Sans Cuneiform

Example: "𐎧" (CUNEIFORM SIGN KASKAL, U+1219C)

## 238. Cuneiform Numbers and Punctuation

Unicode character range: 12400..1247F

[Unicode Cuneiform Numbers and Punctuation character list](#)

Scripts list as identified by xml2rfc: Cuneiform

Following fonts are available:

- Noto Sans Cuneiform

Example: "𐎶𐎵" (CUNEIFORM NUMERIC SIGN NINE DISH, U+1240E)

## 239. Early Dynastic Cuneiform

Unicode character range: 12480..1254F

[Unicode Early Dynastic Cuneiform character list](#)

Scripts list as identified by xml2rfc: Cuneiform

Following fonts are available:

- Noto Sans Cuneiform

Example: "𐎶𐎵𐎶𐎵" (CUNEIFORM SIGN ZU5 TIMES THREE DISH TENU, U+12543)

## 240. Egyptian Hieroglyphs

Unicode character range: 13000..1342F

[Unicode Egyptian Hieroglyphs character list](#)

Scripts list as identified by xml2rfc: Egyptian\_Hieroglyphs

Following fonts are available:

- Noto Sans Egyptian Hieroglyphs

Example: "𐎶𐎵" (EGYPTIAN HIEROGLYPH N031, U+13210)

## 241. Anatolian Hieroglyphs

Unicode character range: 14400..1467F

[Unicode Anatolian Hieroglyphs character list](#)

Scripts list as identified by xml2rfc: Anatolian\_Hieroglyphs

Following fonts are available:

- Noto Sans Anatolian Hieroglyphs

Example: "𐎶" (ANATOLIAN HIEROGLYPH A526, U+14642)

## 242. Bamum Supplement

Unicode character range: 16800..16A3F

[Unicode Bamum Supplement character list](#)

Scripts list as identified by xml2rfc: Bamum

Following fonts are available:

- Noto Sans Bamum

Example: "Ꞥ" (BAMUM LETTER PHASE-E PUAE, U+16971)

## 243. Mro

Unicode character range: 16A40..16A6F

[Unicode Mro character list](#)

Scripts list as identified by xml2rfc: Mro

Following fonts are available:

- Noto Sans Mro

Example: " " (MRO DIGIT EIGHT, U+16A68)

## 244. Bassa Vah

Unicode character range: 16AD0..16AFF

[Unicode Bassa Vah character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 245. Pahawh Hmong

Unicode character range: 16B00..16B8F

### [Unicode Pahawh Hmong character list](#)

Scripts list as identified by xml2rfc: Pahawh\_Hmong

Following fonts are available:

- Noto Sans Pahawh Hmong

Example: " " (PAHAWH HMONG CONSONANT NAU, U+16B2C)

## **246. Medefaidrin**

Unicode character range: 16E40..16E9F

### [Unicode Medefaidrin character list](#)

Scripts list as identified by xml2rfc: Medefaidrin

Following fonts are available:

- Noto Sans Medefaidrin

Example: " " (MEDEFAIDRIN CAPITAL LETTER S, U+16E41)

## **247. Miao**

Unicode character range: 16F00..16F9F

### [Unicode Miao character list](#)

Scripts list as identified by xml2rfc: Miao

Following fonts are available:

- Noto Sans Miao

Example: " " (MIAO VOWEL SIGN EI, U+16F7A)

## **248. Ideographic Symbols and Punctuation**

Unicode character range: 16FE0..16FFF

### [Unicode Ideographic Symbols and Punctuation character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.



## 249. Tangut

Unicode character range: 17000..187FF

[Unicode Tangut character list](#)

Scripts list as identified by xml2rfc: Tangut

Following fonts are available:

- Noto Sans Tangut

Example: " " (U+18197, U+18197)

## 250. Tangut Components

Unicode character range: 18800..18AFF

[Unicode Tangut Components character list](#)

Scripts list as identified by xml2rfc: Tangut

Following fonts are available:

- Noto Sans Tangut

Example: " " (TANGUT COMPONENT-016, U+1880F)

## 251. Kana Supplement

Unicode character range: 1B000..1B0FF

[Unicode Kana Supplement character list](#)

Scripts list as identified by xml2rfc: Hiragana

Following fonts are available:

- Noto Serif CJK JP

Example: " " (HENTAIGANA LETTER HI-5, U+1B0AD)

## 252. Kana Extended-A

Unicode character range: 1B100..1B12F

[Unicode Kana Extended-A character list](#)

Scripts list as identified by xml2rfc: Hiragana

Following fonts are available:

- Noto Serif CJK JP

Example: " " (HENTAIGANA LETTER RO-3, U+1B104)

## 253. Nushu

Unicode character range: 1B170..1B2FF

[Unicode Nushu character list](#)

Scripts list as identified by xml2rfc: Nushu

Following fonts are available:

- Noto Sans Nushu

Example: " " (NUSHU CHARACTER-1B1E1, U+1B1E1)

## 254. Duployan

Unicode character range: 1BC00..1BC9F

[Unicode Duployan character list](#)

Scripts list as identified by xml2rfc: Duployan

Following fonts are available:

- Noto Sans Duployan

Example: " " (DUPLOYAN LETTER D, U+1BC08)

## 255. Shorthand Format Controls

Unicode character range: 1BCA0..1BCAF

[Unicode Shorthand Format Controls character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 256. Byzantine Musical Symbols

Unicode character range: 1D000..1D0FF

### [Unicode Byzantine Musical Symbols character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: " " (BYZANTINE MUSICAL SYMBOL MARTYRIA ALLI PROTOS ICHOS, U+1D0A3)

## 257. Musical Symbols

Unicode character range: 1D100..1D1FF

### [Unicode Musical Symbols character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: " " (MUSICAL SYMBOL VIRGA, U+1D1D3)

## 258. Ancient Greek Musical Notation

Unicode character range: 1D200..1D24F

### [Unicode Ancient Greek Musical Notation character list](#)

Scripts list as identified by xml2rfc: Greek

Following fonts are available:

- Noto Serif

Example: " " (GREEK INSTRUMENTAL NOTATION SYMBOL-32, U+1D231)

## 259. Mayan Numerals

Unicode character range: 1D2E0..1D2FF

### [Unicode Mayan Numerals character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 260. Tai Xuan Jing Symbols

Unicode character range: 1D300..1D35F

[Unicode Tai Xuan Jing Symbols character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "𐄎" (TETRAGRAM FOR GUARDEDNESS, U+1D33E)

## 261. Counting Rod Numerals

Unicode character range: 1D360..1D37F

[Unicode Counting Rod Numerals character list](#)

Scripts list as identified by xml2rfc: Common, Han

Following fonts are available:

- Noto Serif
- Noto Serif CJK SC

Example: "𐄎" (COUNTING ROD TENS DIGIT THREE, U+1D36B)

## 262. Mathematical Alphanumeric Symbols

Unicode character range: 1D400..1D7FF

[Unicode Mathematical Alphanumeric Symbols character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "λ" (MATHEMATICAL BOLD ITALIC SMALL LAMDA, U+1D740)

## 263. Sutton SignWriting

Unicode character range: 1D800..1DAAF

### [Unicode Sutton SignWriting character list](#)

Scripts list as identified by xml2rfc: SignWriting

Following fonts are available:

- Noto Sans SignWriting

Example: " " (SIGNWRITING HAND-ANGLE INDEX RING LITTLE, U+1D8C3)

## 264. Glagolitic Supplement

Unicode character range: 1E000..1E02F

### [Unicode Glagolitic Supplement character list](#)

Scripts list as identified by xml2rfc: Glagolitic

Following fonts are available:

- Noto Sans Glagolitic

Example: "𐌀" (COMBINING GLAGOLITIC LETTER BUKY, U+1E001)

## 265. Mende Kikakui

Unicode character range: 1E800..1E8DF

### [Unicode Mende Kikakui character list](#)

Scripts list as identified by xml2rfc: Mende\_Kikakui

Following fonts are available:

- Noto Sans Mende Kikakui

Example: " " (MENDE KIKAKUI SYLLABLE M142 LONG MBO, U+1E89E)

## 266. Adlam

Unicode character range: 1E900..1E95F

### [Unicode Adlam character list](#)

Scripts list as identified by xml2rfc: Adlam

Following fonts are available:

- Noto Sans Adlam

Example: "𐌕" (ADLAM SMALL LETTER KAF, U+1E933)

## 267. Indic Siyaq Numbers

Unicode character range: 1EC70..1ECBF

[Unicode Indic Siyaq Numbers character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: " " (INDIC SIYaq NUMBER SEVEN, U+1EC77)

## 268. Arabic Mathematical Alphabetic Symbols

Unicode character range: 1EE00..1EEFF

[Unicode Arabic Mathematical Alphabetic Symbols character list](#)

Scripts list as identified by xml2rfc: Arabic

Following fonts are available:

- Noto Sans Arabic

Example: "ﷶ" (ARABIC MATHEMATICAL TAILED DOTLESS NOON, U+1EE5D)

## 269. Mahjong Tiles

Unicode character range: 1F000..1F02F

[Unicode Mahjong Tiles character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "🀄" (MAHJONG TILE AUTUMN, U+1F028)

## 270. Domino Tiles

Unicode character range: 1F030..1F09F

[Unicode Domino Tiles character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "𐄂" (DOMINO TILE HORIZONTAL-02-01, U+1F040)

## 271. Playing Cards

Unicode character range: 1F0A0..1F0FF

[Unicode Playing Cards character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "♣" (PLAYING CARD TRUMP-19, U+1F0F3)

## 272. Enclosed Alphanumeric Supplement

Unicode character range: 1F100..1F1FF

[Unicode Enclosed Alphanumeric Supplement character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "Ⓐ" (REGIONAL INDICATOR SYMBOL LETTER A, U+1F1E6)

## 273. Enclosed Ideographic Supplement

Unicode character range: 1F200..1F2FF

[Unicode Enclosed Ideographic Supplement character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 274. Miscellaneous Symbols and Pictographs

Unicode character range: 1F300..1F5FF

### [Unicode Miscellaneous Symbols and Pictographs character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: " (RAINBOW, U+1F308)

## 275. Emoticons

Unicode character range: 1F600..1F64F

### [Unicode Emoticons character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: " (CAT FACE WITH WRY SMILE, U+1F63C)

## 276. Ornamental Dingbats

Unicode character range: 1F650..1F67F

### [Unicode Ornamental Dingbats character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: " (TURNED NORTH WEST POINTING LEAF, U+1F654)

## 277. Transport and Map Symbols

Unicode character range: 1F680..1F6FF

### [Unicode Transport and Map Symbols character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif



Example: "🛌" (SLEEPING ACCOMMODATION, U+1F6CC)

## 278. Alchemical Symbols

Unicode character range: 1F700..1F77F

[Unicode Alchemical Symbols character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "☿" (ALCHEMICAL SYMBOL FOR AQUA REGIA, U+1F706)

## 279. Geometric Shapes Extended

Unicode character range: 1F780..1F7FF

[Unicode Geometric Shapes Extended character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "▼" (BLACK DOWN-POINTING ISOSCELES RIGHT TRIANGLE, U+1F783)

## 280. Supplemental Arrows-C

Unicode character range: 1F800..1F8FF

[Unicode Supplemental Arrows-C character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "↘" (WIDE-HEADED SOUTH EAST MEDIUM BARB ARROW, U+1F876)

## 281. Supplemental Symbols and Pictographs

Unicode character range: 1F900..1F9FF

### [Unicode Supplemental Symbols and Pictographs character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## **282. Chess Symbols**

Unicode character range: 1FA00..1FA6F

### [Unicode Chess Symbols character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## **283. CJK Unified Ideographs Extension B**

Unicode character range: 20000..2A6DF

### [Unicode CJK Unified Ideographs Extension B character list](#)

Scripts list as identified by xml2rfc: Han

Following fonts are available:

- Noto Serif CJK SC

Example: " " (CJK UNIFIED IDEOGRAPH-20658, U+20658)

## **284. CJK Unified Ideographs Extension C**

Unicode character range: 2A700..2B73F

### [Unicode CJK Unified Ideographs Extension C character list](#)

Scripts list as identified by xml2rfc: Han

Following fonts are available:

- Noto Serif CJK SC

Example: " " (CJK UNIFIED IDEOGRAPH-2A713, U+2A713)

## **285. CJK Unified Ideographs Extension D**

Unicode character range: 2B740..2B81F

### [Unicode CJK Unified Ideographs Extension D character list](#)

Scripts list as identified by xml2rfc: Han

Following fonts are available:

- Noto Serif CJK SC

Example: " " (CJK UNIFIED IDEOGRAPH-2B74B, U+2B74B)

## 286. CJK Unified Ideographs Extension E

Unicode character range: 2B820..2CEAF

[Unicode CJK Unified Ideographs Extension E character list](#)

Scripts list as identified by xml2rfc: Han

Following fonts are available:

- Noto Serif CJK SC

Example: " " (CJK UNIFIED IDEOGRAPH-2CC6B, U+2CC6B)

## 287. CJK Unified Ideographs Extension F

Unicode character range: 2CEB0..2EBEF

[Unicode CJK Unified Ideographs Extension F character list](#)

Scripts list as identified by xml2rfc: Han

Following fonts are available:

- Noto Serif CJK SC

Example: " " (CJK UNIFIED IDEOGRAPH-2CFE3, U+2CFE3)

## 288. CJK Compatibility Ideographs Supplement

Unicode character range: 2F800..2FA1F

[Unicode CJK Compatibility Ideographs Supplement character list](#)

Scripts list as identified by xml2rfc: Han

Following fonts are available:

- Noto Serif CJK SC

Example: " " (CJK COMPATIBILITY IDEOGRAPH-2F913, U+2F913)

## 289. Tags

Unicode character range: E0000..E007F

[Unicode Tags character list](#)

Scripts list as identified by xml2rfc: Common

Following fonts are available:

- Noto Serif

Example: "" (TAG EQUALS SIGN, U+E003D)

## 290. Variation Selectors Supplement

Unicode character range: E0100..E01EF

[Unicode Variation Selectors Supplement character list](#)

Scripts list as identified by xml2rfc: Inherited

Following fonts are available:

- Noto Sans Inherited

Example: "" (VARIATION SELECTOR-254, U+E01ED)

## 291. Supplementary Private Use Area-A

Unicode character range: F0000..FFFFF

[Unicode Supplementary Private Use Area-A character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## 292. Supplementary Private Use Area-B

Unicode character range: 100000..10FFFF

[Unicode Supplementary Private Use Area-B character list](#)

Scripts list as identified by xml2rfc: Unknown

There are no supported fonts.

## Author's Address

**Kesara Nanayakkara Rathnayake**

IETF Administration LLC

New Zealand

Email: [kesara@fq.nz](mailto:kesara@fq.nz)

Additional contact information:

කෙසර නානායකරා රත්නායක

IETF Administration LLC

New Zealand