




```
RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Go to file/function Addins
Untitled1
8 plot(energy,
9     type = "o",
10    xaxt = "n",
11    col = "blue",
12    pch = 16,
13    main = "Monthly Solar Energy Generation",
14    xlab = "Month",
15    ylab = "Energy Generated (Mwh)")
16
17 axis(1, at = 1:12, labels = month)
18
19 # Highest and Lowest
20 cat("Highest Energy:", max(energy), "Mwh in", month[which.max(energy)], "\n")
21 cat("Lowest Energy:", min(energy), "Mwh in", month[which.min(energy)], "\n")
21:77 (Top Level) R Script
Console Terminal Background Jobs
R 4.2.3 ~ /
> energy <- c(420,450,490,530,560,600,580,590,610,630,590,540)
> # Line Chart
> plot(energy,
+     type = "o",
+     xaxt = "n",
+     col = "blue",
+     pch = 16,
+     main = "Monthly Solar Energy Generation",
+     xlab = "Month",
+     ylab = "Energy Generated (Mwh)")
> axis(1, at = 1:12, labels = month)
> # Highest and Lowest
> cat("Highest Energy:", max(energy), "Mwh in", month[which.max(energy)], "\n")
Highest Energy: 630 Mwh in Oct
> cat("Lowest Energy:", min(energy), "Mwh in", month[which.min(energy)], "\n")
Lowest Energy: 420 Mwh in Jan
> |
```






```
RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Go to file/function Addins
Untitled1
1 channel <- c("Social Media", "Television", "Print Media",
2           "Radio", "Email Marketing",
3           "Influencer Marketing", "SEO", "Events")
4
5 budget <- c(28, 22, 10, 8, 12, 9, 6, 5)
6
7 # Pie Chart
8 pie(budget,
9     labels = paste(channel, budget, "%"),
10    main = "Marketing Budget Allocation",
11    col = rainbow(length(budget)))
12
13 cat("Highest Investment:",
14     channel[which.max(budget)], "\n")
15
16 15:38 (Top Level) R Script
Console Terminal Background Jobs
R 4.2.3
> col = "lightgreen",
+ main = "Distribution of Salary Packages",
+ xlab = "Salary Package (LPA)",
+ ylab = "Frequency")
> # Data
> channel <- c("Social Media", "Television", "Print Media",
+             "Radio", "Email Marketing",
+             "Influencer Marketing", "SEO", "Events")
> budget <- c(28, 22, 10, 8, 12, 9, 6, 5)
> # Pie Chart
> pie(budget,
+     labels = paste(channel, budget, "%"),
+     main = "Marketing Budget Allocation",
+     col = rainbow(length(budget)))
>
> cat("Highest Investment:",
+     channel[which.max(budget)], "\n")
Highest Investment: Social Media
>
```



```
RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Go to file/function Addins
Untitled1
1 # Salary Data
2 salary <- c(3.2, 4.5, 5.0, 6.8, 7.2, 8.5,
3           4.8, 5.5, 6.0, 7.8, 9.2, 10.5)
4
5 # Histogram
6 hist(salary,
7     breaks = 5,
8     col = "lightgreen",
9     main = "Distribution of Salary Packages",
10    xlab = "Salary Package (LPA)",
11    ylab = "Frequency")
12
11:25 [Top Level] R Script
Console Terminal Background Jobs
R 4.2.3 ~ /
> main = "Monthly Sales by Product Category",
+ xlab = "Product Category",
+ ylab = "Sales (₹ Lakhs)",
+ las = 2)
>
> # Highest and Lowest
> cat("Highest Selling Category:", category[which.max(sales)], "\n")
Highest Selling Category: Groceries
> cat("Lowest Selling Category:", category[which.min(sales)], "\n")
Lowest Selling Category: Personal Care
> # Salary Data
> salary <- c(3.2, 4.5, 5.0, 6.8, 7.2, 8.5,
+           4.8, 5.5, 6.0, 7.8, 9.2, 10.5)
>
> # Histogram
> hist(salary,
+     breaks = 5,
+     col = "lightgreen",
+     main = "Distribution of Salary Packages",
+     xlab = "Salary Package (LPA)",
+     ylab = "Frequency")
>
```



```
RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Go to file/function Addins
Untitled1
0 sales <- c(120, 95, 80, 75, 68, 90, 110, 55, 70, 60)
7
8 # Bar Chart
9 barplot(sales,
10         names.arg = category,
11         col = "skyblue",
12         main = "Monthly sales by Product Category",
13         xlab = "Product Category",
14         ylab = "Sales (₹ Lakhs)",
15         las = 2)
16
17 # Highest and Lowest
18 cat("Highest Selling Category:", category[which.max(sales)], "\n")
19 cat("Lowest Selling Category:", category[which.min(sales)], "\n")
19:56 [Top Level] R Script

Console Terminal Background Jobs
R 4.2.3 ~ / ~
> category <- c("Groceries", "Dairy", "Fruits", "Vegetables", "Bakery",
+              "Beverages", "Snacks", "Personal Care",
+              "Household Items", "Frozen Foods")
> sales <- c(120, 95, 80, 75, 68, 90, 110, 55, 70, 60)
> # Bar Chart
> barplot(sales,
+         names.arg = category,
+         col = "skyblue",
+         main = "Monthly sales by Product Category",
+         xlab = "Product Category",
+         ylab = "Sales (₹ Lakhs)",
+         las = 2)
> # Highest and Lowest
> cat("Highest Selling Category:", category[which.max(sales)], "\n")
Highest Selling Category: Groceries
> cat("Lowest Selling Category:", category[which.min(sales)], "\n")
Lowest Selling Category: Personal Care
>
```

