Rajalakshmi Engineering College

Name: Kesavan M
Email: 241501083@rajalakshmi.edu.in
Roll no: 241501083
Phone: 9789504694
Branch: REC
Department: AI & ML - Section 4
Batch: 2028
Degree: B.E - AI & ML

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 10_Q3

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : COD

1. Problem Statement

Priya is analyzing encrypted messages in a research project. She wants to analyze the frequency of each character in a given paragraph. The characters should be stored in a TreeMap so that the output is sorted in ascending order of characters automatically.

You are required to build a Java program that:

Uses a TreeMap<Character, Integer> to count how many times each character appears in the message.Ignores spaces and considers only alphabets (case-sensitive).Outputs the frequencies of characters in sorted order.

You must use a TreeMap in the class named MessageAnalyzer.

Input Format

The first line of input contains an integer n, the number of lines in the message.

The next n lines each contain a string (the encrypted message line).

Output Format

The first line of output prints: "Character Frequency:"

Then print each character and its frequency in the format: "<character>: <count>"

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 2
Hello World
Java

Output: Character Frequency:
H: 1
J: 1
W: 1
a: 2
d: 1
e: 1
l: 3
o: 2
r: 1
v: 1

Answer

```java
import java.util.Scanner;
import java.util.TreeMap;
class MessageAnalyzer {
    private TreeMap<Character, Integer> charFrequency;
    public MessageAnalyzer() {
        charFrequency = new TreeMap<>();
    }
    public void analyze(String message) {
        for (int i = 0; i < message.length(); i++) {
            char ch = message.charAt(i);
            if (Character.isLetter(ch)) {
```

```java
            charFrequency.put(ch, charFrequency.getOrDefault(ch, 0) + 1);
        }
    }
}
    public void printFrequency() {
        System.out.println("Character Frequency:");
        for (char ch : charFrequency.keySet()) {
            System.out.println(ch + ": " + charFrequency.get(ch));
        }
    }
}
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = Integer.parseInt(sc.nextLine().trim());
        MessageAnalyzer analyzer = new MessageAnalyzer();
        for (int i = 0; i < n; i++) {
            String line = sc.nextLine();
            analyzer.analyze(line);
        }
        analyzer.printFrequency();
    }
}
```

Status : Correct   *Marks : 10/10*