

Executive Quality Summary

2

Observations

1

Datasets


1

Critical Risks


INTEGRITY SCORE

93%

Issue Severity Distribution



Top Data Quality Observations



Clinical Risk Narrative

The data audit of 1 datasets reveals a Clinical Integrity Score of 93%. This score is calculated based on the density of critical clinical outliers (values outside physiological norms) and data consistency issues. High-risk anomalies were detected that could potentially compromise clinical research modeling. Analysis suggest that protocol deviations or legacy data entry methods are the primary drivers of these observations.

Dataset Name	Total Issues	Critical Issues
cd61f8ef-1103-4836-abec-c9bd868ca2ff.csv	2	1

Clinical Intelligence Deep-Dive

This section highlights the most significant clinical findings analyzed by our AI system. Unlike raw validation, this deep-dive provides clinical context, impact, and actionable remediation steps.

FINDING #1: Body_Temp | cd61f8ef-1103-4836-abec-c9bd86

****DETAILED OBSERVATION****

The 'Body_Temp' column contains a value labeled as 'nan', which indicates an undefined or missing measurement. In a clinical context, this can lead to errors in analysis due to the loss of critical temperature data.

****RECOMMENDED ACTION****

- 1. Replace 'nan' with a specific identifier like 'invalid' for better detection of measurement errors.
- 2. Implement data validation checks during collection to ensure all temperatures are properly recorded and defined.
- 3. Use automated tools or scripts to flag any invalid values early in the process, enhancing accuracy and reducing analysis errors.

Detailed Audit Logs (Sample)

DATASET	COLUMN	OBSERVATION	SEV	STATUS
cd61f8ef-1103-4836	Body_Temp	Missing value detected.	Cri	AUDITED
cd61f8ef-1103-4836	Wt	[SAFE IMPROVEMENT] Weight-Age mismatch detected. (Weigh	War	AUDITED

Strategic Roadmap & Methodology

Audit Methodology:

The audit utilized a dual-engine validation process. Phase 1 involved deterministic clinical rules based on DMSAP (Data Management & Statistical Analysis Plan) standards. Phase 2 leveraged a local DeepSeek-R1 LLM to analyze row context and provide actionable clinical intelligence. All PII was handled according to masking protocols enabled during the session.

Short-term (0-30 days)

Immediate cleanup of 'Critical' flags identified in Section 4. Standardize field headers across all source datasets.

Mid-term (30-90 days)

Develop automated ETL pipelines with pre-processing gates for temperature and age outliers.

Long-term (Strategic)

Adopt CDISC SDTM standards for all clinical research datasets to ensure global interoperability and compliance.