

Metadata Report

Base Version: 10.5.0.0

Modified Version: 10.5.0.0

CDO Definitions

[MaterialListItemChanges](#)

[ResourceSetupTransition](#)

CLF Definitions

[bpResourceSetupTransition\\_ResStatusCode\\_SelVal](#)

Query Definitions

[bpSelectionValuesEx\\_StatusModelToStatus](#)

|                 |
|-----------------|
| CDO Definitions |
|-----------------|

ResourceSetupTransition - Import

| Field              | Label | Column | Description | Data Type | Constraint | Value Expression |
|--------------------|-------|--------|-------------|-----------|------------|------------------|
| ResourceStatusCode |       |        |             |           |            |                  |

Field: ResourceStatusCode Events

SelectValuesEx: bpResourceSetupTransition\_ResStatusCode\_SelVal

CLF: bpResourceSetupTransition\_ResStatusCode\_SelVal  
Feature Membership: Base

| Function             | Parameter                                                                                                             | Value                                                                                                           |
|----------------------|-----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| exitif               | LeftValue                                                                                                             | Resource                                                                                                        |
|                      | Comparison                                                                                                            | Constants.CompareEqual                                                                                          |
|                      | RightValue                                                                                                            | false                                                                                                           |
| setfieldex           | From                                                                                                                  | ""                                                                                                              |
|                      | To                                                                                                                    | CLF::CDOTypeName                                                                                                |
|                      |                                                                                                                       |                                                                                                                 |
| GetCDOType           | CDO                                                                                                                   | Resource                                                                                                        |
|                      | Type                                                                                                                  | CLF::CDOTypeID                                                                                                  |
|                      | TypeName                                                                                                              | CLF::CDOTypeName                                                                                                |
| InitQueryParameters  | QueryParameters                                                                                                       | CLF::QueryParameters                                                                                            |
|                      | ParamName1                                                                                                            | "CDODefName"                                                                                                    |
|                      | ParamValue1                                                                                                           | ((CLF::CDOTypeName == "Scale") OR (CLF::CDOTypeName == "Carrier"))?CLF::CDOTypeName:"Resource"                  |
|                      | ParamName2                                                                                                            | "ResourceStatusModel"                                                                                           |
|                      | ParamValue2                                                                                                           | ResourceStatusModel                                                                                             |
|                      | ParamName3                                                                                                            | "Status"                                                                                                        |
|                      | ParamValue3                                                                                                           | (Resource AND Resource.Status)?Resource.Status:NULL                                                             |
|                      | ParamName4                                                                                                            |                                                                                                                 |
|                      | ParamValue4                                                                                                           |                                                                                                                 |
|                      | ParamName5                                                                                                            |                                                                                                                 |
| MergeQueryParameters | Parameters1                                                                                                           | CLF::QueryParameters                                                                                            |
|                      | Parameters2                                                                                                           | CLF::__Parameters                                                                                               |
|                      | Result                                                                                                                | CLF::QueryParameters                                                                                            |
|                      | Condition                                                                                                             | ResourceStatusModel AND GetListCount(ResourceStatusModel.Details) > 0 AND GetListCount(ResourceStatusModel.Reso |
|                      | {                                                                                                                     |                                                                                                                 |
|                      | if                                                                                                                    | Condition                                                                                                       |
|                      | Resource                                                                                                              | Resource && Resource.Status                                                                                     |
|                      | ExecuteQueryEx                                                                                                        | QueryName                                                                                                       |
|                      | Parameters                                                                                                            | CLF::QueryParameters                                                                                            |
|                      | CDODefId                                                                                                              | SetCDOTypeId( GetCurrentField() )                                                                               |
| if                   | ResultsetSizeLimit                                                                                                    | CLF::__ResultsetSizeLimit                                                                                       |
|                      | ResultsetStartRow                                                                                                     | CLF::__ResultsetStartRow                                                                                        |
|                      | Resultset                                                                                                             | Transaction::__Return                                                                                           |
|                      | else                                                                                                                  |                                                                                                                 |
|                      | {                                                                                                                     |                                                                                                                 |
|                      | if                                                                                                                    | Condition                                                                                                       |
|                      | ResourceStatusModel                                                                                                   | ResourceStatusModel.InitStatusCodes                                                                             |
|                      | setfieldex                                                                                                            | From                                                                                                            |
|                      | ConvertCDOListToResultset                                                                                             | (ResourceStatusModel.InitStatusCodes.ResolvedEntries,(Name,IsFrozen,InstanceId,Description                      |
|                      | (LabelId::SelVal_Name,LabelId::SelVal_IsFrozen,LabelId::SelVal_InstanceId,LabelId::SelVal_Description),CLF::__Results |                                                                                                                 |
|                      | To                                                                                                                    | Transaction::__Return                                                                                           |

|                |                    |                                                                                                                                                                                                                                            |
|----------------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| }              |                    |                                                                                                                                                                                                                                            |
| }              |                    |                                                                                                                                                                                                                                            |
| else           |                    |                                                                                                                                                                                                                                            |
| {              |                    |                                                                                                                                                                                                                                            |
| if             | Condition          | Resource.ProductionStatus AND Resource.ProductionStatus.Status AND Resource.TxnResourceStatusModel                                                                                                                                         |
| {              |                    |                                                                                                                                                                                                                                            |
| findlistitem   | List               | Resource.ResourceStatusModel.ResourceStatusDiagram                                                                                                                                                                                         |
|                | ListKey            | FromStatusCode                                                                                                                                                                                                                             |
|                | KeyValue           | Resource.ProductionStatus.Status                                                                                                                                                                                                           |
|                | Result             | CLF::Entry                                                                                                                                                                                                                                 |
|                | ListIndex          | CLF::EntryIndex                                                                                                                                                                                                                            |
| if             | Condition          | CLF::Entry && CLF::Entry.ToStatusCodes                                                                                                                                                                                                     |
| setfieldex     | From               | ConvertCDOLISTToResultset(CLF::Entry.ToStatusCodes.ResolvedEntries,(Name,IsFrozen,InstanceId,Description),("Name", (LabelId::SelVal_Name,LabelId::SelVal_IsFrozen,LabelId::SelVal_InstanceId,LabelId::SelVal_Description),CLF::Resultset   |
|                | To                 | Transaction::Return                                                                                                                                                                                                                        |
| else           |                    |                                                                                                                                                                                                                                            |
| ExecuteQueryEx | QueryName          | <a href="#">"bpSelectionValuesEx_ResourceStatusCode"</a>                                                                                                                                                                                   |
|                | Parameters         | CLF::QueryParameters                                                                                                                                                                                                                       |
|                | CDODefId           | SetCDOTypeId( GetCurrentField() )                                                                                                                                                                                                          |
|                | ResultsetSizeLimit | CLF::ResultsetSizeLimit                                                                                                                                                                                                                    |
|                | ResultsetStartRow  | CLF::ResultsetStartRow                                                                                                                                                                                                                     |
|                | Resultset          | Transaction::Return                                                                                                                                                                                                                        |
| }              |                    |                                                                                                                                                                                                                                            |
| elseif         | Condition          | Resource.TxnResourceStatusModel && Resource.TxnResourceStatusModel.InitStatusCodes                                                                                                                                                         |
| setfieldex     | From               | ConvertCDOLISTToResultset(Resource.TxnResourceStatusModel.InitStatusCodes.ResolvedEntries,(Name,IsFrozen,InstanceId, (LabelId::SelVal_Name,LabelId::SelVal_IsFrozen,LabelId::SelVal_InstanceId,LabelId::SelVal_Description),CLF::Resultset |
|                | To                 | Transaction::Return                                                                                                                                                                                                                        |
| else           |                    |                                                                                                                                                                                                                                            |
| ExecuteQueryEx | QueryName          | <a href="#">"bpSelectionValuesEx_ResourceStatusCode"</a>                                                                                                                                                                                   |
|                | Parameters         | CLF::QueryParameters                                                                                                                                                                                                                       |
|                | CDODefId           | SetCDOTypeId( GetCurrentField() )                                                                                                                                                                                                          |
|                | ResultsetSizeLimit | CLF::ResultsetSizeLimit                                                                                                                                                                                                                    |
|                | ResultsetStartRow  | CLF::ResultsetStartRow                                                                                                                                                                                                                     |
|                | Resultset          | Transaction::Return                                                                                                                                                                                                                        |
| }              |                    |                                                                                                                                                                                                                                            |

## CLF Definitions

## bpResourceSetupTransition\_ResStatusCode\_SelVal

|                      |                    | Base Functions                                                                                                  |
|----------------------|--------------------|-----------------------------------------------------------------------------------------------------------------|
| Function             | Parameter          | Value                                                                                                           |
| exitif               | LeftValue          | Resource                                                                                                        |
|                      | Comparison         | Constants.CompareEqual                                                                                          |
|                      | RightValue         | false                                                                                                           |
| setfieldex           | From               | ""                                                                                                              |
|                      | To                 | CLF::CDOTypeName                                                                                                |
| GetCDOType           | CDO                | Resource                                                                                                        |
|                      | Type               | CLF::CDOTypeID                                                                                                  |
|                      | TypeName           | CLF::CDOTypeName                                                                                                |
| InitQueryParameters  | QueryParameters    | CLF::QueryParameters                                                                                            |
|                      | ParamName1         | "CDODefName"                                                                                                    |
|                      | ParamValue1        | ((CLF::CDOTypeName == "Scale") OR (CLF::CDOTypeName == "Carrier"))?CLF::CDOTypeName:"Resource"                  |
|                      | ParamName2         | "ResourceStatusModel"                                                                                           |
|                      | ParamValue2        | ResourceStatusModel                                                                                             |
|                      | ParamName3         | "Status"                                                                                                        |
|                      | ParamValue3        | (Resource AND Resource.Status)?Resource.Status:NULL                                                             |
|                      | ParamName4         |                                                                                                                 |
|                      | ParamValue4        |                                                                                                                 |
| MergeQueryParameters | ParamName5         |                                                                                                                 |
|                      | ParamValue5        |                                                                                                                 |
|                      | ParamName6         |                                                                                                                 |
|                      | ParamValue6        |                                                                                                                 |
|                      | Parameters1        | CLF::QueryParameters                                                                                            |
|                      | Parameters2        | CLF::Parameters                                                                                                 |
|                      | Result             | CLF::QueryParameters                                                                                            |
|                      | Condition          | ResourceStatusModel AND GetListCount(ResourceStatusModel.Details) > 0 AND GetListCount(ResourceStatusModel.Reso |
|                      | Condition          | Resource && Resource.Status                                                                                     |
| ExecuteQueryEx       | QueryName          | <a href="#">"bpSelectionValuesEx_ResourceStatusCode"</a>                                                        |
|                      | Parameters         | CLF::QueryParameters                                                                                            |
|                      | CDODefId           | SetCDOTypeId( GetCurrentField() )                                                                               |
|                      | ResultsetSizeLimit | CLF::ResultsetSizeLimit                                                                                         |
|                      | ResultsetStartRow  | CLF::ResultsetStartRow                                                                                          |
|                      | Resultset          | Transaction::Return                                                                                             |
| if                   | Condition          | ResourceStatusModel.InitStatusCodes                                                                             |

|                |                    |                                                                                                                                                                                                                                                        |
|----------------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| setfieldex     | From               | ConvertCDOListToResultset(ResourceStatusModel.InitStatusCodes.ResolvedEntries,(Name,IsFrozen,InstanceId,Description),(LabelId::SelVal_Name,LabelId::SelVal_IsFrozen,LabelId::SelVal_InstanceId,LabelId::SelVal_Description),CLF::__Results             |
|                | To                 | Transaction::__Return                                                                                                                                                                                                                                  |
| if             | Condition          | Resource.ProductionStatus AND Resource.ProductionStatus.Status AND Resource.TxnResourceStatusModel                                                                                                                                                     |
| findlistitem   | List               | Resource.ResourceStatusModel.ResourceStatusDiagram                                                                                                                                                                                                     |
|                | ListKey            | FromStatusCode                                                                                                                                                                                                                                         |
|                | KeyValue           | Resource.ProductionStatus.Status                                                                                                                                                                                                                       |
|                | Result             | CLF::Entry                                                                                                                                                                                                                                             |
|                | ListIndex          | CLF::EntryIndex                                                                                                                                                                                                                                        |
| if             | Condition          | CLF::Entry && CLF::Entry.ToStatusCodes                                                                                                                                                                                                                 |
| setfieldex     | From               | ConvertCDOListToResultset(CLF::Entry.ToStatusCodes.ResolvedEntries,(Name,IsFrozen,InstanceId,Description),("Name", (LabelId::SelVal_Name,LabelId::SelVal_IsFrozen,LabelId::SelVal_InstanceId,LabelId::SelVal_Description),CLF::__Results               |
|                | To                 | Transaction::__Return                                                                                                                                                                                                                                  |
| ExecuteQueryEx | QueryName          | <a href="#">"bpSelectionValuesEx_ResourceStatusCode"</a>                                                                                                                                                                                               |
|                | Parameters         | CLF::QueryParameters                                                                                                                                                                                                                                   |
|                | CDODefId           | SetCDOTypeId( GetCurrentField() )                                                                                                                                                                                                                      |
|                | ResultsetSizeLimit | CLF::__ResultsetSizeLimit                                                                                                                                                                                                                              |
|                | ResultsetStartRow  | CLF::__ResultsetStartRow                                                                                                                                                                                                                               |
|                | Resultset          | Transaction::__Return                                                                                                                                                                                                                                  |
| elseif         | Condition          | Resource.TxnResourceStatusModel && Resource.TxnResourceStatusModel.InitStatusCodes                                                                                                                                                                     |
| setfieldex     | From               | ConvertCDOListToResultset(Resource.TxnResourceStatusModel.InitStatusCodes.ResolvedEntries,(Name,IsFrozen,InstanceId,Description),(LabelId::SelVal_Name,LabelId::SelVal_IsFrozen,LabelId::SelVal_InstanceId,LabelId::SelVal_Description),CLF::__Results |
|                | To                 | Transaction::__Return                                                                                                                                                                                                                                  |
| ExecuteQueryEx | QueryName          | <a href="#">"bpSelectionValuesEx_ResourceStatusCode"</a>                                                                                                                                                                                               |
|                | Parameters         | CLF::QueryParameters                                                                                                                                                                                                                                   |
|                | CDODefId           | SetCDOTypeId( GetCurrentField() )                                                                                                                                                                                                                      |
|                | ResultsetSizeLimit | CLF::__ResultsetSizeLimit                                                                                                                                                                                                                              |
|                | ResultsetStartRow  | CLF::__ResultsetStartRow                                                                                                                                                                                                                               |
|                | Resultset          | Transaction::__Return                                                                                                                                                                                                                                  |

| New Functions        |                    |                                                                                                                                                                                                                                            |
|----------------------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Function             | Parameter          | Value                                                                                                                                                                                                                                      |
| exitif               | LeftValue          | Resource                                                                                                                                                                                                                                   |
|                      | Comparison         | Constants.CompareEqual                                                                                                                                                                                                                     |
|                      | RightValue         | false                                                                                                                                                                                                                                      |
| setfieldex           | From               | ""                                                                                                                                                                                                                                         |
|                      | To                 | CLF::CDOTypeName                                                                                                                                                                                                                           |
| GetCDOType           | CDO                | Resource                                                                                                                                                                                                                                   |
|                      | Type               | CLF::CDOTypeID                                                                                                                                                                                                                             |
|                      | TypeName           | CLF::CDOTypeName                                                                                                                                                                                                                           |
| InitQueryParameters  | QueryParameters    | CLF::QueryParameters                                                                                                                                                                                                                       |
|                      | ParamName1         | "CDODefName"                                                                                                                                                                                                                               |
|                      | ParamValue1        | ((CLF::CDOTypeName == "Scale") OR (CLF::CDOTypeName == "Carrier"))?CLF::CDOTypeName:"Resource"                                                                                                                                             |
|                      | ParamName2         | "ResourceStatusModel"                                                                                                                                                                                                                      |
|                      | ParamValue2        | ResourceStatusModel                                                                                                                                                                                                                        |
|                      | ParamName3         | "Status"                                                                                                                                                                                                                                   |
|                      | ParamValue3        | (Resource AND Resource.Status)?Resource.Status:NULL                                                                                                                                                                                        |
|                      | ParamName4         |                                                                                                                                                                                                                                            |
|                      | ParamValue4        |                                                                                                                                                                                                                                            |
|                      | ParamName5         |                                                                                                                                                                                                                                            |
|                      | ParamValue5        |                                                                                                                                                                                                                                            |
|                      | ParamName6         |                                                                                                                                                                                                                                            |
|                      | ParamValue6        |                                                                                                                                                                                                                                            |
| MergeQueryParameters | Parameters1        | CLF::QueryParameters                                                                                                                                                                                                                       |
|                      | Parameters2        | CLF::__Parameters                                                                                                                                                                                                                          |
|                      | Result             | CLF::QueryParameters                                                                                                                                                                                                                       |
| if                   | Condition          | ResourceStatusModel AND GetListCount(ResourceStatusModel.Details) > 0 AND GetListCount(ResourceStatusModel.Reso                                                                                                                            |
| if                   | Condition          | Resource && Resource.Status                                                                                                                                                                                                                |
| ExecuteQueryEx       | QueryName          | <a href="#">"bpSelectionValuesEx_StatusModelToStatus"</a>                                                                                                                                                                                  |
|                      | Parameters         | CLF::QueryParameters                                                                                                                                                                                                                       |
|                      | CDODefId           | SetCDOTypeId( GetCurrentField() )                                                                                                                                                                                                          |
|                      | ResultsetSizeLimit | CLF::__ResultsetSizeLimit                                                                                                                                                                                                                  |
|                      | ResultsetStartRow  | CLF::__ResultsetStartRow                                                                                                                                                                                                                   |
|                      | Resultset          | Transaction::__Return                                                                                                                                                                                                                      |
| if                   | Condition          | ResourceStatusModel.InitStatusCodes                                                                                                                                                                                                        |
| setfieldex           | From               | ConvertCDOListToResultset(ResourceStatusModel.InitStatusCodes.ResolvedEntries,(Name,IsFrozen,InstanceId,Description),(LabelId::SelVal_Name,LabelId::SelVal_IsFrozen,LabelId::SelVal_InstanceId,LabelId::SelVal_Description),CLF::__Results |
|                      | To                 | Transaction::__Return                                                                                                                                                                                                                      |
| if                   | Condition          | Resource.ProductionStatus AND Resource.ProductionStatus.Status AND Resource.TxnResourceStatusModel                                                                                                                                         |
| findlistitem         | List               | Resource.ResourceStatusModel.ResourceStatusDiagram                                                                                                                                                                                         |
|                      | ListKey            | FromStatusCode                                                                                                                                                                                                                             |
|                      | KeyValue           | Resource.ProductionStatus.Status                                                                                                                                                                                                           |
|                      | Result             | CLF::Entry                                                                                                                                                                                                                                 |
|                      | ListIndex          | CLF::EntryIndex                                                                                                                                                                                                                            |
| if                   | Condition          | CLF::Entry && CLF::Entry.ToStatusCodes                                                                                                                                                                                                     |
| setfieldex           | From               | ConvertCDOListToResultset(CLF::Entry.ToStatusCodes.ResolvedEntries,(Name,IsFrozen,InstanceId,Description),("Name", (LabelId::SelVal_Name,LabelId::SelVal_IsFrozen,LabelId::SelVal_InstanceId,LabelId::SelVal_Description),CLF::__Results   |
|                      | To                 | Transaction::__Return                                                                                                                                                                                                                      |

|                |                    |                                                                                                                       |
|----------------|--------------------|-----------------------------------------------------------------------------------------------------------------------|
| ExecuteQueryEx | QueryName          | "bpSelectionValuesEx_ResourceStatusCode"                                                                              |
|                | Parameters         | CLF::QueryParameters                                                                                                  |
|                | CDODefId           | SetCDOTypeId( GetCurrentField() )                                                                                     |
|                | ResultsetSizeLimit | CLF::__ResultsetSizeLimit                                                                                             |
|                | ResultsetStartRow  | CLF::__ResultsetStartRow                                                                                              |
|                | Resultset          | Transaction::__Return                                                                                                 |
| elseif         | Condition          | Resource.TxnResourceStatusModel && Resource.TxnResourceStatusModel.InitStatusCodes                                    |
| setfieldex     | From               | ConvertCDOListToResultset( Resource.TxnResourceStatusModel.InitStatusCodes.ResolvedEntries,(Name,IsFrozen,Instance    |
|                | To                 | (LabelId::SelVal_Name,LabelId::SelVal_IsFrozen,LabelId::SelVal_InstanceId,LabelId::SelVal_Description),CLF::__Results |
| ExecuteQueryEx | QueryName          | "bpSelectionValuesEx_ResourceStatusCode"                                                                              |
|                | Parameters         | CLF::QueryParameters                                                                                                  |
|                | CDODefId           | SetCDOTypeId( GetCurrentField() )                                                                                     |
|                | ResultsetSizeLimit | CLF::__ResultsetSizeLimit                                                                                             |
|                | ResultsetStartRow  | CLF::__ResultsetStartRow                                                                                              |
|                | Resultset          | Transaction::__Return                                                                                                 |

Query Definitions

bpSelectionValuesEx\_StatusModelToStatus

SelectionValuesEx\_StatusModelToStatus

bpSelectionValuesEx\_StatusModelToStatus : Generic

SELECT RSC.ResourceStatusCodeName Name , RSC.ResourceStatusCodeId InstanceID , RSC.IsFrozen , RSC.Description FROM A\_StatusModelDetail  
SMD INNER JOIN ResourceStatusCode RSC ON SMD.ToStatusId = RSC.ResourceStatusCodeId WHERE RSC.ResourceStatusCodeName LIKE ?NameFilter <(?  
ResourceStatusModel}>?<{ AND SMD.ResourceStatusModelId = ?ResourceStatusModel }> <{?Status}>?<{ AND SMD.StatusId = ?Status }> ORDER BY  
SMD.StatusSequence ASC

| Parameter           | Data Type |
|---------------------|-----------|
| NameFilter          | String    |
| ResourceStatusModel | Object    |
| Status              | Object    |