

Metadata Report

Base Version: 10.5.0.0

Modified Version: 10.5.1.0

CDO Definitions

[Container](#)

[isLoadUnloadCarrier](#)

[RouteStep](#)

CLF Definitions

[isContainer_VerifyMaterialIssue](#)

[isGetRouteStepsResourceGroup_OGV](#)

[isLoadUnloadCarrier_ExecuteSubServices](#)

Query Definitions

[isMaterialReqAcknowledge_v2_InventoryLocationLookup](#)

CDO Definitions

Container - Import

Methods

isContainer_VerifyMaterialIssue

CLF: isContainer_VerifyMaterialIssue

Function	Parameter	Value
----------	-----------	-------

isLoadUnloadCarrier - Import

Methods

ExecuteSubServices

CLF: isLoadUnloadCarrier_ExecuteSubServices

Function	Parameter	Value
----------	-----------	-------

RouteStep - Import

Field	Label	Column	Description	Data Type	Constraint	Value Expression
isResourceGroup						

Field: isResourceGroup Events

OnGetValue: isGetRouteStepsResourceGroup_OGV

CLF: isGetRouteStepsResourceGroup_OGV

Feature Membership: Base

Function	Parameter	Value
if	Condition	Transaction:: __ CurrentService.Factory && Transaction:: __ CurrentService.Factory.isPreactorEnabled
{		
if	Condition	IsOfObjectType(GetCurrentService(),"MfgOrderMaint",true)
{		
if	Condition	GetCurrentService().ObjectChanges.isResolvedWorkflow.SchedulingRoute
findlistitem	List	GetCurrentService().ObjectChanges.isResolvedWorkflow.Steps
	ListKey	SchedulingRouteStep
	KeyValue	InstanceId
	Result	clf::Step
	ListIndex	
else		
findlistitem	List	GetCurrentService().ObjectChanges.isResolvedWorkflow.Steps
	ListKey	RouteStep
	KeyValue	InstanceId
	Result	clf::Step
	ListIndex	
}		
elseif	Condition	IsOfObjectType(GetCurrentService(),"ProductMaint",true)
{		
if	Condition	GetCurrentService().ObjectChanges.isResolvedWorkflow
{		
if	Condition	GetCurrentService().ObjectChanges.isResolvedWorkflow.SchedulingRoute
findlistitem	List	GetCurrentService().ObjectChanges.isResolvedWorkflow.Steps
	ListKey	SchedulingRouteStep
	KeyValue	InstanceId
	Result	clf::Step
	ListIndex	
else		
findlistitem	List	GetCurrentService().ObjectChanges.isResolvedWorkflow.Steps
	ListKey	RouteStep
	KeyValue	InstanceId
	Result	clf::Step
	ListIndex	
}		
}		
IsVariableDefined	VariableName	"Step"
	Scope	"CLF"
	Result	CLF::StepVariable_Defined
setfieldconditional	Condition	CLF::StepVariable_Defined = true
	ThenFrom	CLF::Step.Spec.ResourceGroup
	ElseFrom	

	To	Transaction::__Return
}		

CLF Definitions

isContainer_VerifyMaterialIssue

Base Functions		
Function	Parameter	Value
if	Condition	Status <> Transaction::__Const.ContainerStatus.Active
throw	ErrorId	LabelId::ContainerStatusNotActive
	ParamNames	"Name"
	ParamValues	DisplayName
call	CDO	
	Event	ValidateExpirationDate
	Name1	
	Value1	
	Name2	
	Value2	
	Name3	
	Value3	
	Name4	
	Value4	
	Name5	
	Value5	
call	CDO	
	Event	ValidateHoldStatus
	Name1	
	Value1	
	Name2	
	Value2	
	Name3	
	Value3	
	Name4	
	Value4	
	Name5	
	Value5	

New Functions		
Function	Parameter	Value
if	Condition	Status <> Transaction::__Const.ContainerStatus.Active
throw	ErrorId	LabelId::ContainerStatusNotActive
	ParamNames	"Name"
	ParamValues	DisplayName
GetCurrentService	Service	CLF::Service
setfieldex	From	CLF::Service.TxnDate
	To	CLF::TxnDate
call	CDO	
	Event	ValidateExpirationDate
	Name1	TxnDate
	Value1	CLF::TxnDate

	Name2	
	Value2	
	Name3	
	Value3	
	Name4	
	Value4	
	Name5	
	Value5	
call	CDO	
	Event	ValidateHoldStatus
	Name1	
	Value1	
	Name2	
	Value2	
	Name3	
	Value3	
	Name4	
	Value4	
	Name5	
	Value5	

isGetRouteStepsResourceGroup_OGV

Base Functions		
Function	Parameter	Value
if	Condition	Transaction::__CurrentService.Factory.isPreactorEnabled
if	Condition	IsOfObjectType(GetCurrentService(),"MfgOrderMaint",true)
if	Condition	GetCurrentService().ObjectChanges.isResolvedWorkflow.SchedulingRoute
findlistitem	List	GetCurrentService().ObjectChanges.isResolvedWorkflow.Steps
	ListKey	SchedulingRouteStep
	KeyValue	InstanceId
	Result	clf::Step
	ListIndex	
findlistitem	List	GetCurrentService().ObjectChanges.isResolvedWorkflow.Steps
	ListKey	RouteStep
	KeyValue	InstanceId
	Result	clf::Step
	ListIndex	
elseif	Condition	IsOfObjectType(GetCurrentService(),"ProductMaint",true)
if	Condition	GetCurrentService().ObjectChanges.isResolvedWorkflow
if	Condition	GetCurrentService().ObjectChanges.isResolvedWorkflow.SchedulingRoute
findlistitem	List	GetCurrentService().ObjectChanges.isResolvedWorkflow.Steps
	ListKey	SchedulingRouteStep
	KeyValue	InstanceId
	Result	clf::Step
	ListIndex	
findlistitem	List	GetCurrentService().ObjectChanges.isResolvedWorkflow.Steps
	ListKey	RouteStep
	KeyValue	InstanceId
	Result	clf::Step
	ListIndex	
AccumulateTxnCrossRefs	Container	

	Set	
IsVariableDefined	VariableName	"Step"
	Scope	"CLF"
	Result	CLF::StepVariable_Defined
setfieldconditional	Condition	CLF::StepVariable_Defined = true
	ThenFrom	CLF::Step.Spec.ResourceGroup
	ElseFrom	
	To	Transaction::__Return

New Functions		
Function	Parameter	Value
if	Condition	Transaction::__CurrentService.Factory && Transaction::__CurrentService.Factory.isPreactorEnabled
if	Condition	IsOfObjectType(GetCurrentService(),"MfgOrderMaint",true)
if	Condition	GetCurrentService().ObjectChanges.isResolvedWorkflow.SchedulingRoute
findlistitem	List	GetCurrentService().ObjectChanges.isResolvedWorkflow.Steps
	ListKey	SchedulingRouteStep
	KeyValue	InstanceId
	Result	clf::Step
	ListIndex	
findlistitem	List	GetCurrentService().ObjectChanges.isResolvedWorkflow.Steps
	ListKey	RouteStep
	KeyValue	InstanceId
	Result	clf::Step
	ListIndex	
elseif	Condition	IsOfObjectType(GetCurrentService(),"ProductMaint",true)
if	Condition	GetCurrentService().ObjectChanges.isResolvedWorkflow
if	Condition	GetCurrentService().ObjectChanges.isResolvedWorkflow.SchedulingRoute
findlistitem	List	GetCurrentService().ObjectChanges.isResolvedWorkflow.Steps
	ListKey	SchedulingRouteStep
	KeyValue	InstanceId
	Result	clf::Step
	ListIndex	
findlistitem	List	GetCurrentService().ObjectChanges.isResolvedWorkflow.Steps
	ListKey	RouteStep
	KeyValue	InstanceId
	Result	clf::Step
	ListIndex	
IsVariableDefined	VariableName	"Step"
	Scope	"CLF"
	Result	CLF::StepVariable_Defined
setfieldconditional	Condition	CLF::StepVariable_Defined = true
	ThenFrom	CLF::Step.Spec.ResourceGroup
	ElseFrom	
	To	Transaction::__Return

isLoadUnloadCarrier_ExecuteSubServices

Base Functions		
Function	Parameter	Value
setfieldex	From	isCarrier.ProductionStatus.isTrackingContainer
	To	CLF::TrackingContainer

setmultipledatavalues	From	false
	To1	Transaction::isUnloaded
	To2	Transaction::isLoaded
	To3	
	To4	
if	Condition	isCarrierLoadType == 1 AND CLF::TrackingContainer
if	Condition	GetListCount(ContainerList) > 0
setfieldex	From	GetListCount (CLF::TrackingContainer.ChildContainers)
	To	CLF::CurChildCount
if	Condition	CLF::CurChildCount < 1
if	Condition	isCarrier.isUsePosition == 2 OR (isCarrier.isUsePosition == 0 AND isCarrier.ResourceFamily AND isCarrier.ResourceFamily.isUsePosition == 2)
setfieldex	From	true
	To	isCarrier.isUsePositionState
setfieldex	From	false
	To	isCarrier.isUsePositionState
CreateCDO	CDOTypeName	
	UseFieldType	true
	OverwriteExistingCDO	true
	NewCDO	Associate
setfieldex	From	false
	To	CLF::isFailed
setfieldex	From	CLF::CurChildCount < 1
	To	CLF::NeedMove
setfieldex	From	CLF::TrackingContainer
	To	Associate.Container
foreach	Var	CLF::Container
	List	ContainerList
if	Condition	NOT(CLF::Container.isCarrier) OR CLF::Container.Carrier != isCarrier
setfieldex	From	CLF::Container.WorkflowStack
	To	CLF::ConWorkflowStack
if	Condition	CLF::Container.isFailed
setfieldex	From	true
	To	CLF::isFailed
if	Condition	CLF::Container.Carrier && (CLF::Container.Carrier != isCarrier) && TransferContainer
CreateCDO	CDOTypeName	"isLoadUnloadCarrier"
	UseFieldType	true
	OverwriteExistingCDO	true
	NewCDO	CLF::isLoadUnloadCarrier
setfieldex	From	CLF::Container.Carrier
	To	CLF::isLoadUnloadCarrier.isCarrier
setfieldex	From	2
	To	CLF::isLoadUnloadCarrier.isCarrierLoadType
setfieldex	From	true
	To	CLF::isLoadUnloadCarrier.TransferContainer
AddListItem	ListField	CLF::isLoadUnloadCarrier.ContainerList
	Item	CLF::Container
	Result	
ExecuteService	Service	CLF::isLoadUnloadCarrier
setfieldex	From	false
	To	TransferContainer

if	Condition	isCarrier.isSpec && isCarrier.isSpec != CLF::Container.WorkflowStep.Spec
throw	ErrorId	LabelId::OperationMismatch
	ParamNames	
	ParamValues	
if	Condition	CLF::NeedMove && CLF::TrackingContainer.WorkflowStep != CLF::Container.WorkflowStep
setfieldex	From	false
	To	CLF::NeedMove
if	Condition	CLF::TrackingContainer.Operation.UseQueue && CLF::TrackingContainer.InProcess == false && CLF::Container.InProcess
setfieldex	From	true
	To	CLF::TrackingContainer.CurrentStatus.InProcess
setfieldex	From	CLF::Container.WorkflowStep
	To	CLF::TrackingContainer.CurrentStatus.WorkflowStep
setfieldex	From	CLF::Container.Spec
	To	CLF::TrackingContainer.CurrentStatus.Spec
if	Condition	GetListCount (CLF::TrackingContainer.ChildContainers) < 1
if	Condition	CLF::ConWorkflowStack && GetListCount(CLF::ConWorkflowStack) > 0
setfieldex	From	CLF::ConWorkflowStack
	To	CLF::TrackingContainer.CurrentStatus.WorkflowStack
if	Condition	CLF::TrackingContainer.Operation.UseQueue && CLF::TrackingContainer.InProcess == false && CLF::Container.InProcess
setfieldex	From	true
	To	CLF::TrackingContainer.CurrentStatus.InProcess
if	Condition	CLF::isFailed
setfieldex	From	true
	To	CLF::TrackingContainer.isFailed
AddListItem	ListField	Associate.ChildContainers
	Item	CLF::Container
	Result	
setfieldconditional	Condition	isCarrier.isSingleMfgOrder == 2 OR (isCarrier.isSingleMfgOrder == 0 AND isCarrier.ResourceFamily AND isCarrier.ResourceFamily.isSingleMfgOrder == 2)
	ThenFrom	CLF::Container.MfgOrder
	ElseFrom	
	To	CLF::TrackingContainer.MfgOrder
setfieldconditional	Condition	isCarrier.isSingleProduct == 2 OR (isCarrier.isSingleProduct == 0 AND isCarrier.ResourceFamily AND isCarrier.ResourceFamily.isSingleProduct == 2)
	ThenFrom	CLF::Container.Product
	ElseFrom	
	To	CLF::TrackingContainer.Product
callif	Value	CLF::TrackingContainer.Spec AND CLF::TrackingContainer.Spec.isRecordCarrierThruput
	CDO	
	Call	isLoadUnloadCarrier_RecordCarrierThruput
	ElseCDO	
	ElseCall	
ExecuteService	Service	Associate

if	Condition	isCarrier.isUsePositionState
setfieldex	From	SlotPositionSelection
	To	CLF::SlotPositionSelection
setfieldex	From	0
	To	CLF::SlotIndex
foreach	Var	CLF::Container
	List	ContainerList
if	Condition	true
setfieldex	From	isCarrier
	To	CLF::Container.CurrentStatus.Carrier
if	Condition	isCarrier.isUsePositionState && GetListCount(ContainerList) <= 1
setfieldex	From	SlotPosition
	To	CLF::Container.isCarrierSlot
elseif	Condition	isCarrier.isUsePositionState && GetListCount(ContainerList) > 1
setfieldex	From	SlotPositionSelection[CLF::SlotIndex]
	To	CLF::Container.isCarrierSlot
setfieldex	From	CLF::SlotIndex + 1
	To	CLF::SlotIndex
setfieldex	From	true
	To	Transaction::isLoading
elseif	Condition	isCarrierLoadType == 2 AND CLF::TrackingContainer
setfieldex	From	0
	To	CLF::FailCount
if	Condition	isCarrier.isContainerStatus = 0
InitQueryParametersEx	ParamNames	"TrackingContainer"
	ParamValues	CLF::TrackingContainer
	QueryParameters	CLF::QueryParams
ExecuteQueryEx	QueryName	"isCarrier_GetFailingContainerCount"
	Parameters	CLF::QueryParams
	CDODefId	0
	ResultsetSizeLimit	1
	ResultsetStartRow	1
	Resultset	CLF::ResultSet
ConvertResultsetToListOrScalar	Resultset	CLF::ResultSet
	ColName	"CNT"
	IsList	false
	FieldType	Constants.DataType.Integer
	FieldName	CLF::FailCount
	UseFieldDataType	false
CreateCDO	CDOTypeName	
	UseFieldType	true
	OverwriteExistingCDO	true
	NewCDO	Disassociate
setfieldex	From	CLF::TrackingContainer
	To	Disassociate.Container
if	Condition	UnloadAll
setfieldex	From	true
	To	Disassociate.DisassociateAll
foreach	Var	CLF::ChildContainer
	List	CLF::TrackingContainer.ChildContainers
setfieldex	From	null
	To	CLF::ChildContainer.Carrier

setfieldex	From	null
	To	CLF::ChildContainer.isCarrierSlot
foreach	Var	CLF::Container
	List	ContainerList
if	Condition	CLF::Container.isFailed
setfieldex	From	CLF::FailCount-1
	To	CLF::FailCount
setfieldex	From	null
	To	CLF::Container.Carrier
if	Condition	CLF::Container.Parent AND CLF::Container.Parent != CLF::TrackingContainer
setfieldex	From	null
	To	CLF::Container.Parent.Carrier
AddListItem	ListField	Disassociate.ChildContainers
	Item	CLF::Container.Parent
	Result	
AddListItem	ListField	Disassociate.ChildContainers
	Item	CLF::Container
	Result	
ExecuteService	Service	Disassociate
foreach	Var	CLF::Container
	List	ContainerList
if	Condition	CLF::Container.isAssociatedCarrier
setfieldex	From	CLF::Container.isAssociatedCarrier
	To	CLF::Container.CurrentStatus.Carrier
setfieldex	From	null
	To	CLF::Container.CurrentStatus.Carrier
setfieldex	From	null
	To	CLF::Container.isCarrierSlot
setfieldex	From	true
	To	Transaction::isUnloaded
setfieldconditional	Condition	isCarrier.Factory
	ThenFrom	isCarrier.Factory
	ElseFrom	Factory
	To	CLF::Factory
if	Condition	GetListCount (CLF::TrackingContainer.ChildContainers) < 1
if	Condition	NOT((CLF::Factory && CLF::Factory.isReuseTrackingContainer) OR ReuseTrackingContainer OR isCarrier.isReuseTrackingContainer)
call	CDO	
	Event	isCreateCarrierTrackingContainer
	Name1	Factory
	Value1	CLF::Factory
	Name2	isContainerStatus
	Value2	isCarrier.isContainerStatus
	Name3	isCarrier
	Value3	isCarrier
	Name4	TrackingContainer
	Value4	CLF::TrackingContainer
	Name5	
	Value5	
call	CDO	

	Event	isMoveContainerToFirstStep
	Name1	Factory
	Value1	CLF::Factory
	Name2	Container
	Value2	CLF::TrackingContainer
	Name3	
	Value3	
	Name4	
	Value4	
	Name5	
	Value5	
if	Condition	isCarrier.isContainerStatus = 0 && CLF::FailCount <= 0
setfieldex	From	false
	To	CLF::TrackingContainer.isFailed
elseif	Condition	isCarrierLoadType == 3 AND CLF::TrackingContainer
setfieldex	From	Spec
	To	isCarrier.isSpec
setfieldex	From	Resource
	To	isCarrier.isResource
elseif	Condition	isCarrierLoadType == 4
setmultipliedatavalues	From	null
	To1	isCarrier.isResource
	To2	isCarrier.isSpec
	To3	
	To4	
call	CDO	
	Event	RecordHistorySummary
	Name1	
	Value1	
	Name2	
	Value2	
	Name3	
	Value3	
	Name4	
	Value4	
	Name5	
	Value5	

New Functions		
Function	Parameter	Value
setfieldex	From	isCarrier.ProductionStatus.isTrackingContainer
	To	CLF::TrackingContainer
setmultipliedatavalues	From	false
	To1	Transaction::isUnloaded
	To2	Transaction::isLoaded
	To3	
	To4	
if	Condition	isCarrierLoadType == 1 AND CLF::TrackingContainer
if	Condition	GetListCount(ContainerList) > 0
setfieldex	From	GetListCount (CLF::TrackingContainer.ChildContainers)
	To	CLF::CurChildCount
if	Condition	CLF::CurChildCount < 1

if	Condition	isCarrier.isUsePosition == 2 OR (isCarrier.isUsePosition == 0 AND isCarrier.ResourceFamily AND isCarrier.ResourceFamily.isUsePosition == 2)
setfieldex	From	true
	To	isCarrier.isUsePositionState
setfieldex	From	false
	To	isCarrier.isUsePositionState
CreateCDO	CDOTypeName	
	UseFieldType	true
	OverwriteExistingCDO	true
	NewCDO	Associate
setfieldex	From	false
	To	CLF::isFailed
setfieldex	From	CLF::CurChildCount < 1
	To	CLF::NeedMove
setfieldex	From	CLF::TrackingContainer
	To	Associate.Container
foreach	Var	CLF::Container
	List	ContainerList
if	Condition	NOT(CLF::Container.isCarrier) OR CLF::Container.Carrier != isCarrier
setfieldex	From	CLF::Container.WorkflowStack
	To	CLF::ConWorkflowStack
if	Condition	CLF::Container.isFailed
setfieldex	From	true
	To	CLF::isFailed
if	Condition	CLF::Container.Carrier && (CLF::Container.Carrier != isCarrier) && TransferContainer
CreateCDO	CDOTypeName	"isLoadUnloadCarrier"
	UseFieldType	true
	OverwriteExistingCDO	true
	NewCDO	CLF::isLoadUnloadCarrier
setfieldex	From	CLF::Container.Carrier
	To	CLF::isLoadUnloadCarrier.isCarrier
setfieldex	From	2
	To	CLF::isLoadUnloadCarrier.isCarrierLoadType
setfieldex	From	true
	To	CLF::isLoadUnloadCarrier.TransferContainer
AddListItem	ListField	CLF::isLoadUnloadCarrier.ContainerList
	Item	CLF::Container
	Result	
ExecuteService	Service	CLF::isLoadUnloadCarrier
setfieldex	From	false
	To	TransferContainer
if	Condition	isCarrier.isSpec && isCarrier.isSpec != CLF::Container.WorkflowStep.Spec
throw	ErrorId	LabelId::OperationMismatch
	ParamNames	
	ParamValues	
if	Condition	CLF::NeedMove && CLF::TrackingContainer.WorkflowStep != CLF::Container.WorkflowStep
setfieldex	From	false
	To	CLF::NeedMove
setfieldex	From	CLF::Container.WorkflowStep

	To	CLF::TrackingContainer.CurrentStatus.WorkflowStep
setfieldex	From	CLF::Container.Spec
	To	CLF::TrackingContainer.CurrentStatus.Spec
if	Condition	GetListCount (CLF::TrackingContainer.ChildContainers) < 1
if	Condition	CLF::ConWorkflowStack && GetListCount(CLF::ConWorkflowStack) > 0
setfieldex	From	CLF::ConWorkflowStack
	To	CLF::TrackingContainer.CurrentStatus.WorkflowStack
setfieldex	From	CLF::Container.InProcess
	To	CLF::TrackingContainer.CurrentStatus.InProcess
if	Condition	CLF::isFailed
setfieldex	From	true
	To	CLF::TrackingContainer.isFailed
AddListItem	ListField	Associate.ChildContainers
	Item	CLF::Container
	Result	
setfieldconditional	Condition	isCarrier.isSingleMfgOrder == 2 OR (isCarrier.isSingleMfgOrder == 0 AND isCarrier.ResourceFamily AND isCarrier.ResourceFamily.isSingleMfgOrder == 2)
	ThenFrom	CLF::Container.MfgOrder
	ElseFrom	
	To	CLF::TrackingContainer.MfgOrder
setfieldconditional	Condition	isCarrier.isSingleProduct == 2 OR (isCarrier.isSingleProduct == 0 AND isCarrier.ResourceFamily AND isCarrier.ResourceFamily.isSingleProduct == 2)
	ThenFrom	CLF::Container.Product
	ElseFrom	
	To	CLF::TrackingContainer.Product
callif	Value	CLF::TrackingContainer.Spec AND CLF::TrackingContainer.Spec.isRecordCarrierThruput
	CDO	
	Call	isLoadUnloadCarrier_RecordCarrierThruput
	ElseCDO	
	ElseCall	
ExecuteService	Service	Associate
if	Condition	isCarrier.isUsePositionState
setfieldex	From	SlotPositionSelection
	To	CLF::SlotPositionSelection
setfieldex	From	0
	To	CLF::SlotIndex
foreach	Var	CLF::Container
	List	ContainerList
if	Condition	true
setfieldex	From	isCarrier
	To	CLF::Container.CurrentStatus.Carrier
if	Condition	isCarrier.isUsePositionState && GetListCount(ContainerList) <= 1
setfieldex	From	SlotPosition
	To	CLF::Container.isCarrierSlot
elseif	Condition	isCarrier.isUsePositionState && GetListCount(ContainerList) > 1
setfieldex	From	SlotPositionSelection[CLF::SlotIndex]

	To	CLF::Container.isCarrierSlot
setfieldex	From	CLF::SlotIndex + 1
	To	CLF::SlotIndex
setfieldex	From	true
	To	Transaction::isLoaded
elseif	Condition	isCarrierLoadType == 2 AND CLF::TrackingContainer
setfieldex	From	0
	To	CLF::FailCount
if	Condition	isCarrier.isContainerStatus = 0
InitQueryParametersEx	ParamNames	"TrackingContainer"
	ParamValues	CLF::TrackingContainer
	QueryParameters	CLF::QueryParams
ExecuteQueryEx	QueryName	"isCarrier_GetFailingContainerCount"
	Parameters	CLF::QueryParams
	CDODefId	0
	ResultsetSizeLimit	1
	ResultsetStartRow	1
	Resultset	CLF::ResultSet
ConvertResultsetToListOrScalar	Resultset	CLF::ResultSet
	ColName	"CNT"
	IsList	false
	FieldType	Constants.DataType.Integer
	FieldName	CLF::FailCount
	UseFieldDataType	false
CreateCDO	CDOTypeName	
	UseFieldType	true
	OverwriteExistingCDO	true
	NewCDO	Disassociate
setfieldex	From	CLF::TrackingContainer
	To	Disassociate.Container
if	Condition	UnloadAll
setfieldex	From	true
	To	Disassociate.DisassociateAll
foreach	Var	CLF::ChildContainer
	List	CLF::TrackingContainer.ChildContainers
setfieldex	From	null
	To	CLF::ChildContainer.Carrier
setfieldex	From	null
	To	CLF::ChildContainer.isCarrierSlot
foreach	Var	CLF::Container
	List	ContainerList
if	Condition	CLF::Container.isFailed
setfieldex	From	CLF::FailCount-1
	To	CLF::FailCount
setfieldex	From	null
	To	CLF::Container.Carrier
if	Condition	CLF::Container.Parent AND CLF::Container.Parent != CLF::TrackingContainer
setfieldex	From	null
	To	CLF::Container.Parent.Carrier
AddListItem	ListField	Disassociate.ChildContainers
	Item	CLF::Container.Parent
	Result	

AddListItem	ListField	Disassociate.ChildContainers
	Item	CLF::Container
	Result	
ExecuteService	Service	Disassociate
foreach	Var	CLF::Container
	List	ContainerList
if	Condition	CLF::Container.isAssociatedCarrier
setfieldex	From	CLF::Container.isAssociatedCarrier
	To	CLF::Container.CurrentStatus.Carrier
setfieldex	From	null
	To	CLF::Container.CurrentStatus.Carrier
setfieldex	From	null
	To	CLF::Container.isCarrierSlot
setfieldex	From	true
	To	Transaction::isUnloaded
setfieldconditional	Condition	isCarrier.Factory
	ThenFrom	isCarrier.Factory
	ElseFrom	Factory
	To	CLF::Factory
if	Condition	GetListCount (CLF::TrackingContainer.ChildContainers) < 1
if	Condition	NOT((CLF::Factory && CLF::Factory.isReuseTrackingContainer) OR ReuseTrackingContainer OR isCarrier.isReuseTrackingContainer)
call	CDO	
	Event	isCreateCarrierTrackingContainer
	Name1	Factory
	Value1	CLF::Factory
	Name2	isContainerStatus
	Value2	isCarrier.isContainerStatus
	Name3	isCarrier
	Value3	isCarrier
	Name4	TrackingContainer
	Value4	CLF::TrackingContainer
	Name5	
	Value5	
call	CDO	
	Event	isMoveContainerToFirstStep
	Name1	Factory
	Value1	CLF::Factory
	Name2	Container
	Value2	CLF::TrackingContainer
	Name3	
	Value3	
	Name4	
	Value4	
	Name5	
	Value5	
if	Condition	isCarrier.isContainerStatus = 0 && CLF::FailCount <= 0
setfieldex	From	false
	To	CLF::TrackingContainer.isFailed
elseif	Condition	isCarrierLoadType == 3 AND CLF::TrackingContainer
setfieldex	From	Spec

	To	isCarrier.isSpec
setfieldex	From	Resource
	To	isCarrier.isResource
elseif	Condition	isCarrierLoadType == 4
setmultipliedatavalues	From	null
	To1	isCarrier.isResource
	To2	isCarrier.isSpec
	To3	
	To4	
call	CDO	
	Event	RecordHistorySummary
	Name1	
	Value1	
	Name2	
	Value2	
	Name3	
	Value3	
	Name4	
	Value4	
	Name5	
	Value5	

Query Definitions

isMaterialReqAcknowledge_v2_InventoryLocationLookup

isMaterialReqAcknowledge_v2_InventoryLocationLookup : Generic

```
select isInventoryLocationId AS @header:name="InventoryLocation":datatype=object FROM ( select
isInventoryDetails.isInventoryLocationId ,ROW_NUMBER() OVER (ORDER BY
isInventoryDetails.ChangeCount ) R from isInventoryLocation ,isInventoryDetails ,Container
where isInventoryLocation.isInventoryLocationId = isInventoryDetails.isInventoryLocationId and
isInventoryDetails.isContainerId = Container.ContainerId and Container.ContainerName =
isInventoryDetails.isName and isInventoryDetails.isName = ?Name ) ResultSet where R = 1
```