

Math-I 110 4.4 Inequalities in Two Variables


Example: Determine (-3,2) and (6,-7) are solutions to the inequality 5x-4y>13





Graph the following inequalities




Graph.







Example: Unless an additional fee is paid, some airlines will not check any luggage for which the sum of the item's length, width, and height exceeds 75 inches. A shipping company will ship a package only if the sum of the package's length and girth (distance around its midsection) does not exceed 140 inches. A promotion company is ordering several 30-inch-long cases that will be both mailed and checked as luggage. Using w and h for the width and height (in inches), respectively, write and graph an inequality that represents all acceptable combinations of width and height.



Example: Many elevators have a capacity of 1 metric ton (1000 kg). Suppose c children each weighing 40 kg, and a adult each weighing 73 kg, are on an elevator. Find and graph an inequality that asserts that the elevator is overloaded.

ator is overloaded. 40(0) + 73(0) > 1000 > 1000 > 2 - int = 0 = 0 40C + 730 > 1000 = 20 30 = 20 30 = 20 30 = 20 30 = 20 30 = 20 30 = 20 30 = 20 30 = 20 30 = 20 30 = 20 30 = 20 30 = 20 30 = 20 30 = 2030 = 20

 $\frac{y-mt}{c=0}$ 73a=1000 a=1000

SunCatcherStudio.com

1 unit = 5 units

on x-axus

5 children lunit

. On yaxes 5 adults units