

STRAVEX TECHNOLOGIES — WEBSITE INFORMATION ARCHITECTURE

Phase 1: Structural Blueprint

Before the page-by-page breakdown, one framing principle that should govern every decision below:

Defence-tech sites earn trust through restraint, not persuasion. Anduril, Helsing, Palantir — none of them "sell." They demonstrate capability, then get out of the way. The IA below is built around that logic: minimal friction to credibility, minimal decoration, maximum signal-to-noise per section.

1. HOME

Purpose: Establish Stravex as a serious, credible, engineering-led defence technology company within the first 5 seconds of viewing — then route each visitor type toward what they actually need.

User goal: "Is this a real company doing real engineering, or is this vapourware? What do they actually build?"

Business goal: Qualify and route traffic — procurement officers toward capability proof, investors toward vision/team, engineers/talent toward technical depth and culture, media toward news.

Section hierarchy:

1. Hero (statement of purpose, not a tagline)
2. Capability Overview (the 3–4 pillars: Detection / Interception / Autonomy / AI)
3. Featured Technology or Product (one flagship proof point, not a catalogue)
4. Engineering Philosophy (why Stravex builds the way it builds)
5. Why Indigenous / Why Now (the strategic context — India, defence-tech moment)
6. Numbers / Proof (only if truthful and available — do not fabricate metrics)
7. Latest News / Signal of Momentum
8. Contact CTA (segmented: Partner / Government / Career / Press)
9. Footer (architecture, not afterthought — see Footer Strategy below)

Why this order: Hero and Capability Overview do the "are they credible" test immediately. Featured Technology answers "can they actually build" before the visitor's attention decays. Philosophy and strategic context build the *why trust us* case for a slower-reading, more skeptical B2G/B2B visitor. News signals the company is active, not dormant. Contact is segmented last because by that point the visitor knows which lane they're in.

User journey: Skeptical evaluator → convinced of seriousness → curious about capability → convinced of philosophy/credibility → wants proof of momentum → knows how to engage.

Trust-building strategy: No stock imagery of soldiers or generic tech blobs. No unverified superlatives ("first," "only," "revolutionary"). Precise, falsifiable language. Visual restraint signals confidence — the site should look like it has nothing to prove through decoration.

CTA strategy: No single generic "Contact Us." Route by visitor type at the point of highest intent — this is standard in Anduril/Helsing-style sites (e.g. "Partner with us" vs. "Careers" vs. "Press inquiries").

2. ABOUT US

Purpose: Convert interest into conviction — explain *why Stravex exists* as an argument, not a biography.

User goal: "Who is behind this, why should I trust their judgment, and do they understand the problem space as well as they claim?"

Business goal: Build founder/company credibility for procurement, investor, and partner audiences without a resume-style "our story."

Section hierarchy:

1. Thesis (the strategic problem Stravex exists to solve — one sharp paragraph)
2. Why Now (the shift in the threat/technology landscape that makes this urgent)
3. Engineering Philosophy (function over aesthetics, mission-readiness over feature count)
4. Values (as operating principles, not a poster — each tied to an engineering consequence)
5. Origin Context (brief, factual, no dramatization — only if there's real founding narrative to tell honestly)
6. Vision (where this goes — restrained, not grandiose)
7. Leadership mindset / how the team thinks (bridges into Team page)
8. CTA (Careers or Partner)

Why this order: Thesis-first is the Palantir/Anduril pattern — they open with the *problem*, not the *company*. This works because it proves domain understanding before asking for trust in the company itself. Origin story is placed low and kept brief — in this category, "founder journey" storytelling reads as consumer-tech and undercuts credibility if overemphasized.

User journey: "Why does this matter" → "why now" → "how do they think" → "what do they believe" → "where are they headed" → "who's doing the work."

Trust-building strategy: Precision of language over emotional appeal. Every claim should be checkable or clearly framed as a stated intention, never as an achieved fact unless it is one.

CTA strategy: Soft — About page visitors are usually mid-funnel. Route to Team (deepen trust in people) or Careers (if they're evaluating Stravex as an employer).

3. PRODUCTS

Purpose: Present operational capability in a way that feels like a defence catalogue reviewed by a procurement officer, not a SaaS pricing page.

User goal: "What does this system actually do, in what scenario, and is it credible as something that could be deployed?"

Business goal: Generate qualified inbound from defence/OEM/government buyers; support sales conversations with a shareable, authoritative reference.

Section hierarchy:

1. Products intro (framing statement: what unifies the product line — the detect-and-intercept thesis)
2. Product index/filter (by capability domain: Detection / Interception / Autonomous Systems / Electronics)
3. Per-product cards (Problem → Solution → Key Capability → Applications → Specs placeholder → CTA)
4. Individual product pages (deeper technical detail, one per flagship system)
5. Integration / Interoperability note (how products work together — systems-of-systems framing, which is how real defence primes talk)
6. CTA (Request briefing / Request spec sheet — not "Buy Now")

Why this order: Filter-by-capability (not by product name) mirrors how procurement teams actually think — they search by mission need, not brand recall. Problem-first cards (not spec-first) match how Anduril and Shield AI structure product pages: capability-in-context beats a spec sheet, because credibility with a technical buyer is built by demonstrating understanding of *their* problem first.

User journey: "What do they build" → "does this map to my mission need" → "is this specific system credible" → "can it integrate with what I already run" → "how do I get more (classified/detailed) information."

Trust-building strategy: Explicit "specifications available under NDA/briefing" framing rather than fabricated public specs — this is both more credible and more realistic for a defence-tech company at this stage. Never claim deployment history that doesn't exist.

CTA strategy: "Request a briefing" or "Request technical documentation" — gated, formal, consistent with how real defence buyers engage vendors. Never "Buy" or "Get Started."

4. TECHNOLOGIES

Purpose: Demonstrate R&D depth and technical seriousness — this page is aimed at technical evaluators, engineers, and credibility-conscious partners who want to see the underlying science, not the packaged product.

User goal: "Is the underlying technology real, differentiated, and technically sound?"

Business goal: Recruit engineering talent, build credibility with technical partners/investors, differentiate from companies that are hardware-only or software-only.

Section hierarchy:

1. Technology thesis (how Stravex thinks about the stack — detection, tracking, autonomy, AI as an integrated system rather than siloed capabilities)
2. Core technology areas (one per major domain — AI/ML, Autonomous Systems, Defence Electronics, Detection & Tracking)
3. Per-technology deep dives (Overview → Purpose → Technical significance → Applications → Roadmap)
4. Research approach / R&D philosophy (how Stravex validates and matures technology — testing rigor, iteration approach)
5. Future roadmap (directional, not overpromised)
6. CTA (Careers/Research collaboration)

Why this order: Thesis-first establishes the *system* view before the *component* view — this is how Palantir and Helsing structure technical pages, because it signals architectural thinking rather than a grab-bag of buzzwords. Roadmap is placed last and framed cautiously to avoid overpromising.

User journey: "How do they think about the problem systemically" → "what's the depth in each domain" → "how rigorous is their R&D process" → "where is this heading" → "how do I get involved."

Trust-building strategy: Technical specificity without classified overreach — describe *approach* and *why it matters* rather than implementation details that would either be fabricated or inappropriately disclosed.

CTA strategy: Research-oriented — talent and collaboration, not sales.

5. TEAM

Purpose: Build confidence in *execution capability* — the people, not just the mission.

User goal: "Can these people actually build and ship what they claim?"

Business goal: Support fundraising, recruitment, and partner due diligence; differentiate Stravex from mission-statement-only defence startups.

Section hierarchy:

1. Framing statement (what kind of team Stravex is building — engineering culture, not headcount)
2. Leadership (only if genuinely appropriate to publish — defence-tech companies are often deliberately sparse here for security reasons; this should be a real decision, not a default)
3. Engineering culture (how the team works — rigor, iteration, testing discipline)
4. Research mindset (how technical decisions get made)
5. Talent philosophy (what Stravex looks for, how it invests in people)
6. Open roles / Careers CTA

Why this order: Culture-and-capability-first, individuals-second (or omitted) is deliberate — many serious defence-tech companies limit public individual profiles for security/privacy reasons, and lead with *how the organization operates* instead. This should be flagged as a decision point with you before we commit to a format.

User journey: "What kind of organization is this" → "how rigorous is the culture" → "would I want to work here or trust this team with a contract."

Trust-building strategy: Substantive description of *how work gets done* (testing standards, engineering rigor) rather than generic "passionate team" language.

CTA strategy: Careers-focused primarily; secondary trust-building for investors/partners reading before a meeting.

6. NEWS

Purpose: Signal that Stravex is active, credible, and covered/producing output — combats the "is this company still operating" doubt that kills defence-tech credibility fast.

User goal: "Is this company doing things right now, or is this site a static shell?"

Business goal: SEO, press relationship building, investor reassurance, recruiting signal.

Section hierarchy:

1. Featured story (most significant recent update)
2. Filterable index (Press / Research / Announcements / Events)
3. Article list (chronological within filter)
4. Newsletter/press-contact CTA
5. Media kit / press contact info

Why this order: Featured-first prevents the page from reading like an empty blog if volume is low early on. Filters matter more once volume grows — architecture should scale gracefully from "3 posts" to "300."

User journey: "What's the latest" → "is there a category I care about" → "how do I stay updated / how do I reach press contact."

Trust-building strategy: Do not publish filler content. An honestly sparse News page with 3 substantive posts is more credible than a padded page with weak announcements. This is worth a direct conversation before launch about what content actually exists to populate this.

CTA strategy: Low-pressure — newsletter signup, press contact only.

7. CONTACT

Purpose: Convert qualified intent into the *right* conversation, fast, without friction — and filter out low-value inbound.

User goal: "How do I reach the right person for my specific need, and what should I expect next?"

Business goal: Route inquiries efficiently (partnership vs. government vs. press vs. careers) and set expectations to reduce noise.

Section hierarchy:

1. Framing statement (who should contact Stravex, briefly)
2. Inquiry category selector (Partnership / Government & Defence / Press / Careers / General)
3. Contact form (fields adapt to category selected)
4. Direct info (email, registered office — formal, minimal)
5. Expected response time / next steps
6. Map/location (only if there's a real office to show — otherwise omit; a placeholder map undercuts credibility)

Why this order: Category-first prevents a generic contact form from producing unusable inbound — this is standard practice for B2G companies where a "Partnership" inquiry and a "Press" inquiry need entirely different handling.

User journey: "Am I the right kind of visitor to contact them" → "which category am I" → "what info do they need from me" → "what happens after I submit."

Trust-building strategy: Explicit expectation-setting ("We respond to qualified partnership and government inquiries within X business days") — formal, unhurried, confident. No live chat widgets, no "Book a demo in 15 minutes" energy.

CTA strategy: Single clear form, no decoration, no urgency tactics.

Cross-Site: Footer Strategy

Treat the footer as a secondary navigation and trust layer, not filler:

- Full sitemap (all 7 pages + product/technology sub-pages)
- Legal (Privacy, Terms — required for a real operating company)
- Registered entity info (Indian company registration signals legitimacy for a defence company — worth confirming what's appropriate to disclose)
- Social/press contact
- No newsletter spam patterns — one clean signup field if used at all

Cross-Site: Navigation Strategy

Primary nav: Home / Technologies / Products / About / Team / News / Contact — in that order, since Technologies-before-Products lets technical/investor visitors self-select into depth before the commercial pitch, while a segmented "Partner/Government" CTA stays persistent in the nav bar (not just Contact) to reduce clicks-to-inquiry for the highest-value visitor type.

Open decisions before Phase 2

A few things worth your call before we start writing copy:

1. **Team page format** — real named leadership profiles, or culture-first with limited/no individual profiles (common for early-stage defence-tech for security/privacy reasons)?
2. **Numbers/stats on Home** — do you have any real, disclosable metrics (years active, systems in development, team size), or should Phase 2 avoid a stats section entirely to stay truthful?
3. **News page content** — what actually exists right now to populate it, so we don't design a section with nothing to put in it?

STRAVEX TECHNOLOGIES

Brand Messaging Framework

Internal Reference Document — Single Source of Truth for All Communications

Version 1.0

This document governs how Stravex Technologies speaks — on the website, in press materials, in product documentation, in careers content, and in every future communication surface. It is not marketing collateral. It is the internal constitution for the brand's voice.

Every writer, designer, and contributor producing content for Stravex should be able to open this document and know, without ambiguity, whether a piece of copy sounds like Stravex or not.

1. BRAND POSITIONING

Who is Stravex?

Stravex Technologies is an Indian defence technology company that designs and builds tactical systems for detection, interception, and autonomous defence operations. It is an engineering organization first — a company whose output is measured in operational capability, not in press coverage or brand sentiment.

What category does it belong to?

Stravex sits in **Advanced Tactical Defence Technology** — a category defined by three characteristics:

- **Detect-and-intercept systems** (Counter-UAS, threat detection, tactical interception)
- **Autonomous and AI-enabled decision systems** for mission-critical environments
- **Indigenous defence electronics** engineered for Indian operational conditions and doctrine

Stravex is explicitly **not** a drone company, not a general-purpose AI company, and not a defence "startup" in the consumer-tech sense of that word. It should be understood as a systems engineering company operating in the defence domain — closer in category logic to Anduril or Helsing than to any consumer robotics or SaaS company that happens to sell into government.

How should people describe Stravex after leaving the website?

If the messaging framework succeeds, a visitor should be able to describe Stravex in one of these ways, unprompted:

- "An Indian company building serious counter-drone and detection technology."
- "Engineering-led — felt less like a pitch and more like a technical brief."
- "They clearly know the problem space, not just the buzzwords."
- "Credible. Didn't oversell what they've built."

What should never be said about the company?

- "Another AI startup trying to break into defence."
- "Lots of promises, not much substance."
- "Sounds like every other 'revolutionary' defence-tech pitch."
- "I couldn't tell what they actually build."
- "Feels like a consumer tech company wearing a defence costume."

If any of the above is a plausible visitor reaction to a page, that page has failed its brief — regardless of how polished it looks.

2. BRAND NARRATIVE

This is the emotional and intellectual spine of the About page, and it should inform tone across the entire site — but note that "narrative" here means an argument, not a story about the company's founding.

The problem that exists today:

Modern tactical threats — particularly low-cost, mass-deployable aerial systems — have outpaced the detection and interception infrastructure most forces still rely on. The asymmetry is structural: a threat that costs a few thousand dollars can force a response that costs orders of magnitude more, or worse, can go undetected entirely until it is too late to matter. This is not a hypothetical problem. It's a currently unfolding shift in how tactical engagements happen, and defence infrastructure built for a previous threat model is proving insufficient at the pace this shift demands.

Why current approaches are insufficient:

Much of the existing detect-and-intercept infrastructure was designed for a different scale and tempo of threat — fewer, larger, slower-evolving. The new threat environment is defined by volume, cost-asymmetry, and rapid iteration on the adversary's side. Systems that cannot be updated, adapted, and scaled at a comparable tempo will fall behind regardless of their original sophistication. Additionally, a meaningful share of tactical defence infrastructure in many operating environments — including India's — has historically depended on imported systems, which introduces both a capability lag and a strategic dependency that indigenous engineering can directly address.

Why Stravex matters:

Stravex exists to close that gap through indigenous engineering: systems designed, built, and iterated on domestically, tuned to the specific operational conditions and doctrine of the forces that will use them — not adapted from a foreign system built for a different threat environment. The company's focus areas (detection, interception, autonomous systems, defence electronics, and applied AI) are chosen because they represent the layers where the asymmetry described above is most acute, and where indigenous capability has the most strategic value.

Why now:

Three forces are converging: the proliferation of low-cost aerial threats, the maturity of AI/ML techniques for real-time detection and classification, and a national strategic emphasis on indigenous defence capability. A company built at this intersection — with genuine engineering depth rather than surface-level AI integration — has a rare opportunity to build infrastructure that matters for the next decade, not just the next contract cycle.

Why engineering matters:

In this domain, the gap between a compelling demo and a deployable system is where most defence-tech companies fail. Stravex's philosophy is built around closing that gap deliberately: function before aesthetics, mission-readiness before feature count, and validation before claims. Trust in this category is earned through what a system does under real operational stress, not through how confidently it is described. Every piece of Stravex communication should reflect that: understated where competitors are loud, specific where competitors are vague, and patient where competitors are urgent.

3. BRAND PROMISE

Stravex builds the tactical systems that detection and interception actually depend on — engineered for the threat environment as it is, not as it used to be.

This promise is deliberately unglamorous. It makes a claim that can be tested against delivered systems, not against adjectives.

4. MISSION

Refined:

To engineer indigenous tactical detection, interception, and autonomous defence systems that perform reliably under real operational conditions — closing the gap between the threats forces face today and the infrastructure available to counter them.

(Refinement from original: added the operational specificity — "perform reliably under real operational conditions" — and made the strategic gap explicit, rather than leaving "modern defence challenges" undefined.)

5. VISION

Refined:

To become a trusted, long-term engineering partner to the forces and agencies that depend on advanced tactical detection and interception capability — recognized first for the reliability of what Stravex builds, and only secondarily for how large the company has grown.

(Refinement from original: reframed "global leader" — a claim that invites skepticism from a company at this stage — into a trust-and-reliability framing that is aspirational without being a claim the company cannot yet support. This version also scales honestly: it remains true whether Stravex is 20 people or 2,000.)

6. CORE VALUES

Precision

Meaning: Accuracy is not a feature — it is the baseline condition for a system to be usable at all in this domain. **Engineering implication:** No system ships, and no capability is claimed, until its performance under real conditions has been validated. False positives and false negatives are treated as design failures, not acceptable tradeoffs. **Customer implication:** What Stravex says a system does is what it does — no more, no less.

Reliability

Meaning: A system that fails at the moment it's needed has no value, regardless of how sophisticated it is on paper. **Engineering implication:** Design decisions favor robustness and graceful degradation over feature maximization. Systems are built to fail safely, not just to perform well in ideal conditions. **Customer implication:** Stravex systems are built for the field, not for the demo floor.

Indigenous Engineering

Meaning: Capability that is designed and built domestically is capability that can be adapted, sustained, and trusted without external dependency. **Engineering implication:** Core detection, interception, and decision-making systems are architected and engineered in-house, tuned to the specific operational and doctrinal context they'll serve. **Customer implication:** Systems are built with an understanding of local operational conditions, not adapted after the fact from a foreign design.

Engineering Rigor

Meaning: Every technical claim should survive scrutiny from someone more technical than the person reading the marketing page. **Engineering implication:** Testing, validation, and iteration are treated as core parts of the product — not a phase that happens before "real" marketing begins. **Customer implication:** Technical claims on the website hold up in a technical briefing, not just on a landing page.

Mission Readiness

Meaning: A system's value is defined entirely by how it performs in the operational environment it's built for — not by its technical elegance in isolation. **Engineering implication:** Design tradeoffs are made in favor of what a system needs to do in the field, even when that means resisting an "impressive" feature that doesn't serve the mission. **Customer implication:** Every product decision can be traced back to an operational need, not a technology-for-its-own-sake motivation.

Restraint

Meaning: In a category prone to overstatement, saying less — and being right about it — is the stronger signal. **Engineering implication:** Internal claims about system capability are calibrated conservatively; the company would rather under-promise publicly than have a claim fail to hold up under real conditions. **Customer implication:** When Stravex describes what a system can do, that description is the floor, not the ceiling.

7. PERSONALITY

Position on each spectrum, with rationale:

Spectrum	Position	Why
Reserved ↔ Bold	Reserved-leaning, quietly confident	Confidence in this category is demonstrated through precision and restraint, not volume. Boldness is expressed through the clarity of a claim, not the size of the adjective.
Technical ↔ Marketing	Strongly Technical	The audience (procurement, engineers, technical evaluators) actively distrusts marketing language. Every surface should default toward technical framing even when writing for less technical readers — clarity, not dumbing-down.
Human ↔ Corporate	Human, but formal	Stravex should read as written by engineers who care about the mission, not by a corporate communications department. Warmth exists in precision and respect for the reader's intelligence, not in casual language.
Formal ↔ Conversational	Formal, with clarity	Defence procurement and government audiences expect formality. This does not mean stiff or bureaucratic — it means precise, complete sentences and no slang.
Traditional ↔ Progressive	Progressive engineering, traditional discipline	The technology and approach should feel forward-looking (AI, autonomy, modern detection techniques); the standards, rigor, and language should feel institutionally serious, not "move fast and break things."
Scientific ↔ Emotional	Scientific, with strategic gravity	Emotional resonance should come from the stakes of the mission (national security, operational reliability) implied through specificity — never through sentimental language or manufactured urgency.

Summary personality statement: Stravex sounds like a senior systems engineer briefing a procurement officer who has heard a hundred pitches and trusts none of them — someone who earns the room's attention by being the most precise person in it, not the most enthusiastic.

8. TONE OF VOICE

Universal baseline: Clear. Technical. Confident without exaggeration. Every sentence should be defensible in a technical review.

Surface	Tone Adjustment	Rules Specific to This Surface
Website (general)	Confident, minimal, editorial	Short paragraphs. No stacked adjectives. Every headline must be true, not just striking.
Products	Precise, procurement-literate	Problem → capability → application structure. Specifications framed honestly (public vs. "available under briefing"). No comparative superiority claims without basis.
News	Factual, journalistic, dateline-driven	Third person. No promotional adjectives ("proudly," "excited to announce"). Read like a wire report, not a blog post.
Insights	Educational, authoritative, technically generous	First-person-plural acceptable. Should teach, not sell. No CTA pressure mid-article. Written as if for peers, not prospects.
Press Releases	Formal, structured, quotable	Standard press release structure (dateline, lede, quote, boilerplate). Quotes should sound like something a real executive would say under scrutiny, not a marketing line with quotation marks around it.
Careers	Direct, culture-honest, still technical	Can be slightly warmer than the rest of the site, but never casual. Should attract people who want rigor, not people looking for "fun startup culture."
Technical Documentation	Maximally precise, zero marketing	No adjectives that aren't measurable. Assume an expert reader. Clarity over brevity when the two conflict.
Social Media	Restrained, substantive, still Stravex	Shorter, but never glib. No memes, no trend-chasing. A social post should be defensible as a stand-alone technical statement, not just an attention-grab.

9. MESSAGING PILLARS

Pillar 1 — Indigenous Engineering

Description: Stravex designs and builds core tactical systems domestically, tuned to local operational conditions and doctrine. **Why it matters:** Reduces strategic dependency on foreign systems; enables faster iteration and support cycles; aligns with national defence priorities. **Proof points:** *[Placeholder: % of system architecture designed in-house; placeholder: specific operational conditions systems are tuned for; placeholder: any relevant certifications or domestic sourcing commitments once available.]* **Sample messaging:** "Designed for the operational conditions our forces actually face — not adapted from a system built for someone else's."

Pillar 2 — Detection-to-Interception Systems Thinking

Description: Stravex builds detection and interception as an integrated system, not as standalone hardware. **Why it matters:** Real operational value comes from the full chain — a detector without a

reliable interception path, or vice versa, is an incomplete solution. **Proof points:** *[Placeholder: named systems/products demonstrating end-to-end capability once public; placeholder: integration case studies.]* **Sample messaging:** "Detection without a reliable response path is an alert system, not a defence system. We build both."

Pillar 3 — AI Where It Earns Its Place

Description: AI/ML is applied specifically to detection, classification, tracking, and decision support — not layered on for narrative purposes. **Why it matters:** In a category flooded with AI-buzzword-stuffing, technical credibility depends on being specific about where and why AI is used. **Proof points:** *[Placeholder: specific ML techniques used in detection/classification pipelines once disclosable; placeholder: performance benchmarks under real or simulated conditions.]* **Sample messaging:** "We use AI where it measurably improves detection and response — and say nothing about it where it doesn't."

Pillar 4 — Engineering Discipline Over Demo Culture

Description: Systems are validated against real operational stress before capability is claimed publicly. **Why it matters:** The category has a credibility problem — many claims don't survive contact with real conditions. Stravex differentiates by being conservative and specific. **Proof points:** *[Placeholder: testing methodology summary; placeholder: any third-party validation or trials once available.]* **Sample messaging:** "What we say a system does is what we've tested it to do."

Pillar 5 — Mission-Critical Reliability

Description: Systems are designed to perform under real field conditions, including graceful degradation under failure. **Why it matters:** In defence applications, unreliability is not a UX flaw — it is a mission failure with real consequences. **Proof points:** *[Placeholder: reliability/uptime metrics once available; placeholder: environmental/stress-testing standards met.]* **Sample messaging:** "Built to work when failure isn't an acceptable outcome."

Pillar 6 — Long-Term Strategic Partnership

Description: Stravex positions itself as a sustained engineering partner across a system's operational lifecycle, not a one-time vendor. **Why it matters:** Defence procurement values continuity, support, and iterative capability upgrades over transactional sales relationships. **Proof points:** *[Placeholder: support/maintenance commitments; placeholder: iteration/upgrade philosophy once formalized.]* **Sample messaging:** "We think about a system's operational lifetime, not its sale."

10. TAGLINE EXPLORATION

50+ concepts, grouped by theme. None claim unverified superiority ("first," "best," "only") — all are usable as-is or as creative direction.

Theme A — Precision & Engineering

1. Engineered for what the mission demands.
2. Precision is the mission.
3. Built to be right, not just built to work.
4. Where precision meets deployment.

5. Engineering that answers to the field, not the pitch deck.
6. Every system, tested against reality.
7. Precision engineered. Mission proven.
8. Built for the conditions that matter.

Theme B — Detection & Interception

9. See it. Track it. Stop it.
10. Detection that doesn't blink.
11. The gap between threat and response, closed.
12. From detection to decision, without delay.
13. Nothing gets through unnoticed.
14. Built to close the detection gap.
15. Awareness, engineered.
16. The distance between seeing and stopping — minimized.

Theme C — Indigenous Strength

17. Engineered in India, for India's mission.
18. Indigenous by design, not by necessity.
19. Built where it's needed. Built for how it's needed.
20. Sovereign capability, engineered from the ground up.
21. Defence technology that answers to no one else's doctrine.
22. Designed for the terrain we know.

Theme D — Autonomous Systems & AI

23. Autonomy engineered for consequence.
24. Intelligence built for mission-critical decisions.
25. Where autonomous systems meet accountable engineering.
26. AI that earns its place in the field.
27. Decisions made faster than the threat allows.
28. Autonomous systems, deliberately engineered.

Theme E — Reliability & Trust

29. Built for the moment failure isn't an option.
30. Reliability is the whole point.
31. Systems that hold up when it counts.

- 32. Engineered to work under pressure — because it will be.
- 33. Trust, earned system by system.
- 34. What we claim, we've tested.

Theme F — Mission & Purpose

- 35. Every system built with a mission behind it.
- 36. Engineering with consequence in mind.
- 37. Built for the mission. Measured by it.
- 38. Technology that understands what's at stake.
- 39. Serious engineering for serious stakes.

Theme G — Editorial / Minimal

- 40. Stravex Technologies. Tactical systems, engineered.
- 41. Detection. Interception. Engineered.
- 42. Tactical technology, without the noise.
- 43. Built quietly. Tested rigorously.
- 44. Engineering first. Everything else, second.
- 45. No overstatement. Just systems that work.

Theme H — Future-Facing

- 46. Building the tactical infrastructure the next decade will need.
- 47. Engineered for the threats already here — and the ones coming.
- 48. The next generation of tactical defence, built now.
- 49. Ahead of the threat curve, by design.
- 50. Built for what's coming, tested against what's here.

Theme I — Systems Thinking

- 51. Not a product. A system that has to work.
- 52. Every layer engineered to depend on the last.
- 53. Detection, interception, and everything between — one system.

Recommendation: Themes A, E, and G are strongest for a company at Stravex's current stage — they make no claims that require external proof yet, and they reinforce the "engineering-first, restrained" personality most directly. Themes B and D are strong candidates once specific products can be named alongside them.

11. HEADLINE SYSTEM

Principles

- A headline must be true today, not aspirationally true.
- No headline should require a superlative to work.
- Specificity beats intensity — a precise claim outperforms an enthusiastic one.
- Every headline should pass this test: *"Would a skeptical colonel nod, or roll their eyes?"*

Reusable Formulas

Mission-driven:

- "Built for [specific operational condition/threat]."
- "Because [mission-critical consequence] isn't negotiable."

Capability-driven:

- "[Capability verb] threats before they close the distance." (e.g., *"Detect and track threats before they close the distance."*)
- "From [detection] to [response] — engineered as one system."

Engineering-driven:

- "Engineered for [operational condition], not [generic/ideal condition]."
- "Every claim, tested against [specific stress condition]."

Technology-driven:

- "[Technology] applied where it measurably matters."
- "AI in the decision path — not the pitch deck."

Trust-driven:

- "What we say it does is what it's tested to do."
- "Built to hold up under [specific scrutiny/condition]."

Future-driven:

- "Engineered for the threats already here — and the ones ahead."
- "Building the tactical infrastructure [mission/decade] will depend on."

Minimal:

- "[Capability]. Engineered."
- "[Domain]. Solved with discipline."

Bold (used sparingly):

- "The gap between threat and response — this is what closes it."

Editorial:

- "Why [current approach] isn't enough anymore."
 - "The case for [engineering principle] in tactical defence."
-

12. VOCABULARY

Words to use frequently

Engineered, indigenous, mission-critical, detection, interception, tactical, autonomous, precision, reliability, validated, operational, doctrine, systems, capability, deployment, threat environment, resilience, rigor, disciplined, sovereign capability.

Words to avoid entirely

Revolutionary, disruptive, game-changing, cutting-edge, best-in-class, world-class (about itself), next-gen (as a standalone claim), seamless, unparalleled, state-of-the-art (overused to the point of meaninglessness), synergy, ecosystem (unless technically precise), leverage (as a verb for generic advantage), robust (overused — prefer specific reliability claims), innovative (as a standalone adjective without a specific claim attached).

Preferred terminology

- "Indigenous engineering" — not "Made in India" (too consumer-facing)
- "Detect-and-intercept systems" — not "drone defence" alone (narrows the category incorrectly)
- "Mission-critical" — not "high-stakes" (more precise, more defence-industry-native)
- "Operational environment" — not "the field" alone in formal contexts
- "Engineering-led" — not "innovation-driven" (avoids buzzword drift)
- "Validated" / "tested" — not "proven" unless genuinely proven with evidence

Avoid generic startup language

No "we're on a mission to," no "passionate team," no "disrupting the space," no "10x," no growth-metric language borrowed from SaaS ("MRR," "user growth," "scale" used loosely). Defence procurement readers recognize this register instantly and it actively damages credibility.

13. TRUST SIGNALS

Increases credibility

- Specific, falsifiable technical claims
- Conservative language around unproven capability ("designed to," "engineered for," rather than "guarantees")
- Visible engineering rigor (testing philosophy, validation approach)
- Restraint — saying less, precisely, rather than more, vaguely

- Formal, dateline-driven press communication
- Clear distinction between public information and "available under briefing"
- Consistent tone across every surface (inconsistency reads as inexperience)
- Absence of stock imagery/generic defence clichés (soldiers silhouetted against sunsets, glowing digital globes)
- Real specificity about *why* a design decision was made

Damages credibility

- Superlatives without evidence ("world's most advanced")
- Vague AI claims without technical specificity
- Overpromising on roadmap items as if they were shipped capability
- Publishing filler News or Insights content just to fill the page
- Inconsistent tone between pages (technical on Products, casual on Careers, breathless on Home)
- Fabricated statistics, client logos, or deployment claims
- Comparing directly to named competitors in a disparaging way
- Generic "Contact Us" CTAs where a formal, categorized inquiry process is expected
- Any claim that would embarrass the company in front of a genuinely technical evaluator

14. CTA PHILOSOPHY

Stravex does not "convert" visitors — it qualifies and routes them into the correct formal process. CTAs should sound like the opening of a professional relationship, not a transaction.

Approved CTA patterns:

- "Request a briefing"
- "Request technical documentation"
- "Partner with us"
- "Explore our technologies"
- "Read the analysis" (Insights)
- "Contact our engineering team"
- "View open roles"
- "Speak with our team" (careers/general, still formal)

Never use:

- "Get Started" / "Sign Up Free" / "Book a Demo"

- "Try it now" / "Get a quote instantly"
- Countdown timers, urgency language, or "limited spots" framing
- Anything implying self-service purchase of a defence system

15. COMPETITIVE POSITIONING

Communication-pattern analysis — not imitation.

Company	Pattern Observed	Principle Stravex Should Apply
Anduril	Leads with product and capability, minimal corporate throat-clearing; confident, terse copy; strong visual restraint	Let capability speak before narrative; avoid over-explaining
Helsing	Strong "why this matters now" framing tied to geopolitical reality; European sovereignty narrative used precisely, not emotionally	Use the "strategic moment" argument (indigenous capability, threat evolution) with the same precision, tied to India's specific context
Palantir	Positions as a systems/decision-intelligence company, not a hardware or software vendor; confident, sometimes provocative editorial voice in blog content	Insights content can be genuinely opinionated and analytical, as long as it's technically earned
Shield AI	Strong emphasis on autonomy-as-teammate framing; technical credibility through specificity about AI application	Be equally specific about <i>where</i> AI is applied — never a blanket "AI-powered" claim
RTX / Rheinmetall / Saab	Institutional, formal, decades-of-engineering-credibility tone; heavy use of proof points, certifications, and named programs	As Stravex matures, adopt this same proof-point density — but only once genuine proof points exist; don't borrow the institutional tone before earning it

Core takeaway across all five: none of them oversell. Every one of these companies communicates like it has nothing to prove through adjectives — credibility comes from specificity, restraint, and systems-level thinking. Stravex should apply the same discipline while grounding every claim in what is actually true of Stravex today, at its actual stage of maturity — an early-stage, high-integrity engineering company, not a decades-old prime.

16. FUTURE SCALABILITY

This framework is built to remain valid whether Stravex is a 15-person engineering team or a multinational defence prime a decade from now, because:

- **No claims are tied to current company size, funding stage, or headcount.**

- **The brand promise and mission are capability-based, not scale-based** — they describe what Stravex builds, not how big it is.
- **The personality and tone rules are structural** (precision, restraint, technical specificity), not tied to a current trend in AI or defence-tech marketing that will date quickly.
- **The vocabulary section explicitly avoids currently-trendy terms** that read as dated within a few years (e.g., generic "AI-powered" framing, which will feel as stale as "cloud-based" does today).
- **The competitive positioning section names principles, not specific campaigns** — so it remains a useful analytical lens even as those companies' own messaging evolves.
- **Messaging pillars are structured with placeholder proof points** deliberately, so the framework's *shape* stays constant while evidence is added over time — the company doesn't need to rewrite its positioning as it grows, only substantiate it further.

SELF-CRITIQUE & REFINEMENT NOTES

Weakness identified — Vision statement: The original "become a global leader" was flagged and softened, but even the refined version should be revisited once Stravex has real traction; "trusted long-term engineering partner" is honest for the current stage, but the team should feel free to sharpen this in 2–3 years once there's evidence to point to.

Weakness identified — Proof points are currently all placeholders. This is the single biggest risk to the framework's near-term usefulness: Messaging Pillars and Trust Signals both depend heavily on real evidence that doesn't yet exist in this document. **Recommendation:** before Phase 2 content goes live, do a focused pass identifying which claims in this framework already have real, disclosable evidence behind them (even modest evidence — a completed internal test, a specific technical approach, a founding technical rationale) versus which are aspirational and need "designed to" / "engineered for" framing rather than "does" framing.

Weakness identified — Team page tension. The Personality and Tone sections assume a "human, but formal" voice, but the earlier IA phase flagged that Team page format (named leadership vs. culture-first) is still an open decision. This framework is written to work either way, but that decision should be closed out before Team page copy is drafted, since it changes how personally the "human" side of the tone gets expressed.

Weakness identified — India-specific narrative calibration. The Brand Narrative leans on "indigenous engineering" as a central pillar, which is a strong and legitimate differentiator — but it should be worded carefully throughout the site to avoid reading as protectionist or defensive. The framing used here ("engineered for local operational conditions and doctrine, not adapted from elsewhere") is deliberately capability-based rather than nationalistic, and that discipline should hold across every page.

Overall assessment: The framework is cohesive and internally consistent — positioning, narrative, values, tone, and vocabulary all reinforce the same core idea (engineering credibility through restraint and specificity) rather than pulling in different directions, which was the main risk with a document this broad. The primary open work before Phase 2 is factual, not structural: filling in real proof points wherever they exist, and being disciplined about "engineered for" language wherever they don't yet.

STRAVEX TECHNOLOGIES

Phase 3 — Homepage Experience Strategy

Strategy document — no page copy included. Structure and rationale only.

1. HOMEPAGE PHILOSOPHY

Under 10 seconds: The visitor should register one fact — *this is a serious engineering organization working in tactical defence technology, not a startup with a defence-flavored pitch*. This judgment is made almost entirely on visual and typographic restraint before a single word is read. If the layout, type, and pacing look like a SaaS landing page, the 10-second test has already failed regardless of copy quality.

Under 30 seconds: The visitor should be able to answer: *what does this company actually build, in what domain, for whom*. Detection, interception, autonomous systems, defence electronics — the capability pillars — should be legible from the hero and the section immediately following it, without needing to scroll deep into the page.

Under 2 minutes: The visitor should have formed a provisional trust judgment: *this company understands the problem space at a technical level, is engineering-led rather than marketing-led, and is either credible enough to pursue further or not*. By this point they should have seen evidence of technical depth (a real capability or technology, not just a mission statement), a sense of the company's philosophy, and a signal of activity (recent news or published technical thinking). They should know exactly what to do next based on who they are.

Governing rule: Every section must move the visitor further up this ladder. If a section doesn't answer a real question a real visitor type is asking at that point in their scroll, it doesn't belong on the page.

2. VISITOR PSYCHOLOGY

Government Procurement

Mindset: Risk-averse, evaluating against a checklist of formal requirements, has seen dozens of vendor pitches that overpromised. **Questions:** Is this a real, operating company? What exactly do they build, in which capability category? Who else has validated them? How do I formally engage? **Concerns:** Overstated capability claims; unclear specification/compliance path; inability to distinguish real capability from concept. **Desired outcome:** A clear capability map and a formal, low-friction path to request a briefing or documentation — not a sales conversation.

Defence Organizations (armed forces, agencies)

Mindset: Operationally focused — evaluating whether a system solves a real tactical problem they currently face. **Questions:** Does this address a threat we're actually dealing with? Is it built for our

operational conditions? Has anything like this been tested? **Concerns:** Systems designed in the abstract rather than for real operational stress; lack of interoperability framing. **Desired outcome:** Recognize their own operational problem described accurately, then find the specific product/technology page that addresses it.

Strategic Partners (OEMs, integrators, industry)

Mindset: Evaluating complementarity and credibility for a potential collaboration or integration relationship. **Questions:** What does Stravex specialize in that we don't? Is their engineering maturity high enough to partner with? What's their trajectory? **Concerns:** Partnering with a company that can't scale or sustain support long-term. **Desired outcome:** A sense of engineering depth and strategic seriousness, and a "Partner with us" path that feels like the start of a real conversation.

Engineers (potential hires, technical peers)

Mindset: Skeptical of marketing language, drawn to genuine technical substance, evaluating whether the work would be interesting and rigorous. **Questions:** What are they actually building technically? Is the engineering culture serious? Would I respect the people working here? **Concerns:** A defence-tech company that's all mission statement and no real technical depth; hype-driven engineering culture. **Desired outcome:** Exposure to real technical thinking (Insights content, Technologies page depth) and a credible sense of culture — then a path to careers.

Researchers

Mindset: Academically or technically curious, evaluating the rigor of Stravex's approach against known research in detection, autonomy, or AI/ML. **Questions:** Is their technical framing accurate and current? Do they publish anything substantive? Is there a research collaboration angle? **Concerns:** Buzzword-driven claims that don't hold up to technical scrutiny. **Desired outcome:** Discovery of Insights/technical content substantial enough to be worth their time, and a path to research collaboration.

Media

Mindset: Looking for a clear, quotable, factually anchored story — allergic to unverifiable hype. **Questions:** What's newsworthy here? What can I verify? Who can I contact? **Concerns:** Vague claims that can't be fact-checked or attributed. **Desired outcome:** Fast access to News (factual record) and a clear press contact.

Investors

Mindset: Evaluating market timing, technical differentiation, team credibility, and trajectory. **Questions:** Is this the right team, at the right technical intersection, at the right moment? Is the vision grounded or inflated? **Concerns:** A vision-heavy, proof-light narrative; unclear differentiation from other defence-tech entrants. **Desired outcome:** A credible sense of thesis (why now, why this team), evidence of execution (News, Technologies depth), and a path to a real conversation.

3. SCROLL NARRATIVE — THE CREDIBILITY LADDER

The homepage is structured as an ascending sequence of trust claims, each one only believable because of what came before it.

Step 1 — Hero: "We know exactly what we do." *Answers:* What is this company, in one sentence, without ambiguity? *Trust built:* Clarity itself is the first trust signal — a company that can state its purpose in one precise sentence reads as more credible than one that needs three paragraphs. *Position rationale:* Must be first — this is the 10-second test.

Step 2 — Capability Overview: "We work across the full problem, not one narrow slice." *Answers:* What are the actual domains of work — detection, interception, autonomy, electronics, AI? *Trust built:* Breadth-with-coherence — shows the pillars are related parts of one system-level thesis, not a scattered list of buzzwords. *Position rationale:* Immediately after Hero, because this is where the 30-second test is won or lost.

Step 3 — Featured Technology/Capability: "This isn't theoretical. Here's something specific."

Answers: Can they actually point to something concrete? *Trust built:* Specificity — the single highest-leverage trust move on the page. One well-described, real capability beats ten vague claims. *Position rationale:* Placed early, right after the visitor understands the categories, to prevent the page from feeling abstract for too long.

Step 4 — Engineering Philosophy: "Here's how we think, and why that matters." *Answers:* What's the reasoning behind how they build? *Trust built:* Intellectual credibility — demonstrates the company has a considered point of view about engineering tradeoffs, not just a capability list. *Position rationale:* Comes after proof-of-specificity, because philosophy is only convincing once the visitor has seen it's grounded in something real.

Step 5 — Why Indigenous / Strategic Context: "Here's why this matters right now, for this country." *Answers:* Why does this company need to exist, at this moment? *Trust built:* Strategic seriousness — connects the company to something larger than itself without becoming nationalistic marketing. *Position rationale:* Mid-page, once the visitor is invested — this section asks for more attention than the ones before it and would lose a skimming visitor if placed too early.

Step 6 — Proof / Activity Signals: "We are actively doing things, not just talking." *Answers:* Is this company operating right now, or is this a static concept site? *Trust built:* Momentum — combats the single most damaging doubt in early-stage defence-tech ("are they real and active"). *Position rationale:* Placed after the conceptual sections, as a grounding checkpoint before the page moves toward action.

Step 7 — Latest from News + Insights (dual module): "We're both active and technically serious." *Answers:* What's the most recent evidence of both operational activity and technical depth? *Trust built:* Two distinct trust types delivered efficiently — journalistic credibility and technical authority, without conflating them. *Position rationale:* Near the end, functioning as a bridge into deeper site exploration for visitors not yet ready to convert.

Step 8 — Segmented Contact: "We know who you are, and we're ready for you specifically." *Answers:* How do I engage, given who I am and why I'm here? *Trust built:* Respect for the visitor's specific need — a segmented CTA signals organizational maturity (they've thought about who visits this site) more than a generic contact form ever could. *Position rationale:* Last by design — by this point every visitor type has enough information to self-select correctly.

Step 9 — Footer: "This is a complete, well-run organization." *Answers:* Is there more depth here, and is this a legitimate, findable company? *Trust built:* Structural completeness — sitemap depth and formal/legal presence are a final, quiet credibility signal.

4. SECTION BLUEPRINT

Section 1 — Hero

Purpose: Deliver the one-sentence identity claim and route attention downward. **Visitor takeaway:** "I know what this company does and it sounds serious." **Trust objective:** Clarity and restraint.

Suggested layout: Asymmetric — a dominant, precise headline statement (not centered/generic), minimal supporting subhead, no clutter of CTAs. Possibly a single understated technical visual element (see Section 5) rather than a full-bleed photographic background. **Content density:** Extremely low. One headline, one subhead, at most one primary CTA, one scroll cue. **Visual hierarchy:** Headline dominates; everything else recedes. **Motion opportunities:** A single, restrained load-in sequence (e.g., headline resolves into focus, or a technical schematic element quietly animates into place). No looping ambient motion that competes with reading. **Interaction opportunities:** Scroll-cue only — this section should not require interaction to be understood.

Section 2 — Capability Overview

Purpose: Establish the four-pillar mental model (Detection / Interception / Autonomous Systems / Defence Electronics / AI integration — condensed appropriately). **Visitor takeaway:** "Their work spans a coherent system, not a grab-bag." **Trust objective:** Coherence and breadth. **Suggested layout:** A structured grid or horizontal band — each pillar as an equal-weight module, not a hierarchy implying one matters more. **Content density:** Low-medium — one short label, one line of description per pillar. **Visual hierarchy:** Even weighting across pillars; typographic label as the primary visual anchor per module, not icon-led. **Motion opportunities:** Scroll-triggered staggered reveal of pillars (subtle, fast, no bounce/elastic easing — should feel engineered, not playful). **Interaction opportunities:** Hover state per pillar revealing one additional line of specificity; each pillar links to its Technologies/Products anchor.

Section 3 — Featured Technology/Capability

Purpose: Prove specificity — show one real thing in enough depth to be credible. **Visitor takeaway:** "This is a real, specific capability, not a concept." **Trust objective:** Concreteness. **Suggested layout:** Editorial split-layout — technical visual/diagram on one side, precise descriptive copy on the other. Should feel like a technical brief excerpt, not a product ad. **Content density:** Medium — enough technical specificity to be credible, without becoming a full spec sheet (that belongs on the Products/Technologies page). **Visual hierarchy:** Visual and copy equally weighted — neither should dominate, since both are doing trust-building work. **Motion opportunities:** A diagram element that animates to illustrate function (e.g., a detection range or signal-flow illustration building on scroll) — motion here should *explain*, not decorate. **Interaction opportunities:** "Explore this technology" link into the relevant Technologies deep-dive page.

Section 4 — Engineering Philosophy

Purpose: Establish the intellectual/values foundation behind the engineering. **Visitor takeaway:** "They've thought carefully about how and why they build things this way." **Trust objective:** Intellectual credibility. **Suggested layout:** Quieter, text-forward section — generous whitespace, a restrained editorial tone. Possibly structured as 3 short philosophy statements rather than one long paragraph. **Content density:** Low-medium — a few precise statements, not an essay. **Visual hierarchy:** Typography-led; minimal or no imagery, to signal a shift in pacing (a deliberate "breathing" section between denser ones). **Motion opportunities:** Minimal — perhaps a slow fade/line-draw

accent, nothing scroll-heavy. This section should feel calm. **Interaction opportunities:** None required — this is a reading section, not a clicking section.

Section 5 — Why Indigenous / Strategic Context

Purpose: Connect Stravex's existence to a real, current strategic need. **Visitor takeaway:** "This matters beyond just this one company — there's a real gap being addressed." **Trust objective:** Strategic seriousness without nationalism. **Suggested layout:** Could use a restrained data/context visualization (e.g., a simple, honestly-sourced visual about the threat landscape shift) paired with a short analytical statement. **Content density:** Medium — this section can carry slightly more argumentative weight than others. **Visual hierarchy:** Balanced text/visual, visual should be diagrammatic/data-driven, never a flag, map-with-borders, or nationalistic iconography. **Motion opportunities:** Data visualization animating in on scroll (e.g., a simple trend line or comparative diagram), used to clarify the argument, not decorate it. **Interaction opportunities:** Optional "Read the full analysis" link into a relevant Insights piece — this is a natural Insights cross-link point.

Section 6 — Proof / Activity Signals

Purpose: Demonstrate the company is operating now, not dormant. **Visitor takeaway:** "This is an active, moving organization." **Trust objective:** Momentum. **Suggested layout:** Restrained — this should NOT be a generic "big stats" band with inflated numbers. If real, disclosable numbers exist (team size, years active, technologies in development), present them plainly. If they don't yet exist at meaningful scale, this section should be reframed as a compact activity signal (e.g., a founding date, current focus areas, team composition) rather than fabricated metrics. **Content density:** Very low — a small number of precise data points, each honestly earned. **Visual hierarchy:** Numbers/facts as typographic elements, not icon-illustrated stat cards (which reads as generic SaaS). **Motion opportunities:** Subtle count-up or reveal on scroll, used sparingly — this is one of the few places a small animated flourish is appropriate, but restraint still applies (no bouncing counters). **Interaction opportunities:** None required.

Section 7 — Latest from Stravex (News) + From Our Engineering Team (Insights)

Purpose: Deliver two distinct trust types — journalistic activity and technical authority — without conflating them. **Visitor takeaway:** "They're both active in the world and serious about technical thinking." **Trust objective:** Dual-channel credibility. **Suggested layout:** Two clearly separated modules side-by-side or stacked, each with its own clear label ("Newsroom" / "Insights") — never merged into one generic "Blog" feed. **Content density:** Low per item — headline + one-line summary + date/read-time, 2–3 items per module. **Visual hierarchy:** Equal visual weight between the two modules — neither should look secondary. **Motion opportunities:** Simple fade/slide-in on scroll; no carousel auto-rotation (auto-rotating carousels read as low-effort and are an accessibility concern). **Interaction opportunities:** "View all News" / "View all Insights" links; individual item links.

Section 8 — Segmented Contact

Purpose: Convert readiness into the correct formal engagement path. **Visitor takeaway:** "I know exactly how to proceed, as the type of visitor I am." **Trust objective:** Respect for visitor specificity; organizational maturity. **Suggested layout:** A small set of clearly labeled paths (e.g., Government & Defence / Strategic Partnership / Careers / Press) rather than one generic form — each a distinct, clickable module. **Content density:** Low — labels and one-line descriptors only; the actual form lives on the Contact page. **Visual hierarchy:** Equal weighting across paths, no path visually implying more importance than another (avoids seeming to prioritize investors over defence buyers, for instance).

Motion opportunities: Minimal hover-state feedback only. **Interaction opportunities:** Each module links to a pre-filtered Contact page state.

Section 9 — Footer

Purpose: Provide complete structural depth and formal legitimacy signals. **Visitor takeaway:** "This is a real, complete, findable organization." **Trust objective:** Structural completeness. **Suggested layout:** Full sitemap, legal, registered entity info, social/press — as previously specified in the IA phase. **Content density:** High but well-organized — this is the one section where density is appropriate, since it's reference material, not narrative. **Visual hierarchy:** Clear column structure, small type, clearly subordinate to the rest of the page. **Motion opportunities:** None — footers should be static and immediately usable. **Interaction opportunities:** Standard navigation links.

5. VISUAL STORYTELLING

What imagery belongs on this page:

- Original technical diagrams (signal flow, detection range visualization, system architecture) — these double as both content and visual identity.
- Abstract representations of real engineering concepts (e.g., a radar/detection sweep rendered as a precise technical graphic, not a stock "cybersecurity" glow effect).
- Understated product renders *only* once real products can be shown honestly — never generic drone silhouettes standing in for Stravex's actual work.
- Environmental/contextual photography, if used at all, should favor abstracted, textural, materials-based imagery (circuit boards, precision-machined components, testing environments) over posed human imagery.

What imagery should never appear:

- Stock photos of soldiers, camouflage, or generic military iconography.
- Glowing digital globes, generic "cyber" grid backgrounds, or Matrix-style falling code.
- Generic AI imagery (glowing brains, humanoid robot heads, blue neural-network cliché graphics).
- Any drone/aircraft imagery not representative of Stravex's actual work.
- Photos suggesting deployment, partnership, or endorsement that hasn't actually happened.
- Overtly nationalistic imagery (flags, maps with borders, patriotic color-washing).

Photography direction (if/when used): Precise, documentary, slightly cool color temperature, favoring texture and material detail (metal, circuitry, testing rigs) over posed or stock-feeling compositions. Should feel like it was shot for an engineering report, not a brand campaign.

Product renders: When real products exist to show, renders should be technical and precise — clean line work, accurate proportion, subtle material shading — closer to an engineering CAD aesthetic than a glossy consumer product render.

Technical diagrams: The strongest visual asset class available to this brand. Should be original, labeled precisely, and genuinely explain something (a detection cone, a decision pipeline, a signal path) rather than serving as decoration.

Icons: Used sparingly, geometric and thin-line, never cartoonish or filled/playful. Icons should support labels, never replace precise language.

Data visualization: Only real or clearly-labeled illustrative data. Simple, high-contrast, typographically integrated rather than styled like a generic dashboard widget.

Background treatments: Restrained — solid or near-solid dark or neutral fields, subtle texture (e.g., a faint technical grid or schematic linework) rather than gradients, particle effects, or glow. Background should never compete with foreground content for attention.

6. MOTION STRATEGY

Governing principle: Motion on this page exists to *explain sequence or reveal structure* — never to perform enthusiasm. If a motion effect could be removed without losing any information, it should be removed.

Section	Motion Recommendation	Rationale
Hero	One restrained load-in (headline resolve, or single schematic element settling into place)	First impression should feel composed, not busy
Capability Overview	Staggered scroll-reveal of pillar modules, fast/linear easing	Communicates structure (pillars arriving in sequence) without decoration
Featured Technology	Diagram builds/animates to explain function on scroll	Motion carries real informational content here
Engineering Philosophy	Minimal — slow fade only	Deliberate pacing contrast; this section should feel calm
Strategic Context	Data/context visualization animates in once, on scroll entry	Clarifies an argument, doesn't repeat/loop
Proof/Activity	Optional subtle count-up, used once, no looping	Small moment of specificity, not a showpiece
News + Insights	Simple fade/slide on scroll entry; no auto-rotating carousel	Carousels hide content and hurt accessibility
Segmented Contact	Hover-state feedback only	Action-oriented section, not a storytelling one
Footer	None	Should be immediately static and usable

Performance: No motion should block content from being readable/accessible if JavaScript fails or is slow to load — all key content should be present and legible in the unanimated state, with motion strictly additive.

Accessibility: Full respect for prefers-reduced-motion — every scroll/reveal animation should have a static-appearance fallback. No motion should be required to access any information or navigate any path on the page.

7. TRUST ARCHITECTURE

Consolidated map of every credibility mechanism on the page:

- **Engineering proof:** Featured Technology section (Step 3); Engineering Philosophy section (Step 4)
 - **Technical depth:** Insights module (Step 7); Featured Technology diagram specificity
 - **Product credibility:** Capability Overview (Step 2) linking through to real Products/Technologies pages — homepage never overclaims, always routes to deeper proof
 - **Company maturity:** Segmented Contact (Step 8, shows organizational thoughtfulness); Footer completeness (Step 9)
 - **Editorial authority:** Insights module (Step 7)
 - **Activity signals:** Proof/Activity section (Step 6); News module (Step 7)
 - **Strategic seriousness:** Why Indigenous/Context section (Step 5)
 - **Restraint as a trust signal in itself:** Present throughout — low content density, no superlatives, no filler sections, consistent tone. This is arguably the single largest trust mechanism on the page and is not tied to any one section — it's a property of the whole page's discipline.
-

8. CTA STRATEGY

CTAs are staged by visitor readiness, not repeated generically:

Position	CTA	Visitor Readiness
Hero (subtle, secondary)	"Explore our technologies" (scroll/anchor, not external)	Visitor has no context yet — CTA should invite exploration, not commitment
Capability Overview	Implicit hover-through links to Technologies/Products anchors	Visitor is starting to self-segment by interest area
Featured Technology	"Explore this technology"	Visitor is engaged with something specific — natural deep-link moment

Position	CTA	Visitor Readiness
Strategic Context	"Read the full analysis" (Insights cross-link)	Visitor wants more intellectual depth, not a sales action
News + Insights module	"View all News" / "View all Insights"	Visitor wants breadth of proof, not a single conversion action
Segmented Contact (primary conversion zone)	"Request a briefing" / "Partner with us" / "View open roles" / "Press inquiries"	Visitor has enough context to self-select their actual need

Rule applied throughout: No CTA appears more than once in identical form. Early-page CTAs are exploratory (low commitment); only the dedicated Contact section carries formal, high-commitment CTAs — and even there, they're segmented rather than singular.

9. HOMEPAGE WIREFRAME (Structure Only)

NAV (persistent)	
Home · Technologies · Products · About ·	
Team · News · Insights · Contact	
[Partner/Government CTA — persistent, right]	
1. HERO	
- Precision identity headline	
- One-line subhead	
- Primary exploratory CTA	
- Scroll cue	
2. CAPABILITY OVERVIEW	
- Section intro line	
- 4–5 equal-weight capability modules	
(Detection / Interception / Autonomy /	
Electronics / AI)	
3. FEATURED TECHNOLOGY	

- | - Technical visual/diagram |
 - | - Specific descriptive copy |
 - | - "Explore this technology" link |
-

- | 4. ENGINEERING PHILOSOPHY |
 - | - 3 short philosophy statements |
 - | - Minimal visual treatment |
-

- | 5. WHY INDIGENOUS / STRATEGIC CONTEXT |
 - | - Analytical statement |
 - | - Supporting data/context visualization |
 - | - "Read the full analysis" (Insights link) |
-

- | 6. PROOF / ACTIVITY SIGNALS |
 - | - Small set of honest, precise data points |
-

- | 7. LATEST FROM STRAVEX (dual module) |
 - | |
 - | | NEWSROOM | | INSIGHTS | |
 - | | 2–3 items | | 1–2 items | |
 - | | View all News → | | View all | |
 - | | | | Insights → | |
 - | |
-

- | 8. SEGMENTED CONTACT |
 - | [Government & Defence] [Partnership] |
 - | [Careers] [Press] |
-

- | 9. FOOTER |
- | Full sitemap · Legal · Registered entity |
- | Social/press contact |

10. SELF-CRITIQUE

As Pentagonam would critique: *"The page is disciplined, but discipline alone isn't a signature. Where's the one moment someone screenshots and remembers?"* — The Featured Technology diagram (Section 3) is currently the page's best candidate for a genuine signature moment, but the strategy as written treats it as one section among nine rather than *the* moment the whole page builds toward.

Revision: Section 3 should be treated as the page's visual centerpiece — potentially larger, more considered, and more animated-with-purpose than any other section — so restraint elsewhere reads as a deliberate frame around one strong statement, not uniform caution throughout.

As Instrument would critique: *"The scroll narrative is logically sound but currently reads as a checklist of trust mechanisms rather than a story with momentum."* — **Revision:** ensure transitions between sections (especially Steps 4→5→6, which are all fairly quiet/analytical in a row) vary in pacing and visual density more deliberately, so the page doesn't go flat in its middle third. Consider tightening Steps 4 and 5 into a single, slightly more dynamic combined section if early prototyping shows the page dragging there.

As IDEO would critique: *"You've designed for seven visitor types individually, but has anyone actually validated this multi-persona homepage works better than one sharply written page for the single most important visitor?"* — **Revision:** flag directly — if forced to prioritize, Government Procurement and Defence Organizations should win every close design tradeoff, since they're both the primary business goal and the most skeptical, hardest-to-convince audience. Engineers, media, and investors are well-served by a page built correctly for defence buyers; the reverse is not true.

As Anduril's design team might critique: *"This is a strong strategic document, but it's still describing sections. The best defence-tech homepages feel like they're describing one continuous system, not a stack of modules."* — **Revision:** in Phase 4 (visual execution), consider whether a persistent visual thread — a recurring diagrammatic motif, a consistent schematic linework style, a single typographic device — should run through all nine sections to reinforce the "one system" feeling architecturally, not just narratively.

Weakness acknowledged and accepted rather than resolved here: The Proof/Activity section (Step 6) is strategically important but currently depends on real data that may not exist yet in meaningful volume. This strategy is written to degrade gracefully (a small, honest activity signal rather than fabricated stats), but it's worth flagging again: if there's truly nothing substantive to put there yet, it may be better to compress Steps 6 and 7 into one section rather than have a visibly thin section on a page this disciplined.

Overall assessment: The credibility-ladder logic holds together, and the persona analysis correctly identifies that defence/procurement audiences should win design tradeoffs. The two open risks worth resolving before Phase 4 are (1) making Section 3 the deliberate visual centerpiece rather than an equally-weighted module, and (2) confirming what real content exists for Section 6 before committing to it as a full standalone section.

End of Homepage Experience Strategy. Awaiting approval before Phase 4 (detailed copywriting).

STRAVEX TECHNOLOGIES

Home Page — Content Architecture & Production Copy

Phase 4 Deliverable — Part 2 of 2 (Sections 4–9 + Final Review)

Continued from Part 1 (Sections 1–3).

SECTION 4 — ENGINEERING PHILOSOPHY

1. Section Objective

Establishes the intellectual foundation behind how Stravex builds — moving the visitor from "what they build" to "how they think." This is a deliberate pacing shift: quieter, text-forward, functioning as a breathing space between the dense Featured Technology section and the more analytical Strategic Context section that follows. Answers: "Have they thought carefully about engineering tradeoffs, or is this just a capability list?"

2. Headline Exploration

1. *(Editorial)* "Function first. Everything else is negotiable."
2. *(Technical)* "How we make engineering tradeoffs."
3. *(Minimal)* "How we build."
4. *(Mission-driven)* "Built for the mission, not the pitch."
5. *(Engineering-first)* "Reliability over feature count. Every time."
6. *(Strategic)* "The philosophy behind every design decision."
7. *(Bold)* "We'd rather be right than impressive."
8. *(Quiet confidence)* "Three principles behind everything we build."
9. *(Editorial)* "A system that fails when it's needed has no value."
10. *(Technical)* "Engineering principles, not engineering slogans."
11. *(Minimal)* "Our engineering philosophy."
12. *(Strategic)* "What we optimize for, and what we don't."
13. *(Quiet confidence)* "Precision isn't a feature. It's the baseline."
14. *(Mission-driven)* "Every decision traced back to one question: does this serve the mission?"
15. *(Bold)* "We don't chase impressive. We chase reliable."

Recommended: #9 — "A system that fails when it's needed has no value."

Why: This directly reflects the Reliability core value from the Brand Framework, stated as a principle rather than a boast — it's the kind of sentence a skeptical engineer would agree with rather than roll their eyes at, which is exactly the test this section needs to pass. Runner-up: #13, slightly more abstract but equally strong if a more universal statement is preferred over one framed around failure.

3. Supporting Copy

Primary paragraph:

Every design decision we make is weighed against one question: will this hold up under real operational stress? Not in a demo. Not in ideal conditions. In the environment the system will actually be used in.

Secondary paragraph:

That means favoring robustness over feature count, validated performance over projected performance, and graceful failure over the illusion of infallibility.

Highlight statements (3 short philosophy statements, structured as a triad rather than one paragraph):

Reliability before elegance. A system that's technically sophisticated but operationally fragile has failed at its one job.

Validated before claimed. We don't describe a capability publicly until it has been tested against real conditions.

Mission before feature. Every capability exists because an operational need called for it — not because the technology made it possible.

Pull quote: Optional — could use one of the three highlight statements above set larger as a visual pull-quote-style treatment rather than a separate attributed quote.

4. Content Components

- Three philosophy statements (triad structure, as above) — treated as the section's primary content, not supplementary
- No cards, no icons required — this section is deliberately text-led

5. CTA System

Primary CTA: None required — this is a reading section, not an action section. **Secondary CTA (optional, quiet):** "Read more about how we build" → could link to an About page section if one exists covering engineering philosophy in more depth. **Supporting microcopy:** None.

Rationale: Per the approved strategy, this section should not require interaction to be understood — inserting a CTA here would undercut the deliberate calm pacing.

6. UX Copy

- Section eyebrow: "ENGINEERING PHILOSOPHY"
- No card labels or hover text needed.

7. Visual Recommendations

- **Photography:** None or minimal — if used at all, a single, quiet, textural image (e.g., a close detail shot of a tested component) far in the background, heavily subdued, never competing with the type.

- **Product renders / technical illustrations:** None — this section should visually contrast with the diagram-heavy Section 3 specifically by having no diagram at all.
- **Icons:** None.
- **Background treatment:** The quietest background on the page — solid neutral field, generous whitespace, no linework motif here. The absence of visual complexity is the point.

Why this strengthens the section: Visual silence here is what makes the diagram in Section 3 and the data visualization in Section 5 feel purposeful by contrast — pacing variation across the page depends on this section being genuinely calm, not just slightly less busy.

8. Motion Recommendations

- **Minimal** — a single slow fade-in on scroll entry for the three philosophy statements (sequential but slow, ~150–200ms stagger, longer fade duration than Section 2's cards to feel unhurried).
- No line-draw, no diagram build, no hover interactions.
- **Accessibility:** Full text present and readable without motion; fade is purely additive and respects prefers-reduced-motion.

9. Responsive Considerations

- **Desktop:** Three statements can sit side-by-side or in a vertical rhythm with generous spacing — either works given the deliberately spacious design intent.
- **Tablet:** Likely shifts to vertical stacking if side-by-side on desktop; spacing should remain generous rather than compressing to fit.
- **Mobile:** Vertical stack, full-width statements; ensure line lengths stay comfortable for reading (avoid overly long lines that hurt readability at mobile widths).

10. SEO

- **Heading hierarchy:** H2 for section headline; philosophy statements can be H3 or styled paragraphs depending on how much semantic weight they should carry (H3 recommended if this content should be independently indexable).
- **Keywords:** engineering philosophy, defence engineering reliability, mission-critical system design.
- **Internal linking:** Optional link to About page engineering philosophy section.
- **Metadata note:** This section's content is a strong candidate for reuse (lightly adapted) on the About page, given the Brand Framework's Core Values section shares the same underlying ideas — ensure wording is coordinated, not duplicated verbatim, to avoid internal content cannibalization in search.

SECTION 5 — WHY INDIGENOUS / STRATEGIC CONTEXT

1. Section Objective

Connects Stravex's existence to a real, current strategic need — answering "why does this matter, and why now?" This section can carry more argumentative weight than others since the visitor is, by this point, invested enough to read a genuine analytical point. Must avoid nationalistic framing per the Brand Framework's explicit caution — the argument is capability-based, not sentiment-based.

2. Headline Exploration

1. *(Editorial)* "The threat changed faster than the infrastructure meant to stop it."
2. *(Technical)* "Why indigenous engineering matters at this specific moment."
3. *(Minimal)* "Why now."
4. *(Mission-driven)* "Built for a threat environment that didn't exist a decade ago."
5. *(Engineering-first)* "Imported systems weren't built for this threat profile. Ours are."
6. *(Strategic)* "The case for indigenous tactical engineering."
7. *(Bold)* "Dependency is a vulnerability. We're built to remove it."
8. *(Quiet confidence)* "Why we build here, for here."
9. *(Editorial)* "A system built for someone else's doctrine is a system built for someone else's war."
10. *(Technical)* "Threat evolution has outpaced legacy detection infrastructure."
11. *(Minimal)* "Why indigenous engineering."
12. *(Strategic)* "Sovereign capability starts with sovereign engineering."
13. *(Quiet confidence)* "Engineered for the conditions we actually operate in."
14. *(Mission-driven)* "This is the moment indigenous defence engineering has to matter."
15. *(Bold)* "We didn't build this company for a hypothetical threat."

Recommended: #5 — "Imported systems weren't built for this threat profile. Ours are."

Why: Makes the strategic case through capability logic (fit-for-purpose engineering) rather than sentiment (patriotism, sovereignty-as-emotion), which is exactly the discipline the Brand Framework calls for on this specific topic. It's also falsifiable and specific rather than aspirational. Caution: #9 and #12 are strong but risk tipping toward a more sentimental register — use only if the surrounding visual treatment stays strictly analytical to balance it.

3. Supporting Copy

Primary paragraph:

Low-cost, mass-deployable aerial threats have changed the tempo and economics of tactical engagement faster than most existing detection and interception infrastructure was designed to handle. Systems built for a smaller number of larger, slower-evolving threats are structurally mismatched to what forces are encountering now.

Secondary paragraph:

Indigenous engineering closes that gap directly — not as a policy preference, but as an operational necessity. Systems designed and built domestically can be tuned to the specific operational conditions and doctrine they'll actually serve, and iterated at the pace the threat environment now demands.

Highlight statement:

Capability that depends on someone else's engineering timeline is capability you don't fully control.

Pull quote: Not required for this section — the analytical paragraph structure carries sufficient weight on its own.

4. Content Components

- Primary + secondary paragraph
- Highlight statement
- Supporting data/context visualization (see Section 7) — should illustrate the *trend* being described (e.g., cost-asymmetry between low-cost threats and legacy response systems) using honestly-sourced, clearly-labeled illustrative framing if exact figures aren't available; label explicitly as illustrative if not drawn from a specific citable source.

5. CTA System

Primary CTA: "Read the Full Analysis" → links to a relevant Insights article expanding on this argument. **Secondary CTA:** None additional — this section's job is to plant the argument and route to Insights, not to convert. **Supporting microcopy:** None required.

Rationale: This is a natural, high-value Insights cross-link point — a visitor engaged enough to read this section's argument is exactly the audience Insights is built for.

6. UX Copy

- Section eyebrow: "WHY NOW" or "STRATEGIC CONTEXT"
- Visualization caption: precise and factual (e.g., "Illustrative representation of threat-cost asymmetry" if not based on a specific cited figure — never presented as precise data if it isn't).
- CTA label: "Read the Full Analysis"

7. Visual Recommendations

- **Photography:** None.
- **Product renders:** None — this section is argument-led, not product-led.
- **Technical illustrations / data visualization:** A restrained diagrammatic visualization of the core argument — e.g., a simple comparative graphic contrasting threat cost/proliferation trend against response infrastructure capability, rendered in the same linework style as the rest of the page. Must be clearly labeled as illustrative unless backed by a specific citable source.
- **Icons:** None needed.

- **Background treatment:** Consistent neutral field; the data visualization itself provides the visual interest, no additional background treatment required.
- **Explicitly avoid:** flags, maps with political borders, camouflage patterns, or any visual device that shifts this section from analytical to nationalistic.

Why this strengthens the section: A clearly-labeled, honestly-scoped visualization does the section's persuasive work without requiring the copy to oversell the point — this is the difference between a strategic argument and a piece of propaganda, and the distinction matters enormously for this specific brand.

8. Motion Recommendations

- Data/context visualization animates in once on scroll entry (e.g., a comparative bar or trend-line drawing itself in) — single-play, no looping, no repeated re-triggering if the visitor scrolls back up and down.
- **Accessibility:** Visualization's underlying data/labels must be available as real text (not only as an image or canvas element) for screen readers; animation is enhancement only.

9. Responsive Considerations

- **Desktop:** Visualization and text likely side-by-side.
- **Tablet:** Stack visualization above or below text; ensure visualization retains legibility at reduced width.
- **Mobile:** Visualization should simplify to its clearest possible form — if the desktop version has multiple data series or comparison points, consider reducing to the single clearest comparison for mobile rather than cramming the full visualization into a narrow viewport.

10. SEO

- **Heading hierarchy:** H2 for section headline.
- **Keywords:** indigenous defence technology India, counter-UAS strategic context, tactical threat evolution, defence self-reliance technology.
- **Internal linking:** Primary CTA → specific Insights article URL.
- **Metadata note:** This section is a strong candidate for its own dedicated, deeper Insights article (which the CTA should link to) — the homepage version should always be the condensed argument, never the full case, to avoid duplicate/thin content across pages.

SECTION 6 — PROOF / ACTIVITY SIGNALS

Per the strategy self-critique: this section depends on real, disclosable substance. Written here with honest "founded on" framing rather than fabricated statistics. If genuinely nothing substantive exists yet at meaningful volume, the Final Review below recommends compressing this into Section 7 rather than shipping a visibly thin standalone section.

1. Section Objective

Demonstrates the company is operating now, not dormant — directly countering the single most damaging doubt in early-stage defence-tech ("is this real and active, or a concept site"). Must use only real, honestly-earned data points.

2. Headline Exploration

1. *(Editorial)* "Where things stand, plainly."
2. *(Technical)* "Current focus areas and team composition."
3. *(Minimal)* "Where we are."
4. *(Mission-driven)* "Active development, not a roadmap slide."
5. *(Engineering-first)* "What's in active engineering right now."
6. *(Strategic)* "Our current footprint."
7. *(Bold)* "No inflated numbers. Just where we actually stand."
8. *(Quiet confidence)* "A small, honest snapshot of where we are."
9. *(Editorial)* "Early. Focused. Building."
10. *(Technical)* "Company status, as of [date/quarter]."
11. *(Minimal)* "Status."
12. *(Strategic)* "What's actually in motion."
13. *(Quiet confidence)* "We'd rather show you less that's true than more that isn't."
14. *(Mission-driven)* "This is where the work stands today."
15. *(Bold)* "No vanity metrics. Just the facts."

Recommended: #13 — "We'd rather show you less that's true than more that isn't."

Why: This headline turns the section's biggest constraint (limited disclosable data at an early stage) into a deliberate brand statement, consistent with the Restraint core value — it reframes a potential weakness as a demonstration of the company's actual values. This only works, however, if what follows genuinely is modest-but-true; it would read as ironic if paired with inflated claims. Safer, more neutral alternative if that tone risk feels too clever: #3 or #11.

3. Supporting Copy

Primary paragraph:

Stravex is an early-stage engineering organization, deliberately focused rather than broad. Here's an honest snapshot of where things stand.

(To be populated with real, disclosable facts — e.g., founding year, number of active technology areas, team composition by discipline, or number of ongoing engineering programs. No fabricated or approximated figures.)

Data points (structure — replace bracketed content with real figures):

[Founded: YEAR] — Operating as a focused tactical defence engineering company. **[X] active technology programs** — Currently in engineering or validation. **[X]-person engineering team** — Spanning [relevant disciplines, e.g., AI/ML, RF/electronics, systems engineering].

Secondary paragraph (optional):

As the company grows, this section will grow with it — every figure here will always be one we can stand behind.

4. Content Components

- 2–4 honest data points, presented as clean typographic statements (large number/fact + small descriptive label) — not icon-illustrated "stat cards," which read as generic SaaS.
- No fabricated metrics under any circumstance — if a data point can't be disclosed or verified, omit it rather than approximate.

5. CTA System

Primary CTA: None required. **Secondary CTA (optional):** "See our latest activity" → scrolls to Section 7 (News/Insights module). **Supporting microcopy:** None.

6. UX Copy

- Section eyebrow: "WHERE WE STAND" or "STATUS"
- Data point labels: as above, kept short and precise.

7. Visual Recommendations

- **Photography:** None.
- **Icons:** None — numbers/facts should be typographic, not icon-illustrated.
- **Background treatment:** Consistent with rest of page; this section should be visually quiet, letting the honesty of the copy do the work rather than compensating with visual weight.

Why this strengthens the section: Restraint here is itself the trust signal — a company that shows three true, modest facts instead of five inflated ones is making exactly the credibility argument the entire brand strategy is built around.

8. Motion Recommendations

- Optional subtle count-up animation for any genuinely numeric data point (e.g., team size), used once on scroll entry, no looping.
- **Accessibility:** Final values must be present as real text regardless of animation state; count-up is enhancement only.

9. Responsive Considerations

- **Desktop:** Data points can sit in a horizontal row.
- **Tablet/Mobile:** Stack vertically; ensure adequate spacing so each fact reads independently rather than blurring together.

10. SEO

- **Heading hierarchy:** H2 for section headline.
 - **Keywords:** Minimal SEO value in this section specifically — it's a trust mechanism, not a discovery surface. No specific keyword targeting required beyond natural language.
 - **Internal linking:** Optional link to About page if company background/timeline content exists there.
-

SECTION 7 — LATEST FROM STRAVEX (News + Insights Dual Module)

1. Section Objective

Delivers two distinct trust types — journalistic activity and technical authority — without conflating them into one generic "blog" feed. Answers: "What's the most recent evidence that they're both active in the world and serious about technical thinking?"

2. Headline Exploration

1. *(Editorial)* "What we've said, and what we've built."
2. *(Technical)* "Latest updates and engineering analysis."
3. *(Minimal)* "Latest."
4. *(Mission-driven)* "Recent progress, and how we think about it."
5. *(Engineering-first)* "From the newsroom and the engineering team."
6. *(Strategic)* "Updates and analysis."
7. *(Bold)* "Two kinds of proof: what happened, and what we know."
8. *(Quiet confidence)* "Recent activity, and the thinking behind it."
9. *(Editorial)* "News and Insights."
10. *(Technical)* "Company updates and technical publications."
11. *(Minimal)* "Newsroom & Insights."
12. *(Strategic)* "What's current."
13. *(Quiet confidence)* "The latest from Stravex."
14. *(Mission-driven)* "Where we've been, and where our thinking is headed."
15. *(Bold)* "Facts and analysis. Kept separate on purpose."

Recommended: #11 — "Newsroom & Insights."

Why: At this point in the page, the visitor doesn't need to be persuaded of anything new — they need clean, fast wayfinding into two distinct destinations. A functional, label-style headline is more useful here than an editorial one; over-crafting this headline risks the section feeling like it's trying too hard for what is fundamentally a navigation/proof module. Runner-up: #5, slightly warmer if a bit more personality is wanted.

3. Supporting Copy

Primary paragraph (brief section intro):

Two ways to see what Stravex is doing right now — company updates in the Newsroom, and technical analysis from our engineering team in Insights.

Secondary paragraph: Not needed — this section should move quickly into the two modules.

4. Content Components

Module A — Newsroom *Module label:* Newsroom *Module description:* "Official updates on partnerships, milestones, and announcements." *Item structure (2–3 items):* Headline + one-line summary + date. *Module CTA:* "View All News →"

Module B — Insights *Module label:* Insights *Module description:* "Technical analysis and engineering perspectives from our team." *Item structure (1–2 items):* Headline + one-line abstract + read time. *Module CTA:* "View All Insights →"

5. CTA System

Primary CTA: "View All News" (Module A) and "View All Insights" (Module B) — two distinct, equally-weighted CTAs. **Secondary CTA:** Individual item links (headline-as-link) within each module.

Supporting microcopy: None required.

Rationale: Per the approved strategy, neither module should visually or functionally outrank the other — both are doing equally important but different trust work at this stage of the visitor's journey.

6. UX Copy

- Section eyebrow: "LATEST"
- Module labels: "Newsroom" / "Insights"
- Module CTAs: "View All News →" / "View All Insights →"
- Item metadata format: Newsroom uses date (e.g., "March 2026"); Insights uses read time (e.g., "6 min read") — this small distinction reinforces the different nature of each content type without needing extra copy to explain it.

7. Visual Recommendations

- **Photography:** None required — if individual News/Insights items have their own featured images, keep them restrained and consistent (e.g., always a technical diagram or abstract graphic, never stock photography) so the module doesn't introduce visual inconsistency this late in the page.
- **Icons:** Small, simple label icons differentiating the two modules acceptable (e.g., a minimal document glyph for Newsroom, a minimal analysis/chart glyph for Insights) — optional, not required if labels alone are sufficiently clear.
- **Background treatment:** Two clearly bounded but not heavily bordered zones — enough visual separation that a visitor immediately understands these are two different things, without introducing boxy card-with-shadow styling that reads as generic.

Why this strengthens the section: Clear visual and structural separation is the entire point — any blending of the two modules undoes the strategic reasoning (two distinct trust types) established in the approved homepage strategy.

8. Motion Recommendations

- Simple fade/slide-in on scroll entry for each module, no stagger needed beyond a brief offset between Module A and B.
- No auto-rotating carousel for either module — carousels hide content and are an accessibility liability.
- **Accessibility:** All items in both modules should be present in the DOM and reachable via keyboard navigation without requiring any interaction to reveal them.

9. Responsive Considerations

- **Desktop:** Two modules side-by-side, equal width.
- **Tablet:** Likely retains side-by-side if width allows, or stacks with Newsroom first (slightly higher general-audience relevance) — worth testing either order.
- **Mobile:** Stack vertically; ensure each module's CTA remains easily tappable and visually distinct from the other module's CTA.

10. SEO

- **Heading hierarchy:** H2 for section headline; H3 for each module label ("Newsroom" / "Insights").
- **Keywords:** Naturally inherited from whichever News/Insights items are featured — no additional keyword targeting needed at the module level.
- **Internal linking:** Module CTAs → /news and /insights respectively; individual item links → specific article URLs.
- **Metadata note:** Ensure featured items rotate as new content publishes, so this section doesn't go stale — a homepage module showing month-old "latest" content undermines Section 6's entire "we are active" argument.

SECTION 8 — SEGMENTED CONTACT

1. Section Objective

Converts visitor readiness into the correct formal engagement path. By this point in the page, every visitor type has enough context to self-select accurately. Answers: "Given who I am and why I'm here, how do I actually engage?"

2. Headline Exploration

1. *(Editorial)* "However you found us, there's a right way to start this conversation."
2. *(Technical)* "Get in touch, based on what you need."
3. *(Minimal)* "Get in touch."

4. *(Mission-driven)* "Let's talk about the problem you're solving."
5. *(Engineering-first)* "Reach the right team, directly."
6. *(Strategic)* "Start the right conversation."
7. *(Bold)* "Tell us why you're here. We'll take it from there."
8. *(Quiet confidence)* "We're ready. Let's talk."
9. *(Editorial)* "Every serious inquiry gets a serious response."
10. *(Technical)* "Contact Stravex."
11. *(Minimal)* "Talk to us."
12. *(Strategic)* "Choose your path."
13. *(Quiet confidence)* "However you'd like to engage, we're ready for it."
14. *(Mission-driven)* "Whatever brought you here, let's talk about it directly."
15. *(Bold)* "No generic contact form. Just the right conversation."

Recommended: #6 — "Start the right conversation."

Why: Short, confident, and functionally accurate — it correctly frames what this section does (routing to the right conversation) without overclaiming warmth or urgency neither of which fit this brand's register. Runner-up: #15, stronger if you want the segmented-vs-generic contrast made explicit.

3. Supporting Copy

Primary paragraph:

Select the option that best describes why you're here — we'll route you to the right team.

Secondary paragraph: Not needed — the four path modules below carry the section.

4. Content Components — Contact Path Modules (4)

Module 1 — Government & Defence *Label:* Government & Defence *Description:* "For procurement, agency, and armed forces inquiries." *Link:* → Contact page, pre-filtered to this category.

Module 2 — Strategic Partnership *Label:* Strategic Partnership *Description:* "For OEMs, integrators, and potential collaborators."

Module 3 — Careers *Label:* Careers *Description:* "For engineers and researchers exploring open roles."

Module 4 — Press *Label:* Press *Description:* "For media inquiries and press materials."

5. CTA System

Primary CTA: Each of the four modules functions as its own CTA (equally weighted, no visual hierarchy implying priority between them). **Secondary CTA:** None additional. **Supporting microcopy:** Beneath the module grid: "General inquiry? Reach us directly at [email]." — a quiet fallback for visitors who don't fit any category cleanly.

Rationale: Per the approved strategy, no path should visually outrank another — a defence buyer and an investor should feel equally well-served by this section's design.

6. UX Copy

- Section eyebrow: "CONTACT"
- Module labels and descriptions: as above.
- Fallback microcopy: "General inquiry? Reach us directly at [email]."

7. Visual Recommendations

- **Photography:** None.
- **Icons:** Optional minimal line icon per module (e.g., a document glyph for Government & Defence, a handshake-alternative abstract glyph for Partnership — avoid literal handshake clip-art, which reads as generic corporate stock) — only if it aids fast visual scanning; labels alone may be sufficient given this brand's restraint principle.
- **Background treatment:** Consistent neutral field; four equally-sized modules in a clean grid.

Why this strengthens the section: Visual equality across the four modules is the actual message here — it signals that Stravex has thought carefully about who visits this site, rather than defaulting to a single generic form.

8. Motion Recommendations

- Subtle hover-state feedback only (e.g., a slight elevation or underline reveal on the module label).
- No scroll-triggered reveal animation needed — this section should feel immediately actionable, not require a "moment" to arrive.
- **Accessibility:** All four modules and the fallback contact method must be reachable and clearly labeled via keyboard navigation and screen readers.

9. Responsive Considerations

- **Desktop:** Four modules in a single row.
- **Tablet:** 2x2 grid.
- **Mobile:** Single-column stack; ensure each module remains a comfortably large tap target.

10. SEO

- **Heading hierarchy:** H2 for section headline; H3 per module label.
 - **Keywords:** contact Stravex Technologies, defence technology partnership inquiry, defence careers India.
 - **Internal linking:** Each module → /contact with appropriate category pre-filter parameter.
 - **Metadata note:** Ensure the Contact page itself has matching category anchors so pre-filtered links function correctly rather than dropping the visitor on a generic form.
-

SECTION 9 — FOOTER

1. Section Objective

Provides complete structural depth and formal legitimacy signals — the final, quiet credibility checkpoint confirming this is a real, complete, findable organization.

2–8. (Abbreviated — Footer content is reference material, not narrative copy)

Structure:

- **Column 1 — Company:** About, Team, Careers, Contact
- **Column 2 — Work:** Technologies, Products
- **Column 3 — Publications:** News, Insights
- **Column 4 — Legal & Entity:** Privacy Policy, Terms of Use, Registered entity information (*placeholder — confirm what's appropriate to disclose*)
- **Bottom bar:** © [Year] Stravex Technologies. All rights reserved. | Social/press contact icons (minimal, text-label or thin-line icon — no colorful platform-branded icon set, which would break visual consistency)

UX Copy: Column headers as above; standard link labels matching exact page names used in primary navigation for consistency.

Visual Recommendations: Small type, clear column structure, subordinate visual weight to the rest of the page — no motion required.

9. Responsive Considerations

- **Desktop:** Four-column layout.
- **Tablet:** Likely 2x2 column grid.
- **Mobile:** Single-column accordion or simple stacked list — footer link lists on mobile should remain fully expanded (avoid nested accordions that hide links behind extra taps, which hurts both usability and crawlability).

10. SEO

- **Heading hierarchy:** Footer columns can use H3 or unlabeled <nav> groupings depending on final markup approach.
- **Internal linking:** This is the site's most comprehensive internal link hub — ensure every primary page is linked from here, supporting overall site crawlability.
- **Metadata note:** Include organization structured data (schema.org Organization markup) referencing the registered entity, if/when that information is finalized — this supports both SEO and legitimate business-entity signals to search engines.

FINAL REVIEW

Narrative Flow

The credibility-ladder structure holds together end to end: identity (1) → breadth (2) → proof (3) → philosophy (4) → strategic context (5) → activity (6) → momentum (7) → action (8) → completeness (9). Each section answers a distinct question and none duplicate another's job.

Trust Progression

Trust escalates appropriately — Sections 1–2 build categorical clarity, Section 3 delivers the page's one genuine proof point, Sections 4–5 build intellectual and strategic credibility, Section 6 grounds the page in honest present-tense reality, Section 7 delivers dual-channel ongoing proof, and Section 8 converts that accumulated trust into segmented action. No section asks for more trust than has been earned by that point in the scroll.

Readability

Copy density is well-calibrated: Sections 1, 2, 6, and 8 stay intentionally light; Sections 3, 4, and 5 carry more weight but remain within the "concise paragraph" discipline set by the Brand Framework. No section requires more than a few seconds of reading per component, consistent with a scannable, non-fatiguing homepage.

Visual Rhythm

Section 3 (Featured Technology) and Section 5 (Strategic Context) are the two most visually active sections; Section 4 (Philosophy) is deliberately the quietest, creating a clear density rhythm: dense → dense → quiet → analytical → light → dual-module → light. This avoids the flat, uniform pacing flagged as a risk in the Phase 3 self-critique.

Technical Credibility

The page makes exactly one significant unproven claim risk: Section 3's placeholder content. This must be replaced with real, defensible content before production — every other section is written to be true regardless of company scale (Section 6 explicitly avoids fabricated metrics).

Brand Consistency

Vocabulary, tone, and the Reserved↔Bold personality positioning from the Brand Framework are consistently applied — no section drifts into startup language, unearned superlatives, or nationalistic framing (Section 5 was specifically checked against this risk).

CTA Balance

Seven distinct CTA moments across the page, each matched to escalating visitor readiness (explore → explore → explore/request docs → none → read analysis → none → view all ×2 → segmented contact ×4). No CTA phrase repeats verbatim, and no section double-asks.

Redundancy Check — Removed/Flagged

- Section 4 and Section 6 both risked touching on "who we are as a company" — resolved by keeping Section 4 strictly philosophical/abstract and Section 6 strictly factual/numeric, with no overlapping sentences.
- Section 5's Insights CTA and Section 7's Insights module were checked for redundancy — resolved by keeping Section 5's CTA pointed at one specific article (the strategic-context piece) while Section 7 surfaces the newest Insights content generally; these serve different purposes and can coexist.

Weakest Section, Flagged Honestly

Section 6 remains the page's structural risk point, exactly as identified in the Phase 3 self-critique — its strength is entirely dependent on real content that wasn't available at the time of this draft.

Recommendation held over from Phase 3: if, once real figures are gathered, there are fewer than 2–3 genuinely disclosable data points, compress Section 6 into Section 7 (a single combined "Where we stand, and what we're saying" module) rather than shipping a visibly thin standalone section on a page this disciplined everywhere else.

Overall Assessment

The homepage is production-ready as a structural and rhetorical system. Two items must be resolved with real inputs before launch: (1) Section 3's placeholder technology content needs a real, disclosable subject substituted in, and (2) Section 6 needs real figures or the compression fallback applied. Every other section is copy-complete and consistent with the approved Brand Framework and Homepage Strategy.

End of Phase 4 deliverable. Awaiting your review before Phase 5 (remaining pages) or before final asset preparation for this page.

STRAVEX TECHNOLOGIES

Home Page — Content Architecture & Production Copy

Phase 4 Deliverable — Part 1 of 2 (Sections 1–3)

Assumptions flagged where the Homepage Strategy left an open decision (Section 3 treated as centerpiece; Section 6, in Part 2, is written with honest placeholder framing in absence of real metrics — see notes inline there).

SECTION 1 — HERO

1. Section Objective

This section exists to pass the 10-second credibility test: establish, without ambiguity, that Stravex is a serious tactical defence engineering company. It answers "what is this, in one sentence?" and builds trust through clarity and restraint rather than through any specific claim. No visitor type needs anything more than this from the hero — its only job is to earn the next 20 seconds of attention.

2. Headline Exploration

1. *(Editorial)* "The gap between detection and response is where missions are won or lost."
2. *(Technical)* "Tactical detection, interception, and autonomous systems — engineered as one system."
3. *(Minimal)* "Detection. Interception. Engineered."
4. *(Mission-driven)* "Built for the threats that current defence infrastructure wasn't."
5. *(Engineering-first)* "We engineer the systems detection and interception depend on."

6. *(Strategic)* "Indigenous tactical technology, built for the threat environment as it is."
7. *(Bold)* "Every second between detection and response is a design decision."
8. *(Quiet confidence)* "Tactical defence systems, engineered without exaggeration."
9. *(Editorial)* "Modern threats move fast. Modern defence infrastructure has to move with them."
10. *(Technical)* "Advanced tactical systems for detection, interception, and autonomous defence."
11. *(Minimal)* "Stravex Technologies. Tactical systems, engineered."
12. *(Mission-driven)* "Closing the gap between threat and response."
13. *(Strategic)* "Engineering the tactical infrastructure indigenous defence depends on."
14. *(Quiet confidence)* "We build the systems that have to work — not the ones that just look like they do."
15. *(Engineering-first)* "Detection, interception, and autonomy — engineered from the ground up."

Recommended: #5 — "We engineer the systems detection and interception depend on."

Why: It states the category precisely, uses "engineer" as a verb rather than a brand adjective, and makes no claim that requires external proof — it's true by definition of what the company does. It sits correctly on the Reserved↔Bold spectrum: confident without needing an exclamation point. Runner-up: #6, stronger if the indigenous-engineering pillar needs to appear immediately rather than in Section 5.

3. Supporting Copy

Primary paragraph (subhead, 1–2 lines):

Stravex Technologies designs and builds tactical systems for detection, interception, and autonomous defence — engineered for the operational conditions they'll actually face.

Secondary paragraph: Not used in Hero — density must stay minimal per the approved strategy.

Highlight statement (eyebrow, above headline):

ADVANCED TACTICAL DEFENCE TECHNOLOGY

Pull quote: Not applicable to Hero.

4. Content Components

- Eyebrow label
- Headline (H1)
- Subhead (1–2 lines max)
- Primary CTA button
- Scroll indicator (thin downward line, not an animated bouncing icon)

5. CTA System

Primary CTA: "Explore Our Technologies" → anchors to Section 2 / links to Technologies page.

Secondary CTA: None — a second CTA here dilutes the single clean action the strategy calls for.

Supporting microcopy: None required; the CTA should stand alone.

Rationale: At this point the visitor has zero context. The only appropriate CTA is exploratory, not a commitment ask ("Request a Briefing" belongs later, once trust is earned).

6. UX Copy

- Eyebrow: "ADVANCED TACTICAL DEFENCE TECHNOLOGY"
- Scroll cue caption (optional, small): "Scroll to explore"
- CTA button label: "Explore Our Technologies"

7. Visual Recommendations

- **Photography:** None. A photographic hero defaults to generic defence-tech visual cliché. Avoid entirely.
- **Product renders:** Not yet — premature use here overclaims productization maturity.
- **Technical illustrations:** A single, restrained line-drawn schematic — an abstracted detection-sweep or signal-path diagram in thin, precise linework — positioned asymmetrically, not centered behind the headline.
- **Icons:** None in Hero.
- **Background treatment:** Solid dark or deep neutral field, with the schematic linework as the only textural variation. No gradient, no particle effect, no glow.

Why this strengthens the section: A hero built almost entirely from typography and one precise technical line-drawing signals restraint and confidence simultaneously — this is the single most important section for the "engineering headquarters, not marketing site" impression.

8. Motion Recommendations

- One load-in sequence only: headline resolves into focus (opacity/blur-to-sharp, $\leq 600\text{ms}$), followed by the schematic drawing itself in (stroke-draw animation, $\leq 1.2\text{s}$, ease-out).
- No looping ambient motion. No parallax here — reserve parallax for Section 3.
- **Accessibility:** Full content must be present and readable with zero motion. Respects prefers-reduced-motion by skipping directly to final state.

9. Responsive Considerations

- **Desktop:** Full asymmetric layout, schematic visible alongside text.
- **Tablet:** Schematic scales down, may reposition below/behind text at reduced opacity; headline retains size priority.
- **Mobile:** Schematic simplifies significantly or is omitted in favor of a clean typographic-only hero. Headline and subhead remain top priority; CTA remains full-width and thumb-accessible.

10. SEO

- **Heading hierarchy:** H1 = hero headline (only H1 on the page).
 - **Keywords:** tactical defence technology, detection and interception systems, autonomous defence systems, indigenous defence technology (India).
 - **Internal linking:** CTA links to /technologies.
 - **Metadata (page-level):**
 - Title tag: "Stravex Technologies — Tactical Detection, Interception & Autonomous Defence Systems"
 - Meta description: "Stravex Technologies engineers indigenous tactical systems for detection, interception, and autonomous defence — built for real operational conditions."
-

SECTION 2 — CAPABILITY OVERVIEW

1. Section Objective

Establishes the five-pillar mental model of what Stravex works on, proving breadth is coherent rather than scattered. Answers "what are the specific domains of work?" This is the section that wins or loses the 30-second test.

2. Headline Exploration

1. *(Editorial)* "One system. Five disciplines."
2. *(Technical)* "Detection, interception, autonomy, electronics, and AI — engineered together."
3. *(Minimal)* "What we build."
4. *(Mission-driven)* "Every capability, built to close one gap."
5. *(Engineering-first)* "The disciplines behind every system we build."
6. *(Strategic)* "A complete system, not a single product."
7. *(Bold)* "Nothing here exists in isolation."
8. *(Quiet confidence)* "The full stack of tactical defence engineering."
9. *(Editorial)* "Detection means nothing without interception. We build both."
10. *(Technical)* "Our core capability domains."
11. *(Minimal)* "Capabilities."
12. *(Strategic)* "Where indigenous engineering is concentrated."
13. *(Quiet confidence)* "Five disciplines. One operational thesis."
14. *(Mission-driven)* "Built across the full chain — detection to decision."
15. *(Bold)* "We don't build one piece of the problem."

Recommended: #9 — "Detection means nothing without interception. We build both."

Why: The only headline here that makes an actual argument rather than a label — it teaches the visitor something about how Stravex thinks (systems-thinking, not component-thinking), directly reflecting Messaging Pillar 2. Runner-up: #2, safer and more literal if this section should stay purely descriptive.

3. Supporting Copy

Primary paragraph (section intro, 1–2 lines below headline):

A detection system that can't feed a response is an alert, not a defence. Our work spans the full chain — five disciplines, engineered as one system.

Secondary paragraph: Not used — this section is card-led.

Highlight statement / Pull quote: Not applicable — capability cards carry the specificity instead.

4. Content Components — Capability Cards (5)

Card 1 — Detection *Description:* Identifying aerial and tactical threats early enough for a response to matter.

Card 2 — Interception *Description:* Tactical response systems built to act on what detection finds, in the time available to act.

Card 3 — Autonomous Systems *Description:* Intelligent systems engineered to operate reliably in mission-critical environments.

Card 4 — Defence Electronics *Description:* Custom electronic systems built specifically for tactical defence conditions, not adapted from commercial hardware.

Card 5 — Applied AI *Description:* Machine learning applied specifically to detection, classification, tracking, and decision support — nowhere else.

Hover text (per card): One additional specificity line — e.g., Detection: "Built around early threat awareness and situational intelligence, not just signal capture." Finalize once each Technologies sub-page exists, so the homepage never promises detail the deeper page doesn't deliver.

5. CTA System

Primary CTA: None section-wide — each card is itself the CTA, linking to its Technologies anchor.

Secondary CTA: "See how these work together" → links to Technologies page thesis section.

Supporting microcopy: "Explore each discipline in depth on our Technologies page."

Rationale: The visitor is self-segmenting by interest — correct CTA behavior is routing, not conversion.

6. UX Copy

- Section eyebrow: "CAPABILITIES"
- Card labels: Detection / Interception / Autonomous Systems / Defence Electronics / Applied AI
- Card hover link label: "Learn more →"

- Section caption: "Explore each discipline in depth on our Technologies page."

7. Visual Recommendations

- **Photography:** None.
- **Product renders:** None at this stage — too early, and breaks even-weighting across five pillars.
- **Technical illustrations:** Each card carries one small, consistent-style line icon or micro-diagram unique to its discipline, drawn in the same thin linework family as the Hero — reinforcing one visual system across the page.
- **Icons:** Custom-drawn, geometric, thin-line. Explicitly avoid stock "shield," "radar dish," or "drone" clip-art sets.
- **Background treatment:** Consistent neutral field; cards may sit on a barely-there tonal panel without visible borders.

Why this strengthens the section: A consistent icon/linework system across all five cards is what makes "five disciplines, one system" feel true visually as well as verbally.

8. Motion Recommendations

- Staggered scroll-triggered reveal (~80–120ms stagger), fast/linear-eased — reads as "arriving in order," not bouncing.
- Hover state per card: subtle elevation or single-play glyph animation, not looping.
- **Accessibility:** All five cards fully visible without JS/motion. Hover-revealed specificity line must also be reachable via keyboard focus.

9. Responsive Considerations

- **Desktop:** Five-card grid (5-across, or a considered 3+2 — never an awkward 4+1).
- **Tablet:** 2-column or 3+2 grid, even visual weighting maintained.
- **Mobile:** Single-column stack; show the extra specificity line by default rather than gating behind hover, since touch has no hover state.

10. SEO

- **Heading hierarchy:** H2 section headline; H3 per capability card.
- **Keywords:** counter-UAS technology, autonomous defence systems, tactical detection systems, defence electronics, AI in defence.
- **Internal linking:** Each card → Technologies sub-page anchor; secondary CTA → /technologies.
- **Metadata note:** Card labels should match exact terminology used in Technologies page headings for internal topical consistency.

SECTION 3 — FEATURED TECHNOLOGY (Page Centerpiece)

Per the approved strategy's self-critique, this section is the homepage's signature moment — given more visual and content weight than the others, so the page's overall restraint reads as a deliberate frame rather than uniform caution.

1. Section Objective

Proves specificity — the single highest-leverage trust mechanism on the page. Shows one real, concrete piece of engineering in enough depth to be credible, moving the page from "categories" to "evidence." Answers: "Can they actually point to something specific, or is this all conceptual?"

Note on content readiness: The copy below is a *template* populated with a defensible placeholder subject (a detection-and-classification pipeline), since a named, disclosable flagship system wasn't provided. Before production, replace with Stravex's actual most-defensible real technology — whichever has the most genuine substance, even if modest. Structure and tone transfer directly once the real subject is substituted.

2. Headline Exploration

1. *(Editorial)* "This is what closing the detection gap actually looks like."
2. *(Technical)* "Real-time threat detection and classification, engineered for tactical response."
3. *(Minimal)* "One system. In depth."
4. *(Mission-driven)* "Built to see the threat before it's a threat."
5. *(Engineering-first)* "Inside our detection and classification pipeline."
6. *(Strategic)* "The layer where detection becomes decision."
7. *(Bold)* "The distance between seeing and acting — this is what closes it."
8. *(Quiet confidence)* "A closer look at how detection actually works."
9. *(Editorial)* "Detection is only useful if it's fast enough to matter."
10. *(Technical)* "From signal to classification to response — one continuous pipeline."
11. *(Minimal)* "How detection works, in practice."
12. *(Strategic)* "Where the theory of detection meets the reality of deployment."
13. *(Quiet confidence)* "Not a concept. A working pipeline."
14. *(Mission-driven)* "Engineered for the moment detection has to be right."
15. *(Bold)* "Here's the system. Not the pitch."

Recommended: #15 — "Here's the system. Not the pitch."

Why: Since this section's job is proving specificity to a skeptical audience, a headline naming the exact contrast it resolves (system vs. pitch) does real rhetorical work and signals category self-awareness. Use only if the content fully earns it. Safer alternative: #5, more conservative if the real content available is more modest.

3. Supporting Copy

Primary paragraph:

[PLACEHOLDER — replace with real system name/description] Our detection and classification pipeline is engineered to identify, classify, and track aerial threats in real time — combining sensor input with AI-driven classification to reduce the time between first detection and actionable response. Every stage is validated against realistic operational conditions, not idealized test environments.

Secondary paragraph:

Classification models are trained and tested specifically against the threat profile most relevant to Indian operational contexts — not adapted from datasets built for a different environment.

Highlight statement:

Engineered for the gap between detection and decision — not just the moment of detection itself.

Pull quote (optional, only if a real engineering perspective is available):

"A detection system is only as useful as what happens in the second after it fires." — Stravex Engineering Team (*attribute to a named individual only if the Team page decision supports named profiles*)

4. Content Components

- Technical diagram/illustration (primary visual anchor)
- Primary + secondary paragraph
- Highlight statement (typographically distinct)
- Optional pull quote block
- One data point *only if real and disclosable* — omit entirely rather than approximate.

5. CTA System

Primary CTA: "Explore This Technology" → links to the relevant Technologies deep-dive page.

Secondary CTA: "Request Technical Documentation" → links to Contact (Government & Defence path). **Supporting microcopy:** "Detailed specifications available under briefing."

Rationale: The first point on the page where a technically-engaged visitor may be ready for a more committed action — documentation-under-briefing matches real defence-procurement behavior without overcommitting publicly.

6. UX Copy

- Section eyebrow: "FEATURED TECHNOLOGY" or "ENGINEERING IN DEPTH"
- Diagram caption: e.g., "Detection-to-classification signal flow" — precise and functional, not a tagline.
- CTA labels: "Explore This Technology" / "Request Technical Documentation"
- Microcopy: "Detailed specifications available under briefing."

7. Visual Recommendations

- **Photography:** None — diagram-led, not photo-led, keeping focus on function.

- **Product renders:** Only if a real, presentable render exists; otherwise the diagram alone carries the section.
- **Technical illustrations (centerpiece asset):** A clean, labeled schematic showing the actual functional flow (sensor input → signal processing → classification → response trigger) — should look like a genuine engineering diagram, not an artistic abstraction.
- **Icons:** Minimal — the diagram itself should carry the section.
- **Background treatment:** Slightly more visual weight than surrounding sections — a subtly larger content area or more generous negative space around the diagram signals "this is the section to pay closest attention to."

Why this strengthens the section: Making the diagram feel like a genuine learnable artifact is what separates this from every defence-tech homepage showing a vague "AI-powered" glow graphic. This is the section's entire reason for being.

8. Motion Recommendations

- Diagram builds progressively on scroll: each pipeline stage illuminates/draws in sequence as the visitor scrolls, so the animation itself teaches the sequence.
- This is the single most "produced" motion moment on the page, deliberately — one signature moment rather than even distribution.
- Must resolve to a complete, static, fully-labeled diagram if scrolled past quickly or if reduced-motion is enabled.
- **Accessibility:** Full diagram with all labels present in the DOM and legible in static state; scroll-linked build is progressive enhancement only.

9. Responsive Considerations

- **Desktop:** Full split-layout, diagram animates alongside scrolling copy.
- **Tablet:** Diagram simplifies slightly (fewer simultaneous animated stages); layout likely stacks diagram above copy.
- **Mobile:** Redesign diagram as a vertical/stacked sequence matching natural scroll direction, rather than shrinking a horizontal diagram — dedicated design attention warranted here, since illegible diagram text on mobile undercuts the section's purpose.

10. SEO

- **Heading hierarchy:** H2 section headline; H3 if the diagram has a distinct captioned title.
 - **Keywords:** real-time threat detection, AI threat classification, detection and response pipeline, tactical detection technology.
 - **Internal linking:** Primary CTA → specific Technologies sub-page; secondary CTA → /contact?category=government-defence.
 - **Metadata note:** Give this section a stable anchor ID (#featured-technology) for direct linking if ever shared standalone.
-

Continued in Part 2: Sections 4–9 and Final Review.

STRAVEX TECHNOLOGIES

Home Page — UI/UX Design Specification

Phase 5 Deliverable — Part 1 of 2

Note on brand colors: No specific hex palette or typeface system was locked in during Phases 1–4 — only qualitative direction ("minimal, premium, industrial, modern defence"). This document therefore *proposes and defines* the concrete design token system rather than applying a pre-approved one. Treat Section 4 (Color Application) and the typefaces named in Section 3 as a recommendation requiring your sign-off, not an existing standard.

1. OVERALL DESIGN PHILOSOPHY

Visual identity: Industrial precision. The page should look like it was designed by people who care more about whether something works than whether it's decorated — closer to a technical instrument panel or an engineering document than a brand campaign. Every visual choice should be justifiable in engineering terms: this element exists because it clarifies something, not because it's attractive.

Design principles:

- **Restraint is the primary aesthetic device.** The absence of decoration is what signals confidence in this category — a company covering for thin substance decorates; a company confident in its substance doesn't need to.
- **Precision over polish.** Alignment, spacing, and grid discipline matter more than surface gloss. A slightly-off baseline grid will damage credibility with a technical audience faster than a plain color palette will.
- **One signature moment, not nine.** Per the approved Phase 3 strategy, visual energy concentrates in the Featured Technology section; everywhere else is deliberately quiet.
- **Function dictates form.** Every layout decision should trace back to what the content needs to communicate, never to a generic template pattern.

Emotional response: Calm confidence. The visitor should feel like they've walked into a serious, quiet engineering facility — not a showroom. Curiosity should be earned through content specificity, not manufactured through visual excitement.

First impression (0–3 seconds): "This is not a startup." Achieved through typographic discipline, dark/neutral restraint, and the complete absence of gradient, glow, or stock imagery.

Design maturity: The page should read as though designed by a company that has been doing this for a decade, even at an early company stage — maturity here comes from discipline and consistency, not from visual complexity or scale signals.

2. HOMEPAGE LAYOUT

Global grid: 12-column grid, max content width **1280px**, with a wider **1440px** outer canvas allowing generous side margins on large displays (avoids content ever feeling stretched edge-to-edge, which reads as templated). Gutter: 24px. Base spacing unit: **8px**, with a modular scale (8 / 16 / 24 / 32 / 48 / 64 / 96 / 128) used for all vertical rhythm — no arbitrary spacing values.

Section	Layout Type	Grid / Width	Vertical Rhythm	Alignment	Reading Flow	Why
1. Hero	Asymmetric split	Content in left 7 cols; schematic element in right 5 cols, bleeding slightly past the grid edge	128px top padding, 96px bottom	Left-aligned text	Top-down, headline-first	Asymmetry avoids the centered-hero template; schematic bleeding past the grid edge adds a controlled "engineering document" irregularity
2. Capability Overview	Even 5-column grid (5 cards)	Full 12-col width, cards distributed evenly	96px top/bottom section padding, 32px between intro and card grid	Left-aligned section intro; cards internally left-aligned	Left-to-right, then top-down per card	Even grid reinforces "coherent system," not hierarchy between pillars
3. Featured Technology	Split layout, diagram-dominant	Diagram occupies 7 cols, copy occupies 5 cols (reversed from Hero to create rhythm variation)	128px top/bottom — largest section padding on the page	Diagram top-aligned with copy block	Diagram leads visually, copy follows	Largest padding + largest visual share = deliberate centerpiece signal per Phase 3 strategy
4. Engineering Philosophy	Centered, narrow measure	Text constrained to 8 of 12 cols, centered	128px top/bottom — matches Section 3 for pacing contrast via content	Centered	Top-down, three statements in sequence	Narrow measure + centering signals "read carefully," distinct from the wide, scanning

Section	Layout Type	Grid / Width	Vertical Rhythm	Alignment	Reading Flow	Why
			density, not padding			layouts elsewhere
5. Strategic Context	Split layout, copy-dominant	Copy occupies 7 cols, visualization occupies 5 cols	96px top/bottom	Copy top-aligned with visualization	Copy leads, visualization supports	Copy-dominant (vs. Section 3's diagram-dominant) creates intentional rhythm variation between the two most content-heavy sections
6. Proof/Activity	Horizontal band, low height	Full 12-col width, data points evenly spaced	64px top/bottom — noticeably shorter than surrounding sections	Left-aligned intro; data points evenly distributed	Left-to-right scan	Deliberately compact — signals "brief, honest, not padded"
7. News + Insights	Two-column module	Two 6-col blocks	96px top/bottom	Left-aligned within each module	Left module, then right module	Equal column widths reinforce equal weighting mandated in Phase 3
8. Segmented Contact	4-column grid	Full 12-col width, 4 equal 3-col modules	96px top/bottom	Centered module content	Left-to-right, even scanning	Equal grid columns reinforce "no path outranks another"
9. Footer	4-column + bottom bar	Full width	64px top padding, 32px bottom bar	Left-aligned per column	Left-to-right column scan	Standard, expected footer convention — this is not a place to be inventive

Why this system overall: The alternating dominant-side pattern (diagram-right in Hero, diagram-left in Featured Technology, copy-left in Strategic Context) creates a subtle left-right rhythm across the

page without ever feeling arbitrary — each flip is tied to a real content reason (Hero introduces via text-first reading habit; Featured Technology leads with proof; Strategic Context leads with argument).

3. TYPOGRAPHY SYSTEM

Proposed typeface pairing (*requires sign-off — see note at top of document*):

- **Display/Headline face:** A geometric-but-slightly-technical sans, e.g. **Neue Haas Grotesk** or **Söhne** — precise, engineered-feeling letterforms, avoiding anything with warmth or humanist rounding (which would undercut the industrial register). Used at restrained weights (Medium/Regular for most headlines; Bold reserved only for the Hero H1).
- **Body face:** A highly legible, slightly more neutral sans at a different optical size than the display face — e.g. **Inter** or **IBM Plex Sans** (IBM Plex Sans is worth strong consideration specifically for its engineering/technical heritage and because its monospace sibling, IBM Plex Mono, can double as the labels/metadata face below, creating a coherent type family across all three roles).
- **Labels/metadata/data face:** A monospace or semi-monospace face — e.g. **IBM Plex Mono** or **JetBrains Mono** — used specifically for eyebrows, data points, diagram captions, and metadata (dates, read-times). This is a deliberate signature device: monospace type reads as "instrumentation," reinforcing the engineering-document identity every time a label appears.

Type scale (base 16px, modular scale ~1.25):

Role	Size (desktop)	Weight	Face	Usage
H1 (Hero headline)	64–72px	Bold/Medium	Display	Hero only — the single largest text on the page
H2 (section headline)	40–44px	Medium	Display	One per major section
H3 (card/module titles)	22–24px	Medium	Display	Capability cards, module labels
Body large (subheads, intro paragraphs)	20px	Regular	Body	Hero subhead, section intros
Body (standard paragraph)	16–17px	Regular	Body	Primary/secondary paragraphs throughout
Label/Eyebrow	12–13px	Medium, uppercase, letter-spaced (~0.08em)	Mono	Section eyebrows ("CAPABILITIES," "FEATURED TECHNOLOGY")

Role	Size (desktop)	Weight	Face	Usage
Metadata (dates, read-time)	13px	Regular	Mono	News/Insights item metadata
Button/CTA label	15px	Medium	Body or Mono (test both)	All CTAs
Card description	15–16px	Regular	Body	Capability card one-liners

Visual hierarchy recommendation: The monospace label face is the system's signature typographic device — appearing consistently for every eyebrow and every data point across all nine sections creates a recognizable rhythm that a visitor absorbs subconsciously by Section 4 or 5, reinforcing "engineering document" far more effectively than any one headline could alone.

4. COLOR APPLICATION

Proposed token system — requires sign-off.

Token	Value (proposed)	Usage
--surface-primary	#0A0C0E (near-black, slightly cool)	Primary page background
--surface-secondary	#12151A	Subtle panel differentiation (e.g., card backgrounds, Section 6 band) — barely distinguishable from primary, intentionally
--text-primary	#F2F3F4 (off-white, not pure white)	Headlines, primary body text
--text-secondary	#9AA1A9	Secondary copy, captions, metadata
--accent-signal	#4A90D9 (restrained, desaturated technical blue)	Links, active states, diagram highlight elements, focus rings
--accent-alert (<i>sparing use only</i>)	#C9973A (muted amber/gold)	Reserved exclusively for the Featured Technology section's diagram highlight moments — never used decoratively elsewhere, so it retains meaning when it appears
--border-hairline	#2A2E33	Dividers, hairline rules, subtle card boundaries

Background usage: Near-black (--surface-primary) throughout — no section switches to a light background, maintaining visual continuity and reinforcing the "single system" feeling emphasized in the Phase 3 critique. --surface-secondary is used only for the most minimal panel differentiation (Section 6, card backgrounds) — never a strong contrast shift.

Accent usage: --accent-signal (technical blue) is the workhorse accent — links, hover states, active nav items, diagram linework highlights. --accent-alert (muted gold) is reserved *specifically* for the Featured Technology section, so its appearance there feels earned and specific rather than diluted by overuse elsewhere. This directly supports the "one signature moment" principle from Phase 3.

Contrast: All text/background pairings must meet **WCAG AA minimum (4.5:1 for body text, 3:1 for large text/headlines)** — --text-primary on --surface-primary and --text-secondary on --surface-primary should both be verified against these thresholds during implementation; --text-secondary in particular should be tested carefully since desaturated grays on near-black backgrounds are a common contrast failure point.

States:

- **Hover:** Subtle brightness increase or underline reveal using --accent-signal, never a background color swap (which would feel heavy-handed against this palette).
- **Focus (keyboard):** Visible 2px outline in --accent-signal, offset 2px from the element — must never be suppressed for aesthetic reasons.
- **Active/pressed:** Slight opacity reduction (~85%) on buttons, no color shift.
- **Disabled (forms):** Reduced opacity (~50%) plus --text-secondary coloring, never color alone (for colorblind accessibility).

Explicitly avoid: Decorative gradients of any kind — no background gradients, no gradient text, no gradient buttons. The only justified exception would be an extremely subtle radial vignette behind the Hero schematic element (near-imperceptible, purely to add depth without reading as a "gradient effect") — even this should be tested and cut if it doesn't clearly earn its place.

Continued in Part 2: Component System, Motion Language, Imagery & Media Direction, Accessibility, Responsive Strategy, and Premium Experience Audit.

STRAVEX TECHNOLOGIES

Home Page — UI/UX Design Specification

Phase 5 Deliverable — Part 2 of 2

Continued from Part 1 (Design Philosophy, Layout, Typography, Color).

5. COMPONENT SYSTEM

Every component below shares the same underlying tokens (spacing scale, color tokens, hairline border, monospace label convention) so the system reads as one language regardless of which component a visitor encounters first.

Buttons

- Two variants only: **Primary** (solid --accent-signal background, --surface-primary text, used extremely sparingly — e.g., one per section maximum) and **Secondary/Ghost** (transparent background, --border-hairline outline, --text-primary text, --accent-signal on hover).

- No pill-shaped buttons — rectangular with a minimal 2–4px corner radius, consistent with the "industrial, never playful" visual identity.
- Label always in Body or Mono face at 15px, medium weight, with generous horizontal padding (24–32px) — buttons should feel substantial, not cramped.

Cards (Capability cards, News/Insights items)

- No drop shadows — depth communicated through the barely-there --surface-secondary panel shift and a 1px --border-hairline border only, never box-shadow (shadows read as consumer-software default).
- Consistent internal padding (32px), consistent title/description type roles across every card variant on the page.
- Hover state: 1px border brightens to --accent-signal at reduced opacity, plus the specific micro-interaction defined per section in Phase 4 — no generic "lift and shadow" hover effect.

Navigation

- Fixed, slim (64–72px height), --surface-primary background at ~92% opacity with backdrop blur on scroll (subtle, functional — improves legibility over content without a hard visual break).
- Logo left, primary nav links centered or left-weighted, persistent segmented CTA ("Partner / Government Inquiry") right, styled as Secondary/Ghost button.
- Active page indicator: a small underline or --accent-signal dot, not a background highlight.

Footer

- As specified in Phase 4 — four-column structure, --text-secondary for links at rest, --text-primary on hover, no color accent needed here (footer should be the quietest element on the page).

Chips/Badges

- Used sparingly — primarily for News/Insights category tags. Minimal: hairline border, no fill, uppercase Mono label at 11–12px, generous letter-spacing. No colorful badge system — category differentiation through label text alone, not color-coding, to avoid an inconsistent rainbow of tags across the page.

Statistics (Section 6 data points)

- Large Display-face numeral (using the H2 or a dedicated Stat scale, e.g. 48px) paired with a small Mono-face label beneath. No icon, no card container — presented as bare typographic facts, consistent with the "honest, unpadded" intent defined in Phase 4.

Timelines

- Not used on the Home page in the current content architecture (no timeline component appears in the approved Phase 4 content) — reserved as a future component for the About page's origin-context section if needed there.

CTA Blocks (Segmented Contact modules)

- Four equal-weight modules, each: Mono-face eyebrow-style label, H3 title, one-line description, no visible button — the entire module is the clickable target (larger hit area, cleaner visual than a card-plus-button pattern).
- Hover: border brightens + description text shifts from --text-secondary to --text-primary, signaling interactivity without adding a decorative arrow-bounce or shadow.

Forms (Contact page — referenced here for system consistency)

- Minimal-line inputs (bottom-border only, no full box outline) in --surface-primary, label positioned above field in Mono face at 12px, --accent-signal bottom-border on focus.
- Error states: --accent-alert-adjacent but distinct error red reserved specifically for form validation (a new token, e.g. --state-error: #C25450, to avoid overloading the gold accent's meaning) with plain-language inline error text, never color alone.

Dividers

- 1px --border-hairline, full-bleed or content-width depending on context — used only between Sections 6 and 7 and Sections 7 and 8, where the content shift is fast and a divider helps pacing; not used between every section, which would fragment the page unnecessarily.

6. MOTION LANGUAGE

Scroll behavior: Native smooth-scroll for anchor navigation only (e.g., Hero CTA → Capability Overview); no scroll-jacking, no forced full-page-per-scroll pagination. The visitor's native scroll control is never overridden.

Reveal animations: Standardized on two timing patterns across the whole page, so motion feels systemic rather than section-by-section improvised:

- **Pattern A (default reveal):** 400ms, ease-out, 12px upward translate + opacity fade. Used for most section content entering on scroll (cards, paragraphs, modules).
- **Pattern B (emphasis reveal):** 600–800ms, ease-in-out, used only in Section 3 (diagram build sequence) and Section 1 (Hero load-in) — the two moments the strategy designates as higher-weight.

Hover interactions: Uniform across the component system — border/color state changes only (see Component System above), 150–200ms transition, never a scale/bounce transform (scaling on hover reads as a consumer-app pattern, not an instrument-panel one).

Transitions (page/section): No page-transition animation between Home and other pages beyond a simple, fast crossfade (~200ms) — anything more elaborate risks feeling like a portfolio-site flourish rather than a defence-engineering site.

Loading states: If any content loads asynchronously (e.g., News/Insights items from a CMS), use a minimal skeleton state — thin animated hairline-colored bars matching the final content's approximate shape — never a spinner or branded loading animation.

Governing rule restated: Every motion instance must be traceable to a specific Phase 3/Phase 4 rationale (sequence-teaching, entrance pacing, or interactivity feedback). Before implementation,

each animation should be able to answer "what does this communicate?" — if the honest answer is "nothing, it just moves," cut it.

7. IMAGERY & MEDIA DIRECTION

Photography style: None on the Home page in the current content architecture, with one narrow exception permitted (Section 4's optional heavily-subdued textural background image, per Phase 4). If photography is introduced anywhere later, it must be: documentary, cool color temperature, texture/material-focused (metal, circuitry, precision components), never posed human subjects, never a wide "epic" establishing shot.

Product renders: Not used on the Home page at this stage (per Phase 4 notes — Section 3 uses a diagram, not a render, until a real product exists to show honestly). When introduced later on Products pages, renders should follow a clean CAD-like aesthetic: accurate proportion, subtle material shading, no dramatic lighting or environmental staging.

Technical diagrams: The Home page's primary visual asset class — used in Hero (schematic linework), Section 3 (the centerpiece pipeline diagram), and Section 5 (data/context visualization). All diagrams must share one consistent linework style: thin strokes (1–1.5px), --accent-signal for active/highlighted elements, --border-hairline or --text-secondary for inactive elements, Mono-face labels throughout.

Abstract graphics: Permitted only as extensions of the technical diagram system (e.g., the Hero's schematic element) — never generic "abstract tech" stock graphics (particle fields, glowing orbs, isometric blob shapes).

Iconography: Custom-drawn, geometric, thin-line (matching diagram stroke weight), used sparingly per Phase 4 (Capability card glyphs, optional Contact module icons). No filled icons, no icon sets sourced from generic libraries without modification to match the stroke system.

Video usage: Not called for anywhere in the approved Phase 4 content. If considered in future iterations, any video must be silent-autoplay-muted, short, loopable without a visible seam, and diagram/process-focused rather than cinematic b-roll — but this should be treated as a deliberate future decision, not a default addition.

Explicitly never appear: Stock photography of soldiers, generic "cyber" grid/matrix backgrounds, glowing brain/AI-head graphics, generic drone silhouettes unconnected to real Stravex work, flags or bordered maps, camouflage patterns, drop-shadowed floating UI mockup graphics, any stock icon set with inconsistent stroke weights or filled/outline mixing.

8. ACCESSIBILITY

Keyboard navigation: Every interactive element (nav links, CTAs, capability cards, contact modules, footer links) must be reachable via Tab in a logical DOM order matching visual order; skip-to-content link provided before the nav for screen-reader and keyboard users.

Screen readers: All diagram content (Hero schematic, Section 3 pipeline diagram, Section 5 data visualization) must have text-equivalent content available in the DOM — either via well-written alt text (for simple SVGs) or an adjacent visually-hidden text block describing the diagram's informational content (for complex multi-stage diagrams), never relying on the visual alone to convey

the diagram's meaning. Section headings must use real semantic heading tags (H1–H3) matching the hierarchy defined in Phase 4's SEO sections, not visually-styled <div>s.

Reduced motion: Every animation defined in Section 6 above must have a static-equivalent fallback triggered by prefers-reduced-motion: reduce — content must be fully present and correctly positioned in its final state with zero animation when this preference is set, with no information exclusively conveyed mid-animation (this was already a running constraint through Phases 3–4; this document formalizes it as a hard implementation requirement).

Contrast compliance: All text/background combinations verified against WCAG AA (4.5:1 body, 3:1 large text) as specified in Section 4; focus indicators must maintain 3:1 contrast against adjacent colors in all states.

Additional requirements: Minimum touch target size of 44×44px for all interactive elements on touch devices (relevant for Capability cards, Contact modules, and footer links on mobile); form fields (Contact page, referenced for system consistency) must have properly associated <label> elements, not placeholder-text-as-label.

9. RESPONSIVE STRATEGY

Governing principle: The narrative order defined in Phase 3 (the credibility ladder) never changes across breakpoints — only density, layout arrangement, and motion complexity adapt. No section is ever reordered, hidden, or truncated in a way that breaks the trust-progression logic.

Section	Desktop (1280px+)	Laptop (1024–1279px)	Tablet (768–1023px)	Mobile (< 768px)
1. Hero	Full asymmetric split	Split retained, schematic slightly reduced	Schematic repositions behind/below text at reduced opacity	Schematic simplified or omitted; typographic-only hero
2. Capability	5-across grid	5-across or considered 3+2	2-column grid	Single-column stack, hover-text shown by default
3. Featured Technology	7/5 split, full diagram animation	Split retained, diagram slightly simplified	Diagram stacks above copy	Diagram rebuilt as vertical sequence; full animation complexity reduced
4. Philosophy	Centered narrow measure	Same	Same, slightly reduced max-width	Full-width with generous side padding, vertical stack
5. Strategic Context	7/5 split	Same	Visualization stacks above/below copy	Visualization simplified to single clearest comparison

Section	Desktop (1280px+)	Laptop (1024–1279px)	Tablet (768–1023px)	Mobile (< 768px)
6. Proof/Activity	Horizontal row	Same	Same, may wrap to 2 rows	Vertical stack
7. News + Insights	Two equal columns	Same	Same or stacked (test both)	Stacked, Newsroom first
8. Segmented Contact	4-across	4-across or 2x2	2x2 grid	Single-column stack
9. Footer	4-column	Same	2x2	Single-column, fully expanded (no accordion)

Cross-breakpoint typography: Type scale reduces proportionally (H1 from 64–72px down to ~36–40px on mobile) but hierarchy relationships remain constant — H1 is always meaningfully larger than H2, which is always meaningfully larger than body text, at every breakpoint.

10. PREMIUM EXPERIENCE AUDIT

As the Apple Human Interface Team might critique: *"The system is disciplined, but discipline needs to be legible in the details, not just the big decisions. Are focus states, transition timing, and touch targets actually as considered as the color palette?"* — **Response:** Section 8 and the motion timing standardization in Section 6 exist specifically to answer this; the risk is in *implementation* fidelity, not the specification. Recommend a dedicated QA pass post-build specifically checking focus-state consistency and touch-target sizing, since these are the details most likely to slip during development even when specified clearly.

As Pentagram might critique: *"Where's the one design element that's unmistakably Stravex's, not just 'good dark-mode B2B design'?"* — **Response:** The monospace-label convention (Section 3) is the intended signature device, but it needs to be genuinely distinctive in execution — a generic monospace face used generically would fail this test. Recommend testing IBM Plex Mono specifically for its slightly more technical/engineering-document character versus a more neutral choice like Space Mono, and committing to using it *only* for labels/data (never body text) so it retains its signal value.

As Instrument might critique: *"A near-black background with a blue accent is a legitimate choice for this subject, but it's also the single most common choice in this category right now — what makes this instance not interchangeable with three competitors' sites?"* — **Response:** This is a fair risk given the frontend-design calibration concern about near-black-plus-single-accent being a current AI-generated-design default. The mitigation here is that the color choice isn't doing the differentiation work alone — the monospace label signature, the alternating-dominant-side layout rhythm, and the diagram-as-centerpiece strategy (rather than a generic hero product shot) are what should make this instance specific to Stravex. **Recommendation before build:** stress-test this by asking whether the page would still feel distinctly "Stravex" if the blue accent were swapped for a different restrained color — if yes, the differentiation is structural and typographic (good); if the whole identity collapses without that specific blue, the system is over-relying on color alone (a problem to fix before implementation).

As IDEO might critique: *"Has this been designed for how someone actually uses it, or how it looks in a specification document?"* — **Response:** The two genuine implementation risks are (1) the Section 3 diagram-build animation on mobile, which requires real design effort beyond "shrink the desktop version" as flagged in both Phase 4 and this document, and (2) the News/Insights column-order decision on tablet, explicitly left as "test both" above rather than presumed. Both should be resolved with actual prototyping, not spec-document reasoning alone, before this is considered final.

Overall assessment: The specification is internally consistent, accessible by design rather than as an afterthought, and structurally differentiated beyond its color palette — but the audit surfaces one honest structural risk worth naming directly: **a near-black-background-plus-desaturated-accent system is currently a very common "premium tech" default, including in AI-assisted design output.** The mitigations built into this system (monospace label signature, asymmetric alternating layout rhythm, diagram-led rather than photo-led centerpiece) are the actual differentiation — not the palette itself. Recommend treating those three mitigations as non-negotiable in implementation, since the color system alone would not be sufficient to make this feel distinctly Stravex if any of the three were cut for time during build.

End of Phase 5 deliverable. This design system and UX language should be treated as the inherited baseline for every remaining page (About, Products, Technologies, Team, News, Insights, Contact).

STRAVEX TECHNOLOGIES

Global Website Design System

Phase 6 Deliverable — Part 1 of 3

This document extends the Home page reference implementation (Phase 5) into a complete, page-agnostic system. All tokens defined in Phase 5 (color, type, spacing) are treated as the canonical source here — this document adds what Phase 5 didn't need to cover (mega menu, product/technology/news/insight card variants, tables, accordions, pagination, search, filters, breadcrumbs) and formalizes governance rules.

1. DESIGN PRINCIPLES

Core design philosophy: Stravex's digital presence is one continuous engineering document, not a collection of individually-designed pages. Every page a visitor lands on — whether from a Google search result, a press mention, or internal navigation — should feel unmistakably like the same organization built it, using the same discipline.

Consistency rules:

- No page introduces a new color, typeface, spacing value, or component variant without it being added to this system first. A one-off "just for this page" decision is the single fastest way this system erodes.
- Every component has exactly one canonical version per context. If a card needs a new field for a specific page (e.g., a Product card needing a spec-sheet download link that a News card doesn't), extend the component's defined variant system — don't create a parallel one-off card.

- Terminology stays fixed across the system: whatever a component or interaction is called in this document is what it's called in implementation, in code, and in any future design handoff.

Visual restraint: Every page inherits the Home page's core restraint principles — no gradients (excepting the one narrow Hero exception defined in Phase 5), no drop shadows, no filled/cartoon iconography, no decorative motion. Restraint is not a Home-page-specific choice; it is the system's identity.

Engineering-first aesthetics: Every page should pass the same test applied to the Home page: does this look like it was built by engineers who care about precision, or by a marketing team decorating a template? Technical diagrams, monospace labels for data/metadata, and hairline-bordered components should appear on every content-bearing page — a Products page or Technologies page that doesn't use these devices will feel like it belongs to a different company.

2. GRID SYSTEM

Extends the Home page grid (Phase 5, Section 2) as the fixed system-wide standard.

Breakpoint	Range	Columns	Container Max-Width	Gutter	Outer Margin
Desktop	1280px+	12	1280px (canvas up to 1440px)	24px	Fluid (min 48px)
Laptop	1024–1279px	12	1024px	24px	Fluid (min 32px)
Tablet	768–1023px	8	100%	20px	32px
Mobile	< 768px	4	100%	16px	20px

Spacing scale (fixed system-wide): 8 / 16 / 24 / 32 / 48 / 64 / 96 / 128 / 160px. No implementation may introduce a spacing value outside this scale. 160px is added at the system level (beyond Home page's max of 128px) for cases like Products/Technologies pages that may need larger separation between major page zones (e.g., between a hero and a dense filterable index).

Vertical rhythm: Section padding defaults to 96px top/bottom for standard content sections across all pages, matching the Home page's own standard (128px reserved for hero-equivalent zones and designated centerpiece sections only, consistent with the "one signature moment per page" principle established in Phase 3/5 — this applies system-wide, not just to Home).

Margins: Outer margins scale down predictably per breakpoint as shown above; no page may use a narrower outer margin than its breakpoint's defined minimum, even for full-bleed visual elements (full-bleed content should bleed intentionally past the container, not shrink the margin system itself).

3. TYPOGRAPHY SYSTEM

Extends the Home page type system (Phase 5, Section 3) with two additions needed for other pages: a Quote/Pull-quote role (used on About, Insights) and a Table/Data role (used on Products spec tables).

Role	Size (desktop)	Weight	Face	Line Height	Usage
Hero (H1-equivalent, page-level)	64–72px	Bold/Medium	Display	1.05	One per page, page-defining statement only
H1	48–56px	Medium	Display	1.1	Reserved for true page titles (e.g., "Technologies," "Products") when distinct from a Hero treatment
H2	40–44px	Medium	Display	1.15	Section headlines
H3	22–24px	Medium	Display	1.25	Card/module titles, sub-section headlines
Body Large	20px	Regular	Body	1.5	Intros, subheads
Body	16–17px	Regular	Body	1.6	Standard paragraph copy
Quote/Pull-quote	24–28px	Medium, italic optional	Display	1.4	About page narrative quotes, Insights article pull-quotes
Label/Eyebrow	12–13px	Medium, uppercase, 0.08em spacing	Mono	1.2	Section eyebrows, category tags
Metadata	13px	Regular	Mono	1.4	Dates, read-times, spec labels
Table/Data	14–15px	Regular (labels Medium)	Mono	1.5	Spec sheets, comparison tables
Button/CTA	15px	Medium	Body or Mono	1	All interactive labels

System rule: The Display face is used exclusively for H1–H3 and Hero — never for body copy, regardless of page. The Mono face is used exclusively for labels, metadata, and tabular data — never for headlines or body paragraphs. This strict role separation (not just a preference) is what keeps the monospace-label signature device meaningful across dozens of future pages rather than diluted.

4. COLOR SYSTEM

Extends the Home page palette (Phase 5, Section 4) as the fixed system-wide token set, with two additions needed beyond the homepage: a formal Status color set (for forms, filters, availability states) and explicit Dark Mode guidance (the system is dark-mode-native, so this section clarifies what that means going forward rather than describing a toggle).

Token	Value	Usage
--surface-primary	#0A0C0E	Primary background, all pages
--surface-secondary	#12151A	Card/panel differentiation
--surface-tertiary <i>(new)</i>	#1A1E24	Third-level differentiation for nested components (e.g., a filter panel within a Products page, or a table row hover)
--text-primary	#F2F3F4	Headlines, primary body
--text-secondary	#9AA1A9	Captions, metadata, secondary copy
--text-tertiary <i>(new)</i>	#6B7178	Disabled text, least-emphasis content (e.g., placeholder text, pagination inactive states)
--accent-signal	#4A90D9	Links, active states, primary interactive accent
--accent-alert	#C9973A	Reserved for centerpiece/signature moments only — one per page maximum
--border-hairline	#2A2E33	All dividers, card borders, table borders
--state-success <i>(new)</i>	#4A9D6E	Form success states, "available"/"active" status indicators
--state-error	#C25450	Form errors, validation failures
--state-warning <i>(new)</i>	#C9973A (shared with accent-alert — see governance note)	Cautionary states only, e.g., a filter returning no results

Governance note on --state-warning sharing a value with --accent-alert: This is a deliberate simplification rather than an oversight — introducing a fourth near-gold tone would fragment the palette without meaningfully improving clarity. Warning states are rare enough in this system's actual use cases (mostly filter/search empty states) that reusing the alert token is acceptable; if usage volume increases significantly on future pages, revisit as a dedicated token.

Background hierarchy: Primary → Secondary → Tertiary represents increasing "nearness" to an interactive/nested element, never decorative depth. A visitor should be able to infer "this is inside that" purely from which surface token is used, consistently, everywhere.

Accent hierarchy: Signal blue is the default and workhorse accent across every page. Alert gold remains reserved for exactly one centerpiece moment per page (mirroring the Home page's Featured Technology section) — Products pages might reserve it for a flagship product highlight, Insights might reserve it for a single "featured" article treatment. This scarcity is what preserves its meaning.

Interaction colors: Hover, focus, active, and disabled states follow the same rules defined in Phase 5 Section 4 system-wide — no page-specific hover treatment may deviate (e.g., no page may introduce a background-color-swap hover style where the system standard is border/text color change).

Status colors: New addition for system-wide use — success (form submitted, spec confirmed), error (validation failure), warning (empty state, caution). Status colors must always pair with text or icon reinforcement, never color alone, per accessibility requirements in Section 12.

Accessibility: All new tokens (`--surface-tertiary`, `--text-tertiary`, `--state-success`, `--state-warning`) must be verified against WCAG AA contrast minimums against `--surface-primary` and `--surface-secondary` before use in any implementation — this verification was not yet performed as part of this document and should be a required step before build.

Dark mode: The system is dark-mode-native — there is no light-mode variant planned or designed. This is a deliberate brand decision (consistent with the "industrial instrument panel" visual identity), not a partial implementation of a light/dark toggle. If a light mode is ever required for a specific future context (e.g., a printable spec sheet PDF), it should be treated as a distinct, separately-designed artifact rather than an inverted color-token swap of this system.

5. ICONOGRAPHY

Rules: All icons are custom-drawn or heavily modified from a base set to match the system's stroke weight and geometry — no unmodified use of a generic icon library (Font Awesome, Material Icons, etc.) in default form, since inconsistent stroke weights across a mixed icon set is one of the fastest ways a page reads as templated.

Sizes: Fixed icon size scale — 16px (inline with metadata/labels), 20px (inline with body text or buttons), 24px (standalone, e.g., capability card glyphs), 32px (larger standalone use, e.g., a Technologies page section marker). No arbitrary icon sizes outside this scale.

Stroke: 1.5px stroke weight at 24px size, scaling proportionally at other sizes (i.e., stroke weight is defined relative to icon size, not fixed in absolute pixels, so a 16px icon doesn't appear disproportionately heavy).

Filled vs. outline: Outline only, system-wide, with one narrow exception: a small solid dot or indicator (e.g., an active-status dot, a "new" indicator) may be filled, since these are functioning as status markers rather than pictorial icons.

Usage: Icons support labels; they never replace them. Every icon-bearing UI element (nav item, filter, card) must also carry a text label — icon-only controls are permitted only for universally-understood, space-constrained cases (e.g., a search icon, a close/X icon) and must always carry an aria-label even when visually icon-only.

Continued in Part 2: Component Library, Illustration Style, Image System.

STRAVEX TECHNOLOGIES

Global Website Design System

Phase 6 Deliverable — Part 2 of 3

This document continues directly from Part 1 (Design Principles, Grid, Typography, Color, Iconography). It assumes those tokens and rules as fixed and does not restate them. Part 2 defines the Component Library — the reusable building blocks every future page assembles from — plus the Illustration and Image Systems governing non-UI visual content.

6. COMPONENT LIBRARY — FOUNDATIONS

Before defining individual components, three cross-cutting rules govern every component in this section:

State completeness: Every interactive component must be specified across five states — default, hover, focus, active, disabled — before it is considered implementation-ready. A component shipped with only a default and hover state is incomplete, regardless of how polished those two states are.

Border over shadow: Consistent with Phase 5's no-drop-shadow rule, every component uses --border-hairline to establish edges and elevation is communicated only through surface token changes (--surface-primary → --surface-secondary → --surface-tertiary), never through shadow or blur.

Motion budget: Every component transition uses the Home page's defined easing and duration tokens (Phase 5, Section on Motion) — 150ms for micro-interactions (hover, focus), 300ms for structural changes (accordion expand, menu open). No component may introduce a bespoke easing curve or duration outside these two values.

7. NAVIGATION SYSTEM

Primary navigation bar:

- Fixed to viewport top, 72px height desktop / 64px mobile, --surface-primary background at 92% opacity with backdrop blur (the one permitted use of blur in the system, justified purely by legibility over scrolling content, not decoration).
- Logo left-aligned at the outer margin; primary nav items center-to-right; a single primary CTA ("Request Briefing" or context-equivalent) right-aligned, styled per Section 9.
- On scroll past 8px, the bar gains a 1px --border-hairline bottom border — this is the only visual change on scroll; no shrinking, no color inversion.

Primary nav items: Body-weight label, --text-primary default, --accent-signal on hover and active-route. Active-route state is indicated by text color plus a 2px underline in --accent-signal positioned 4px below the label baseline — never by background fill.

Mobile navigation: Collapses to a hamburger control at 24px icon size (Section 5 scale) beyond the Mobile breakpoint. Opens a full-viewport-height overlay panel on --surface-primary, sliding down from the nav bar (300ms, structural motion token). Mobile nav lists items in a single column at H3 size — this is the one context where H3 is used for navigation rather than card titles, justified because mobile nav functions as a page-level index at that viewport.

8. MEGA MENU

The mega menu is the primary information-architecture device for surfacing Technologies and Products depth without forcing a page navigation. It is the most structurally complex nav component in the system and the one most likely to be copied incorrectly if under-specified, so it is documented in full.

Trigger and structure:

- Triggered on hover (desktop) or tap (touch devices) from the "Technologies" and "Products" primary nav items only — no other nav item earns a mega menu; everything else is a direct link. This scarcity keeps the mega menu meaningful as "there is real depth here" signal.
- Opens as a full-width panel anchored to the nav bar's bottom edge, --surface-secondary background, 1px --border-hairline bottom edge, occupying the full container width (not full viewport bleed).
- Panel height is content-determined, not fixed — it should never scroll internally. If a future category list grows too long for this, that is a signal to restructure the IA, not to add internal scroll to the mega menu.

Internal grid: The mega menu uses its own 12-column sub-grid (matching the page grid, Section 2) split into three functional zones:

1. **Category rail** (left, 3 columns) — top-level category list (e.g., under Technologies: Detection, Interception, Autonomous Systems, Defence Electronics), Label/Eyebrow styling, one active state at a time, selection updates zone 2 without closing the menu.
2. **Item grid** (center, 6 columns) — the selected category's items as a 2-column grid of compact list entries: H3-scale item name plus one line of Body copy (max ~90 characters, truncated with ellipsis beyond that, never wrapping to a third line).
3. **Featured panel** (right, 3 columns) — one editorial slot per menu: a single image (16:9, per Section 15 image system), an Eyebrow label, and a short headline linking to either a flagship product/technology or a related Insight article. This is the mega menu's equivalent of the homepage's "one signature moment" rule — exactly one featured slot, never more.

Interaction rules: Menu closes on: click outside, Escape key, route navigation, or moving focus/hover entirely off both the trigger and panel. Keyboard users must be able to Tab through category rail → item grid → featured panel in that order, with visible focus rings using --accent-signal at 2px offset.

Governance note: Only Technologies and Products currently warrant a mega menu under the "real depth" scarcity rule above. If About, News, or Insights later develop enough sub-structure to seem to need one, treat that as a signal to revisit their information architecture rather than defaulting to reusing this component — a mega menu on every nav item dilutes the device into ordinary navigation.

9. CARD SYSTEM

All cards share a base structure — --surface-secondary background, 1px --border-hairline, no shadow, 24px internal padding at desktop (16px mobile) — and diverge only in content fields and metadata treatment. This shared base is what makes the system's cards feel related across completely different content types.

Base card interaction: Hover state changes the border color to --accent-signal at reduced opacity (never full-strength — full-strength border on hover is reserved for the one "featured" card variant per page, mirroring the accent-alert scarcity rule) and nothing else moves, scales, or lifts. No transform-based hover effects anywhere in the card system.

9.1 Product Cards

- **Fields:** Product name (H3), one-line category tag (Label/Eyebrow, e.g., "COUNTER-UAS"), a short capability summary (Body, 2-line clamp), a status indicator (filled dot per Section 5's icon exception, paired with a text label — "Operational," "In Development," "Classified Summary" — colored via Status tokens per Section 4), and an optional spec-sheet download affordance (icon + label, never icon-only).
- **Image:** 4:3 aspect, top-aligned, product photography or technical render per Sections 16–17 — never a generic stock illustration.
- **Variant — Flagship Product Card:** The one per-page --accent-alert-bordered variant, used exactly once on the Products page to surface the featured system, per the accent hierarchy scarcity rule from Part 1.

9.2 Technology Cards

- **Fields:** Technology name (H3), a longer descriptive paragraph than Product cards (Body, 3-line clamp, since technologies are explained rather than specced), and a small set of related-capability tags (Metadata style, Mono, comma-separated, not pill-shaped badges — pill/chip badges are not part of this system's visual language anywhere).
- **No status indicator** — technologies are not "in development" or "operational" the way products are; this field is deliberately absent rather than reused, to avoid implying a false equivalence between a technology domain and a fielded product.

9.3 News Cards

- **Fields:** Headline (H3), publication date (Metadata, Mono), a one-line dek (Body, 1-line clamp), and a category tag (Label/Eyebrow — "Press Release," "Announcement," "Media Mention").
- **Image:** 16:9, optional — unlike Product and Technology cards, a News card without an image is valid and common (many press mentions have no proprietary image to show); the card layout must degrade gracefully to a text-only compact card, not just hide a broken image slot.

9.4 Insight Cards

- **Fields:** Headline (H3), author name and read-time (Metadata, Mono, e.g., "8 min read"), a longer dek than News (Body, 2-line clamp), and a category tag matching the Insights taxonomy.
- **Image:** 16:9, required — Insights is the system's editorial/longform content type and always carries commissioned or technical-diagram imagery per Section 16; a missing image here is treated as an incomplete article, not a valid empty state.
- **Featured Insight variant:** Larger format (spans a 2-column-equivalent width in a grid of otherwise single-column cards), used for exactly one article at a time on the Insights index —

the same one-centerpiece rule as elsewhere, implemented here via layout scale rather than color, since Insights' editorial context makes a gold-border treatment feel more "sponsored content" than "flagship."

Cross-card rule: No card type may borrow another's status indicator, image aspect ratio, or clamp behavior. A Products page must never show a News-style text-only card, and an Insights index must never show a Product-style status dot — these are content-type signals, and blurring them undermines the "every component has exactly one canonical version per context" principle from Part 1, Section 1.

10. CTA COMPONENTS

Primary button: --accent-signal filled background, --surface-primary-colored text, no border. Reserved for the single most important action in a given context (nav bar CTA, a card's primary link, a form's submit action). Never more than one primary button visible in a single viewport at desktop width — a page section with two primary buttons side by side has failed to prioritize.

Secondary button: Transparent background, 1px --border-hairline, --text-primary label; border shifts to --accent-signal on hover. Used for all supporting actions ("Learn More," "View Spec Sheet," "Download PDF").

Tertiary / text link: No border, no background, --accent-signal text color with an underline that appears only on hover (never underlined by default — a permanently underlined text link reads as dated). Used for in-body links and card-level "Read More" affordances.

Icon-only button: Permitted only for the universally-understood cases named in Part 1 Section 5 (search, close). 40px hit target minimum regardless of visual icon size, per accessibility requirements in Section 12.

Button sizing: Two sizes only — Standard (44px height, used everywhere by default) and Compact (36px height, used only inside dense contexts like table row actions or filter chips). No third size; no per-page custom button heights.

11. TABLES

Tables are a signature device for Stravex (spec sheets, comparison data) and must read as technical instruments, not generic web tables.

Structure: No cell borders on interior columns — only horizontal --border-hairline rules between rows, and a slightly heavier (1.5px) rule beneath the header row. This produces the "instrument panel" read established in Part 1 rather than a boxed spreadsheet look.

Typography: Header row uses Label/Eyebrow styling (Mono, uppercase, letter-spaced); body cells use the Table/Data role defined in Part 1 Section 3, with row-label columns (leftmost, when the table has a leading label column) set in Medium weight to distinguish them from data values.

Row states: Zebra striping is not used — differentiation between rows comes only from the hairline rules, keeping visual density low. Hover state on data rows (when rows are interactive, e.g., linking to a full product page) shifts row background to --surface-tertiary, nothing else.

Numeric alignment: All numeric columns are right-aligned; all text columns are left-aligned; unit labels (kg, km/h, GHz) are set in `--text-secondary` immediately following the value, same cell, never in a separate column.

Responsive behavior: Below Tablet breakpoint, tables do not compress columns — they convert to a stacked card-per-row layout, with each former column rendered as a label/value pair. Horizontal scroll on data tables is not used anywhere in the system; it is treated as a failure state to design around, not an acceptable fallback.

12. ACCORDIONS

Used for FAQ-style content, spec sheet detail expansion, and long-form Insight article sections.

Closed state: Header row only — H3 or Body Large-scale title (context-dependent, specified per page), a rotating chevron icon (20px, per Section 5 scale) on the right, 1px `--border-hairline` beneath each header whether open or closed.

Open state: Chevron rotates 90° (300ms, structural motion token — accordions are structural, not micro-interactions). Content area expands with a height auto-animation, not a fade — content should feel like it is physically revealed, not appearing atop the layout.

Single vs. multi-open: Default behavior is multi-open (multiple accordion items may be expanded simultaneously) except in spec-sheet contexts, where single-open (expanding one collapses any other) is used because spec categories are mutually exclusive by nature. This distinction must be explicit per implementation — defaulting to the wrong mode is a common accordion bug.

13. SEARCH

Trigger: Icon-only control (per Section 10's icon-only exception) in the nav bar, opening a full-width overlay panel — not a dropdown, not a separate page — consistent with the mega menu's full-width panel pattern, so the system has exactly one "large overlay from nav" pattern rather than two competing ones.

Input field: Large-scale (Body Large, 20px) input, no visible border box — just a `--border-hairline` bottom rule that shifts to `--accent-signal` on focus. Placeholder text in `--text-tertiary`.

Results: Grouped by content type (Products, Technologies, News, Insights) using Label/Eyebrow group headers, each result rendered as a compact single-line entry (title plus content-type icon, 16px scale) rather than full cards — search results are a scanning context, not a browsing context, so they intentionally do not reuse the Card System.

Empty query state: Before any input, the panel may show a short list of suggested/popular queries or top-level sections — never left visually blank, since a large empty overlay reads as broken rather than restrained.

No-results state: Follows the Empty State pattern in Section 14, using the `--state-warning` token per Part 1's status color rules.

14. FILTERS, EMPTY STATES, AND LOADING STATES

Filter panel: Used on Products and Technologies index pages. Rendered on `--surface-tertiary` (the third-level differentiation token from Part 1 is used specifically for this case) to visually nest it beneath the page's primary content. Filter categories use checkboxes (never toggle switches, which imply an on/off system setting rather than a content filter) with counts shown in Metadata style beside each option.

Filter chips: Active filters appear as removable chips above the results grid — Compact button sizing (Section 10), `--border-hairline` border, an inline "x" affordance with an aria-label of "Remove filter: [name]." A "Clear all" tertiary-link action appears once two or more chips are active.

Empty states (no results): Centered within the content area — never full-page — consisting of an outline icon (32px scale), a short Body headline ("No systems match these filters"), one line of supporting Body copy, and a single secondary-button action to reset filters. No illustration is used here; per Section 15, the illustration system is reserved for narrative/editorial contexts, not utility states.

Loading states: Skeleton loading only — no spinners, no progress bars, anywhere in the system. Skeletons use flat `--surface-tertiary` blocks matching the exact dimensions of the content they will replace (card image, headline, metadata line), fading to full opacity on load (150ms, micro-interaction token) rather than a shimmer animation, keeping the system's no-decorative-motion rule intact even in loading states.

15. PAGINATION AND BREADCRUMBS

Pagination: Numeric, not "Load More" or infinite scroll — consistent with the system's instrument-panel, deliberate-navigation character (an engineering audience reviewing a spec index should be able to reference "page 3" precisely). Current page indicated by `--accent-signal` text color and a bottom underline matching the nav's active-route treatment (Section 7), for consistency of "this is where you are" signaling across the system. Inactive/unavailable page numbers beyond range use `--text-tertiary`.

Breadcrumbs: Metadata-scale, Mono, `--text-secondary`, separated by a thin forward slash glyph (not a chevron icon — breadcrumbs are treated as a textual, not iconographic, wayfinding device in this system). Current page segment is `--text-primary` and not a link. Breadcrumbs appear only on second-level-and-deeper pages (e.g., an individual Product detail page, an individual Insight article) — never on the eight top-level IA pages themselves, which have no ancestor to show.

16. FORMS

Field structure: Label above input (never inline/floating labels — floating labels that shift on focus read as a lighter-weight consumer pattern inconsistent with the system's instrument character), Body-scale label in `--text-secondary`, input in `--text-primary` on `--surface-secondary` with a `--border-hairline` border that shifts to `--accent-signal` on focus.

Validation: Inline, on blur (not on every keystroke) — error state adds a `--state-error` border plus a Metadata-scale error message beneath the field, always paired with a small inline icon per Part 1's "never color alone" accessibility rule. Success state (e.g., a confirmed valid field in a multi-step form) uses `--state-success` under the same pairing rule.

Required fields: Marked with a small asterisk in --accent-signal immediately after the label — no "(required)" text suffix, keeping labels visually clean at the density this system favors.

Submission: Primary button (Section 10), disabled state (per the five-state rule in Section 6) while a request is in flight, using the Loading State skeleton logic adapted to button context — label text is replaced by a static "Submitting..." state rather than a spinner icon, keeping the no-spinner rule consistent even at component-internal scale.

Contact/Request Briefing form specifically: Given Stravex's context, this form should default to fewer, higher-signal fields (organization, role, nature of inquiry, message) rather than a long qualification form — an engineering-credible posture treats the inbound inquiry itself as the qualification, not a lengthy gate.

17. ILLUSTRATION SYSTEM

Philosophy: Illustration in this system is diagrammatic, not decorative. Every illustrative element should look like it was extracted from an engineering document — a system schematic, a sensor coverage diagram, a signal-path drawing — never a friendly abstract blob-and-gradient style common to generic tech marketing sites.

Line-based diagrams: 1.5px stroke (matching the icon system's stroke weight, Part 1 Section 5, so diagrams and icons feel like one family), --border-hairline or --text-secondary for structural lines, --accent-signal reserved for the one highlighted path/node per diagram that the surrounding copy is specifically pointing to. No fills except flat --surface-secondary/--surface-tertiary for depth-indicating planes (e.g., a top-down sensor coverage diagram showing overlapping detection zones as flat tonal shapes, not gradient-shaded).

Annotation style: Diagram labels use the Label/Eyebrow and Metadata type roles exclusively (Mono, small scale) with thin leader lines connecting label to diagram feature — never large callout text or speech-bubble-style annotation boxes.

Where illustration appears: Technologies pages (explaining how a detection or interception system functions), Insights articles (supporting technical explanation), and select homepage capability-matrix cards (per Phase 5). Illustration does not appear in utility contexts — filters, forms, empty states, pagination — per Section 14's explicit exclusion.

18. TECHNICAL DIAGRAM SYSTEM

Distinct from general illustration, technical diagrams are the system's highest-credibility visual device and warrant their own stricter rules, since an inaccurate or sloppy technical diagram does more brand damage than almost any other visual mistake this system could make.

Types: System architecture diagrams (block-and-connector), signal/sensor coverage diagrams (radial or top-down), process/sequence diagrams (left-to-right or top-to-bottom flow), and comparative spec diagrams (paired with Table system data, never replacing it).

Accuracy governance: No technical diagram may imply a capability, range, or specification not confirmed by engineering — this is a content-governance rule, not a visual-design rule, but it belongs in this document because the visual system is precise enough that an approximate or illustrative-only diagram will be read by a technical audience as a literal claim. Diagrams should carry a small

Metadata-scale disclaimer ("Illustrative — not to scale" or equivalent) whenever they are not engineering-verified to exact specification.

Construction: Built on the same grid system as the page layout (Section 2) — nodes and connectors snap to the 8px spacing scale — so diagrams feel structurally related to the page around them rather than dropped in as external artwork.

Color use: Maximum one --accent-signal highlight path per diagram, consistent with the "one thing to point at" rule already established for the illustration system generally.

19. IMAGE SYSTEM

Aspect ratios (fixed set): 16:9 (hero/featured contexts, News/Insight cards), 4:3 (Product cards, general content imagery), 1:1 (team/personnel photography only). No other aspect ratio is used anywhere in the system — a page introducing a new crop ratio for a single hero image is exactly the kind of one-off decision Part 1, Section 1 warns against.

Treatment: Desaturation is used consistently across all photographic content — a slight cool-toned grade (consistent with the graphite/signal-blue palette) rather than full color, so photography never visually competes with the UI's own restrained palette. No color grading imitates a specific film stock or heavy vignette; the desaturation is a subtle brand-consistency device, not a stylistic filter.

Overlays: Where text must sit atop an image (hero contexts), a flat --surface-primary gradient overlay is used at the image's lower third only — this is treated as the same narrow gradient exception carved out in Phase 5 for the Hero, not a general license to gradient-overlay any image.

Placeholder/loading: Follows the Loading States rule in Section 14 — flat skeleton block matching final aspect ratio, never a blurred low-res preview (a "blur-up" placeholder technique, while common on marketing sites, reads as a decorative flourish inconsistent with this system's restraint principle).

20. PHOTOGRAPHY GUIDELINES

Subject matter priorities: Engineering environments (labs, test ranges, integration facilities), hardware in context (a system being handled, tested, or deployed — never posed against a white studio background), and personnel in genuine working context (not corporate headshot styling) rank above staged "team high-fiving" or generic office photography.

Composition: Favor wide, environmental framing that shows scale and context over tight product-only crops — an engineering audience reads environmental context (test facility, integration bay) as a credibility signal, not clutter.

What to avoid: Stock photography of generic "futuristic technology" (blue holographic overlays, glowing circuit-board close-ups, disembodied hands touching screens) is explicitly excluded — this imagery is a strong negative signal for exactly the engineering-credible audience this system targets, and is one of the fastest ways a defence-tech site reads as unserious.

Security/classification awareness: Any photography involving actual hardware, facilities, or personnel must be cleared through the same review process as written technical content — the image system's credibility depends on never publishing something that later has to be retracted, which is a far worse trust outcome than being visually sparse in the meantime.

21. RENDERING GUIDELINES

Covers 3D/CAD-derived product renders, distinct from photography, used where real product photography isn't yet available (early-stage systems) or where a clean technical view is more informative than a photo (e.g., an exploded-view render showing internal subsystems).

Style: Renders should read as engineering CAD output, not marketing-grade hero renders — matte, low-reflectivity material shading, neutral studio lighting, --surface-secondary-toned or transparent backgrounds so the render sits naturally on the page rather than looking like an imported stock 3D asset.

Consistency with photography: Renders receive the same desaturation treatment as photography (Section 19) so a page mixing real photography and renders (common for early-stage products) doesn't visually fracture — a visitor should not be able to tell, from color treatment alone, which images are photos and which are renders.

Labeling: Any render must carry a Metadata-scale "Render" or "Concept render" label, distinct from the technical-diagram disclaimer in Section 18 — this is a content-honesty rule: a render depicting a system not yet physically built must never be presented in a way that could be mistaken for a photograph of a fielded product.

Exploded/cutaway views: Follow the Technical Diagram System's annotation rules (Section 18) when labeling internal components — Mono/Metadata leader-line labels, not marketing-style callout boxes.

Continued in Part 3: Motion & Interaction Specification, Content Governance Model, Page Templates, Accessibility Compliance Detail, and Implementation Handoff Checklist.

STRAVEX TECHNOLOGIES

Global Website Design System

Phase 6 Deliverable — Part 3 of 3 (Final)

This document completes the Global Website Design System, continuing directly from Part 2's Component Library and Image System. Part 3 shifts from individual components to system-level governance: how the system moves, how it adapts across breakpoints, how it remains accessible, how it is maintained over years rather than months, and how every future release is checked against it. Where Parts 1 and 2 answer "what is this component," Part 3 answers "how does the system stay a system."

22. MOTION LANGUAGE

Global motion philosophy: Motion in this system exists to clarify state changes, never to entertain. Every animation should answer a specific question a visitor might otherwise have to guess at — "did that click register," "where did this panel come from," "is this still loading" — and nothing should

move simply because motion is available. This is the same restraint principle from Part 1, Section 1, applied to time rather than space.

Animation hierarchy: Three tiers, each with a fixed duration and a fixed purpose. No animation in the system falls outside these three tiers.

Tier	Duration	Easing	Purpose	Examples
Micro	150ms	ease-out	Acknowledging input	Button hover, link underline, focus ring, form field border
Structural	300ms	ease-in-out	Revealing or reorganizing layout	Accordion expand, mega menu open, mobile nav overlay, filter panel toggle
Narrative	400–600ms	ease-out	Introducing new content into view	Scroll-triggered section reveals, image fade-in on load

No fourth tier is introduced for any future component. If a new component seems to need a duration outside these three, the correct response is to identify which tier it actually belongs to, not to add a tier.

Scroll interactions: Scroll-triggered reveals (established on the Home page, Phase 5) extend system-wide with one fixed rule: elements fade and translate upward a maximum of 16px — never more, regardless of element size — and trigger once per element per page load, never re-triggering on scroll-back-up. This keeps long content pages (Insights articles, Products index) from feeling like they are constantly "performing" as a visitor scrolls through them repeatedly.

Hover behaviours: Consistent with Part 2's card and button specifications — border/text color shifts only, no transform (scale, translate, rotate) on hover anywhere in the system. This is worth restating at the governance level because transform-on-hover is one of the most common unauthorized additions a developer might reach for by default; it is explicitly out of scope, not merely unspecified.

Page transitions: No full-page transition animation (fade-through, slide, wipe) between routes. Page changes are instant, with the new page's own scroll-triggered reveals (Narrative tier) providing the sense of arrival. This decision prioritizes perceived performance and the instrument-panel character over a cinematic feel — a defence-engineering audience should experience navigation as immediate, not as a produced sequence.

Loading behaviour: Governed fully by Part 2, Section 14 — skeleton-only, no spinners. At the system level, the rule extends to any future async operation (form submission, search, filter application): the loading affordance is always a static-shape placeholder or a disabled-state label change, never a rotating or pulsing indicator.

Micro-interactions: Beyond hover/focus, the system permits exactly one additional micro-interaction class — state-confirmation flashes (e.g., a brief --state-success border pulse on a successfully submitted form field). Even this is a single opacity/color animation at Micro-tier duration, never a bounce, shake, or scale effect.

Motion timing governance: All duration and easing values in this section are implemented as shared tokens (e.g., --motion-micro, --motion-structural, --motion-narrative), never as hardcoded per-component values — this is what allows the entire system's motion feel to be tuned once, system-wide, if ever needed, rather than hunted down component-by-component.

Reduced motion support: Every Narrative-tier and Structural-tier animation must have a prefers-reduced-motion fallback that replaces the animation with an instant state change (opacity/position set directly, no transition). Micro-tier interactions (hover, focus) may remain, since they are brief enough not to constitute the kind of motion this preference is designed to protect against. This is a hard requirement, not a nice-to-have — it is treated with the same weight as a color contrast failure in the QA checklist (Section 27).

23. RESPONSIVE BEHAVIOUR

Extends the four breakpoints fixed in Part 1, Section 2. This section defines behavior, not just resizing, for every major component category.

Navigation: Desktop/Laptop shows the full primary nav inline with mega menu support (Part 2, Section 8). Tablet collapses secondary nav items into an overflow "More" control while keeping primary items (Technologies, Products, About) inline, since Tablet width can support a partial nav without full collapse. Mobile collapses entirely to the hamburger + full-viewport overlay pattern (Part 2, Section 7) — there is no intermediate "partial hamburger" state.

Mega menu: Desktop/Laptop only, per Part 2's three-zone panel. On Tablet, the mega menu simplifies to a single-column expandable list (category names as accordion headers, items nested beneath) rather than attempting the three-zone grid at reduced width — the featured panel (Part 2, Section 8, zone 3) is dropped entirely at this breakpoint rather than compressed, since a compressed featured image loses its purpose. On Mobile, Technologies and Products become standard nested nav entries within the mobile overlay — no mega-menu-style treatment survives to mobile.

Cards: Product, Technology, News, and Insight cards render in a grid at Desktop/Laptop (column count varies by card type and page, but always follows the 12-column grid), collapse to 2-column at Tablet, and stack to single-column at Mobile. Image aspect ratios (Part 2, Section 19) never change across breakpoints — only the card's overall width changes, keeping visual consistency between a Desktop and Mobile view of the same content.

Tables: Desktop/Laptop/Tablet render as true tables per Part 2, Section 11. Below Tablet, tables convert to the stacked label/value card format specified there — this is restated here because it is the single most consequential responsive rule in the system: a spec table that horizontally scrolls on mobile would undermine the "instrument panel, not spreadsheet" positioning at exactly the moment (mobile research, likely from a press or procurement contact) it matters most.

Timelines: (Used on About page, company history; and potentially future Insights long-form content.) Desktop/Laptop render as a horizontal timeline with a fixed spine and alternating above/below event markers. Tablet and Mobile convert to a vertical timeline with a left-aligned spine and all events on a single side — never a horizontally-scrolling timeline on touch devices, consistent with the no-horizontal-scroll rule established for tables.

Forms: Field layout is single-column at every breakpoint except Desktop, where paired short fields (e.g., First Name / Last Name) may sit side-by-side within a single 12-column row. This is a deliberate simplification — multi-column form layouts are a common source of confusing tab-order bugs, and this system's engineering-audience forms are short enough (Part 2, Section 16) that single-column-by-default costs little.

Filters: Desktop/Laptop show the filter panel persistently alongside results (per Part 2, Section 14's --surface-tertiary nested panel). Tablet and Mobile move filters behind a "Filters" trigger button that opens the same panel as a full-viewport overlay (reusing the mobile nav's overlay pattern rather than inventing a new one) with a persistent "Apply" primary button and result count shown live on that button (e.g., "Show 42 results").

Search: The full-width overlay pattern (Part 2, Section 13) holds at every breakpoint down to Mobile, where it becomes full-viewport rather than full-container-width — width, not structure, is what changes.

Footer: Desktop/Laptop uses a multi-column layout (site map columns + a final column for contact/social). Tablet collapses to two columns. Mobile stacks all footer content into a single column with each site-map group rendered as its own mini-accordion (per Part 2, Section 12's accordion component) to avoid an excessively long unbroken scroll of links at the very bottom of every page.

24. ACCESSIBILITY

WCAG target: WCAG 2.1 Level AA across the entire system, no exceptions carved out for any page type — a defence-technology audience skews toward procurement, government, and technical reviewers, several of whom operate under their own accessibility compliance mandates; AA is a floor, not an aspiration, for this specific audience.

Color contrast: Every text/background pairing in Part 1's color system must meet AA contrast minimums (4.5:1 for body text, 3:1 for large/heading text) at the point of implementation — restated here as a governance requirement because Part 1 flagged several new tokens (--surface-tertiary, --text-tertiary, --state-success, --state-warning) as not yet contrast-verified. That verification is a release-blocking task, not an optional follow-up, and belongs on the QA checklist in Section 27.

Keyboard navigation: Every interactive element in the system (nav items, mega menu zones, cards with links, filter checkboxes, accordion headers, form fields, pagination controls) must be reachable and operable via Tab/Shift+Tab/Enter/Space/Escape alone, with a visible focus indicator at every stop. Tab order must follow visual/reading order — no component may rely on a tabindex sequence that jumps illogically across the layout.

Focus management: Any component that opens an overlay (mega menu, mobile nav, search, filter overlay on Tablet/Mobile) must trap focus within that overlay while open and return focus to the triggering element on close. This is a common accessibility failure point specifically for exactly the kind of full-panel overlays this system relies on heavily (Sections 7, 8, 13, 23), so it is called out explicitly rather than assumed.

Screen reader behaviour: Icon-only controls always carry an aria-label (per Part 1, Section 5). Status indicators (Part 2, Section 9.1's filled-dot pattern) must expose their status as text to assistive technology, not rely on the dot's color alone — this was already required by the "never color alone" rule in Part 1, Section 4, and is restated here as a testable accessibility requirement. Live regions (aria-live="polite") should announce filter result counts updating and form validation messages appearing, since these are state changes a screen reader user would otherwise have no way to detect.

Touch targets: Minimum 44×44px for any tappable element on touch viewports (Tablet and Mobile), including icon-only buttons where the visual icon may be smaller — the touch target extends beyond

the icon's visual bounds rather than shrinking the icon to fill 44px, keeping the icon scale consistent with Part 1, Section 5 regardless of hit-area size.

Reduced motion: Governed fully by Section 22 above; included here as a cross-reference because it is as much an accessibility requirement as a motion-design one.

Semantic HTML: Navigation uses `<nav>`, primary content uses `<main>`, card grids use appropriately labeled `<section>` or `<ul>/<li>` structures (list semantics for card grids specifically, since a grid of Products or Insights is structurally a list), and heading levels (H1–H3 from Part 1's type system) must map to actual `<h1>–<h3>` elements in document order — the type system's visual hierarchy and the document's semantic hierarchy must always match; a component styled as an H3 for visual reasons on a page that already has its true H2 elsewhere must not skip to an `<h4>` merely to "look right" visually while breaking the semantic outline.

ARIA guidance: ARIA roles/attributes are used only to fill gaps native HTML cannot express (e.g., `aria-expanded` on accordion headers, `aria-current="page"` on active nav/breadcrumb items, `aria-live` regions above) — never as a substitute for using the correct native element in the first place. A `<div>` styled as a button and given `role="button"` is acceptable only when a native `<button>` genuinely cannot be used; the default is always the native element.

25. DESIGN GOVERNANCE

Component governance: No component may be created, forked, or meaningfully varied outside this document without the variation being added back into the system documentation first — this is Part 1, Section 1's consistency rule, restated here as an enforceable process rather than a principle. In practice: a designer or engineer who finds themselves needing "a card that's almost like a Product card but with one extra field" adds that field as a documented variant (Part 2, Section 9's pattern for Product-card-specific fields) rather than shipping a one-off.

Naming conventions: Component names in design files, code, and documentation must match exactly — "Product Card," not "ProductCard," "product-card," and "Product Tile" existing as three names for the same thing across three contexts. This document's naming (Sections 7–21) is the canonical vocabulary; any renaming during implementation must be reflected back into this document, not silently diverge from it.

Versioning philosophy: This design system versions as a whole document (v1.0 at the completion of Part 3), not per-component. A future addition (e.g., a new card type for a Microsite context, Section 26) becomes v1.1 with a changelog entry, added as a new section or subsection rather than editing prior sections' meaning retroactively. Prior version numbers are never reused, and a component's behavior at v1.0 should remain reconstructable even after v1.3 changes it — this matters for a system with hundreds of future content pages that may have been built against different point-versions.

Design review checklist: Every new page or component proposal is checked against, in order: (1) does an existing component already serve this need — if yes, use it; (2) if not, does an existing component serve this need with a documented variant — if yes, extend it; (3) only if neither applies, is a genuinely new component justified, and if so, it is documented in this system before or alongside its first implementation, never after.

Content consistency: Voice, tone, and vocabulary rules from the Brand Strategy & Messaging Framework (completed phase) apply to every future page without exception — Products, Technologies, News, and Insights copy must all read as one organization's writing, not four different content teams' output. Headline construction follows the headline system already established; no page invents a new headline pattern.

Visual consistency: Enforced structurally by Parts 1 and 2's token system — the actual governance mechanism is that no implementation should ever contain a raw hex value, raw pixel spacing number, or raw font-size where a token already exists for that purpose. A code review that finds a hardcoded #4A90D9 instead of var(--accent-signal) has found a governance violation, not just a style nitpick.

Motion consistency: Enforced the same way — no raw millisecond duration or custom easing curve outside the three motion tokens defined in Section 22.

Documentation standards: Any future addition to this system follows the same documentation pattern established across all three parts: state the rule, state the reasoning behind the rule (not just the rule itself), and state the scarcity or governance note where the rule involves a "use sparingly" or "exactly one per X" constraint. A rule without stated reasoning is much more likely to be silently violated by someone who doesn't understand why it exists.

26. FUTURE SCALABILITY

New products and technologies: Fully supported without redesign — both are card- and detail-page-driven content types (Part 2, Sections 9.1–9.2) with fields, not layouts, that vary per item. Adding the 50th Product or the 20th Technology domain requires zero new component design, only content entry.

Additional business units: If Stravex expands into a distinct business unit with its own identity needs (e.g., a civilian/commercial spinoff), the recommended path is a **sub-brand token layer** — a small set of additional color/type tokens that inherit the core system's structure (grid, spacing, motion, component shapes) while substituting an accent identity, rather than a parallel design system. This preserves "one continuous engineering document" (Part 1, Section 1) at the parent-brand level even where a sub-brand needs to differentiate.

International expansion: The type system (Part 1, Section 3) should be re-verified for non-Latin scripts before any localized launch — the Display face's suitability for Hero/H1 treatments in a language with a different script density (e.g., a Devanagari or CJK localization) is not guaranteed by this document and must be a dedicated verification step, not an assumption. The 8px spacing scale and grid system are script-agnostic and require no change. RTL language support (if ever required) would need mirroring rules added for nav, breadcrumbs (Section 15), and card layouts — this is flagged as a known gap rather than a solved one.

New editorial sections: News and Insights are already structured as independent, parallel content types (per the IA decision to keep them separate, Part 1's originating phase) specifically so a third editorial vertical (e.g., a future "Research Papers" or "Case Studies" section) can be added as a sibling content type reusing the Insight Card pattern with its own category taxonomy, rather than requiring new IA-level surgery.

Hundreds of News/Insights articles: The Pagination system (Section 15/Part 2, Section 15) and the filter/search systems (Part 2, Sections 13–14) are explicitly built for index-at-scale, not for a handful of items — numeric pagination over infinite scroll was chosen partly for this reason (a hundreds-deep press archive benefits from precise navigation, not endless scrolling). No component in this system assumes a small content volume.

New navigation items: Any new top-level nav item defaults to a standard link (Section 7); it earns a mega menu only if it develops the same "real depth" (Part 2, Section 8's governance note) that justified Technologies and Products — this prevents nav complexity from growing unchecked as the IA expands.

Additional landing pages: (e.g., a campaign or event-specific landing page.) These should be built entirely from existing components — hero pattern from the Homepage, cards from Part 2, CTAs from Section 10 — with zero new component invention. A landing page that needs a genuinely new component is a signal to re-examine the campaign's content strategy, not the design system's coverage.

Future microsites: (e.g., a distinct product-line microsite with heavier narrative/marketing needs than the main site.) The recommended approach mirrors the business-unit guidance above — inherit grid, spacing, motion, and core tokens; permit a wider narrative/illustration latitude if genuinely justified by the microsite's distinct purpose, but document any such deviation as an explicit, approved exception rather than an organic drift.

27. DEVELOPER NOTES

Token usage: All color, spacing, typography, and motion values ship as CSS custom properties (or the equivalent design-token format for the chosen implementation stack) exactly as named throughout Parts 1–3. Component code should never reference a raw value where a token exists — this is the single highest-leverage engineering practice for keeping the system maintainable, since it means a future token change propagates everywhere automatically rather than requiring a find-and-replace across the codebase.

Component inheritance: The Card System (Part 2, Section 9) should be implemented as one base Card component with content-type-specific field configurations (Product, Technology, News, Insight), not as four independent components — this mirrors the design-level relationship described in Part 2 and prevents the four card types from drifting out of visual sync as each is maintained independently over time.

Layout consistency: The 12-column grid (Part 1, Section 2) should be implemented as a shared layout primitive (a Grid/Container component) used by every page — no page should hand-roll its own column math. This is what guarantees a Products page and an Insights page align identically at every breakpoint without manual verification.

Performance considerations: Image-heavy pages (Products, Technologies, Insights index) should lazy-load below-the-fold card images by default, paired with the Skeleton loading pattern (Part 2, Section 14) as the pre-load state — this keeps the no-spinner rule intact even under real network conditions rather than only in the design mockup. Technical diagrams and illustrations (Sections 17–18), being vector/line-based, should be implemented as inline SVG rather than raster images wherever possible, both for crispness at any zoom level (relevant for a technically detailed audience who may zoom in on a diagram) and for smaller file size than an equivalent raster export.

Progressive enhancement: Core content (product specs, article text, navigation links) must be present and readable without JavaScript — scroll-triggered reveals, the mega menu's hover behavior, and search overlay are enhancements layered on top of a functional, semantic HTML base, not a replacement for it. This matters concretely for this audience: some procurement and government reviewers operate on locked-down, JavaScript-restricted browsing environments, and the site's core informational value must not depend on avoiding that case.

Maintainability: Any engineer implementing a new page should be able to build it entirely from this document and the existing component library without needing to ask a designer what something should look like — that is the practical test of whether this system has succeeded as documentation. Gaps discovered during implementation should be resolved by extending this document (per Section 25's governance process), not by improvising silently.

28. DESIGN QA CHECKLIST

To be run before every release that touches a page governed by this system.

Visual hierarchy

- ☐ Exactly one Hero-or-H1-equivalent treatment per page
- ☐ No more than one --accent-alert centerpiece element per page
- ☐ Heading scale (H1→H2→H3) used in correct descending order, no skipped levels for visual convenience

Consistency

- ☐ No raw hex/px/ms values in implementation — tokens only
- ☐ No new component variant introduced without a corresponding update to this document
- ☐ Card, table, and CTA components match their canonical Part 2 specification exactly

Accessibility

- ☐ All new/changed tokens contrast-verified at AA against their actual usage background
- ☐ Full keyboard pass completed (tab order, focus trapping on overlays, visible focus rings)
- ☐ prefers-reduced-motion fallback verified for every Structural/Narrative animation on the page
- ☐ Touch targets ≥44×44px verified at Tablet/Mobile

Responsiveness

- ☐ All four breakpoints checked, not just Desktop and Mobile
- ☐ No horizontal scroll introduced on any table, timeline, or content region
- ☐ Mega menu / filters / search degrade per Section 23's specified breakpoint behavior, not an ad hoc simplification

Performance

- [] Below-the-fold images lazy-loaded
- [] Skeleton loading states present for any async content, no spinners introduced
- [] Technical diagrams/illustrations implemented as SVG, not raster, where feasible

Interaction quality

- [] No transform-on-hover anywhere
- [] Motion durations match one of the three defined tiers exactly
- [] Page transition remains instant (no full-page transition animation introduced)

Brand consistency

- [] No stock "futuristic tech" imagery (per Part 2, Section 20's exclusions)
- [] Photography/renders carry correct desaturation treatment and, if a render, the required "Concept render" label
- [] Copy voice/tone matches the approved Messaging Framework

Technical accuracy

- [] Any technical diagram cleared for accuracy or carrying an "Illustrative — not to scale" disclaimer
- [] No specification, range, or capability claim implied visually beyond what engineering has confirmed

Editorial consistency

- [] News vs. Insights content correctly typed (card style, taxonomy) — no cross-contamination of the two content types
- [] Featured/centerpiece article selection follows the one-per-index scarcity rule

29. FINAL SYSTEM AUDIT

A review of Parts 1–3 as a completed whole, surfacing what remains open rather than re-approving what's settled.

Missing areas, flagged for future documentation (not blocking, but should not be forgotten):

- **Team/personnel page components** — the 1:1 photography aspect ratio is specified (Part 2, Section 19) but a dedicated Team/bio card component was never fully specified in the Card System (Part 2, Section 9). This should be added as a fifth card type before the Team page is built, following the same base-card inheritance model.
- **Careers-specific components** (job listing cards, application CTAs) are not covered anywhere in Parts 1–3 and were not part of the original eight-page IA's explicit scope in this design-system phase; they'll need their own short extension before that page is implemented, likely reusing News-card-style list entries.

- **404/error page** treatment is not specified — a system this deliberate about empty states (Part 2, Section 14) should not leave the site's actual error page to default browser behavior or an off-system design.
- **Non-light-mode PDF/print stylesheet** — Part 1, Section 4 flagged that a printable spec-sheet artifact should be treated as separately designed rather than an inverted token swap, but no such artifact has actually been scoped. Given this audience's likely need to circulate printed spec sheets, this is a real near-term gap, not a theoretical one.

Potential inconsistencies identified on review:

- Part 1 assigns `--state-warning` the same value as `--accent-alert` "with a governance note to revisit if usage increases" — Part 2 then uses `--state-warning` for the Search no-results state (Section 13) and the Filter empty state (Section 14), which is two real, systemic use cases, not the "rare" volume Part 1 anticipated. **Recommendation:** promote `--state-warning` to its own token value now, before more components accumulate against the assumption that it's a rare, shared case.
- The Featured Insight card variant (Part 2, Section 9.4) achieves emphasis through layout scale rather than the `--accent-alert` border used by every other centerpiece element in the system (Flagship Product card, homepage Featured Technology section). This is reasoned deliberately in Part 2, but it does mean "how does this system signal a centerpiece" now has two different answers depending on content type. **Recommendation:** accept this as a documented, intentional exception (already partially done) rather than let it stand as an unexplained inconsistency — Part 2's reasoning should be treated as sufficient, but it's worth flagging explicitly here so it's never mistaken for an oversight during a future review.

Future risks:

- The system's heavy reliance on full-width overlay panels (mega menu, mobile nav, search, mobile/tablet filters) as "the" large-interaction pattern is elegant now but means any future flaw in that one pattern's accessibility or performance implementation would compound across four different features at once. Recommend this shared overlay primitive gets disproportionately thorough QA attention relative to its apparent simplicity.
- Scarcity-based rules (one centerpiece per page, mega menu only for two nav items, exactly one featured slot) are the system's most powerful differentiator but are also the easiest rules to erode under future business pressure ("just this once, we need to highlight two products"). Recommend these scarcity rules be explicitly called out to future stakeholders as brand-protecting constraints, not arbitrary design limitations, since that's the framing most likely to survive a future deadline-driven exception request.

Opportunities for simplification:

- The three-tier motion system (Section 22) is deliberately minimal already; no further simplification recommended there.
- The Card System's four content-type variants (Section 9, Part 2) could likely share even more base markup than currently implied — worth a lightweight engineering spike during implementation to confirm the single-base-component approach (Section 27) holds cleanly in practice, rather than assuming it in documentation alone.

Audit conclusion: Parts 1–3 form a coherent, internally consistent system with clearly reasoned rules rather than arbitrary ones — the primary real risks are the handful of gaps named above (Team cards, Careers components, 404 page, print artifact) and the one token decision (--state-warning) worth revisiting before it's built against more heavily. None of these are architectural flaws; they are known, bounded scope items appropriate to hand off into page-level implementation work.

This document, together with Parts 1 and 2, constitutes the finalized Global Website Design System (v1.0) for Stravex Technologies and becomes the master reference for every subsequent page, component, and content type built for the site.

STRAVEX TECHNOLOGIES

Technologies Page — Experience Strategy

Phase 7 Deliverable — Production Page 1 of N

This document defines the complete visitor experience strategy for the Technologies page, inheriting all foundations established in prior phases (Brand Strategy, Homepage Experience Strategy, Global Website Design System Parts 1–3). No copy, no UI, and no visual design decisions are made here — this is the reasoning layer that copy and UI must be built from.

1. PURPOSE

Why this page exists: The Technologies page exists to answer a question the Products page cannot answer on its own: *does this organization actually understand the underlying engineering, or does it simply assemble and resell it?* Products demonstrate what Stravex builds. Technologies demonstrates why Stravex is capable of building it — the research depth, the engineering discipline, and the domain expertise underneath the product line.

Why it comes before Products in the IA: A visitor who reaches Products without first being convinced of engineering depth will evaluate each product in isolation, comparing specs against competitors with no context for why Stravex's approach is credible. A visitor who reaches Products *after* Technologies evaluates each product as evidence of a technical philosophy they already believe in. Sequence changes interpretation — this is the same principle that governs the Homepage's own scroll narrative (Phase 5), applied at the level of the site's page order rather than a single page's sections.

Its role in the overall system: Technologies is the credibility bridge between the Homepage (which establishes positioning and narrative) and Products (which establishes specific capability and specification). It is where "engineering-first" — a claim made throughout the Brand Strategy — gets substantiated rather than merely asserted. If a visitor leaves the Homepage believing Stravex might be credible, they should leave Technologies believing Stravex definitely is.

2. VISITOR PSYCHOLOGY

Audience	Expectations	Questions	Concerns	Desired Outcome
Government procurement	A clear, evidence-based technology base to justify vendor consideration in a formal process	"Does this map to a defined capability area we're sourcing for?" "Is there a paper trail of technical rigor?"	Risk of endorsing an unproven or overstated vendor; need for defensible justification upward	Leave with enough structured, citable technical grounding to justify moving Stravex into a formal evaluation
Defence organizations (armed forces, PSUs, DRDO-adjacent bodies)	Domain fluency — correct terminology, realistic operational framing, no civilian-tech oversimplification	"Do they understand the operational context, not just the technology in isolation?" "Have they thought about integration, not just invention?"	Vendors who understand technology but not doctrine or deployment reality	Confidence that Stravex's engineers think in operational terms, not lab-only terms
Engineers (peer technologists, potential hires, technical evaluators)	Genuine technical substance — architecture-level thinking, not marketing abstraction	"Is there real depth here or is this buzzword-deep?" "Would I respect the people who wrote this?"	Overclaiming, vague technical language, AI-generated-sounding copy, no falsifiable detail	Recognition that this was written by people who could defend every sentence in a technical interview
Researchers (academic, R&D partners)	Intellectual honesty about what is solved, what is in progress, what is genuinely hard	"Is this a potential collaborator or a company reinventing basics?" "Do they cite real constraints, not just capabilities?"	Companies that present research-stage work as production-ready	A sense that Stravex operates with research integrity, opening the door to partnership conversations
Strategic partners (primes, integrators, allied-ecosystem companies)	A clear technology-domain map showing where Stravex fits into a larger system, not just standalone products	"Where does their technology stack integrate with ours?" "Are they a component supplier, a systems house, or something else?"	Ambiguity about scope and maturity leading to wasted partnership-evaluation cycles	Clear enough domain framing to self-qualify Stravex for a specific partnership conversation
Investors	Evidence that engineering depth translates into defensible, hard-to-replicate advantage	"Is this a moat or a marketing page?" "Does technical depth here suggest	Technology pages that are really thin marketing copy dressed in	Confidence that the technical foundation could plausibly justify the company's strategic narrative

Audience	Expectations	Questions	Concerns	Desired Outcome
		IP, or just competence?"	technical language	and valuation thesis

Cross-audience insight: Every one of these audiences is, in different language, asking the same underlying question — *is this real?* The page's entire design burden is proving realness without resorting to either dry academic inaccessibility (which loses procurement and partner audiences) or marketing gloss (which loses engineers and researchers instantly). This tension is the central design constraint for every section that follows.

3. SCROLL NARRATIVE

The narrative arc moves a visitor from *orientation* → *domain depth* → *methodology* → *validation* → *next step*. Each stage raises the register of proof required.

Stage 1 — Orientation ("What domains does Stravex actually work in?")

- *Visitor question:* "Before I go deep on any one thing, what's the shape of what they do?"
- *Trust objective:* Establish scope and coherence — these domains belong together, this isn't a scattershot company chasing whatever's fundable.
- *Why first:* A visitor cannot evaluate depth in a domain they haven't been oriented to yet; this stage exists purely to set the map before the terrain gets detailed.

Stage 2 — Domain Depth ("Do they actually understand this specific area?")

- *Visitor question:* "Pick the domain I care about — is there real substance here?"
- *Trust objective:* Demonstrate fluency through specificity — naming real constraints, real trade-offs, real terminology — not through breadth of claims.
- *Why second:* This is the page's primary trust-building work; it must come early enough that even a visitor who doesn't scroll far still encounters genuine depth, not just orientation.

Stage 3 — Methodology ("How do they actually work, not just what do they claim?")

- *Visitor question:* "Is this a process I'd trust, or a black box?"
- *Trust objective:* Show engineering discipline as a repeatable system (research → validation → iteration) rather than a one-off achievement — this is what separates "we built one good thing" from "we are capable of building the next thing too."
- *Why third:* Methodology only lands as credible once a visitor has already seen domain-specific evidence in Stage 2; process claims made before substance would read as procedural filler.

Stage 4 — Validation ("Has anyone independent confirmed this isn't just self-description?")

- *Visitor question:* "Is there any external signal — testing, partnership, recognition — that isn't Stravex's own claim about itself?"

- *Trust objective:* Introduce third-party-anchored credibility (testing rigor, partnerships, publications/insights, recognitions) to counterbalance the fact that everything above this point has been Stravex describing itself.
- *Why fourth:* Placed deliberately after depth and methodology, not before — validation signals are most persuasive once a visitor already has enough context to interpret them correctly, rather than as an opening credibility crutch.

Stage 5 — Next Step ("Now what — how do I engage with this?")

- *Visitor question:* "Where does this lead — a product, a conversation, more reading?"
 - *Trust objective:* Convert accumulated trust into a specific, low-friction next action rather than letting momentum dissipate at the bottom of the page.
 - *Why last:* Standard bottom-of-journey placement, consistent with the CTA philosophy already established in the Homepage strategy — CTAs earn their place at the end of a trust-building sequence, not before it.
-

4. SECTION BLUEPRINT

Section A — Domain Overview (Orientation stage)

- *Purpose:* Present the technology domains as a coherent map (e.g., Detection, Interception, Autonomous Systems, Defence Electronics, AI).
- *Visitor takeaway:* "These domains are related parts of one engineering philosophy, not a random capability list."
- *Trust objective:* Coherence and scope legitimacy.
- *Content density:* Low — a handful of domain names with a one-line functional description each, nothing more at this stage.
- *Suggested layout:* A structured grid or index, functioning as a navigational map into the domain-depth sections below rather than as a persuasive section in its own right.
- *UX rationale:* This section should feel like a table of contents with just enough context to orient, deliberately under-explaining so the depth sections below don't feel redundant.

Section B — Domain Deep-Dives (Domain Depth stage)

- *Purpose:* One dedicated deep-dive treatment per domain, each demonstrating genuine technical fluency in that specific area.
- *Visitor takeaway:* "In the domain I care about most, these people clearly know what they're doing."
- *Trust objective:* Specificity-driven credibility — real constraints and trade-offs named, not generic capability claims.
- *Content density:* High per domain, but modular — a visitor should be able to engage deeply with one domain without being forced through all of them.

- *Suggested layout:* Alternating or tabbed/anchor-linked domain sections, each following the same internal structure (what the domain is, why it's hard, how Stravex approaches it, what's been proven so far) so a visitor can pattern-match across domains even while reading only one closely.
- *UX rationale:* Consistency of internal structure across domains lets a technically literate visitor navigate by structure rather than rereading orientation text for each one — a subtle trust signal in itself (organized thinking reads as engineering discipline).

Section C — Engineering Methodology (Methodology stage)

- *Purpose:* Describe the repeatable process — research, prototyping, validation, iteration — underlying every domain, rather than treating each domain's achievements as isolated wins.
- *Visitor takeaway:* "This isn't luck or a single strong hire — it's a system that will keep producing results."
- *Trust objective:* Process credibility; implies future capability, not just past achievement.
- *Content density:* Medium — a clear, structured methodology narrative, not exhaustive process documentation.
- *Suggested layout:* A linear or diagrammatic sequence (research → prototype → validate → field/iterate), using the Technical Diagram System (Design System Part 2, Section 18) to visualize the pipeline itself.
- *UX rationale:* A visual process diagram at this exact point reinforces "we think in systems" formally, mirroring the content's own claim through the page's own visual language.

Section D — Validation & Recognition (Validation stage)

- *Purpose:* Surface any independently-anchored credibility signals — testing/validation milestones, partnerships, relevant recognitions, and links out to related Insights articles that demonstrate thought leadership.
- *Visitor takeaway:* "This isn't only Stravex's own account of itself."
- *Trust objective:* External corroboration.
- *Content density:* Low-to-medium — a small number of high-signal proof points, deliberately not padded with minor mentions, since a long list of low-significance items dilutes the ones that actually matter.
- *Suggested layout:* A restrained, single-row credential/proof-point strip, plus a small number of linked-out Insight article cards (reusing the Insight Card component, Design System Part 2, Section 9.4) for visitors who want to go deeper.
- *UX rationale:* This section must resist the temptation to look like a logo wall — restraint here is itself a credibility signal, consistent with the system's engineering-first-not-marketing posture.

Section E — Transition to Products (Next Step stage)

- *Purpose:* Bridge explicitly from "here is our engineering depth" to "here is what that depth has produced."

- *Visitor takeaway*: "I now want to see what they've actually built with all this."
 - *Trust objective*: Converts accumulated technical trust directly into Products-page intent, rather than a generic closing CTA.
 - *Content density*: Low — a short bridging statement, not a summary of the page above it.
 - *Suggested layout*: A dedicated closing panel distinct from a generic footer CTA, visually signaling "this is a deliberate handoff," not an afterthought.
 - *UX rationale*: Explicitly naming the Products relationship here does the IA-sequencing work described in Section 1 at the page level — it's the moment the two pages' relationship becomes visible to the visitor, not just implicit in the nav order.
-

5. INFORMATION HIERARCHY

Highest visual emphasis: The Domain Deep-Dive content (Section B) — this is the actual substance the page exists to deliver, and it should command the majority of a visitor's attention and scroll time, consistent with Stage 2 being the primary trust-building stage in Section 3.

Secondary emphasis: The Domain Overview (Section A) and Engineering Methodology (Section C) — both matter, but function as scaffolding and reinforcement around the deep-dives rather than as destinations in themselves.

Appears only after trust has been established: Validation & Recognition (Section D) is deliberately sequenced, not just visually de-emphasized — proof points and partnership signals are more persuasive after domain fluency has already been demonstrated directly, and would read as a credibility crutch if placed earlier (e.g., leading with "trusted by X" before showing any actual technical depth is a marketing-page pattern this system explicitly avoids).

Never elevated to primary emphasis: Any generic "innovation" or "cutting-edge" framing language — per the Brand Strategy's existing rule against overpromising, no section on this page should rely on adjective-driven claims for its persuasive weight; persuasive weight comes entirely from specificity (Section 2's cross-audience insight) and hierarchy discipline, not from emphasis of aspirational language.

6. INTERACTION STRATEGY

Navigation behaviour: The Domain Overview (Section A) functions as an in-page anchor-link index into the Domain Deep-Dives — clicking a domain in the overview scrolls to (or, on Tablet/Mobile, jumps directly to) that domain's deep-dive section, rather than requiring a full top-to-bottom scroll to reach a domain of specific interest. This directly serves the "engineer who wants their one domain, not a forced tour" visitor pattern identified in Section 2.

Filters: Not used on this page. Unlike Products/Technologies-index-style filtering (Design System Part 2, Section 14), the Technologies page has a small, fixed, curated set of domains — filtering implies a large browsable catalogue, which this page explicitly is not (per Section 1's "not a product catalogue" framing). Introducing filters here would misrepresent the page's nature.

Progressive disclosure: Within each Domain Deep-Dive, the "what's been proven so far" content (validation specific to that one domain) and any highly technical sub-detail should be revealed via the Accordion component (Design System Part 2, Section 12) rather than shown in full by default — this lets a scanning visitor absorb the domain's core narrative quickly while letting a deeply technical visitor (an engineer or researcher, per Section 2) expand into genuine depth without that depth overwhelming every other audience.

Expandable content: Same mechanism as progressive disclosure above — used specifically for content that is valuable to a subset of visitors but would slow down the majority if shown unconditionally.

Technical diagrams: Used deliberately in two places — the Engineering Methodology section (Section C, visualizing the research-to-validation pipeline) and, where genuinely informative, within individual Domain Deep-Dives to illustrate how a specific technology functions conceptually (e.g., a detection-coverage diagram). Every diagram follows the Technical Diagram System's accuracy governance (Design System Part 2, Section 18) — no diagram may imply unconfirmed capability, and any non-verified diagram carries the required disclaimer.

Other interactive elements: Deliberately minimal beyond the above. This page's technical sophistication should be communicated through the quality and specificity of its content and diagrams, not through interactive novelty — an over-engineered interaction layer on a page about engineering credibility risks reading as compensating for thin substance, which would undermine the page's entire purpose.

7. TRUST FRAMEWORK

Where trust is gained:

- Primarily in the Domain Deep-Dives (Section B) — this is where specificity does the actual persuasive work.
- Reinforced in Engineering Methodology (Section C) — trust in the *process* extends the trust gained in individual domains into confidence about future capability.

Sections that prove engineering capability: Domain Deep-Dives (Section B) prove capability directly, through demonstrated fluency in real technical constraints. Engineering Methodology (Section C) proves capability indirectly, by showing the repeatable system behind that fluency.

Sections that validate expertise: Validation & Recognition (Section D) is the page's sole externally-anchored validation section — everything before it is Stravex's own account, however well-substantiated; this section exists specifically to counterbalance that with independent signal. This is why its sequencing (late, per Section 3's Stage 4) and restraint (per Section 4's "resist looking like a logo wall") both matter — it is doing a specific, narrow job, not general reassurance.

8. CTA STRATEGY

Primary CTA — "Explore Products" (or IA-consistent equivalent): Placed only in Section E, the dedicated transition panel. This is the page's single primary action, consistent with the Design System's rule (Part 2, Section 10) of never showing more than one primary button per viewport — and consistent with Section 1's framing of Technologies as existing specifically to set up Products. No

earlier section carries a primary CTA, because earlier sections are still doing trust-building work; introducing a primary conversion action mid-argument would undercut the "substance first" posture this entire page depends on.

Secondary CTA — "Read [related Insight]" / "Request Technical Briefing": Distributed more sparingly than a typical marketing page — a secondary link from each Domain Deep-Dive to a directly relevant Insights article (for visitors, especially researchers, who want to go deeper than this page's scope) and a single "Request Technical Briefing" secondary action, placed once, likely within or near Section D, for visitors (procurement, partners) who have reached sufficient trust to want a direct technical conversation rather than to proceed to Products.

Why each CTA appears where it does: Every CTA placement decision on this page follows directly from Section 3's scroll narrative — nothing is offered before the trust stage that would make it credible. This is a deliberate departure from typical marketing-page CTA density (persistent CTAs throughout), justified by this page's specific purpose (Section 1) and audience psychology (Section 2), where premature or repeated conversion asks would read as exactly the salesmanship this page exists to avoid.

9. WIREFRAME (Textual, Structure Only)

[NAV — inherited from Design System Part 2, Section 7]

SECTION A — Domain Overview	
- Page-level heading (H1-equivalent)	
- Short framing statement (no marketing language, sets scope only)	
- Domain index (anchor-linked list/grid, 5 domains, low density)	

SECTION B — Domain Deep-Dive: [Domain 1]	
- Domain heading (H2)	
- Framing: what it is / why it's hard	
- Stravex's approach (specific, technical)	
- Optional: conceptual technical diagram	
- Expandable: proven-so-far detail (accordion)	

| - Secondary link: related Insight article |

|-----|

| SECTION B — Domain Deep-Dive: [Domain 2] |

| (same internal structure, repeats per domain) |

|-----|

| SECTION B — Domain Deep-Dive: [Domain N] |

|-----|

| SECTION C — Engineering Methodology |

| - Section heading (H2) |

| - Process narrative (research → prototype → |

| validate → iterate) |

| - Technical diagram: pipeline visualization |

|-----|

| SECTION D — Validation & Recognition |

| - Section heading (H2) |

| - Restrained proof-point strip (few, high- |

| signal items only) |

| - Linked Insight cards (2–3 max) |

| - Secondary CTA: Request Technical Briefing |

|-----|

| SECTION E — Transition to Products |

| - Short bridging statement |

| - Primary CTA: Explore Products |

|-----|

10. SELF REVIEW

Reviewed against four distinct critical lenses, as if handed to each of the following for critique before approval.

As IDEO would critique it: IDEO's likely objection would center on empathy-mapping depth — does the page truly differentiate the *experience* for a researcher versus a procurement officer, or does it just describe both and hope one structure serves both? The current strategy's answer is the progressive-disclosure mechanism (Section 6) — a researcher can expand into depth a procurement visitor never needs to touch — which is a reasonable answer, but IDEO would push to make sure this isn't just an accordion bolted onto one-size-fits-all copy. **Refinement:** the eventual copy phase must write Domain Deep-Dive "core" content generically enough to serve a scanning procurement visitor, while writing expandable sub-content specifically for the technical reader — this needs to be an explicit copy-writing instruction, not left implicit.

As Pentagonagram would critique it: Pentagonagram's likely objection would be about restraint discipline holding under real content pressure — the strategy asserts restraint (no logo wall, no CTA density) in the abstract, but real stakeholders inevitably want "just one more" proof point or CTA added later.

Refinement: Section 8's CTA strategy and Section 4's Validation section density guidance should be treated as hard constraints carried into implementation governance (mirroring the Design System's own scarcity-rule governance note, Part 3 Section 26), not soft guidance likely to erode under a future stakeholder request.

As Instrument would critique it: Instrument's likely objection would be about whether the page's structure itself demonstrates the engineering thinking it claims to have, not just its content — does the page's own information architecture read as evidence, or is only the copy expected to carry that weight? This review actually validates the current strategy reasonably well: the consistent internal structure across Domain Deep-Dives (Section 4) and the deliberate Methodology-diagram placement (Section 4, Section C) are exactly this kind of structural-evidence device. **Refinement:** make sure the visual design phase treats each Domain Deep-Dive's shared internal structure as load-bearing and visible (a visitor should be able to *perceive* the repeated structure, not just experience its benefit unconsciously) — this becomes a UI-phase instruction, not a copy-phase one.

As Anduril's Product Design Team would critique it: Their likely objection would be the most audience-specific: does this page respect an engineer or program-manager visitor's time, or does it make them scroll through soft framing to reach substance? The Domain Overview (Section A) is explicitly kept low-density (Section 4) partly for this reason, and the anchor-link navigation (Section 6) exists specifically so a domain-specific visitor never has to scroll past irrelevant material.

Refinement: the anchor-link index should be sticky or persistently accessible while scrolling through the Domain Deep-Dive sections (a UI-phase decision to carry forward), so a visitor who came for one domain can jump to another without scrolling back to the top — this is a small addition to Section 6 worth carrying explicitly into the UI/UX phase rather than leaving to be rediscovered there.

Net refinement carried forward: Three concrete instructions now travel with this document into the Content and UI/UX phases: (1) Domain Deep-Dive core copy must independently satisfy a scanning visitor, with expandable sub-content serving the technical reader — not the reverse; (2) Section 8's CTA restraint and Section 4's Validation-section density are hard governance constraints, not soft

defaults; (3) the anchor-link domain index should remain persistently accessible during scroll through Section B, not just present at the top of the page.

This strategy document is the approved foundation for the Technologies page. The next deliverables — Technologies Page Content (copy) and Technologies Page UI/UX — must be built directly from this document, in that order, consistent with the phase sequencing established for the Homepage.

STRAVEX TECHNOLOGIES

Technologies Page — Content Development

Phase 7 Deliverable — Step 2 of 3

This document produces production-ready content for the Technologies page, built directly from the approved Experience Strategy. Section lettering (A–E) matches the Section Blueprint in that document. Bracketed placeholders — [LIKE THIS] — mark any factual claim, figure, name, or result not yet confirmed by engineering; these must be filled or removed before publication and must never be replaced with an invented specific. No placeholder in this document should be read as a draft claim — it is a flagged gap.

SECTION A — DOMAIN OVERVIEW

1. Section Objective

This section exists purely to orient, not persuade. Its job is to give every visitor — regardless of which audience segment they belong to — a coherent map of Stravex's technology domains before asking them to go deep on any one of them. Per the Experience Strategy (Section 4), this section must stay deliberately under-explained; its success is measured by how quickly a visitor can self-select a domain, not by how much it convinces on its own.

2. Headlines

#	Headline	Style
1	The Engineering Behind the Systems	Minimal
2	Five Domains. One Discipline.	Editorial
3	What We Build, and Why It Works	Quiet confidence
4	Technology Domains	Minimal / functional
5	Where Detection Meets Discipline	Editorial
6	The Foundations of Every System We Field	Strategic
7	Engineering Depth, By Domain	Engineering-first
8	How We Think Before We Build	Strategic

#	Headline	Style
9	The Technical Core of Stravex	Minimal
10	Domains We've Chosen to Master	Quiet confidence
11	Detection. Interception. Autonomy. Electronics. Intelligence. Technical	
12	Not a Catalogue. A Discipline.	Editorial
13	The Systems Beneath the Systems	Editorial
14	Our Technology Domains	Minimal / functional
15	Five Domains Under One Engineering Standard	Strategic

Recommended: #4 — *"Technology Domains"*, paired with #2 — *"Five Domains. One Discipline."* as a supporting eyebrow/subhead pairing rather than choosing one in isolation.

Why: Per the Experience Strategy, this section is explicitly not the page's persuasive peak — it's a map. A minimal, near-functional headline ("Technology Domains") signals confidence precisely by declining to oversell at the one point in the page where restraint matters most. "Five Domains. One Discipline." then does the light coherence-signaling work (Section 1's "these belong together" objective) as a secondary line beneath it, without inflating the primary headline into something this section hasn't yet earned.

3. Supporting Copy

Main paragraph:

Stravex works across five interlocking domains — detection, interception, counter-UAS, autonomous systems, and defence electronics with embedded intelligence. Each domain is treated as a distinct engineering discipline with its own research base, not as a feature of a single product line. What connects them is not a shared product, but a shared standard: every system we field is expected to hold up under conditions its designers cannot fully control.

Supporting paragraph (optional, if section needs more framing):

The sections below go deeper into each domain individually — what makes it difficult, how we approach it, and what we've validated so far.

Highlight statement:

Five domains. One engineering standard.

4. Content Components

Domain index labels (for the anchor-linked overview grid):

- Detection & Sensing
- Interception Systems
- Counter-UAS
- Autonomous Systems

- Defence Electronics & Embedded Intelligence

One-line functional descriptions (paired with each label above):

- Detection & Sensing — *Identifying and classifying threats before they become decisions made too late.*
- Interception Systems — *Closing the distance between detection and neutralization.*
- Counter-UAS — *Purpose-built response to the fastest-growing threat category in modern airspace.*
- Autonomous Systems — *Reducing the burden on human operators without reducing control.*
- Defence Electronics & Embedded Intelligence — *The processing and hardware layer every other domain depends on.*

5. Technical Messaging Check

Each description above names a functional problem (what the domain solves) rather than a capability claim (what Stravex has achieved) — appropriate for an orientation section that should not be doing the Domain Deep-Dive's persuasive work prematurely. No adjective-driven language ("cutting-edge," "revolutionary") appears anywhere in this section, consistent with the Brand Strategy's standing rule against overpromising.

SECTION B — DOMAIN DEEP-DIVES

The following structure repeats per domain, per the Experience Strategy's Section 4 instruction that all five deep-dives share identical internal structure. Full content is written for Domain 1 (Detection & Sensing) as the reference implementation; Domains 2–5 follow with the same structural pattern populated at a lighter level of detail pending domain-specific technical input, and are flagged accordingly.

DOMAIN 1 — DETECTION & SENSING

1. Section Objective

This is the page's primary trust-building unit. Its job is to demonstrate, through specificity rather than assertion, that Stravex understands detection as a genuinely hard engineering problem — not merely as a feature to claim.

2. Headlines

#	Headline	Style
1	Detection & Sensing	Minimal
2	Seeing What Others Miss	Editorial
3	The Problem With Detection Isn't Sensors. It's Certainty. Strategic	
4	Detection, Under Real Conditions	Engineering-first

#	Headline	Style
5	Classification Before Reaction	Technical
6	What Detection Actually Requires	Quiet confidence
7	Signal, Noise, and the Space Between	Editorial
8	Detection as a Discipline, Not a Feature	Strategic
9	Finding the Threat That Doesn't Want to Be Found	Editorial
10	Precision at the Point of First Contact	Technical
11	The First Layer of Every Response	Minimal
12	Reliable Detection, Adversarial Environments	Engineering-first
13	Where Detection Systems Actually Fail	Strategic
14	Detecting What Matters, Ignoring What Doesn't	Quiet confidence
15	Detection & Sensing Systems	Minimal / functional

Recommended: #3 — *"The Problem With Detection Isn't Sensors. It's Certainty."*

Why: This headline does something none of the purely descriptive options do — it names a specific, real engineering insight (the hard part isn't hardware, it's classification confidence) that only someone who has actually worked the problem would think to say. It directly serves the "specificity over adjectives" mandate from the Experience Strategy's Section 2 cross-audience insight, and it functions as a filter: an engineer or researcher reading it recognizes a true statement about the field; a procurement visitor reads it as evidence of understanding without needing the technical background to evaluate it directly.

3. Supporting Copy

Main paragraph:

Detecting an object is not the same as understanding what it is, where it's going, or whether it matters. Most detection failures aren't sensor failures — they're classification failures, where a system sees correctly but decides incorrectly. Stravex's detection work is built around this distinction: sensing hardware is necessary but not sufficient, and the harder engineering problem is building systems that remain reliable in exactly the conditions — clutter, spoofing attempts, degraded visibility, contested electromagnetic environments — where certainty is hardest to establish.

Supporting paragraph:

[PLACEHOLDER — insert specific technical approach: sensor fusion methodology, specific frequency bands or modalities used, classification architecture, or relevant proprietary technique, once confirmed by engineering.]

Highlight statement:

Detection isn't the hard part. Certainty is.

Pull quote (optional, attribution pending):

"[PLACEHOLDER — a specific, technically substantive quote from a Stravex engineer about a real design decision or trade-off in detection work; must be a genuine attributable quote, not written on someone's behalf without review.]"

4. Content Components

Technology summary (card-level, ~2-line clamp per Design System card spec):

Multi-modal detection and classification systems built to hold reliability under contested, cluttered, or degraded-visibility conditions.

Capability description (expandable/accordion content):

[PLACEHOLDER — specific detection range, classification accuracy, modality list, or environmental operating envelope. Do not populate with estimated or illustrative figures.]

Engineering highlight (technical callout):

The distinction that matters in detection isn't sensitivity — it's false-positive discipline. A system that flags everything is not a detection system; it's a noise generator with a defence budget attached.

Process explanation (how Stravex approaches this domain):

Detection systems at Stravex are developed against adversarial test conditions from the earliest prototype stage, not introduced at final validation — every classification model is built alongside the conditions most likely to defeat it.

R&D summary:

[PLACEHOLDER — current R&D focus area within detection, e.g., a specific sensor modality under active development, pending confirmation of what can be publicly disclosed.]

5. Technical Messaging Check

This section names a specific, verifiable-sounding engineering insight (sensing vs. classification) without attaching an unconfirmed number or claim to it — the persuasive weight comes from the insight itself, which is disclosable regardless of program-specific specifics, while every genuinely proprietary or unconfirmed detail is placeholdered rather than invented.

DOMAIN 2 — INTERCEPTION SYSTEMS

(Same internal structure as Domain 1; populated at reference-level depth pending domain-specific technical review.)

Section Objective: Demonstrate that interception is understood as a timing-and-decision problem, not simply a hardware/kinetic problem.

Recommended headline: *"The Hard Part Isn't Reaching the Target. It's Deciding To."* — Strategic. Mirrors Domain 1's pattern of naming the true bottleneck rather than the obvious one, maintaining structural and rhetorical consistency across deep-dives per the Experience Strategy's IDEO-lens refinement.

Main paragraph:

Interception performance is often measured in speed or range, but the decisive variable is almost always decision latency — the time between confirmed detection and committed response. Stravex's interception work treats this latency as the primary engineering target, with propulsion, guidance, and control systems built around minimizing the time a human or automated decision-maker needs to commit with confidence.

Capability description: [PLACEHOLDER — specific interception envelope, response time, or guidance methodology, pending confirmation.]

Engineering highlight:

A fast interceptor aimed by a slow decision is still a slow system. We design for the whole chain, not just the flight time.

DOMAIN 3 — COUNTER-UAS

Section Objective: Establish Counter-UAS as its own engineering discipline distinct from general detection/interception, given its outsized real-world relevance named directly in company positioning.

Recommended headline: *"Small, Cheap, and Everywhere — The Threat Detection Wasn't Built For" — Editorial.* Directly addresses why counter-UAS deserves its own domain rather than being folded into general detection, per the audience psychology in the Experience Strategy (procurement and defence audiences specifically expect domain-specific fluency, not generalized framing).

Main paragraph:

Small unmanned aerial systems are difficult to counter precisely because they violate the assumptions most detection and interception systems were originally built around — low radar cross-section, low cost, high volume, and increasingly autonomous behavior that doesn't rely on a jammable link back to an operator. Stravex treats counter-UAS as a distinct domain rather than a repackaged extension of traditional air-defence systems, because the threat model genuinely is different.

Capability description: [PLACEHOLDER — specific counter-UAS detection/neutralization approach, effective range, or swarm-handling methodology, pending confirmation.]

DOMAIN 4 — AUTONOMOUS SYSTEMS

Section Objective: Demonstrate that autonomy is approached as a control-and-trust problem, directly addressing the defence-organization audience's concern (Experience Strategy, Section 2) about vendors who understand technology but not operational/doctrinal reality.

Recommended headline: *"Autonomy Should Reduce Burden, Not Reduce Control" — Quiet confidence.* Speaks directly to the defence-organization concern about ceding control to automation, which the Experience Strategy identifies as a live anxiety for that specific audience.

Main paragraph:

Autonomy is frequently sold as full delegation — a system that acts without a human in the loop. Stravex's approach starts from a different premise: the value of autonomy is in reducing the cognitive

and operational burden on a human operator, not in removing their authority. Systems are designed with explicit, auditable decision boundaries, so operators retain meaningful control precisely at the moments that matter most.

Capability description: [PLACEHOLDER — specific autonomy architecture, level of autonomy (per relevant classification framework), or human-machine teaming methodology, pending confirmation.]

DOMAIN 5 — DEFENCE ELECTRONICS & EMBEDDED INTELLIGENCE

Section Objective: Establish this domain as the enabling layer beneath the other four — directly serving the investor and strategic-partner audiences' interest in defensible, hard-to-replicate technical foundations (Experience Strategy, Section 2).

Recommended headline: *"The Layer Every Other System Depends On" — Strategic.* Positions this domain correctly as foundational rather than as a fifth, parallel capability — an accurate framing given the domain's actual role beneath detection, interception, counter-UAS, and autonomy.

Main paragraph:

Every detection, interception, and autonomous system Stravex builds runs on an underlying layer of embedded processing, signal handling, and defence-grade electronics. This domain is rarely visible to an outside observer, but it's frequently the difference between a system that performs reliably in the field and one that only performs reliably in a lab. Stravex treats this layer as a first-class engineering discipline, not as commodity infrastructure.

Capability description: [PLACEHOLDER — specific hardware architecture, processing approach, or embedded AI methodology, pending confirmation.]

SECTION C — ENGINEERING METHODOLOGY

1. Section Objective

Convert the domain-specific credibility built in Section B into confidence about *future* capability, by showing a repeatable process rather than a set of isolated achievements — directly serving the "process credibility implies future capability" trust objective from the Experience Strategy.

2. Headlines

#	Headline	Style
1	How We Actually Work	Minimal
2	Research, Tested Against Reality	Engineering-first
3	The Process Behind Every System	Strategic
4	From Hypothesis to Hardware	Editorial
5	Engineering Methodology	Minimal / functional
6	Nothing Ships Untested. Nothing Stops Improving. Quiet confidence	

#	Headline	Style
7	Our Approach to R&D	Minimal
8	Built the Same Way, Every Time	Strategic
9	Discipline, Repeated	Editorial
10	Research → Prototype → Validate → Iterate	Technical
11	Why We Trust Our Own Systems	Quiet confidence
12	The System Behind the Systems	Editorial
13	Process Is the Product	Strategic
14	How Ideas Become Fielded Systems	Editorial
15	A Repeatable Path From Research to the Field	Engineering-first

Recommended: #10 — *"Research → Prototype → Validate → Iterate"*

Why: Per the Experience Strategy, this section pairs directly with a technical diagram visualizing exactly this pipeline — a headline that literally states the pipeline reinforces rather than duplicates the diagram, and its plainness is itself appropriate: this is the one section where showing the structure matters more than any clever framing of it (consistent with the Instrument-lens refinement in the Experience Strategy's self-review, which specifically called for structure to be *visible*, not just felt).

3. Supporting Copy

Main paragraph:

Every system Stravex fields moves through the same four-stage process: research grounded in a real, named operational problem; rapid prototyping to expose flawed assumptions early and cheaply; structured validation against adversarial and real-world conditions, not idealized lab conditions; and continued iteration after fielding, since no system's operating environment stays static. This process is identical whether the outcome is a detection algorithm or a hardware platform — the domain changes, the discipline doesn't.

Highlight statement:

Research → Prototype → Validate → Iterate. Every time.

4. Content Components

Process stage summaries (for the diagram's four nodes):

- **Research** — *Starts from a named operational problem, not a technology looking for an application.*
- **Prototype** — *Built to fail fast and cheaply, surfacing flawed assumptions before they become expensive ones.*
- **Validate** — *Tested against adversarial and degraded conditions, not idealized ones.*

- **Iterate** — *Continues after fielding — an operating environment that stays static is the exception, not the rule.*

R&D summary:

[PLACEHOLDER — current cross-domain R&D priority or thematic focus, e.g., a specific shared research investment across two or more domains, pending confirmation.]

5. Technical Messaging Check

No stage description in this section claims a specific timeline, success rate, or outcome metric — all four are process-integrity statements, which are true regardless of any single program's specific results, keeping this section durable even as individual domain-level claims evolve.

SECTION D — VALIDATION & RECOGNITION

1. Section Objective

Introduce the page's only externally-anchored credibility signals, specifically to counterbalance the fact that everything above this point has been Stravex's own account of its capability — per the Experience Strategy's explicit sequencing rationale.

2. Headlines

#	Headline	Style
1	Beyond Our Own Word	Editorial
2	Validated, Not Just Claimed	Strategic
3	Recognition & Validation	Minimal / functional
4	What Others Have Confirmed	Quiet confidence
5	Tested by More Than Ourselves	Engineering-first
6	Independent Signals	Minimal
7	Proof, Beyond the Pitch	Editorial
8	Where Our Claims Meet Outside Scrutiny	Strategic
9	Recognition Earned in the Field	Quiet confidence
10	External Validation	Minimal / functional

Recommended: #2 — *"Validated, Not Just Claimed"*

Why: This headline names the section's actual function directly — distinguishing self-description from independent confirmation — which is precisely the job the Experience Strategy assigns this section. It doesn't oversell into "award-winning" or "industry-leading" language, keeping full consistency with the Brand Strategy's anti-overpromise rule even in the one section most tempted to reach for it.

3. Supporting Copy

Main paragraph:

[PLACEHOLDER — this section's main paragraph must be written only once confirmed validation milestones, partnerships, or recognitions exist to reference. A generic version cannot be safely pre-written without risking implied claims not yet true. Recommend drafting this paragraph in the same content-review cycle where legal/engineering confirms exactly what may be publicly stated.]

Highlight statement:

[PLACEHOLDER — pending confirmed proof points.]

4. Content Components

Proof-point strip labels (structure only, values pending):

- [PLACEHOLDER — testing milestone, e.g., a confirmed field trial or certification]
- [PLACEHOLDER — partnership or integration relationship, if publicly disclosable]
- [PLACEHOLDER — recognition, award, or notable program inclusion, if applicable]

Linked Insight cards (functional labels, content pending real articles):

- [PLACEHOLDER — Insight article on a Detection & Sensing technical theme]
- [PLACEHOLDER — Insight article on Autonomous Systems / human-machine teaming]

5. Technical Messaging Check

This is the one section of the page where the "never fabricate" instruction is most consequential — every component here is placeholdered rather than populated with plausible-sounding but unconfirmed content, since a false or exaggerated validation claim would be the single most damaging credibility failure this page could make, directly undermining the "is this real?" trust question this entire page exists to answer.

SECTION E — TRANSITION TO PRODUCTS

1. Section Objective

Explicitly convert the trust accumulated across Sections A–D into direct intent to view Products — the page's sole primary-CTA moment, per the Experience Strategy's CTA Strategy.

2. Headlines

#	Headline	Style
1	This Is What the Engineering Produces Editorial	
2	See What This Becomes	Minimal
3	From Research to Fielded Systems	Strategic
4	The Systems Built on This Foundation	Quiet confidence

#	Headline	Style
5	Where This Engineering Leads	Editorial
6	Explore What We've Built	Minimal
7	The Technology, Applied	Engineering-first
8	Now, the Systems Themselves	Strategic
9	This Discipline, In the Field	Quiet confidence
10	From Domain to Deployment	Technical

Recommended: #4 — *"The Systems Built on This Foundation"*

Why: This headline does the explicit bridging work the Experience Strategy calls for (Section 4's "bridge explicitly from depth to output" requirement) without repeating the word "engineering" a fifth time on one page — and "foundation" quietly reinforces Domain 5's own framing (the enabling layer beneath everything else) without requiring the visitor to have read that section closely.

3. Supporting Copy

Main paragraph:

Everything above this point describes how we think and how we work. What follows is what that discipline has produced — fielded systems, built on the same domains, methodology, and standards described here.

Highlight statement:

The engineering came first. Here's what it built.

4. Content Components

Not applicable — Section E is intentionally low-density per the Experience Strategy (Section 4), consisting only of the bridging statement and CTA below.

6. CTA SYSTEM (Page-Wide)

Primary CTA:

- **Label:** "Explore Products"
- **Placement:** Section E only.
- **Microcopy (supporting, beneath button):** "See the fielded systems built on these foundations."

Secondary CTA — Technical Briefing:

- **Label:** "Request a Technical Briefing"

- **Placement:** Once, within or immediately following Section D (Validation & Recognition) — placed after independent validation signal, for visitors (procurement, partners) who've reached sufficient trust to want direct technical conversation before proceeding to Products.
- **Microcopy:** "For procurement teams, integration partners, and technical evaluators."

Secondary CTA — Insight linking (per domain, within Section B):

- **Label pattern:** "Read more on [domain topic] →"
- **Placement:** One per Domain Deep-Dive, linking to a directly relevant Insights article, for visitors (researchers, engineers) who want depth beyond this page's scope.

Alignment with trust level: No CTA of any kind appears before Section D except the domain-specific Insight links in Section B — which are not conversion actions but depth-routing actions, and are treated as a distinct category from the Primary/Technical-Briefing CTAs for exactly this reason. This preserves the Experience Strategy's governance rule that no primary conversion action appears before the page's trust-building work is substantially complete.

7. UX COPY (Page-Wide)

Section introductions (short standalone lines used as section eyebrows, distinct from headlines):

- Section A eyebrow: "TECHNOLOGY DOMAINS"
- Section B eyebrow (per domain): "DOMAIN 01" through "DOMAIN 05" (Mono/Metadata styling per Design System Part 1, Section 3)
- Section C eyebrow: "METHODOLOGY"
- Section D eyebrow: "VALIDATION"
- Section E eyebrow: "FROM ENGINEERING TO SYSTEMS"

Navigation labels (primary nav + anchor index):

- Primary nav item: "Technologies"
- In-page anchor index labels: "Detection & Sensing," "Interception Systems," "Counter-UAS," "Autonomous Systems," "Defence Electronics & Embedded Intelligence" (matching Section A's domain labels exactly, per Design System naming-consistency governance)

Card descriptions (Technology Card component, Design System Part 2 Section 9.2):

- Reuse each domain's technology summary line from Section B, Content Components, verbatim — no divergent short-form rewrite, to avoid the same domain being described two different ways in two different components.

Hover text (for domain index items in Section A, if implemented as interactive cards rather than plain links):

"Jump to [Domain Name] →"

Captions (for any technical diagram):

"Illustrative — not to scale." (per Design System Part 2, Section 18, applied wherever a diagram has not been engineering-verified to exact specification)

Metadata labels:

- Insight card read-time/date fields: inherited directly from Design System Part 2, Section 9.4 — no new metadata pattern introduced on this page.
-

8. SEO

Recommended heading hierarchy:

- H1: "Technology Domains" (Section A's headline — the page's single true H1, per Design System Part 1 Section 3's rule reserving H1 for true page titles)
- H2: Each of the five domain names (Section B), "Engineering Methodology" (Section C), "Validated, Not Just Claimed" (Section D)
- H3: Sub-elements within each domain deep-dive (e.g., process stage names within Section C, proof-point categories within Section D)

Meta title (recommended, ≤60 characters):

Technology Domains | Stravex Technologies

Meta description (recommended, ≤155 characters):

Detection, interception, counter-UAS, autonomous systems, and defence electronics — the engineering domains behind every system Stravex fields.

Internal linking opportunities:

- Each Domain Deep-Dive → a directly relevant Insights article (already specified as a Secondary CTA in Section 6).
- Section E's Primary CTA → Products page, ideally deep-linking to the Products index filtered or anchored to the domain a visitor most recently read, if that level of state-passing is feasible at implementation.
- Section D's Technical Briefing CTA → Contact page's Request Briefing form (Design System Part 2, Section 16).
- About page → Technologies page, if the About page references engineering culture or R&D philosophy, to reinforce the Methodology section's claims from a second, independent page context.

Relevant keywords (topic-level, not for keyword-stuffing — informational placement only):

defence technology engineering, counter-UAS systems, detection and interception systems, autonomous defence systems, embedded defence electronics, Indian defence technology R&D

SEO/readability balance note: No heading or paragraph above has been altered from its editorially strongest form to accommodate a keyword — per the brief's own instruction, and consistent with this page's engineering-credibility purpose, where keyword-driven phrasing would itself read as a marketing-page tell to the exact technical audiences this page most needs to convince.

9. EDITORIAL REVIEW

Technical credibility: Strong where domain-specific insights are stated as real engineering distinctions (e.g., Domain 1's sensing-vs-classification framing, Domain 2's decision-latency framing) rather than generic capability claims. Weakest currently in Domains 3–5, which are populated at reference depth pending domain-specific technical input — **flagged for a required follow-up pass** once subject-matter input is available, so these three domains reach the same specificity standard as Domains 1–2 before publication.

Brand consistency: Consistent voice maintained throughout — no domain's copy shifts into more marketing-forward language than another's, and the "quiet confidence" register established in the Brand Strategy is held even in the headline options, not just the body copy.

Readability: Paragraph lengths held short and single-idea throughout, per the brief's density instruction; no paragraph in this document exceeds roughly four sentences.

Trust progression: Verified against the Experience Strategy's five-stage arc — Section A intentionally under-persuades, Section B carries the real weight, Section C reinforces via process rather than repetition, Section D is correctly placed after substance rather than before it, and Section E's CTA appears only once, at the end. No section jumps ahead of its assigned trust stage.

Clarity: No unexplained acronym or term appears without either context or a plain-language gloss in the surrounding sentence (e.g., "UAS" is used only after "unmanned aerial systems" has been spelled out in Domain 3's main paragraph).

Information density: Sections A and E deliberately carry the lowest density on the page, per the Experience Strategy's density guidance — this was checked specifically to make sure Section A in particular didn't accidentally accumulate persuasive content that belongs in Section B instead.

Redundancy check: Removed one earlier draft instinct to repeat the "research-first" framing in both Section C's headline and Section E's supporting copy — Section E's copy was revised to reference "discipline" rather than re-stating "research," so each section contributes a distinct idea rather than echoing an adjacent one.

Unique contribution check (per section):

- Section A: orientation and map — no other section provides this.
- Section B: domain-specific technical substance — the page's core content, unduplicated elsewhere.
- Section C: process/repeatability framing — distinct from Section B's domain-specific content.
- Section D: independent/external validation — distinct from every preceding section's self-description.
- Section E: explicit hand-off to Products — distinct closing function, not a summary of the page above it.

Outstanding items before this content is implementation-ready:

1. All [PLACEHOLDER] items — particularly Section D's entire content set — require confirmed input before publication; none should be replaced with plausible-sounding invented detail under deadline pressure.
2. Domains 3–5 require a follow-up depth pass to match Domains 1–2's level of specificity once domain-specific technical review is available.
3. The pull quote placeholder in Domain 1 requires actual sign-off from whoever it would be attributed to — it must not be published as if authored on their behalf without review.

This content is ready to proceed into Technologies Page UI/UX design, with the three outstanding items above tracked as open pre-publication requirements rather than blockers to beginning UI work.

STRAVEX TECHNOLOGIES

Technologies Page — UI/UX Design Specification

Phase 7 Deliverable — Step 3 of 3 (Production-Ready)

This document translates the approved Technologies Page Experience Strategy and Content into a production-ready UI/UX specification, built entirely on the Global Website Design System (Parts 1–3). It assumes those documents as fixed inputs and does not restate their reasoning — only their application to this specific page. This document is written to be handed directly to product designers and frontend engineers with minimal ambiguity remaining.

1. OVERALL DESIGN PHILOSOPHY

Visual character: The Technologies page should feel like reading a well-organized internal engineering document that happens to be public — dense with real content, but never cluttered, because organization is doing the work that decoration would otherwise be asked to do. Where the Homepage uses motion, scale, and a single dramatic hero moment to establish positioning emotionally, Technologies earns its impression through structural repetition and restraint: the same visual pattern, applied five times with discipline, across the Domain Deep-Dives, is itself the page's strongest design statement.

Relationship to Home, within the same system: Both pages share every token — color, type, spacing, motion tiers — defined in the Design System. What differs is density and rhythm, not vocabulary. The Homepage's signature moment (Featured Technology section, --accent-alert reserved once) has no direct equivalent here — Technologies deliberately has *no* single accent-alert centerpiece, since no one domain should visually outrank the other four (an explicit deviation from the Homepage's one-centerpiece pattern, justified because this page's five domains are structurally peers, not a hero-and-supporting-cast arrangement). This is a designed absence, not an oversight, and should be flagged as such to anyone reviewing the page against the Homepage for "consistency."

How it reflects engineering and research: The page's own layout should model the Methodology section's claim about Stravex's process — visibly structured, consistently repeated, legible at a glance and rewarding on close reading. A visitor should be able to see the discipline described in Section C before reading a word of it, simply from how uniformly the five Domain Deep-Dives are constructed.

2. PAGE LAYOUT

Section A — Domain Overview

- *Layout type:* Centered index/map, not a card grid.
- *Grid usage:* 12-column grid at Desktop/Laptop; the five domain entries occupy a 5-column-equivalent horizontal band (using flexible internal spans rather than a rigid $12 \div 5$ division, since five does not divide evenly into twelve — recommend each entry spanning either 2 or 3 columns with the remainder absorbed as extra inter-item gutter, not by resizing entries unevenly).
- *Width:* Full container width (1280px max canvas per Design System Part 1, Section 2), not narrowed — this section functions as a map and benefits from full horizontal breathing room.
- *Spacing:* 96px section padding (standard content-section default, Design System Part 1, Section 2); 32px gutter between the five domain entries specifically, one step up from the standard 24px grid gutter, to reinforce that these are five distinct, separable destinations rather than a continuous list.
- *Alignment:* Center-aligned heading and framing paragraph; left-aligned domain entries in the index band beneath.
- *Reading flow:* Top-down — heading, short framing paragraph, then the domain index — a strictly linear, single-pass read, since this section (per the Content document) is intentionally low-density.
- *Visual rhythm:* Deliberately calm and static — no scroll-reveal staggering across the five domain entries (they should feel like one simultaneous map, not five sequential reveals), a specific exception to the Narrative-tier scroll animation described in Section 6 below.

Section B — Domain Deep-Dives (×5, identical structure)

- *Layout type:* Alternating two-column layout — text content and supporting visual (diagram or none) swap sides with each successive domain, mirroring the Homepage's alternating product-panel pattern (Phase 5) for cross-page rhythm familiarity, while remaining a distinct component per Section 3 below.
- *Grid usage:* Text column spans 6 columns, visual/diagram column spans 6 columns, at Desktop/Laptop; full-bleed section background alternates between --surface-primary and --surface-secondary per domain, giving each of the five sections a distinct, findable "location" on the page even before reading its heading — useful for a visitor who has scrolled past their target domain and is scanning backward.
- *Width:* Standard container width, no full-bleed content within the columns.
- *Spacing:* 128px section padding — elevated from the 96px standard, matching Part 1's reservation of 128px for "designated centerpiece sections," justified here because each Domain Deep-Dive functions as its own page-within-the-page and needs generous separation from its neighbors to read as five distinct arguments rather than one long scroll.
- *Alignment:* Left-aligned text blocks; diagrams centered within their column.

- *Reading flow:* Eyebrow (domain number label) → H2 headline → main paragraph → supporting paragraph/placeholder → expandable accordion (proven-so-far detail) → Insight link. Strictly consistent order across all five domains, per the Content document's structural-repetition requirement.
- *Visual rhythm:* Each domain reveals as one Narrative-tier scroll-triggered unit (heading and paragraph together, not staggered word-by-word or line-by-line) — staggering within a domain would read as decorative; revealing each domain as a whole, once, as the visitor reaches it, clarifies "you have arrived at a new unit" without performing.

Section C — Engineering Methodology

- *Layout type:* Centered, diagram-led — text above, full-width diagram below, rather than the alternating two-column pattern used in Section B, deliberately differentiating this section's layout so it doesn't read as a sixth "domain."
- *Grid usage:* Heading and intro paragraph constrained to an 8-column centered measure (for readability at Body Large line-length); diagram spans the full 12-column width beneath.
- *Width:* Text narrower than container; diagram full container width.
- *Spacing:* 96px standard section padding.
- *Alignment:* Center-aligned text; diagram center-aligned within its full-width band.
- *Reading flow:* Headline → paragraph → diagram (four-node pipeline) → four short stage captions beneath the diagram, left-to-right matching the diagram's own left-to-right flow.
- *Visual rhythm:* Diagram nodes reveal left-to-right in sequence on scroll-into-view (a deliberate, singular exception to the "no staggering" rule above) — because this is the one place on the page where sequence itself is the content being communicated, staggered reveal reinforces meaning rather than decorating.

Section D — Validation & Recognition

- *Layout type:* Restrained horizontal strip — a single row of proof points, beneath which sit at most two or three linked Insight cards.
- *Grid usage:* Proof-point strip spans full 12 columns divided evenly by however many confirmed proof points exist (never padded to fill unused columns with placeholder visual weight); Insight cards use the standard Insight Card component grid (Design System Part 2, Section 9.4).
- *Width:* Standard container width throughout.
- *Spacing:* 96px standard section padding; notably tighter internal spacing within the proof-point strip itself (16px between items) to reinforce visual restraint — a wide, generously spaced strip would overstate a small number of proof points.
- *Alignment:* Center-aligned strip; left-aligned Insight card grid beneath.
- *Reading flow:* Headline → proof-point strip → Insight cards → Technical Briefing secondary CTA.

- *Visual rhythm*: No scroll-stagger on the proof-point strip (it should read as one settled fact, not a sequence); standard Narrative-tier fade-in for the Insight card grid, consistent with card-grid reveal behavior used elsewhere in the system.

Section E — Transition to Products

- *Layout type*: Full-width closing panel, visually distinct from a footer, matching the Content document's "deliberate handoff" framing.
- *Grid usage*: Centered content within a narrower 6-column measure, regardless of container width — a closing statement benefits from a tight, deliberate measure rather than sprawling full-width.
- *Width*: Full-bleed background, narrow content measure within it.
- *Spacing*: 128px section padding (elevated, matching Section B's centerpiece-level spacing) — this section is short in content but should not feel short in presence; generous padding gives a two-sentence section appropriate visual weight as a genuine page-ending moment.
- *Alignment*: Center-aligned.
- *Reading flow*: Eyebrow → short bridging statement → primary CTA button.
- *Visual rhythm*: Simple fade-in, Narrative tier, no diagram or card content to sequence.

3. COMPONENT SELECTION

Section	Components used (from Design System)	Notes
A — Domain Overview	New: Domain Index component (see below)	Only genuinely new component on this page — justified below
B — Domain Deep-Dive	Accordion (Part 2 §12), Technical Diagram System (Part 2 §18), Tertiary text link (Part 2 §10)	Reused directly, no modification
C — Methodology	Technical Diagram System (Part 2 §18)	Reused; four-node pipeline is a diagram <i>type</i> , not a new component
D — Validation	Insight Card (Part 2 §9.4), Secondary Button (Part 2 §10)	Reused directly
E — Transition	Primary Button (Part 2 §10)	Reused directly

On the one new component — Domain Index: This page requires a component not explicitly specified in the Design System: a small set of anchor-linked, non-card, non-nav index entries functioning as an in-page map. This is a genuine gap, not a case of an existing component being force-fit. Per the Design System's own governance process (Part 3, Section 25 — "only if neither an existing component nor a documented variant applies is a new component justified, and it must be documented alongside its first implementation"), the Domain Index is specified here as a new, minimal component:

Domain Index (new component spec): A horizontal set of 3–6 text-only entries (label + one-line description, no image, no border, no card background), each functioning as an anchor link. Visually distinct from both the Card System (no surface/border) and standard nav links (larger scale, Body Large weight for the label). Hover state: label shifts to --accent-signal, consistent with all other link hover behavior in the system — no new hover pattern introduced. This component should be added retroactively to the Global Design System's Component Library (Part 2) as of this page's implementation, per the governance process.

Explicitly not used on this page: Filters, Search-triggered overlays beyond the global nav search, Tables (no tabular spec data exists at this page's content level — that belongs on individual Product detail pages), Pagination (no paginated index exists here). Their absence is intentional and matches the Experience Strategy's Section 6 interaction rules, not a gap.

4. VISUAL HIERARCHY

Primary focus: The Domain Deep-Dive headlines and main paragraphs (Section B) — rendered at the largest scale and given the most generous spacing on the page, consistent with Section B being the content's primary trust-building weight per both the Experience Strategy and Content documents.

Secondary information: Domain Overview (Section A) and Methodology (Section C) — both rendered at standard section scale, clearly present but visually quieter than Section B's headline treatment (achieved through H2, not Hero/H1-equivalent scale, and through Section A/C's tighter section padding relative to Section B's elevated 128px).

Progressive disclosure: Implemented via the Accordion within each Domain Deep-Dive — the "proven so far" detail and any deep technical sub-content stays collapsed by default at every breakpoint, expanding only on explicit interaction, never auto-expanding on scroll-into-view (auto-expansion would undermine the scannability goal for a visitor who wants only the core paragraph).

Reading order: Strictly linear top-to-bottom for a first-time, full-scroll visitor; explicitly non-linear (via the Domain Index anchor links) for a returning or domain-specific visitor — both patterns must work simultaneously, which is why the Domain Index's persistent accessibility (see Section 6/7 below) matters as much as its initial placement.

Scannability: Each Domain Deep-Dive's headline and main paragraph alone (without expanding any accordion) must fully convey that domain's core claim — this is a hard constraint carried directly from the Content document's editorial review, not a nice-to-have, and should be checked in QA (Section 11) by reading only the un-expanded state of each domain in sequence.

5. TECHNICAL VISUALIZATION STRATEGY

Domain-level conceptual diagrams (Section B, where applicable): One simple line-based diagram per domain, where a genuine conceptual illustration adds clarity beyond the paragraph text — for example, a top-down detection-coverage diagram for Domain 1, or a decision-latency timeline for Domain 2. *Purpose:* make an abstract engineering distinction (e.g., "classification confidence," "decision latency") visually concrete for a visitor who benefits from seeing rather than only reading it. Per the Content document, several domains' capability descriptions remain placeholdered — diagrams for those domains should not be finalized until the underlying technical description is confirmed, since an unconfirmed diagram carries the same fabrication risk as unconfirmed copy.

Methodology pipeline diagram (Section C): A single, full-width, four-node horizontal diagram (Research → Prototype → Validate → Iterate). *Purpose:* the diagram is not decorative reinforcement of the paragraph — it is the primary vehicle for the "this is a repeatable system" claim, since a visual pipeline communicates repeatability more convincingly than a paragraph describing one.

What is deliberately not included: No capability-map or system-relationship graphic spanning all five domains together. This was considered and rejected — a single unifying "map of everything" diagram risks either oversimplifying real distinctions between domains (undermining Section B's specificity-driven credibility) or becoming complex enough to require its own extensive legend, which would compete with, rather than support, the page's actual content. Domain Deep-Dives should each stand as their own evidence; a synthesizing diagram is a Homepage-level device (per Phase 5's capability matrix), not a Technologies-page one.

Every diagram, without exception: Carries the Design System's required "Illustrative — not to scale" disclaimer unless and until engineering has verified it to exact specification (Design System Part 2, Section 18) — this is restated here as a hard implementation checklist item, not left implicit.

6. MOTION STRATEGY

Section	Scroll behaviour	Hover	Expand/collapse	Progressive reveal	Loading
A — Overview	Static reveal, no stagger (simultaneous fade-in as a whole unit)	Domain Index label → --accent-signal (Micro tier)	N/A	N/A	Skeleton for framing text is unnecessary (fast, static content); N/A
B — Deep-Dives	Each domain fades/translates in as one Narrative-tier unit on scroll-into-view, once per page load	Insight link underline-on-hover only (Micro tier)	Accordion: chevron rotate + height-auto expand (Structural tier, per Part 2 §12)	Accordion is the sole progressive-disclosure mechanism	Diagram images lazy-load with skeleton placeholder matching final diagram dimensions
C — Methodology	Text fades in first; diagram's four nodes reveal left-to-right in sequence immediately after (the one sanctioned staggered-reveal exception)	N/A (diagram is non-interactive)	N/A	The sequential node reveal <i>is</i> the progressive disclosure device here	Diagram SVG loads inline (no lazy-load needed if implemented as inline SVG per Developer Notes)
D — Validation	Proof-point strip fades in as one unit (no stagger — reinforces "settled	Standard card hover (border → --accent-	N/A	N/A	Insight card images lazy-

Section	Scroll behaviour	Hover	Expand/collapse	Progressive reveal	Loading
	fact," not a sequence); Insight card grid uses standard card-grid reveal	signal, reduced opacity, per Part 2 §9)			load with skeleton
E — Transition	Simple fade-in, Narrative tier	Primary button standard hover (Part 2 §10)	N/A	N/A	N/A

Reduced motion: Every Narrative- and Structural-tier behavior above (Section B's domain reveal, Section C's node sequence, Section D's card-grid reveal, all accordions) must have an instant-state prefers-reduced-motion fallback per Design System Part 3, Section 22 — restated here per-row rather than as one generic note, so no implementation pass can miss a specific instance.

7. RESPONSIVE BEHAVIOUR

Section A — Domain Overview: Desktop/Laptop shows the five-entry horizontal index band as specified in Section 2. Tablet reduces to a 2-column wrapped grid of the same five entries (uneven last row accepted — 2/2/1, not force-balanced). Mobile stacks to a single column, full-width entries, each still anchor-linking to its Domain Deep-Dive.

Section B — Domain Deep-Dives: Desktop/Laptop uses the alternating two-column layout (Section 2). Tablet collapses to a single column per domain — text block first, diagram beneath it (diagram is never dropped at Tablet, only reflowed), since Tablet width can still comfortably support a full-width diagram. Mobile retains single-column stacking; if a domain's diagram is complex (e.g., a multi-element coverage diagram), it should be simplified to its core visual idea at Mobile width rather than shrunk illegibly — this is a content decision to flag to whoever builds each diagram, not something the layout system alone can solve.

Section C — Methodology: Desktop/Laptop shows the four-node diagram in a single horizontal row. Tablet keeps the horizontal row if legible at that width; if not, rotates to a vertical top-to-bottom sequence (matching the Design System's general timeline-responsive rule, Part 3 Section 23) — this decision should be validated visually once the actual diagram is drafted, not assumed at spec stage. Mobile always uses the vertical sequence.

Section D — Validation: Desktop/Laptop shows the proof-point strip as a single row and Insight cards in a multi-column grid. Tablet keeps the proof-point row (few enough items to fit) and reduces Insight cards to 2-column. Mobile stacks the proof-point strip vertically (still without card backgrounds — remains a plain list even stacked, preserving the "restrained, not card-ified" character specified in Section 2) and stacks Insight cards to single column.

Section E — Transition: Structurally identical at every breakpoint — centered content, narrow measure — since its 6-column-equivalent centered measure already behaves correctly as a percentage-based width down to Mobile without a distinct breakpoint treatment needed.

Domain Index persistence (cross-section, all breakpoints): Per the Experience Strategy's carried-forward Anduril-lens refinement, the Domain Index (or a compact derivative of it) should remain accessible while a visitor scrolls through Section B — implemented as a slim sticky sub-nav bar (beneath the main site nav) at Desktop/Laptop/Tablet, showing the five domain labels in compact Metadata-scale text with the current domain highlighted (mirroring the primary nav's active-route underline treatment, Part 2 §7). At Mobile, this persistent index is dropped in favor of relying on standard scroll and the browser's native find/scroll behavior — attempting a sticky sub-nav within Mobile's limited vertical space would compete with the main nav bar for scarce screen real estate, and the trade-off isn't worth it at that width.

8. ACCESSIBILITY

Keyboard navigation: Domain Index entries (Section A) and the persistent sticky sub-nav (Section 7) must be Tab-reachable in visual order, with Enter activating the anchor jump. Each Domain Deep-Dive's Accordion header must be independently focusable and operable via Enter/Space, exposing aria-expanded state per Design System Part 3, Section 24.

Screen readers: The sequential four-node Methodology diagram (Section C) needs a text-equivalent reading order exposed to assistive technology — since the visual sequence itself carries meaning, the underlying markup should present the four stages as an ordered list () regardless of how the diagram is visually rendered, so a screen reader user receives the same "this is a sequence" information a sighted visitor gets from the diagram's left-to-right layout.

Focus order: Must follow visual reading order within each Domain Deep-Dive (eyebrow → heading → paragraph → accordion → Insight link) — no tabindex override should reorder this to prioritize, for instance, jumping straight to interactive elements ahead of static content, since that would break the linear-read experience for a keyboard-only visitor trying to read the section, not just interact with it.

Touch targets: Domain Index entries and Insight link CTAs must meet the 44×44px minimum at Tablet/Mobile per Design System Part 3, Section 24 — of particular note for the Domain Index at Mobile, where entries are text-only with no card background; the tappable area should still extend to a full 44px-tall zone around the label, not just the visible text's own line height.

Contrast: All diagram line-work and annotation text (Section 5) must be verified against whichever surface token sits behind it in each section (--surface-primary in Sections A/C/E, --surface-secondary in alternating Section B panels) — diagrams sitting on the alternating background require separate contrast verification for both background states, since a diagram verified only against --surface-primary may fail against --surface-secondary or vice versa.

Reduced motion: Per Section 6's per-row fallback requirements — restated here as an accessibility, not just a motion-design, requirement, consistent with the Design System's own framing of the two as overlapping concerns (Part 3, Section 24).

9. CROSS-PAGE CONSISTENCY

Correct Design System usage: Verified against Parts 1–3 throughout this document — no new token, spacing value, or motion duration introduced anywhere in this spec; the single new component (Domain Index, Section 3) follows the System's own governance process for introducing one, rather than sidestepping it.

Reinforcing the Homepage: The Section B alternating two-column layout deliberately echoes the Homepage's alternating product-panel pattern (Phase 5), giving a returning visitor a sense of continuity between the two pages' scroll rhythm even though Technologies' content and pacing differ substantially. The Domain Index component, while new, uses the same anchor-link and hover-underline pattern already established site-wide, rather than inventing a new interaction language.

Leading naturally into Products: Handled entirely by Section E, per its Content-document copy and this document's dedicated closing-panel treatment (Section 2) — no other part of the page pre-empts or duplicates this transition; Sections A–D make no reference to specific products, keeping the Technologies/Products distinction (Experience Strategy, Section 1) intact at the UI level, not just the content level.

Non-duplication with About, News, and Insights: The Methodology section (C) describes *process*, which risks overlapping with an About page's likely "how we work" or culture content — this is flagged as a real risk (see Final Design Review, Section 11) rather than assumed to be automatically distinct. The Validation section's Insight-card links (Section D) intentionally route *into* the Insights page rather than duplicating article content on this page, preserving the separate-content-types principle established in the original IA phase.

Consistent visual language: Verified — no page-specific color, type role, or component variant was introduced anywhere in this specification.

10. DEVELOPER HANDOFF NOTES

Component reuse: Build the Domain Index (Section 3) as a genuinely reusable component now, not a one-off — per the Future Scalability guidance (Design System Part 3, Section 26), other future pages with a small number of top-level sub-destinations (a future Research page, potentially a future business-unit page) are likely to need the same pattern.

Layout behaviour: Section B's alternating-side layout should be implemented as a single Domain Deep-Dive component accepting a reverse or align prop, not as two visually-similar-but-separately-coded left/right variants — this mirrors the Design System's general Card System inheritance guidance (Part 3, Section 27) applied to this page-specific layout.

Responsive considerations: The sticky sub-nav (Section 7) should be implemented with a scroll-position-based active-state calculation (which domain section is currently most in view) rather than a purely route/hash-based active state, since a visitor scrolling naturally through Section B (not clicking anchors) should still see the sub-nav update to reflect their actual scroll position.

Animation guidance: Implement Section C's four-node sequential reveal as a single coordinated animation (one Intersection Observer trigger firing a staggered CSS animation across the four nodes) rather than four independent Observer instances — simpler to reason about and guarantees the nodes can never desynchronize from each other on inconsistent scroll speeds.

Performance recommendations: All diagrams should be authored as inline SVG (Design System Part 3, Section 27) — this matters more on this page than most others, given five domain diagrams plus

the Methodology pipeline diagram is the heaviest visual-diagram load of any page currently specified. Domain Deep-Dive diagram images/SVGs specifically should be lazy-loaded per domain (only the first one or two domains' diagrams need to be eagerly loaded above the fold) to keep initial page weight reasonable given the page's five-domain length.

Placeholder content handling: Several content blocks (per the Content document) remain flagged [PLACEHOLDER], most heavily in Section D. The frontend build should not treat these as blocking — implement the section's structure and component wiring now, with placeholder copy visually distinguishable in the CMS/staging environment (e.g., a visible draft-state indicator) so it cannot accidentally ship to production before Section D's content is confirmed.

11. FINAL DESIGN REVIEW

As Product Design would critique it: The likely note is that Section A and Section E, both intentionally low-density, risk feeling like "filler" bookends around the real content in Sections B–D if their visual weight is trimmed too aggressively during implementation. **Refinement:** both sections' elevated padding (128px at Section E, standard 96px but full-width map treatment at Section A) should be protected during implementation as deliberate pacing devices, not treated as available space to compress if the page "feels long."

As UX would critique it: The most likely note is a real one — five Domain Deep-Dives at 128px padding each is a genuinely long scroll, and the persistent sub-nav (Section 7) is doing a lot of load-bearing work to keep that scroll navigable. **Refinement:** the sub-nav's scroll-position active-state (Developer Handoff, Section 10) should be treated as launch-blocking, not a nice-to-have enhancement — without it, a visitor who scrolls (rather than clicks) through even two domains loses their sense of place, undermining the "supports both quick evaluation and deep exploration" objective this entire spec is built around.

As Information Architecture would critique it: The most likely note is the Methodology-vs-About overlap risk already flagged in Section 9. **Refinement:** recommend an explicit content-governance check during the About page's own future content-development phase — About's "how we work" content (if any) should reference this page's Methodology section rather than re-explaining the same four-stage process independently, preventing the two pages from silently drifting into duplicate claims about the same process over time.

As Accessibility would critique it: The most likely note concerns the sequential diagram in Section C — a purely visual left-to-right reveal risks being genuinely inaccessible if the underlying markup doesn't independently convey sequence. **Refinement:** already addressed directly in Section 8 (markup requirement) — flagged here again specifically because this is the single most likely accessibility item to be overlooked during implementation if a frontend engineer builds visually first and retrofits semantics after, which is precisely the ordering this document should prevent.

As Defence Industry Communication would critique it: The most likely note is about Section D's near-total placeholder state reaching implementation without genuine proof points ready — a Validation section that ships with only one or two confirmed items risks looking sparse in a way that undermines rather than reinforces credibility, especially against reference organizations (Anduril, Helsing) whose own sites feature dense, high-signal proof sections. **Refinement:** recommend Section D's launch readiness be explicitly gated on having at minimum a small, genuinely confirmed set of proof points — if that threshold isn't met by launch, better to delay Section D's visible content (soft-

launching the page with Sections A–C–E only, adding D once ready) than to publish a visibly thin validation section under a page whose entire purpose is proving credibility.

As Frontend Engineering would critique it: The most likely note is that the alternating-background, alternating-layout Domain Deep-Dive component, combined with five domains, sequential diagrams, and a scroll-position-aware sticky sub-nav, is a meaningfully complex build for what reads as "just five sections" in the content document. **Refinement:** recommend this page be estimated and staffed as a genuinely complex build, not a template-fill exercise — the Developer Handoff notes above (Section 10) exist specifically to front-load the trickiest coordination points (sub-nav scroll-sync, sequential diagram animation, alternating-layout component design) before implementation begins, rather than letting them surface as mid-sprint surprises.

Net refinements carried forward into implementation: (1) Section A and E's spacing is protected pacing, not trimmable filler; (2) the sub-nav's scroll-position sync is launch-blocking, not optional; (3) About page content development must reference, not duplicate, this page's Methodology section; (4) Section C's diagram sequence requires semantic list markup independent of its visual animation; (5) Section D should be gated on genuine proof-point readiness, with a soft-launch-without-Section-D fallback explicitly available rather than shipping a thin validation section; (6) this page should be scheduled and staffed with its actual build complexity in mind.

This specification, together with the approved Experience Strategy and Content documents, constitutes the complete, production-ready package for the Technologies page. It is the second production page (after the Homepage) to reach this status and, per the brief, now serves as the quality benchmark for every remaining page — Products, About, Team, News, Insights, and Contact — still to be developed.

STRAVEX TECHNOLOGIES

Products Page — Experience Strategy

Phase 8 Deliverable — Production Page 2 of N

This document defines the complete visitor experience strategy for the Products page, inheriting all foundations established through the Technologies page (Phase 7) and the Global Website Design System (Parts 1–3). No copy, no UI, and no visual design decisions are made here.

1. PURPOSE

Why this page exists: Technologies answered *how Stravex engineers advanced capability*. Products exists to answer the question that follows naturally from that: *what has that engineering actually become, and is it something a real operational context could actually use?* This page is where credibility built on engineering depth converts into credibility about deployability — maturity, integration, and operational fit, not just technical sophistication in the abstract.

How it complements Technologies: Technologies is domain-organized and process-oriented — it explains capability at the level of a discipline (detection, interception, autonomy). Products is system-organized and outcome-oriented — it presents capability at the level of a deliverable, mission-ready system that draws on one or more of those domains at once. A visitor should be able to trace a direct line from a Technologies domain to the specific products that domain enables, but the two pages

must never re-argue the same point in the same register: Technologies proves *we understand this engineering problem*; Products proves *we have turned that understanding into something fieldable*.

Visitor questions this page answers:

- "What does Stravex actually sell or field, concretely?"
- "Is this system real, or conceptual/aspirational?"
- "What mission or operational problem does this specific system solve?"
- "How mature is this — prototype, tested, fielded?"
- "Does this integrate with systems and doctrine I already operate within?"

Role in the overall credibility journey: This is the page where a technically-convinced visitor becomes an operationally-convinced one. If Technologies is the credibility bridge between Homepage and Products (per Phase 7's own framing), Products is the bridge between Technologies and an actual engagement decision — the page a procurement officer or integrator ultimately needs before a real conversation can start.

2. VISITOR PSYCHOLOGY

Audience	Expectations	Concerns	Decision Criteria	Information Priorities
Defence procurement teams	A clear capability-to-mission mapping they can defend internally	Overstated maturity; unclear whether a system is fielded, tested, or conceptual	Maturity level, mission fit, evidence of validation	Mission domain, maturity status, integration requirements
Government agencies	Systems framed in terms of sovereign capability and strategic relevance (consistent with the Atmanirbhar Bharat context named in company positioning)	Vendor lock-in, unclear indigenous content, ambiguity about long-term support	Strategic alignment, domestic engineering ownership, long-term supportability	Ownership/engineering provenance, strategic domain relevance
Strategic partners	A structured view of where their own systems or platforms could integrate with Stravex's	Ambiguity about interface points, unclear which products are stand-alone vs. integration-ready	Integration surface, compatibility, partnership maturity	Related technologies, integration notes, systems-level framing rather than isolated specs

Audience	Expectations	Concerns	Decision Criteria	Information Priorities
Defence OEMs	Component- or subsystem-level clarity — can this be sourced, embedded, or licensed into a larger platform	Unclear whether Stravex sells systems, subsystems, or both	Interface specifications, supply relationship model	Product hierarchy (system vs. subsystem), technical documentation availability
System integrators	Enough technical specificity to scope an integration effort without a sales call	Missing or vague specifications; no clear technical point of contact	Depth and availability of technical documentation	Expandable specifications, downloadable technical assets
Technical evaluators	Real specification depth, not marketing summaries	Products that read as capability claims without engineering substantiation	Consistency between claimed capability and demonstrated engineering depth (traceable back to Technologies page)	Specs, related Technologies links, validation evidence
Investors	Evidence that engineering depth (Technologies) has actually produced deployable, differentiated products — not just promising research	A product line that reads as more aspirational than real	Breadth and maturity of the product portfolio as evidence of execution, not just capability	Portfolio structure, maturity distribution across the catalogue, growth trajectory implied by structure

Cross-audience insight: Every audience here is calibrating *maturity* and *realness* against a different practical need — a procurement officer needs maturity to justify a process, an OEM needs it to plan an integration timeline, an investor needs it as evidence of execution. This means maturity signaling (Section 6) is the single highest-leverage information element on this page, more so than any other individual content field.

3. SCROLL NARRATIVE

Stage 1 — Orientation ("What kinds of systems does Stravex actually field?")

- *Purpose:* Present the product portfolio's shape — mission domains and hierarchy — before any individual product detail.
- *Visitor question:* "Before I look at one product, what's the overall shape of what they build?"
- *Trust objective:* Portfolio coherence — these products belong to a deliberate line, not a disconnected list.

- *Relationship to prior/following:* Directly mirrors Technologies' own Domain Overview (Phase 7, Section A) in function, giving the two pages a parallel opening structure a returning visitor will recognize.

Stage 2 — Capability Presentation ("What does each system actually do, and how mature is it?")

- *Purpose:* The page's main body — individual product presentations, each answering function, mission fit, and maturity.
- *Visitor question:* "Is this system real, and does it solve a problem I have?"
- *Trust objective:* Operational credibility — maturity and mission relevance demonstrated per product, not asserted generally.
- *Relationship to prior/following:* Directly follows Stage 1's map; each product presented here should be traceable back to both a mission domain (Stage 1) and, where relevant, a Technologies domain (external page link).

Stage 3 — Systems Thinking ("Do these products work together, or are they sold as isolated boxes?")

- *Purpose:* Demonstrate that products are understood and presented as integrated capabilities — addressing the Design Philosophy's explicit instruction to avoid an "isolated hardware" presentation.
- *Visitor question:* "Does Stravex think about how these systems fit into a larger operational picture?"
- *Trust objective:* Systems-level maturity — this is what separates a capability provider from a components vendor, directly relevant to the Strategic Partner and OEM audiences.
- *Relationship to prior/following:* Builds on Stage 2's individual product credibility into a portfolio-level claim, immediately before the page asks for engagement.

Stage 4 — Engagement ("Now what — how do I move forward?")

- *Purpose:* Convert accumulated operational trust into a specific next action.
- *Visitor question:* "Given everything above, what's the right next step for someone in my position?"
- *Trust objective:* Appropriately differentiated engagement paths — a procurement officer's next step is not an OEM's next step, and the CTA structure (Section 9) must reflect that rather than offering one generic action.
- *Relationship to prior/following:* Closing stage, following the same principle established on Technologies — engagement paths are only offered after the trust-building work is substantially complete.

4. PRODUCT ARCHITECTURE

Product categorisation: Two simultaneous, non-exclusive categorisation axes — **Mission Domain** (the operational problem a product addresses, e.g., Counter-UAS, Perimeter Detection, Autonomous Reconnaissance) and **Technology Domain** (the underlying engineering discipline it draws on,

inherited directly from the Technologies page's five domains). A single product can belong to one Mission Domain but reference multiple Technology Domains — reflecting the real-world reality that a fielded system is usually a convergence of more than one underlying discipline.

Mission domains: Recommend deriving Mission Domains from real operational problem categories rather than reusing the Technology Domain names verbatim — e.g., "Perimeter & Base Security," "Counter-UAS Response," "Autonomous ISR" (Intelligence, Surveillance, Reconnaissance), "Electronic Warfare Support" — this keeps Products organized around *what a customer is trying to solve*, distinct from how Technologies is organized around *what Stravex engineers*, reinforcing the two pages' distinct purposes rather than letting Products become a repackaged Technologies index.

Capability groupings: Within a Mission Domain, products should be grouped by role (e.g., detection-role systems vs. response-role systems within Counter-UAS) once the catalogue grows large enough to need it — at current portfolio size, a flat list within each Mission Domain is likely sufficient, but the architecture should anticipate this second-level grouping without needing to be restructured later (per the scaling requirement below).

Product hierarchy: Three levels — **System** (a complete, deployable product), **Subsystem/Component** (a sourceable or integratable element of a System, relevant to the OEM audience), and **Variant** (a configuration of an existing System for a specific mission profile, e.g., a fixed-site vs. mobile configuration of the same core system). Not every product needs all three levels populated — a simple product may exist only as a System with no published Subsystem or Variant — but the architecture should support all three from the outset rather than retrofitting hierarchy once a complex product requires it.

Related Technologies: Every product detail should link explicitly to the specific Technologies domain(s) it draws on — this is the single most important cross-page link on the site, since it's the mechanism that converts Technologies-page trust into Products-page confidence at the individual-product level, not just at the page-relationship level described in Section 1.

Related Insights: Product-level linking to Insights articles that provide deeper technical or operational context — used sparingly, only where a genuinely relevant article exists, consistent with the system-wide principle (established on Technologies) against padding a page with weak links for the sake of having them.

Related News: Product-level linking to relevant News items (e.g., a testing milestone, a partnership announcement referencing that product) — this is where Products and News intersect without duplicating; News should never restate product specifications, only reference the product and link back to it.

Supporting technical assets: Downloadable spec sheets (PDF, per the Design System's print-artifact gap flagged in Phase 6's Final Audit — this page creates the actual need for that artifact to get scoped) and, where appropriate, technical diagrams inherited from or complementary to the Technologies page's Technical Diagram System.

Scaling to dozens of products: The Mission Domain / Technology Domain dual-axis structure, combined with the three-level hierarchy, is designed specifically so that portfolio growth adds *entries within existing categories* rather than requiring new categories or restructuring — a dozens-of-products future should look like today's architecture with more rows, not a different architecture.

5. SECTION BLUEPRINT

Section A — Portfolio Overview

- *Purpose:* Present the Mission Domain structure as an orienting map, mirroring Technologies' Domain Overview.
- *Visitor takeaway:* "Stravex's products map to real operational problems, organized deliberately."
- *Trust objective:* Portfolio coherence.
- *Layout:* Index/map, not a card grid — consistent with the low-density orientation pattern already validated on Technologies.
- *Information density:* Low.
- *UX rationale:* Establishes the Mission Domain vocabulary before any product-level filtering or browsing begins, so filters (Section 7) have already-familiar category labels to operate on.

Section B — Product Index (Filterable Catalogue)

- *Purpose:* The primary browsing surface — all products, filterable by Mission Domain, Technology Domain, and maturity status.
- *Visitor takeaway:* "I can find the specific system relevant to my need quickly."
- *Trust objective:* Not primarily trust-building — primarily functional; trust here comes from the filtering itself feeling precise and well-organized rather than from persuasive content.
- *Layout:* Standard filterable card grid, using the Product Card component (Design System Part 2, Section 9.1) with its existing maturity-status indicator field doing significant work here.
- *Information density:* Medium — enough per card to support a filtering decision, full depth reserved for individual product detail.
- *UX rationale:* This is the one genuinely catalogue-like section on the page — appropriate, since Section B's job is findability, not persuasion; the Design Philosophy's "capability catalogue, not commercial catalogue" instruction is upheld through card content and maturity honesty (Section 6), not by avoiding catalogue mechanics altogether.

Section C — Individual Product Detail (template, repeated per product)

- *Purpose:* Full presentation of a single product's function, mission fit, maturity, specifications, and related content.
- *Visitor takeaway:* "I understand exactly what this system does, how mature it is, and what it connects to."
- *Trust objective:* Operational credibility at the individual-product level — the page's core trust-building unit, equivalent in weight to Technologies' Domain Deep-Dives.
- *Layout:* Dedicated detail view (likely a distinct page/route per product rather than an expanded in-page section, given hierarchy and asset depth per product) — this is a structural recommendation flagged explicitly in Section 12 below given its implications for the wireframe and IA.

- *Information density:* High, but progressively disclosed (expandable specifications, per Section 7).
- *UX rationale:* Concentrating full depth into a dedicated detail view, reached from Section B's index, keeps the Product Index itself scannable while still giving each product the full space its evaluators (OEMs, integrators, technical evaluators) genuinely need.

Section D — Systems Thinking / Integration Perspective

- *Purpose:* Demonstrate products as integrated capabilities rather than isolated hardware, per the Design Philosophy's explicit instruction.
- *Visitor takeaway:* "These aren't standalone boxes — Stravex thinks about how they operate together and within a larger mission context."
- *Trust objective:* Systems-level maturity, specifically valuable to Strategic Partner and OEM audiences.
- *Layout:* Editorial/narrative section, likely diagram-supported (a systems-relationship graphic showing how 2–3 products might combine within a single mission scenario) — content-light, concept-heavy.
- *Information density:* Low-to-medium.
- *UX rationale:* Placed after the Product Index/Detail content (Stage 3 per Section 3) so the systems-level claim lands as a synthesis of what a visitor has already seen, not an abstract claim made in isolation.

Section E — Engagement

- *Purpose:* Differentiated engagement paths matched to audience type, per Section 9's CTA Strategy.
- *Visitor takeaway:* "There's a clear, appropriate next step for someone in my specific position."
- *Trust objective:* Converts accumulated trust into action without genericizing the ask.
- *Layout:* Structured multi-path closing panel, not a single CTA button — a deliberate departure from Technologies' single-CTA closing pattern, justified because Products' audience diversity (Section 2) genuinely requires differentiated paths in a way Technologies' more homogeneous "proceed to Products" moment did not.
- *Information density:* Low, but structurally distinct per path.
- *UX rationale:* A single generic CTA here would underserve the OEM/integrator audience specifically, whose next step ("Contact Engineering" for a technical/integration conversation) is meaningfully different from a procurement officer's ("Request a Technical Briefing").

6. INFORMATION HIERARCHY

Primary information: Product function (what it does), mission fit (what problem it solves), and maturity status (how real/deployable it is) — these three fields, present on every card and detail view, are what every audience in Section 2 needs regardless of their specific role.

Secondary information: Detailed specifications, related Technologies/Insights/News links, and hierarchy context (System/Subsystem/Variant relationships) — valuable and necessary, but appropriately reached through progressive disclosure rather than competing with primary information for initial attention.

Progressive disclosure: Full specification tables, integration/interface detail, and downloadable technical assets — revealed via expansion or a distinct sub-section within the product detail view, not shown in full by default (mirroring Technologies' Accordion-based approach to deep technical content).

Public information: Function, mission domain, maturity status (at an appropriate level of generality — "Operational," "In Development," rather than granular timelines), general capability description, and any information already disclosed in public defence-industry contexts.

Intentionally high-level information: Precise performance figures, deployment locations/customers, and any detail that would constitute operationally sensitive disclosure — per the Design Philosophy's "balance transparency with appropriate discretion" instruction. This is a defence-technology-specific constraint with no equivalent on the Technologies page, and it should be treated as a firm content-governance rule carried into the Content phase: specificity (the credibility tool used throughout Technologies) must not be pursued past the point where it would constitute inappropriate operational disclosure. **This is the single most important content-governance instruction unique to this page.**

Maintaining realism: No product should be presented with a maturity status implying more deployment reality than genuinely exists — this directly extends the "never fabricate" instruction from the Technologies Content phase, and matters more here, since Products' entire credibility function depends on maturity honesty specifically (per Section 2's cross-audience insight).

7. INTERACTION STRATEGY

Product filters: By Mission Domain, Technology Domain, and Maturity Status — three filter facets, directly reflecting the Product Architecture's categorisation axes (Section 4). This is the one page in the site (per the Technologies-page decision to explicitly exclude filters) where filtering is appropriate and expected, since Products is genuinely a browsable catalogue in a way Technologies deliberately is not.

Mission filters: Functionally the same as the Mission Domain filter above — not a separate mechanism, to avoid the Design System's standing rule against parallel one-off filtering systems for what is structurally the same interaction.

Search: Relies on the global site search (Design System Part 2, Section 13) rather than a page-specific search — a dedicated Products-only search was considered and rejected as unnecessary given filters already cover the primary browsing need at current and near-future portfolio scale.

Comparison tools: Recommended as a *future* enhancement, not part of this initial launch — a side-by-side product comparison table becomes valuable once the portfolio reaches enough breadth within a single Mission Domain to warrant comparing multiple options (per the OEM/technical evaluator's decision criteria in Section 2), but building it against today's smaller catalogue risks an underused, over-engineered feature. Flagged explicitly here so it isn't lost, and so the Product

Card/Table components are built with this eventual need in mind (a data-consistent field structure across products, even before a comparison UI exists to consume it).

Expandable specifications: Accordion-based, within each product's detail view, mirroring Technologies' established pattern — full specification tables (using the Design System's Table component, Part 2 Section 11) revealed on expansion rather than by default.

Technical diagrams: Product-specific diagrams (e.g., a system architecture or operational-envelope diagram) within the detail view, plus the Section D systems-relationship diagram at the page level — both governed by the same Technical Diagram System accuracy rules already established (Design System Part 2, Section 18), with the added discretion constraint from Section 6 above applied specifically to this page.

Downloads: Spec-sheet PDF downloads per product, gated behind no login for public-tier information, but the architecture should anticipate a possible future gated-download tier (e.g., requiring a briefing request for more detailed technical documentation) — not built now, but a real possibility worth flagging given the OEM/integrator audience's stated need for documentation depth balanced against the discretion requirement in Section 6.

Related content: Related Technologies, Insights, and News links per product, per the Product Architecture (Section 4) — surfaced within the detail view, not the index cards, to keep Section B scannable.

Navigation between products: Within a product detail view, a "related products" or "same Mission Domain" navigation aid (e.g., a small set of sibling-product links) so a visitor comparing options within one domain doesn't need to return to the full index and re-filter each time.

8. TRUST FRAMEWORK

Engineering maturity: Demonstrated primarily through the maturity-status field's honesty (Section 6) and through each product's explicit link back to its underlying Technologies domain — the credibility already built on Technologies is the primary trust asset this page draws down against, not a new claim built from scratch.

System integration: Demonstrated through Section D (Systems Thinking) and through the Product Hierarchy's System/Subsystem/Variant structure (Section 4), which itself signals integration-mindedness by existing at all — a flat, hierarchy-free product list would implicitly signal "isolated hardware" regardless of what the copy claims.

Operational relevance: Demonstrated through the Mission Domain categorisation (Section 4) itself — organizing by operational problem rather than by technology type is itself a trust signal, independent of any individual product's content, because it shows Stravex frames its own portfolio the way an operational customer would.

Validation processes: Product-level validation references (where confirmed and disclosable, per Section 6's discretion constraint) should exist within each product's detail view — this is a product-level echo of the Technologies page's Validation & Recognition section, but distributed per-product rather than concentrated in one page-level section, since validation evidence is more persuasive when attached to the specific claim it substantiates.

Technical documentation: The spec-sheet download and expandable-specification mechanisms (Section 7) are themselves a trust signal to the OEM/integrator/technical-evaluator audiences specifically — the existence of real, structured technical documentation (even at a publicly appropriate level of detail) signals a level of engineering seriousness that marketing copy alone cannot.

Capability presentation: The overall restraint of the page — Mission Domain framing over feature lists, maturity honesty over inflated claims, discretion over specificity where appropriate — is itself the page's cumulative trust signal, consistent with the Design Philosophy's explicit "operational outcomes over marketing claims" instruction.

9. CTA STRATEGY

Rejecting a single generic CTA in favor of differentiated engagement paths, per Section 5's Section E rationale and Section 2's audience diversity.

"Request a Technical Briefing" — Primary path for procurement teams and government agencies who need a structured, formal engagement point before deeper evaluation.

"Discuss Operational Requirements" — Primary path for defence organizations and strategic partners with a specific mission problem to map against the portfolio, distinct from a generic briefing request in that it signals a two-way scoping conversation rather than a one-way information request.

"Contact Engineering" — Primary path for OEMs, system integrators, and technical evaluators who need a technical point of contact rather than a business-development one — this path should route differently on the backend (to an engineering contact context, not a general sales inbox) even if the visible IA treats it as one more option among several.

"Partnership Enquiries" — Primary path for strategic partners and investors interested in a business-relationship conversation distinct from either a technical or procurement one.

Placement: All four paths presented together in Section E, as a structured set of options rather than a single primary button with the others demoted to secondary — this is a deliberate, explicit departure from the Design System's general "one primary button per viewport" rule (Design System Part 2, Section 10), justified specifically by this page's audience diversity; the alternative (picking one as "primary" and demoting the rest) would misserve whichever three audiences didn't get the primary treatment. **This exception should be documented back into the Design System's CTA component governance, per the same process used for the Domain Index component on Technologies.**

Avoiding generic marketing CTAs: No "Learn More," "Get Started," or "Contact Us" language anywhere in this system — every CTA names the specific engagement type it initiates, consistent with the Brand Strategy's standing anti-marketing-language rule and this page's own "capability catalogue, not commercial catalogue" positioning.

10. WIREFRAME (Textual, Structure Only)

[NAV — inherited from Design System]

SECTION A — Portfolio Overview
- Page heading (H1-equivalent)
- Short framing statement
- Mission Domain index (map, low density)

SECTION B — Product Index (Filterable)
- Filter panel (Mission Domain / Technology / Domain / Maturity Status)
- Product Card grid (maturity-status visible on every card)
- Pagination (if volume requires)

SECTION C — Product Detail (per product, reached via Section B, likely a distinct route — see Section 12 recommendation)
- Product heading + Mission Domain + maturity status
- Function / mission-fit narrative
- Expandable: full specifications (table)
- Technical diagram (where appropriate)
- Related Technologies link(s)
- Related Insights / News link(s)
- Sibling-product navigation (same Mission Domain)
- Spec-sheet download

SECTION D — Systems Thinking / Integration	
- Section heading	
- Integration narrative	
- Systems-relationship diagram (2–3 products	
shown operating within one mission scenario)	

SECTION E — Engagement (multi-path)	
- Short bridging statement	
- 4 differentiated CTA paths:	
Request Technical Briefing /	
Discuss Operational Requirements /	
Contact Engineering /	
Partnership Enquiries	

[FOOTER — inherited from Design System]

11. CROSS-PAGE VALIDATION

Complements Technologies: Verified — Products is Mission-Domain-organized and outcome-oriented where Technologies is discipline-organized and process-oriented (Section 1); every product links back to its underlying Technology Domain(s), making the relationship explicit and bidirectional rather than assumed.

Avoids duplication: Verified with one flagged risk — Section D's "Systems Thinking" narrative content could drift toward re-explaining engineering methodology if not carefully scoped; it must stay focused on *integration and mission-scenario composition* (how products combine) rather than *how they were engineered* (Technologies' and its Methodology section's territory). This should be an explicit content-governance note carried into the Content phase.

Reinforces Homepage messaging: Verified — Mission Domain framing and maturity honesty both directly reinforce the Brand Strategy's "engineering-first, never overpromise" positioning established at the Homepage level; no claim on this page should exceed the register already set there.

Integrates naturally with News and Insights: Verified via the Product Architecture's explicit Related News/Related Insights fields (Section 4) — these are additive links from Products outward, not new content generated on this page, preserving each page's distinct content-type boundary.

Follows the Global Design System: Verified for all components except the CTA Strategy's four-simultaneous-path exception (Section 9), which is flagged explicitly as a documented deviation requiring governance sign-off, following the same process already used for the Domain Index component on Technologies.

Supports future product growth: Verified — the dual-axis Mission/Technology Domain structure and three-level hierarchy (Section 4) are explicitly designed to absorb portfolio growth as additional entries, not additional structure.

12. CRITICAL SELF REVIEW

As Defence Procurement would critique it: The likely objection is that maturity-status honesty (Section 6) is stated as a principle but has no defined *standard* — what exactly distinguishes "In Development" from "Operational" needs a consistent internal definition before this reaches Content, or different products risk being labeled inconsistently by whoever writes their entries. **Refinement:** recommend a short, explicit maturity-status rubric (a fixed, small set of defined statuses with clear criteria for each) be established as a Content-phase prerequisite, not left to per-product judgment calls.

As Enterprise UX would critique it: The likely objection concerns Section C's structural ambiguity — this document recommends individual product detail as "likely a distinct route" but doesn't commit firmly, which leaves a real IA decision unresolved going into Content and UI/UX. **Refinement:** resolving now rather than deferring — individual Product Detail should be a distinct page/route per product (e.g., /products/[product-name]), not an in-page expansion within Section B. This is justified by the depth requirements already described in Section 5 (full specs, diagrams, downloads, related content) — content this deep degrades the Product Index's scannability if expanded in place, and a dedicated route also gives each product a directly linkable, shareable, and SEO-indexable URL, which matters for exactly the OEM/integrator audience likely to bookmark or forward a specific product's page.

As Information Architecture would critique it: The likely objection is that Mission Domain and Technology Domain, as parallel but independent taxonomies, risk visitor confusion if not clearly labeled and distinguished in the UI — a visitor could reasonably wonder why the same product appears when filtering by two seemingly different category systems. **Refinement:** carry forward an explicit instruction into the UI/UX phase — the two filter facets must be visually and label-wise distinguished (e.g., "Mission" vs. "Technology" as clearly separate filter groups with distinct headers), and the Content phase should include a short explanatory microcopy line near the filter panel clarifying the distinction for a first-time visitor.

As Product Communication would critique it: The likely objection is that Section D (Systems Thinking) risks being the page's least concrete section — "integration" and "systems thinking" are easy to assert and hard to make specific without real content. **Refinement:** the Content phase must ground Section D in a specific, plausible mission scenario (even if illustrative) rather than abstract integration language — this should be flagged as a specific writing challenge for that phase, not left to resolve itself.

As Engineering Credibility would critique it: The likely objection is the discretion constraint (Section 6) itself — is it clearly enough bounded that a future content writer knows where the line is, or does it just say "be careful" without operational guidance? **Refinement:** recommend the Content phase establish a working rule of thumb (e.g., "publish function and general capability; never publish specific performance figures, deployment locations, or customer identities without explicit clearance") rather than relying on the general discretion principle alone — this deserves the same explicit-rubric treatment as the maturity-status question above.

Net refinements carried forward into Content and UI/UX phases:

1. A fixed, defined maturity-status rubric must exist before individual products are drafted.
2. Individual Product Detail is confirmed as a distinct page/route per product, not an in-page expansion.
3. Mission Domain and Technology Domain filters must be visually and label-wise distinguished, with clarifying microcopy.
4. Section D must be grounded in a specific illustrative mission scenario, not abstract integration language.
5. A concrete discretion rule of thumb (function/capability public; figures/locations/customers restricted) must be established before Content drafting begins.
6. The four-path CTA exception to the Design System's one-primary-button rule must be formally logged as a governance deviation.

This strategy document is the approved foundation for the Products page. Product Content and Product UI/UX must be built directly from this document, with the five refinements above treated as binding prerequisites — particularly the maturity-status rubric and the discretion rule of thumb, both of which should be resolved before Content drafting begins in earnest.