



# 11.1 Finite State Machines

1.1-1.2

[@2021 A.D. Gunawardena](#)



## 11.1 Finite State Machines

- Theory of computation
- Finite State Machine
- Examples of FSM

# Theory of Computation


---

The theory of computation is the study of general properties of computation

It studies the questions of how efficiently problems can be solved on a model of computation using an algorithm.

**Basic Question.** What are the fundamental capabilities and limitations of computers?

## Computing Categories



## Classes of problems


---

**Undecidable.** Requires a Yes, No answer. But there cannot possibly be any computer program that always gives the correct answer. Sometimes gives wrong answer or run forever.  
e.g. can a given a set of matrices be multiplied in some order to get zero matrix?

**Turing machine.** A mathematical model of computation that defines an abstract machine. There exists a Turing algorithm for any problem that can be solved by a modern computer. TM has memory

**Context-Free Grammar.** A set of production rules that describes all possible strings in A formal language. Languages generated from context-free grammars are called context-free languages (Java). Rule based.

**Finite State Machine.** A mathematical model of computation with no memory.  
A transition machine. FSM equivalent to regular grammar.



## Languages are machines

---

$L(G)$  = Language derived by the grammar

$L(G) = \{ w \mid w \text{ in } T^*, S \rightarrow^* w \}$ , where  $T$  is a subset of  $V$  (vocabulary) consisting of terminal symbols and  $S$  is a start symbol.  $L(G)$  is the set of all strings derivable from language rules.

**Example.**  $V = \{0, 1, A, B, S\}$ ,  $T = \{0, 1\}$

Production rules.  $S \rightarrow 0A$ ,  $S \rightarrow 1A$ ,  $A \rightarrow 0B$ ,  $B \rightarrow 1A$ ,  $B \rightarrow 1$

Can  $0^3 1^3$  be derived from this grammar?

If not, what sentences can be derived?

A language generates a set of strings accepted by the language.

**Kleene's Theorem.** A set is called regular if and only if it is recognized by a Finite State Automaton



[This Photo](#) by Unknown Author is licensed under [CC BY](#).



## 11.1 Finite State Machines

- Theory of Computation
- Finite State Machines
- Examples of FSM

## Notations used

---

FSM – Finite State Machine

FSA – Finite State Automata

DFA – Deterministic Finite Automata

NFA – non-deterministic finite automata

## Vending machine example

---

What is a vending machine?

A machine that transition from state to state based on inputs

Possible states = {0-cent, 25-cent, 50-cent}

Possible inputs = {25-cent, cancel, dispense}

Possible outputs = {coke, 25-cent, 50-cent}




Image by Unknown Author is licensed under CC-BY-NC-ND.



## Formalizing a state machine

A finite state machine  $M = (S, I, O, f, g, s_0)$  consists of a finite set of states ( $S$ ), finite input alphabet ( $I$ ), finite output alphabet ( $O$ ), a transition function  $f$  (assigns each state and input pair to a new state) and output function  $g$  (assigns to each state and input pair an output) and an initial state  $s_0$



[This Photo](#) by Unknown Author is licensed under [CC BY-SA](#)

## Transition Table

A FSM can be defined by its transition function  $f$


$f(s0, 0) = s2$  (output 0)

$f(s0, 1) = s1$  (output 0)

$f(s1, 1) = s1$  (output 1)

$f(s1, 0) = s2$  (output 1)

....




## workshop

Find the output for the FSM for the given input

Input        1    0    1    0    1    1

State

output



[This Photo](#) by Unknown Author is licensed under [CC BY-SA](#)




## 11.1 Finite State Machines

- Theory of Computation
- Finite State Machine
- Examples of FSM

## workshop

---


A finite state machine with output.



Find the output given the input: 0 0 1 0 1

## Example 2


Consider the finite state machine below.



What is the output given the input : 0 0 1 0 1 1 1

## A Mystery FSM

What does this FSM do, given the following possible inputs and outputs?



Possible Inputs: {00, 01, 10, 11}

Possible Outputs: {0, 1}

What is the outcome of this input sequence? 01 00 11 01 11

# INTRODUCTION TO DISCRETE STRUCTURES

## 11.1 Finite State Machines

- Theory of computation
- Finite State Machine
- Examples of FSM



# INTRODUCTION TO DISCRETE STRUCTURES



## 11.1 Finite State Machines

1.1-1.2

[@2021 A.D. Gunawardena](#)

DO NOT SHARE