

Statistics Formula

$$\text{Mean } \bar{x} = \frac{\sum x_i}{N}$$

$$\text{Variance} = \frac{\sum (x_i - \bar{x})^2}{N}$$

$$\text{Median} = \begin{cases} \frac{(N+1)}{2}^{\text{th}} \text{ term; when } N \text{ is odd} \\ \frac{\frac{N}{2}^{\text{th}} \text{ term} + (\frac{N}{2} + 1)^{\text{th}} \text{ term}}{2}; \text{ when } N \text{ is even} \end{cases}$$

Mode = The value in the data set that occurs most frequently

Q.1 What is the range, mode and median of the given data below?

5,10,3,6,4,8,9,3,15,2,9,4,19,11,4

The **mode** is the value that appears most frequently in a data set

At the time of finding Median

First, arrange the given data in the ascending order and then find the term

Formula used:

Mean = Sum of all the terms/Total number of terms

Median = $\{(n+1)/2\}^{\text{th}}$ term when n is odd

Median = $1/2[(n/2)^{\text{th}} \text{ term} + \{(n/2) + 1\}^{\text{th}} \text{ term}]$ when n is even

Range = Maximum value – Minimum value

Calculation:

Arranging the given data in ascending order

2, 3, 3, 4, 4, 4, 5, 6, 8, 9, 9, 10, 11, 15, 19

Here, Most frequent data is 4 so

Mode = 4

Total terms in the given data, $(n) = 15$ (It is odd)

Median = $\{(n + 1)/2\}^{\text{th}}$ term when n is odd

$\Rightarrow \{(15 + 1)/2\}^{\text{th}}$ term

$\Rightarrow (8)^{\text{th}}$ term

$\Rightarrow 6$

Now, Range = Maximum value – Minimum value

$\Rightarrow 19 - 2 = 17$

Example no. 2

$$\text{variance} = \sigma^2 = \frac{\sum (x_r - \mu)^2}{n}$$

$$\text{standard deviation } \sigma = \sqrt{\frac{\sum (x_r - \mu)^2}{n}}$$

$\mu = \text{mean}$

Consider the following dataset and calculate the mean, variance and std deviation.

$$\{10, 15, 12, 18, 20\}$$

1. **Mean (Average):**

The mean is calculated by adding up all the values and then dividing by the number of values.

$$\text{Mean} = \frac{10+15+12+18+20}{5} = \frac{75}{5} = 15$$

2. **Variance:**

Variance measures how far each number in the set is from the mean. The variance (σ^2) is calculated as the average of the squared differences from the mean.

$$\begin{aligned}\text{Variance} &= \frac{(10-15)^2 + (15-15)^2 + (12-15)^2 + (18-15)^2 + (20-15)^2}{5} \\ &= \frac{25+0+9+9+25}{5} = \frac{68}{5}\end{aligned}$$

3. **Standard Deviation:**

Standard deviation (σ) is the square root of the variance.

$$\text{Standard Deviation} = \sqrt{\text{Variance}} = \sqrt{\frac{68}{5}}$$

You can compute the exact numerical value for the standard deviation using a calculator or software.

$$\text{Standard Deviation} \approx 3.29$$



Example No. 3

Negative Z score Table

z	0	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-0	.50000	.49601	.49202	.48803	.48405	.48006	.47608	.47210	.46812	.46414
-0.1	.46017	.45620	.45224	.44828	.44433	.44034	.43640	.43251	.42858	.42465
-0.2	.42074	.41683	.41294	.40905	.40517	.40129	.39743	.39358	.38974	.38591
-0.3	.38209	.37828	.37448	.37070	.36693	.36317	.35942	.35569	.35197	.34827
-0.4	.34458	.34090	.33724	.33360	.32997	.32636	.32276	.31918	.31561	.31207
-0.5	.30854	.30503	.30153	.29806	.29460	.29116	.28774	.28434	.28096	.27760
-0.6	.27425	.27093	.26763	.26435	.26109	.25785	.25463	.25143	.24825	.24510
-0.7	.24196	.23885	.23576	.23270	.22965	.22663	.22363	.22065	.21770	.21476
-0.8	.21186	.20897	.20611	.20327	.20045	.19766	.19489	.19215	.18943	.18673
-0.9	.18406	.18141	.17879	.17619	.17361	.17106	.16853	.16602	.16354	.16109
-1	.15866	.15625	.15386	.15151	.14917	.14686	.14457	.14231	.14007	.13786
-1.1	.13567	.13350	.13136	.12924	.12714	.12507	.12302	.12100	.11900	.11702
-1.2	.11507	.11314	.11123	.10935	.10749	.10565	.10383	.10204	.10027	.09853
-1.3	.09680	.09510	.09342	.09176	.09012	.08851	.08692	.08534	.08379	.08226
-1.4	.08076	.07927	.07780	.07636	.07493	.07353	.07215	.07078	.06944	.06811
-1.5	.06681	.06552	.06426	.06301	.06178	.06057	.05938	.05821	.05705	.05592
-1.6	.05480	.05370	.05262	.05155	.05050	.04947	.04846	.04746	.04648	.04551
-1.7	.04457	.04363	.04272	.04182	.04093	.04006	.03920	.03836	.03754	.03673
-1.8	.03593	.03515	.03438	.03362	.03288	.03216	.03144	.03074	.03005	.02938
-1.9	.02872	.02807	.02743	.02680	.02619	.02559	.02500	.02442	.02385	.02330
-2	.02275	.02222	.02169	.02118	.02068	.02018	.01970	.01923	.01876	.01831
-2.1	.01786	.01743	.01700	.01659	.01618	.01578	.01539	.01500	.01463	.01426
-2.2	.01390	.01355	.01321	.01287	.01255	.01222	.01191	.01160	.01130	.01101
-2.3	.01072	.01044	.01017	.00990	.00964	.00939	.00914	.00889	.00866	.00842
-2.4	.00820	.00798	.00776	.00755	.00734	.00714	.00695	.00676	.00657	.00639
-2.5	.00621	.00604	.00587	.00570	.00554	.00539	.00523	.00508	.00494	.00480
-2.6	.00466	.00453	.00440	.00427	.00415	.00402	.00391	.00379	.00368	.00357
-2.7	.00347	.00336	.00326	.00317	.00307	.00298	.00289	.00280	.00272	.00264
-2.8	.00256	.00248	.00240	.00233	.00226	.00219	.00212	.00205	.00199	.00193
-2.9	.00187	.00181	.00175	.00169	.00164	.00159	.00154	.00149	.00144	.00139
-3	.00135	.00131	.00126	.00122	.00118	.00114	.00111	.00107	.00104	.00100
-3.1	.00097	.00094	.00090	.00087	.00084	.00082	.00079	.00076	.00074	.00071
-3.2	.00069	.00066	.00064	.00062	.00060	.00058	.00056	.00054	.00052	.00050
-3.3	.00048	.00047	.00045	.00043	.00042	.00040	.00039	.00038	.00036	.00035
-3.4	.00034	.00032	.00031	.00030	.00029	.00028	.00027	.00026	.00025	.00024
-3.5	.00023	.00022	.00022	.00021	.00020	.00019	.00019	.00018	.00017	.00017
-3.6	.00016	.00015	.00015	.00014	.00014	.00013	.00013	.00012	.00012	.00011
-3.7	.00011	.00010	.00010	.00010	.00009	.00009	.00008	.00008	.00008	.00008
-3.8	.00007	.00007	.00007	.00006	.00006	.00006	.00006	.00005	.00005	.00005
-3.9	.00005	.00005	.00004	.00004	.00004	.00004	.00004	.00004	.00003	.00003
-4	.00003	.00003	.00003	.00003	.00003	.00003	.00002	.00002	.00002	.00002

Positive Z Score Table.

z	0	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
+0	.50000	.50399	.50798	.51197	.51595	.51994	.52392	.52790	.53188	.53586
+0.1	.53983	.54380	.54776	.55172	.55567	.55966	.56360	.56749	.57142	.57535
+0.2	.57926	.58317	.58706	.59095	.59483	.59871	.60257	.60642	.61026	.61409
+0.3	.61791	.62172	.62552	.62930	.63307	.63683	.64058	.64431	.64803	.65173
+0.4	.65542	.65910	.66276	.66640	.67003	.67364	.67724	.68082	.68439	.68793
+0.5	.69146	.69497	.69847	.70194	.70540	.70884	.71226	.71566	.71904	.72240
+0.6	.72575	.72907	.73237	.73565	.73891	.74215	.74537	.74857	.75175	.75490
+0.7	.75804	.76115	.76424	.76730	.77035	.77337	.77637	.77935	.78230	.78524
+0.8	.78814	.79103	.79389	.79673	.79955	.80234	.80511	.80785	.81057	.81327
+0.9	.81594	.81859	.82121	.82381	.82639	.82894	.83147	.83398	.83646	.83891
+1	.84134	.84375	.84614	.84849	.85083	.85314	.85543	.85769	.85993	.86214
+1.1	.86433	.86650	.86864	.87076	.87286	.87493	.87698	.87900	.88100	.88298
+1.2	.88493	.88686	.88877	.89065	.89251	.89435	.89617	.89796	.89973	.90147
+1.3	.90320	.90490	.90658	.90824	.90988	.91149	.91308	.91466	.91621	.91774
+1.4	.91924	.92073	.92220	.92364	.92507	.92647	.92785	.92922	.93056	.93189
+1.5	.93319	.93448	.93574	.93699	.93822	.93943	.94062	.94179	.94295	.94408
+1.6	.94520	.94630	.94738	.94845	.94950	.95053	.95154	.95254	.95352	.95449
+1.7	.95543	.95637	.95728	.95818	.95907	.95994	.96080	.96164	.96246	.96327
+1.8	.96407	.96485	.96562	.96638	.96712	.96784	.96856	.96926	.96995	.97062
+1.9	.97128	.97193	.97257	.97320	.97381	.97441	.97500	.97558	.97615	.97670
+2	.97725	.97778	.97831	.97882	.97932	.97982	.98030	.98077	.98124	.98169
+2.1	.98214	.98257	.98300	.98341	.98382	.98422	.98461	.98500	.98537	.98574
+2.2	.98610	.98645	.98679	.98713	.98745	.98778	.98809	.98840	.98870	.98899
+2.3	.98928	.98956	.98983	.99010	.99036	.99061	.99086	.99111	.99134	.99158
+2.4	.99180	.99202	.99224	.99245	.99266	.99286	.99305	.99324	.99343	.99361
+2.5	.99379	.99396	.99413	.99430	.99446	.99461	.99477	.99492	.99506	.99520
+2.6	.99534	.99547	.99560	.99573	.99585	.99598	.99609	.99621	.99632	.99643
+2.7	.99653	.99664	.99674	.99683	.99693	.99702	.99711	.99720	.99728	.99736
+2.8	.99744	.99752	.99760	.99767	.99774	.99781	.99788	.99795	.99801	.99807
+2.9	.99813	.99819	.99825	.99831	.99836	.99841	.99846	.99851	.99856	.99861
+3	.99865	.99869	.99874	.99878	.99882	.99886	.99889	.99893	.99896	.99900
+3.1	.99903	.99906	.99910	.99913	.99916	.99918	.99921	.99924	.99926	.99929
+3.2	.99931	.99934	.99936	.99938	.99940	.99942	.99944	.99946	.99948	.99950
+3.3	.99952	.99953	.99955	.99957	.99958	.99960	.99961	.99962	.99964	.99965
+3.4	.99966	.99968	.99969	.99970	.99971	.99972	.99973	.99974	.99975	.99976
+3.5	.99977	.99978	.99978	.99979	.99980	.99981	.99981	.99982	.99983	.99983
+3.6	.99984	.99985	.99985	.99986	.99986	.99987	.99987	.99988	.99988	.99989
+3.7	.99989	.99990	.99990	.99990	.99991	.99991	.99992	.99992	.99992	.99992
+3.8	.99993	.99993	.99993	.99994	.99994	.99994	.99994	.99995	.99995	.99995
+3.9	.99995	.99995	.99996	.99996	.99996	.99996	.99996	.99996	.99997	.99997
+4	.99997	.99997	.99997	.99997	.99997	.99997	.99998	.99998	.99998	.99998

=====

Q.1 Suppose we have a random variable X that follows a normal distribution with a mean (μ) of 50 and a standard deviation (σ) of 10. We want to find the probability that X is less than 60.

$$Z = \frac{x - \mu}{\sigma}$$

The standard normal distribution has a mean of 0 and a standard deviation of 1. We can convert our values to z-scores using the formula:

$$Z = \frac{(X - \mu)}{\sigma}$$

For $X = 60$, $\mu = 50$, and $\sigma = 10$:

$$Z = \frac{(60 - 50)}{10} = 1$$

Now, we look up the corresponding probability from the standard normal distribution table for $Z = 1$. The standard normal distribution table tells us that the area to the left of $Z = 1$ is approximately 0.8413.

So, the probability that X is less than 60 is approximately 0.8413 or 84.13%.



Normal Probabilities Practice Problems Solution

5. The average number of acres burned by forest and range fires in a large New Mexico county is 4,300 acres per year, with a standard deviation of 750 acres. The distribution of the number of acres burned is normal. What is the probability that between 2,500 and 4,200 acres will be burned in any given year?

Normal Distribution $Z = \frac{2500 - 4300}{750} = -2.40$


$\mu = 4300$ $Z = \frac{4200 - 4300}{750} = -0.13333$

$\sigma = 750$

$P(2500 < X < 4200) = P(-2.40 < Z < -0.13)$

$P(-2.40 < Z < -0.13) = P(Z < -0.13) - P(Z < -2.40)$

$P(-2.40 < Z < -0.13) = 0.4483 - 0.0082 = \boxed{0.4401}$



Normal Probabilities Practice Problems Solution

1. Most graduate schools of business require applicants for admission to take the Graduate Management Admission Council's GMAT examination. Scores on the GMAT are roughly normally distributed with a mean of 527 and a standard deviation of 112. What is the probability of an individual scoring above 500 on the GMAT?

Normal Distribution $Z = \frac{500 - 527}{112} = -0.24107$

$\mu = 527$

$\sigma = 112$

$\Pr\{X > 500\} = \Pr\{Z > -0.24\} = 1 - 0.4052 = \boxed{0.5948}$

