## **Inventory Management API Documentation**

This document provides a human-readable overview of the API endpoints for the Inventory Management System.

### 1. Authentication Endpoints

Request Body (JSON):

These endpoints handle user registration and login, providing access to the system.

#### 1.1. Register a New User

- URL: /register
- Method: POST
- **Description:** Allows a new user to create an account by providing a unique username and a password.

```
{
    "username": "newuser",
    "password": "securepassword123"
}

Responses:
    201 Created:
    {
        "message": "New user created!"
    }

    400 Bad Request: If username or password are missing.
    {
        "message": "Username and password required!"
```

# { "message": "User already exists!" }

**409 Conflict**: If the username already exists.

## 1.2. Log In User

URL: /loginMethod: POST

 Description: Authenticates an existing user. Upon successful login, it returns a JSON Web Token (JWT) that must be used for accessing protected product endpoints.

```
Request Body (JSON):
{
    "username": "existinguser",
    "password": "theirpassword"
}
```

## • Responses:

- 401 Unauthorized: If authentication fails (e.g., incorrect username or password, or missing credentials).
  - Could not verify (generic message)
  - User does not exist!
  - Wrong password!

## 2. Product Endpoints

These endpoints allow authenticated users to manage products in the inventory. All product endpoints require a valid JWT in the Authorization header.

**Authentication Header Requirement:** 

For all product endpoints, you must include an Authorization header in the format: Authorization: Bearer <your access token>

Replace <your access token> with the token obtained from the /login endpoint.

## 2.1. Add a New Product

- URL: /products
- Method: POST
- **Description:** Adds a new product record to the inventory. Requires authentication.
- Request Body (JSON):

```
"name": "Laptop Pro",

"type": "Electronics",

"sku": "LP-001-2024",

"quantity": 50,

"price": 1200.00,

"image_url": "https://example.com/laptop.jpg",

"description": "High performance laptop with 16GB RAM."
}
```

### • Responses:

```
0 201 Created:
{
    "message": "Product added successfully!",
    "product_id": "60d5ec49c6b6d8a4f8e7b9c0"
}
```

400 Bad Request: If required product data (name, type, sku, quantity, price) is missing.
 {
 "message": "Missing product data!"
 }

• **401 Unauthorized**: If the Authorization header is missing or the token is invalid.

#### 2.2. Get All Products

- URL: /products
- Method: GET
- **Description:** Retrieves a paginated list of all products in the inventory. Requires authentication.
- Query Parameters:
  - o page (optional, integer): The page number to retrieve. Default is 1.
  - o per\_page (optional, integer): The number of products per page. Default is 10.
- Responses:

```
    200 OK: A list of product objects.
    [
    "id": "60d5ec49c6b6d8a4f8e7b9c0",
    "name": "Laptop Pro",
```

```
"type": "Electronics",
     "sku": "LP-001-2024",
     "image url": "https://example.com/laptop.jpg",
     "description": "High performance laptop with 16GB RAM.",
     "quantity": 50,
     "price": 1200.00
  },
     "id": "60d5ec49c6b6d8a4f8e7b9c1",
     "name": "Wireless Mouse",
     "type": "Accessories",
     "sku": "WM-002",
     "image url": "",
     "description": "Ergonomic wireless mouse.",
     "quantity": 200,
     "price": 25.50
]
400 Bad Request: If page or per page parameters are invalid.
{
   "message": "Invalid page or per page parameter."
}
```

 401 Unauthorized: If the Authorization header is missing or the token is invalid.

#### 2.3. Update Product Quantity

- **URL:** /products/<id>/quantity
- Method: PUT
- **Description:** Updates the quantity of a specific product identified by its ID. Requires authentication.
- Path Parameters:
  - o id (string, required): The unique identifier of the product to update.
- Request Body (JSON):{
   "quantity": 45

```
Responses:
o 200 OK:
   {
     "id": "60d5ec49c6b6d8a4f8e7b9c0",
     "name": "Laptop Pro",
      "quantity": 45,
     "message": "Quantity updated successfully"
   }
  400 Bad Request: If the product ID format is invalid or the quantity is
   missing/not an integer.
   {
      "message": "Invalid product ID format!"
   }
   or
      "message": "Quantity is required and must be an integer!"
   }
• 404 Not Found: If the product with the given ID does not exist.
   {
      "message": "Product not found!"
```

• **401 Unauthorized**: If the Authorization header is missing or the token is invalid.

YOU CAN ALSO SEE THE SWAGGER DOCUMENTATION OF THE ENDPOINTS AT http://localhost:8080/apidocs/