Exploring Table styles in LaTeX

Dr. Neeta Nain

MNIT Jaipur

Simple Table

a	b	c
a	b	c
a	b	c

LaTeX Code

```
\begin{center}
\begin{tabular}{|c|c|c|}
\hline
a & b & c \\
a & b & c \\
a & b & c \\
\hline
\end{tabular}
\end{center}
```

Combining Rows and Columns

Books		
Food name	Author	Publication
Book1	Author1	P1
Book1	Author2	P2
Book1	Author3	P3

LaTeX Code

```
\begin{tabular} {|p{1.5cm}|p{1.5cm}|p{1.5cm}|}
\hline
\multicolumn{3} {|c|}{Books}\\\hline
Food name & Author & Publication \\\hline
Book1 & Author1 & P1 \\
Book1 & Author2 & P2 \\
```

Multi-row

col1	col2	col3
Multiple row	cell2	cell3
	cell5	cell6
	cell8	cell9

LaTeX Code

```
\begin{center}
\begin{tabular}{|c|c|c|}
\hline
col1 & col2 & col3 \\
\hline
\multirow{3}{4em}{Multiple row} & cell2 & cell3 \\
& cell5 & cell6 \\
& cell8 & cell9 \\
```

Table Positioning

Col1	Col2	Col2	Col3
1	6	87837	787
2	545	18744	7560
3	88	788	6344

The positioning parameters: h (here), t (top of the page), b (bottom), p (special page), !(Override internal LATEX parameters), H(at this precise location, pretty much like h!).

LaTeX Code

```
\begin{table}[h!]
\centering
\begin{tabular}{||c c c c||} \hline
Col1 & Col2 & Col2 & Col3 \\ [0.5ex] \hline\hline
1 & 6 & 87837 & 787 \\
2 & 545 & 18744 & 7560 \\
3 & 88 & 788 & 6344 \\ [1ex] \hline
\end{tabular}
\end{table}
```

Referencing and Labelling

Col1	Col2	Col2	Col3
1	6	87837	787
2	545	18744	7560
3	88	788	6344

Table: Table to test captions and labels.

Table 1 is an example of a referenced LaTeX element.

LaTeX Code

```
\begin{table}[h!]
\centering
\begin{tabular}{||c c c c||} \hline
Col1 & Col2 & Col2 & Col3 \\ [0.5ex] \hline\hline
1 & 6 & 87837 & 787 \\
2 & 545 & 18744 & 7560 \\
3 & 88 & 788 & 6344 \\ [1ex] \hline
\end{tabular}
\caption{Table to test captions and labels.}
\label{table:1}
```

Size change: Row and Column

Country List		
Country	ALPHA	BETA
Afghanistan	AF	AFG
Albania	AL	ALB

`\setlength{\arrayrulewidth}{0.5mm}`, sets the thickness of the borders of the table.
`\setlength{\tabcolsep}{18pt}`, sets the space between the text and the left/right border of its containing cell.
`\renewcommand{\arraystretch}{1.5}`, the height of each row is set to 1.5 relative to its default height.

LaTeX Code

```
\begin{tabular}{|p{1.5cm}|p{1.5cm}|p{1.5cm}|}\hline
\multicolumn{3}{|c|}{Country List} \\\hline
Country & ALPHA & BETA\\\hline
Afghanistan & AF &AFG \\
Albania &AL & ALB \\\hline
\end{tabular}
```

Row and Column Color

Country List		
Country	ALPHA	BETA
Afghanistan	AF	AFG
Albania	AL	ALB

`\usepackage{colortbl}`, to color table/rows/column.

LaTeX Code

```
\begin{table}[h]
\begin{tabular}{|>{\columncolor{red}}p{1.5cm}|p{1.5cm}|p{1.5cm}|}
\rowcolor{green}\multicolumn{3}{|c|}{Country List} \\\hline
Country& ALPHA & BETA\\\hline
Afghanistan & AF & \cellcolor{yellow}AFG \\
\rowcolor{blue} Albania &AL & ALB \\\hline
\end{tabular}
\end{table}
```