

JUST DESCRIBE THE TASK	OR NAME IT DIRECTLY	WHERE THEY LIVE
No syntax needed Say what you want done. Claude reads the description and reaches for the matching skill on its own.	/skill-id Type the skill id as a slash command, or ask Claude to "use <skill-id>" explicitly.	.agents/skills/* Symlinked for Claude Code. One exception below is filed under .claude/skills/ .

GENERAL PURPOSE **Task tools**

Standalone utilities, not tied to any one project.

frontend-design Reach for it when: designing new UI or reshaping existing UI	Aesthetic-direction guidance — palette, type pairing, layout — for building or overhauling a UI so it doesn't read as a templated default.	frontend-design
browser-use Reach for it when: driving a real browser (fill forms, click, scrape, screenshot)	Direct browser control via CDP: automation, scraping, testing, screenshots, general site/app interaction.	browser-use Gen: High risk
code-reviewer Reach for it when: reviewing a PR or asking for feedback on any codebase	General-purpose review for TS/JS/Python/Swift/Kotlin/Go — automated analysis, best-practice checks, security scan, checklist generation.	code-reviewer .claude/skills/
valyu-best-practices Reach for it when: real-time search, source extraction, or a cited deep-research report	Full Valyu API toolkit — cross-domain search (web/academic/medical/transport/finance), URL extraction, cited answers, deep research.	valyu-best-practices Snyk: Med risk
shannon Say: "shannon", "pentest", "security audit", "vuln scan"	Autonomous white-box pentester — analyzes source, maps attack vectors, and executes real exploits to prove vulnerabilities.	shannon Med risk (both scans)

Authorization required — this runs real exploits. Only point it at systems you own or are explicitly contracted to test.

excalidraw-diagram

Reach for it when: visualizing a workflow, architecture, or concept as a diagram

Produces Excalidraw diagram JSON that makes a visual argument — flows, architectures, concept maps.

excalidraw-diagram

Snyk: Med risk

GAME DEV STUDIO · BMAD-CODE-ORG **The cast**

Named personas — call one by name, or by role, and it stays in character for that specialty.

Cloud Dragonborn

GAME ARCHITECT

Technical architecture, engine design, infrastructure.

gds-agent-game-architect

Say: "talk to Cloud Dragonborn" / "the Game Architect"

Samus Shepard

GAME DESIGNER

Creative vision, GDD creation, narrative design.

gds-agent-game-designer

Say: "talk to Samus Shepard" / "the Game Designer"

Link Freeman

DEVELOPER · QA · SCRUM MASTER

Story execution, implementation, code review, QA/test authorship, sprint orchestration.

gds-agent-game-dev

Say: "talk to Link Freeman" / "the Game Developer / QA / Scrum Master"

Indie

SOLO DEV

Rapid prototyping, solo quick-flow development.

gds-agent-game-solo-dev

Say: "talk to Indie" / "the Game Solo Dev"

Paige

TECH WRITER

Technical documentation and knowledge curation.

gds-agent-tech-writer

Say: "talk to Paige" / "the Technical Writer"

GAME DEV STUDIO **Planning → build pipeline**

Ordered — each step's output is the next step's input, brief through retrospective.

1	Game brief producing / editing / validating a brief	Create, update, or validate a game brief — before detailed design starts.	<code>gds-create-game-brief</code>
2	Domain research "lets create a research report on [domain]"	Game domain and industry research to ground the brief in reality.	<code>gds-domain-research</code>
3	GDD "create / update / validate the GDD"	The primary design artifact — pillars, mechanics, progression, levels, art, audio, dev epics.	<code>gds-gdd</code>
4	PRD producing / editing / validating / analyzing a PRD	Derived from the GDD — often prepared for external-tool integration.	<code>gds-prd</code>
5	UX / HUD "lets create game UX" / "design the HUD"	Game UX, UI, and HUD design specifications.	<code>gds-ux</code>
6	Architecture "game architecture" / "design architecture"	Scale-adaptive architecture — engine systems and networking.	<code>gds-game-architecture</code>
7	Readiness check "check readiness" / "implementation readiness"	Verifies GDD, UX, Architecture, and Epics actually agree before production starts.	<code>gds-check-implementation-readiness</code>
8	Epics & stories "create epics" / "create stories"	Turns GDD requirements into epics and stories ready for development.	<code>gds-create-epics-and-stories</code>
9	Story file "create the next story" / "create story [id]"	A dedicated story file with all the context a later dev pass will need.	<code>gds-create-story</code>
10	Sprint plan	Generates sprint status tracking from the epic list.	<code>gds-sprint-planning</code>

	"run sprint planning" / "generate sprint plan"		
11	Dev the story "dev this story [file]" / "implement the next story"	Executes implementation following a context-filled story spec.	gds-dev-story
12	Sprint status "check sprint status" / "show sprint status"	Summarizes progress and surfaces risks mid-sprint.	gds-sprint-status
13	Correct course "correct course" / "propose sprint change"	Manages a significant change mid-sprint without derailing it.	gds-correct-course
14	Retrospective "run a retrospective" / "lets retro the epic [epic]"	Post-epic review — what worked, what to change next time.	gds-retrospective

GAME DEV STUDIO **Design & research**

Not sequential — reach for whichever the moment calls for.

Brainstorm a game

Facilitates brainstorming with game-specific techniques.

gds-brainstorm-game

Say: "brainstorm game" / "game ideas"

Narrative design

Story structure and world-building documentation.

gds-create-narrative

Snyk: Low risk

Say: "narrative design" / "create narrative"

Document a project

Analyzes an existing game project to produce useful docs.

gds-document-project

Say: "document project" / "generate docs"

Project context file

Optimized `project-context.md` for consistent agent behavior.

gds-generate-project-context

Say: "project context" / "generate context"

Investigate

Forensic, evidence-graded look at a bug, incident, or unfamiliar code area.

`gds-investigate`

Reach for it when: tracing what caused a bug, or mapping unfamiliar code before touching it

GAME DEV STUDIO **Build & QA**

The day-to-day implementation and testing toolkit.

Quick dev

Implements any request — feature, fix, tweak, refactor — matching existing project patterns.

`gds-quick-dev`

Reach for it when: building, fixing, or modifying any code, component, or feature

Adversarial code review

Three parallel review layers — Blind Hunter, Edge Case Hunter, Acceptance Auditor — triaged into action items.

`gds-code-review`

Say: "run code review" / "review this code"

Test design

Comprehensive test scenarios for gameplay systems.

`gds-test-design`

Say: "test design" / "design tests"

Test automation

Generates automated tests for gameplay systems.

`gds-test-automate`

Say: "automate tests" / "generate tests"

Test framework setup

Initializes a test framework for Unity, Unreal, or Godot.

`gds-test-framework`

Say: "test framework" / "set up testing"

Test review

Reviews test quality and coverage.

`gds-test-review`

Say: "test review" / "review tests"

E2E scaffold

Scaffolds end-to-end testing infrastructure.

`gds-e2e-scaffold`

Say: "e2e scaffold" / "set up e2e testing"

Performance test plan

Designs a game performance testing strategy.

`gds-performance-test`

Say: "performance test" / "benchmark"

Skills Cheatsheet

39 skills

Everything installed this session — general tools, plus the BMAD Game Dev Studio roster.

Filter by name, task, or trigger phrase...

Say: "playtest plan" / "playtesting"

HEADS UP **Two skills answer to "review this code"**

code-reviewer

General-purpose, language-agnostic checklist across TS/JS/Python/Swift/Kotlin/Go. Reach for this on ordinary app code.

vs

gds-code-review

Adversarial, multi-layer review built for game code (via Link Freeman). Reach for this inside a GDS-driven game project.

Safe / low risk Medium risk — read before relying on it High risk — verify manually first

No chip shown = not yet scanned (batch install rate limit), not "safe by default."