

Week 3(b): Design an application that is used to make Dialogs that float on Activity

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <FrameLayout
        android:layout_width="match_parent"
        android:layout_height="match_parent"
        android:orientation="horizontal">

        <Button
            android:id="@+id/b1"
            android:layout_width="match_parent"
            android:layout_height="70dp"
            android:layout_margin="100dp"
            android:text="open fragment">

        </Button>
    </FrameLayout>

</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity.java

```
package com.example.dialogfragment;

import android.os.Bundle;
import android.view.View;

import androidx.appcompat.app.AppCompatActivity;

public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        View button = findViewById(R.id.b1);
        button.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
                MyDialogFragment one=new MyDialogFragment();
                one.show(getSupportFragmentManager(),"MyFragment");
            }
        });
    }
}
```

dialogfrag.xml

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MyDialogFragment">
```

```
<TextView
    android:layout_width="317dp"
    android:layout_height="400dp"
    android:background="#FFEE99"
    android:gravity="center"
    android:text="You are in Dialog Fragment"
    android:textSize="50dp" />
```

```
</LinearLayout>
```

MyDialogFragment.java

```
package com.example.dialogfragment;

import android.os.Bundle;
import android.view.LayoutInflater;
import android.view.View;
import android.view.ViewGroup;

import androidx.annotation.Nullable;
import androidx.fragment.app.DialogFragment;

public class MyDialogFragment extends DialogFragment {
    @Nullable

    public View onCreateView(LayoutInflater inflater, ViewGroup container,
                             Bundle savedInstanceState)
    {
        super.onCreateView(inflater, container, savedInstanceState);
        return inflater.inflate(R.layout.dialogfrag, container, false);
    }
}
```