

6. PROJECT DEVELOPMENT PHASE

Project title: Swift Ship Tracker

Team members:

Kethsiyarani V - Team Lead

Bhuvaneshwari K - Team Member

Nandhini V - Team Member

Subasri M - Team Member

Padma Priya S - Team Member

Phase 1: Requirement Analysis & Planning

Objective

The main objective of this phase is to understand the requirements of the SwiftShip Tracker system and plan the Salesforce implementation.

Customers may face difficulty while booking and tracking parcels when they need to depend on support or multiple applications. The proposed system provides a centralized platform where parcel information can be managed and tracking assistance can be provided through AgentForce AI.

Key Activities

- Collect requirements from customers and delivery agents.
- Identify the major users of the system such as Customer, Agent and Admin.
- Define the scope and objectives of the project.

- Identify parcel booking, tracking and delivery update requirements.
- Design the data model using Parcel, Sender, Receiver and Delivery objects.
- Identify the Salesforce tools required for development.
- Plan automation using Salesforce Flows.
- Plan AI-based assistance using AgentForce AI and Prompt Builder.
- Define security requirements using profiles and permission sets.

Phase 2: Salesforce Development – Backend & Configurations

This phase focuses on developing the backend structure and configuring the Salesforce environment.

Key Activities

- Create the Salesforce Developer environment.
- Create the required custom objects such as Parcel, Delivery, Sender and Receiver.
- Create relationships between the objects.
- Create Salesforce tabs for the project modules.
- Create Salesforce Flows for automation.
- Configure Prompt Builder for parcel-related information retrieval.
- Configure the required backend components for parcel management.

Milestone 1 – Salesforce Account

The screenshot shows the Salesforce Developer Edition sign-up page. The left sidebar lists benefits of the Developer Edition, such as building AI agents with Agentforce, connecting Claude Code, and using the Agentforce Vibes IDE. The main content area contains a sign-up form with fields for First name, Last name, Job title, Company, Country/region, and Work email. A 'Sign me up' button is at the bottom of the form. The browser's address bar shows the URL 'salesforce.com/products/free-trial/developer/'.

Build for the Agentic Enterprise. Sign up for your Developer Edition.

The entire Salesforce platform - exposed as APIs, MCP tools, and CLI commands. Build apps, ship agents, and let coding agents do the heavy lifting with Salesforce Headless 360.

- ✓ Build AI agents with Agentforce, grounded in your data with Data 360
- ✓ Connect Claude Code, Cursor, or Codex to your org with hosted MCP
- ✓ Build in the browser with the Agentforce Vibes IDE - no setup required
- ✓ Drag-and-drop when you want it, Apex when you need it
- ✓ 60+ MCP tools and 30+ coding skills, ready out of the box

Sign up for your Developer Edition

A free Salesforce Platform environment with Agentforce and Data 360

First name: Kethsiyarani ✓ Last name: V ✓

Job title: Salesforce Developer ✓ Company: Chirstian college of engine... ✓

Country/region: India ✓ Work email: kethsiyar@gmail.com ✓

☒ I agree to the [Main Services Agreement – Developer Services](#), [Salesforce Program Agreement](#), and [API Terms of Service](#)

Your free trial may be provisioned on or migrated to Hyperforce, Salesforce's public cloud Infrastructure.

I acknowledge, as described in the Developer Documentation: (1) the Developer Edition Includes autonomous and other generative AI features, and (2) Salesforce may limit use of those features and the org, and may terminate any org that has been inactive for 45 days.

We value your privacy. To learn more, visit our [Privacy Statement](#)

Sign me up

The screenshot shows the Salesforce Developer Edition Setup page. The left sidebar lists various setup options, including Setup Home, Salesforce Go, Service Cloud Reports, Commerce Setup Assistant, Hyperforce Assistant, Release Updates, Salesforce Mobile App, Lightning Usage, AgentExchange Offers, Sales Cloud Everywhere, and ADMINISTRATION. The main content area displays a welcome message for Kethsiyarani and two featured integrations: Tableau Next in Slack and Cross Cloud. The Tableau Next integration shows 1 Completed and 1 View All Features button. The Cross Cloud integration shows 4 Completed and 2 In Progress buttons, along with a Keep Going button. The browser's address bar shows the URL 'orgfarm-033d3c75d4-dev-ed.develop.my.salesforce-setup.com/lightning/setup/SetupOneHome/home'.

Developer Edition

Search Setup

Welcome, Kethsiyarani

Manage and customize Salesforce from Setup. Browse suggestions, explore features, and more.

Achieve Popular Business Goals

Tableau Next

Access Tableau Next data right where you're working in Slack.

Includes

- Collaborate with Slack and Tableau Next

1 Completed View All Features

Cross Cloud

Connect with Sales Prospects and Customers

Help sales reps prioritize and engage with customers.

Includes

- Sales Cloud Everywhere
- Agentforce (Default)
- Einstein Sales Emails

4 Completed 2 In Progress Keep Going

Milestone 2 – Object creation

Creating parcel object:

The screenshot shows the Salesforce Setup interface in Developer Edition. The breadcrumb trail is **SETUP > OBJECT MANAGER**. The page title is **Parcel**. On the left sidebar, the **Details** section is expanded, showing options like Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, and Related Lookup Filters. The main content area is titled **Custom Object Information** and includes a warning: "The singular and plural labels are used in tabs, page layouts, and reports. Be careful when changing the name or label as it may affect existing integrations and merge templates." The form contains the following fields:

- Label:** Parcel (Example: Account)
- Plural Label:** Parcels (Example: Accounts)
- Starts with vowel sound:** ☐
- Object Name:** Parcel (Example: Account)
- Description:** (Empty text area)
- Context-Sensitive Help Setting:** ☒ Open the standard Salesforce.com Help & Training window; ☐ Open a window using a Visualforce page
- Content Name:** --None--

 A red banner at the top right of the form indicates "Required Information". The Windows taskbar at the bottom shows the date as 02-10-2026 and time as 21:15.


Creating delivery object:

The screenshot shows the Salesforce Setup interface in Developer Edition. The breadcrumb trail is **SETUP > OBJECT MANAGER**. The page title is **Delivery**. On the left sidebar, the **Details** section is expanded, showing options like Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, and Related Lookup Filters. The main content area is titled **Custom Object Information** and includes a warning: "The singular and plural labels are used in tabs, page layouts, and reports. Be careful when changing the name or label as it may affect existing integrations and merge templates." The form contains the following fields:


- Label:** Delivery (Example: Account)
- Plural Label:** Deliveries (Example: Accounts)
- Starts with vowel sound:** ☐
- Object Name:** Delivery (Example: Account)
- Description:** (Empty text area)
- Context-Sensitive Help Setting:** ☒ Open the standard Salesforce.com Help & Training window; ☐ Open a window using a Visualforce page
- Content Name:** --None--

 A red banner at the top right of the form indicates "Required Information". The Windows taskbar at the bottom shows the date as 02-10-2026 and time as 21:15.


Creating sender object:



Creating receiver object:




Milestone 3 – Tabs



Milestone 4 – Fields & Relationships

Parcel object:



Delivery object:

orgfarm-033d3c75d4-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/01lgK000007fwIX/FieldsAndRelationships/view

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER

Delivery

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

8 Items, Sorted by Field Label

Quick Find

New Deleted Fields Field Dependencies Set History Tracking

Current Location	Current_Location__c	Geolocation		
DeliveryName	Name	Text(80)	✓	
Estimated Delivery	Estimated_Delivery__c	Date		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)	✓	
Parcel	Parcel__c	Lookup(Parcel)	✓	
Sender	Sender__c	Lookup(Sender)	✓	

27°C Mostly clear

Search

ENG IN 90% 21:18 02-10-2026

Sender object:

orgfarm-544be5aaea-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/01lgK000007eoV7/FieldsAndRelationships/view

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER

Sender

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

7 Items, Sorted by Field Label

Quick Find


New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓
Sender Address	Sender_Address__c	Geolocation		
Sender Contact	Sender_Contact__c	Phone		
Sender Email	Sender_Email__c	Email		
SenderName	Name	Text(80)		✓


Search

ENG IN 20:41 29/09/2026

Receiver object:



Milestone 5 – Prompt builder



Testing the prompt

The screenshot displays the Salesforce Einstein Prompt Studio interface in the Developer Edition. The browser address bar shows the URL: `orgfarm-033d3c75d4-dev-ed.develop.my.salesforce-setup.com/lightning/setup/EinsteinPromptStudio/0hfgK00000EuPV7QAN/edit?c__versionId=3vNgK...`. The interface includes a top navigation bar with 'Setup', 'Home', and 'Object Manager'. The main content area is titled 'Prompt Builder' and 'Retrieve Parcel Details', showing 'Version 1 (Active)'. The interface is divided into three main sections: 'Performance Insights', 'Resolved Prompt', and 'Generated Response'. The 'Performance Insights' section shows a 'Response Time' of 2.14s and 'Total Tokens' of 515 tokens. The 'Resolved Prompt' section displays a 'Parcel Tracking Update' with details: 'Parcel Name: Laptop', 'Parcel ID: P-001', 'Status: Booked', 'Weight: 2', and 'Estimated Delivery Date: 09/29/2026'. The 'Generated Response' section shows an acknowledgment and a summary of the parcel details, followed by a thank you message. The bottom of the screen shows a Windows taskbar with the date 02-10-2026 and time 21:20.

Milestone 6 – Flows

The screenshot displays the Salesforce Flow Builder interface in the Developer Edition. The browser address bar shows the URL: `orgfarm-544be5a0ea-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app?flowId=301gK00001ZHvNzQAL`. The interface includes a top navigation bar with 'Flow Builder', 'parcel Details - V1', and 'Debug Run: parcel Details 29/09/2026, 22:30'. A green notification banner at the top states 'Your automation was activated.' The main content area shows a flow diagram with the following steps: 'Autolaunched Flow' (Start), 'Get Parcel Records' (Get Records), 'Parcel Updates' (Action), 'Assignment Output' (Assignment), and 'End'. The left sidebar shows a 'Debug' window with a 'Details' tab, displaying the output of the 'Assignment Output' step: 'variable was updated.' and 'Output Equals (!Parcel_Updates.promptResponse) result: Output = "Thank you for your prompt. I will provide a concise tracking summary. Parcel Tracking Summary. - Parcel Name: Laptop. - Parcel ID: P-001. - Status: Booked. Weight: 2. - Estimated Delivery Date: 10/01/2026. Please confirm if you require further details or updates."'. The bottom of the screen shows a Windows taskbar with the date 29/09/2026 and time 22:31.


Phase 3 : UI&UX Development & Customization

This phase focuses on configuring the user interface and access permissions required for different users.


Key Activities

- Configure user access based on user roles.
- Create and assign permission sets.
- Configure permissions for agent users.
- Create and configure the AgentForce AI agent.
- Configure subagents and required actions.
- Activate the required AgentForce configuration.


Milestone 1 : Creating Permission Sets




Parcel__c




Delivery__c




Sender__c




Receiver__c



Milestone 2 – Assigning Permissions to Agent user



Milestone 3 – Org Setup for AgentForce



Milestone 4 – Building the Agent

The screenshot shows the Salesforce Agentforce Agents setup page in Developer Edition. The browser address bar displays the URL: `orgfarm-033d3c75d4-dev-ed.develop.my.salesforce-setup.com/lightning/setup/EinsteinCopilot/home`. The page features a search bar at the top with the text "Search Setup". On the left sidebar, the "Setup" menu is expanded, showing "Agentforce Agents" under the "Einstein" section. The main content area displays the "Agentforce Agents" setup page. It includes a toggle switch for "Agentforce" which is currently "On", and a "+ New Agent" button. Below this, there is a section titled "Try the new Agentforce Builder!" with a description: "The new Agentforce Builder is our AI-first experience for building, testing, and deploying enterprise-grade agents in Agent Script for more consistent behavior." and a "Let's Go" button. A table lists the existing agents:

Agent Name	Type	Description	Created By	Active	Last Modified
> Agentforce (Default)	Employee	An AI assistant for in-org business tasks.	Kethsiyarani V		Sep 30, 2026
> SwiftShip Tracker	Service Agent	Deliver personalized customer interactions with an ...	Kethsiyarani V	✓	Sep 30, 2026

The Windows taskbar at the bottom shows the system clock as 21:36 on 02-10-2026, with a battery level of 87%.

The screenshot shows the Salesforce Agentforce (Default) details page in Developer Edition. The browser address bar displays the URL: `orgfarm-033d3c75d4-dev-ed.develop.my.salesforce-setup.com/lightning/setup/EinsteinCopilot/0XxgK000002Nh1VSAS/edit`. The page features a search bar at the top with the text "Search Setup". On the left sidebar, the "Setup" menu is expanded, showing "Agentforce (Default)" under the "Einstein" section. The main content area displays the "Agentforce (Default)" details page. It includes a "Version 1" dropdown and an "Open in Builder" button. Below this, there is a table with the following information:

API Name	Type	Active
Copilot_for_Salesforce	Employee	☐

Below the table, there is a "Details" section with the following information:

- * Name: Agentforce (Default) (Created On: September 30, 2026 at 05:01 PM)
- * API Name: Copilot_for_Salesforce (Created By: Kethsiyarani V)
- * Description: An AI assistant for in-org business tasks. (Last Modified By: Kethsiyarani V)
- Role: (empty)
- Company: (empty)

The Windows taskbar at the bottom shows the system clock as 21:39 on 02-10-2026, with a battery level of 86%.

Assign Sub Agents

The screenshot shows the Agentforce Builder interface. The top bar includes the 'Agentforce Builder' logo, the project name 'SwiftShip Tracker Version 1 (Draft)', and a 'Last saved on 10/3/2026, 9:04 AM' timestamp. The left sidebar contains an 'Explorer' panel with a search bar and a tree view of the agent definition, including 'Settings' (Agent Settings, System Messages, Agent-Level Instructions, Agent Access, Language Settings) and 'Subagents' (Agent Router, Service Customer Verification, General FAQ, Case Management, Account Management, Reservation Management, Delivery Issues, Order Inquiries, Escalation, Off Topic). The main area displays the 'Agent Summary' for 'SwiftShip Tracker', showing a flowchart with nodes for 'Order Inquiries' and 'Escalation'. A context menu is open over the 'Order Inquiries' node, showing options: 'Add from Asset Library', 'New Subagent', and 'Connect Agent as Subagent'. The right sidebar shows a chat window with the text 'Hello! How can I help you with your Agent?' and a prompt 'Ask for help or describe what you'd like to build...'. The bottom status bar shows the system clock as 09:12 on 03-10-2026.

The screenshot shows the Agentforce Builder interface with the 'Agent Preview Details' view selected. The top bar shows the project name 'SwiftShip Tracker Version 1 (Active)' and a 'Last saved on 9/30/2026, 10:47 AM' timestamp. The left sidebar is the same as the previous screenshot. The main area displays the 'Agent Preview Details' for 'SwiftShip Tracker', showing a 'Live Test' section with a chat window. The chat window shows a conversation: 'Hi, I'm an AI service assistant. How can I help you?', 'please provide parcel information about parcel ID = P-002', and 'Here are the details for parcel ID P-002: Parcel name: sandwood, Parcel ID: P-002, Status: Out of Delivery, Weight: 5 (units not specified), Estimated delivery date: 10/02/2026. Would you like to know anything else about this parcel or another one?'. The 'Agent Preview Details' section shows a list of context variables and a summary of the agent's actions: 'Input: Input', 'Transition to Subagent: Parcel Tracker', 'Reasoning: Parcel Tracker', 'Action: parcel Details', 'Reasoning: Parcel Tracker', and 'Output Evaluation: GROUNDED'. The right sidebar shows a chat window with the text 'Hello! How can I help you with your Agent?' and a prompt 'Ask for help or describe what you'd like to build...'. The bottom status bar shows the system clock as 11:09 on 30/09/2026.


Phase 4: Data Migration, Testing & Security

This phase focuses on validating the configured Salesforce system and checking the functionality of the AgentForce agent.

Key Activities

- Verify the configured AgentForce agent.
- Check whether the required topic is assigned correctly.
- Verify the associated Flow.
- Activate the AgentForce agent.
- Verify the required user permissions and security settings.
- Confirm that the system provides the expected tracking information.


Verify Agent



The screenshot displays the Salesforce Agentforce Agents setup interface. The browser address bar shows the URL: `orgfarm-033d3c75d4-dev-ed.develop.my.salesforce-setup.com/lightning/setup/EinsteinCopilot/home`. The page header includes the Salesforce logo, a search bar, and navigation tabs for Setup, Home, and Object Manager. The left sidebar shows the navigation menu with 'Agentforce Agents' selected. The main content area features the 'Agentforce Agents' section with a toggle switch set to 'On' and a '+ New Agent' button. Below this is a promotional banner for the 'Agentforce Builder' and a table listing existing agents.

Agent Name	Type	Description	Created By	Active	Last Modified
> Agentforce (Default)	Employee	An AI assistant for in-org business tasks.	Kethsiyaran V		Sep 30, 2026
> SwiftShip Tracker	Service Agent	Deliver personalized customer interactions with an ...	Kethsiyaran V	✓	Sep 30, 2026

Check the Flow Association



Phase 5: Deployment, Documentation & Maintenance

This phase focuses on validating the completed implementation and preparing the project for future maintenance.

Key Activities:

- Validate the complete implementation in the developer environment.
- Verify the configured Salesforce components.
- Check the working of parcel management and tracking features.
- Review Flows and automation.
- Prepare project documentation.
- Monitor the system for possible issues.
- Perform troubleshooting when required.

- Maintain and update Flows, prompts and configurations when business requirements change.

Demo link :

https://drive.google.com/file/d/1If4Hm_iyJak5pCLX1T3J1QJDD8AnW2oX/view?usp=sharing

GitHub link :https://github.com/kethsiya1325/Swift_Ship-Tracker.git

7. FUNCTIONAL & PERFORMANCE TESTING

The SwiftShip Tracker system was tested to check whether the main features work correctly.

- Parcel creation and status updates were tested.
- Salesforce Flows and automated processes were verified.
- Data retrieval and user permissions were checked.
- Reports and dashboards were verified.

8. ADVANTAGES

- Centralized parcel information.
- Easy parcel tracking.
- Reduces manual work.

DISADVANTAGES

- Requires accurate parcel data.

- Depends on Salesforce configuration.
- AI responses depend on proper prompts and available data.

9. FUTURE SCOPE

The future improvements of the SwiftShip Tracker include:

- Enhance AgentForce AI for more parcel-related queries.
- Improve real-time delivery tracking.
- Expand customer self-service through Experience Cloud.
- Add advanced delivery performance analytics.

10. CONCLUSION

The Swift Ship Tracker provides a centralized Salesforce-based solution for parcel booking and delivery tracking. It uses Salesforce Objects, Flows, Agent Force AI, Prompt Builder, Reports and Dashboards to manage parcel information efficiently. The system helps improve parcel tracking, reduce manual work and provide timely delivery information to customers