

Sorted (Auriq Wealth): security test report, 2026-09

Product: Sorted, by Auriq (the AI wealth dashboard, "ai-wealth-dashboard")

Company: AURIQ LTD

Report id: AURIQ-SEC-RPT-2026-09

Version: 1.0.1

Date: 2026-10-04 (revised 2026-10-05)

Classification: Confidential, prepared for Finexer

Author: AURIQ LTD, Information Security Manager: Kevin Maingi

1. Summary

Security assessment carried out 20 September to 4 October 2026 by AURIQ LTD, of the recorded scope and builds, mapped to selected OWASP ASVS 5.0.0, WSTG 4.2, API Security Top 10:2023, MASVS/MASTG 2.0.0, OAuth, MCP, and LLM security guidance. The report records executed tests, limitations, blockers, findings, severity, and retest status.

That is the reporting statement for this assessment, adapted from docs/security/PENTEST-METHODOLOGY.md section 11. Section 11 also says the assessment is complete, and that statement final, only once a separate reviewer has signed the coverage matrix and findings. That review ran on 2026-10-04 and passed on its second pass (section 10).

Headline. No Critical findings. Six High findings in total (four API and MCP, one iOS lock bypass, one pre-documented Android backup gap), all fixed in production. Retest status differs by finding and is stated below: the four API and MCP fixes were retested on 2026-09-27, and the three deletion fixes (A82, A83, A84), which that day could be confirmed by source read only, were then retested live on production on 2026-10-04 (API -15), the iOS lock bypass was retested on both phones on 2026-10-04, and the Android backup fix was verified on 2026-10-04 by package-flag inspection only (the adb backup extraction was not re-run).

- **A82, A83, A84, A91** (API and MCP) were fixed on main by 2026-09-22, shipped to production on 2026-09-27 (release-20260927-0947) and retested the same day (board item A112, docs/security/pentest-runs/A112-2026-09-27/). A83's GET /connections listing half and A91 were confirmed Fixed live. A82, A83's disconnect-before-delete half and A84 were confirmed by source read only that day, because the live API -15 retest was Blocked by an expired test credential. That limitation is closed: on 2026-10-04 API -15 ran live on production with the disposable identity PT-C (A60-2026-10-04). Deletion revoked the connection first, and the same session token was rejected immediately afterwards. One limit: the Finexer dashboard was not viewed, so the provider-side revoke is evidenced by the response and the deployed source.
- **A121** (iOS biometric lock bypass) was found in device testing on 2026-09-27, fixed and integrated on 2026-09-29, shipped in release-20261001-2038 , and retested on both phones on 2026-10-04 (docs/security/pentest-runs/A60-2026-10-04/): Pass.
- **A129** (Android backup gap, the pre-documented AND -01 / AND -02 storage-and-backup finding, High) was confirmed live in device testing on 2026-09-27 (adb backup of the debug build captured the session token) and fixed under board item A129 (integrate commit cbb05f3c , first shipped in release-20261004-1833). It was verified on 2026-10-04 by package-flag inspection (A60-2026-10-04); the adb backup extraction was not re-run.

The eleven first-round Medium and Low fixes (A74, A76, A80, A85, A86, A88, A89, A90, A92, A93, A95) in production from release-20260927-0947 (2026-09-27) and were retested by A112 on the release-20260927-1844 build: ten were confirmed Fixed (A74 and A90 on UAT, since the connector is not registered on production), and A80 was recorded Partially fixed, because the environment variable that enables its spend ceiling was unset on both production services that day. Enabling it is the operational decision of the Information Security Manager (Kevin Maingi).

The device round raised four further findings. A120 (Low, push registration survives logout) and A122 (Low, app-switcher snapshot shows figures) are remediated and retested on device on 2026-10-04. A118 (Medium, Android session token recoverable on disk after logout) has its server-side revocation in production, but the device re-check of on-disk residue has not been run. A119 (Medium, the debug build's WebView is remotely inspectable) is closed: debug build only, with the signed release APK verified on 2026-09-28 as not inspectable. Follow-ups A123 (token moved to platform secure storage, in production, device retest pending) and A138 (push re-registration after sign-in, intermittent, open) are remediation follow-ups, not new findings. A129 is the fix for the Android backup High described above. Still open from the first round: A73, A77, A79, A81, A94 and the residual A106. Every finding is tracked individually in section 5.

The MCP connector is disabled in production today (MCP_CONNECTOR_ENABLED unset, board item A17), confirmed live 2026-09-23 by an anonymous initialize request returning 401 with no WWW-Authenticate challenge on both the Vercel-fronted path and the direct Railway host, while UAT advertises the challenge; A91, the MCP prompt-injection finding, is therefore not exploitable in production today. Enabling the connector in production is separately gated on Finexer's written design sign-off (board item F1), which remains open.

Coverage is 12 of 12 planned work packages executed, to the extent possible without a Mac or a rooted device (WP7b and WP8 ran live on real devices on 2026-09-27, and the fixes were retested on device on 2026-10-04; see section 4). The WP12 review is a recorded deviation: the planned second review pass with different tooling was not performed, by the Information Security Manager's decision of 2026-10-04, and only a separate review pass using the same tooling as the testing sessions, and so not independent of them, was performed on 2026-10-04 (section 4 and section 10). Every severity in this report is therefore the judgement of AURIQ LTD's testing sessions and the Information Security Manager's sign-off, with the review pass as described in section 10.

2. Scope, environments and rules of engagement

What was tested. The web shell (Vercel), the REST API (Railway), the OAuth 2.1 authorisation server, the MCP connector, the Android and iOS app shells (static analysis and live device testing), and the Finexer, Stripe and OpenRouter integration boundaries. Full surface definitions are in `docs/security/pentest-scope-2026-09.md`.

Hosts.

Host	Role
<code>https://wealth.auriqltd.co.uk</code>	Production. The environment-of-record for almost every case in this round, per the rules-of-engagement record's third amendment (2026-09-20): production is the default environment once test identities are allow-listed there, not merely a fallback.
<code>https://uat.wealth.auriqltd.co.uk</code>	UAT. Retained as the only environment for OAuth (<code>OAUTH-02</code> through <code>OAUTH-10</code>) and MCP (<code>MCP-02</code> through <code>MCP-11</code>) cases, because <code>MCP_CONNECTOR_ENABLED</code> is off in production, so <code>backend/app/main.py</code> never registers those routers there; there is nothing on production for those specific cases to reach.

Builds. Each run's own manifest records the repository commit and deployment id under test at the time; see the per-work-package rows in section 4. No case in this round ran against a build later modified to pass a test it would otherwise have failed.

Test identities. Three pseudonymous identities only: PT-A (primary test user, controlled account and transaction data, a Finexer bank connection), PT-B (a second, isolated test user, used for cross-tenant checks), and PT-C (a disposable identity created by the Information Security Manager directly on production, used once for account-deletion testing then deleted). The real address behind each pseudonym lives only in a private, gitignored file (`.pentest-evidence/<run-id>/roe.env`), never in this report, the board, or any committed file. No real email address, personal name, or recoverable credential appears anywhere in this report or its sources.

Dates. The rules-of-engagement record was signed 2026-09-20. The ten executed work packages ran between 2026-09-20 and 2026-09-21 (see section 4 for each run's exact start and end times), the device work packages (WP7b, WP8) on 2026-09-27, and the on-device retest on 2026-10-04. This report is dated 2026-10-04.

Authoriser. The Information Security Manager, who is also the product's owner, is the sole authoriser, incident contact and stop authority named on the rules-of-engagement record (`docs/security/pentest-runs/roe-record.md`), signed 2026-09-20, quoted there verbatim: "I agree with the details in the pentest, and you can take this attestation as my signature."

Tester and reviewer roles. The testing was carried out by AURIQ LTD using its own testing sessions and tooling, under the rules-of-engagement record signed 2026-09-20; the device packages (WP7b, WP8) and the 2026-10-04 retest were carried out by the Information Security Manager (Kevin Maingi) on his own phones, with the steps guided and recorded by the testing tooling. Each run's own manifest names its tester and records its review status; the evidence review is described in section 10.

Techniques and caps. Permitted tools, numeric caps (one manual request at a time, one harmless canary per class, one controlled cross-tenant object per class), and hard bans (no file reads outside the target application, no command execution against a target, no production entitlement change, no real money movement, no payment initiation, no bank-credential capture) are recorded in full in the rules-of-engagement record and were not exceeded in any run.

3. Methodology and standards

Testing followed `docs/security/PENTEST-METHODOLOGY.md`, a reconciliation of two separately produced draft methodologies (two drafts produced separately) into one agreed test catalogue, evidence format and severity rubric (board item A43). It layers several standards, each scoped to the surface it actually fits, rather than claiming a single blanket certification against any one of them:

Standard	Applied to
OWASP ASVS 5.0.0 (Level 2 baseline, risk-selected Level 3 in named control families)	Requirements backbone across every surface
OWASP WSTG 4.2	The browser-delivered web shell and <code>/design</code> preview routes
OWASP API Security Top 10:2023	The REST API and the API-shaped parts of OAuth, MCP, and the Finexer/Stripe boundaries
OWASP MASVS/MASTG 2.0.0	The Android app shell (static analysis and on-device testing)

Standard	Applied to
OAuth 2.0 Security BCP, RFC 9700	The OAuth 2.1 authorisation server
The MCP specification (version 2025-06-18, as declared by the server)	The MCP connector
OWASP Top 10 for LLM Applications 2025	Penny and the OpenRouter integration
FIRST CVSS 4.0	Optional technical-severity colour on a confirmed finding, never the severity gate itself
NIST SP 800-115	The rules-of-engagement, execution lifecycle, and the run-manifest/per-test-record/finding-record evidence structure this report draws on

This is an assessment mapped to selected ASVS requirements and WSTG/MASTG procedures. It is not, and must never be described as, "OWASP certified", "ASVS compliant", or a complete ASVS verification. Severity uses SECURITY.md section 3's four-band scale (Critical, High, Medium, Low), and the remediation-SLA targets in section 3a (reproduced in section 8 below).

4. Coverage matrix

One row per work package. Case counts and results are taken from each run's own manifest and per-case records under docs/security/pentest-runs/<run-id>/. Where a single case recorded a mixed outcome across sub-components (for example, one property held and another did not), the row below counts it once, by its recorded headline verdict; the finding register in section 5 and the underlying per-test record carry the full detail.

WP	Run id	Board item	Dates (UTC)	Cases	Pass	Fail	Blocked	N/A	Not run
WP1: Web shell and /design routes	A48 - 2026-09-20	A48	2026-09-20, 15:14-16:02Z	12	7	3	2	0	0
WP2: API inventory, credentials, rate limits, error handling, CORS	A49 - 2026-09-21	A49	2026-09-21, 05:47-06:05Z	7	3	4	0	0	0
WP3: API tenant and object authorisation, account deletion	A50 - 2026-09-20	A50	2026-09-20, 17:45-20:18Z	3	2	1	0	0	0
WP4: API input handling, uploads, business-logic ordering	A51 - 2026-09-20	A51	2026-09-20, 20:40-21:21Z	6	5	1	0	0	0
WP5: OAuth 2.1 authorisation server	A52 - 2026-09-20	A52	2026-09-20, 12:17-12:30Z	10	8	2	0	0	0
WP6: MCP connector	A53 - 2026-09-21	A53	2026-09-21, 05:49-05:55Z	11	8	2	0	1	0
WP7a: Android app shell, static analysis	A54 - 2026-09-20	A54	2026-09-20, 17:44-17:58Z	3	0	3	0	0	0
WP7b: Android app shell, dynamic (device)	A55 - 2026-09-27	A55	2026-09-27	8	4	4	0	0	0
WP8: iOS app shell, dynamic (device)	A56 - 2026-09-27	A56	2026-09-27	5	2	3	0	0	0
WP9: Finexer and TrueLayer boundary	A57 - 2026-09-20	A57	2026-09-20, 21:38-21:46Z	12	5	2	2	0	3
WP10: Stripe fail-closed boundary	A58 - 2026-09-21	A58	2026-09-21, 05:40-05:56Z	5	4	0	1	0	0
WP11: OpenRouter and Penny trust boundary	A59 - 2026-09-20	A59	2026-09-20, 18:20-18:45Z	8	6	2	0	0	0
WP12: Retest record and review	A60 - 2026-10-04	A60	2026-10-04	see the retest records below the table	n/a	n/a	n/a	n/a	n/a
Total (WP1-WP11 plus WP7b/WP8, executed)				90	54	27	5	1	3

WP4 note. A51 - 2026-09-20 also records a mandatory IDENTITY-GATE assertion (added after incident A78). It is a pre-run check, not a catalogue case, so it is not counted: WP4 is six catalogue cases (API-06 , API-07 , API-08 , API-10 , API-13 , API-14 ; five Pass, one Fail).

WP9 note. WP9 is twelve cases (FIN-01 to FIN-06 , TL-01 to TL-06). TL-01 , TL-03 and TL-05 were Not run (TrueLayer is being removed from production, board item A67; see section 6), so they are in the Not run column, not N/A. The one N/A in the total is MCP-10 in WP6.

Totals, how derived. Each row was recomputed from the Result field of every case record in that run's records.md , counting a mixed case once by its recorded headline verdict (the rule stated above the table). Cases: 12 + 7 + 3 + 6 + 10 + 11 + 3 + 8 + 5 + 12 + 5 + 8 = 90. Pass 54, Fail 27, Blocked 5, N/A 1, Not run 3 (54 + 27 + 5 + 1 + 3 = 90). The WP12 retest records are not catalogue cases and are not counted.

WP3 note. The A50-2026-09-20 run record contains a fourth section, API-15 , attempt 1, marked VOID because it ran against the wrong identity (incident A78, tracked p1 on the board): it is excluded from the case count above, and the retained API-15 result is the valid second attempt, run against genuine PT-C after the mandatory identity gate was corrected.

WP7a note. All three cases in WP7a (AND-01 's backup-flag sub-result, the static half of AND-08 , and MOB-01) recorded Fail as their headline verdict, but each is a pre-documented, already-known gap (dated back to its original documentation commit, per the methodology's own "backdate the acknowledge clock" rule), re-confirmed live against the built artefact rather than newly discovered; AND-01 and the static half of AND-08 each also carry a Pass on a distinct sub-component within the same case (exported-component protection, and callback payload exposure, respectively). None of the three raised a fresh board item: AND-01 and AND-08 are pre-documented, accepted design gaps recorded in PENTEST-METHODOLOGY.md section 6.5.1 and remain open; MOB-01 tracks to A77 .

WP7b: executed 2026-09-27. Dynamic Android testing ran live on the Information Security Manager's own device against the production-pointed debug APK (package co.uk.auriqltd.sorted , SHA-256 73bab9744ae166a94a35bcf1c05bbfc33605f225d39efd5f8e979b77b7c3fc3e), with the steps guided and recorded by the testing tooling; see docs/security/pentest-runs/A55-2026-09-27/ for the run manifest and per-test records. Eight cases ran (AND-02 through AND-09); four Passed and four Failed. Two Fails are pre-documented, already-known gaps re-confirmed live (the storage/backup half of AND-02 and the scheme-exclusivity half of AND-08), not fresh findings. Three fresh findings were raised: A118 (Medium, post-logout session-token residue on disk, AND-02), A119 (Medium, the debug build's WebView is remotely inspectable behind the lock overlay, AND-09), and A120 (Low, push device registration survives logout, AND-07 , later confirmed cross-platform on the iOS run too). A handful of sub-steps needing root, Frida, or a scripted instrumentation harness were not tested in this round, because none was available; they are listed in the "Deferred" table at the end of A55-2026-09-27/records.md and carried in section 6 as Blocked, not passed.

WP8: executed 2026-09-27. Dynamic iOS testing ran live on the Information Security Manager's own iPhone against the production TestFlight build, as test identity PT-A, with the steps guided and recorded by the testing tooling; see docs/security/pentest-runs/A56-2026-09-27/ for the run manifest and per-test records. Five cases ran (IOS-02 partial, IOS-03 , IOS-04 , IOS-05 , IOS-07); two Passed and three Failed. The headline result was A121 (High, IOS-03), now remediated and retested (section 5). IOS-07 step 4 folded into A121 as the same lock-overlay-reachable condition seen via a notification tap rather than a separate finding; its step 6 confirmed A120 (first raised on the Android run above) also applied to APNs registration. IOS-02 (partial) raised A122 (Low, the app-switcher/recents snapshot showed live financial figures on both platforms even with the lock enabled). IOS-01 , IOS-06 , the Keychain/file-protection halves of IOS-02 , and the instrumented halves of IOS-04 / IOS-05 were not tested in this round, since they need a Mac, a built IPA, or a second signed app that was not available; they are carried in section 6 as Blocked, not passed.

WP12: retest record executed 2026-10-04, reviewed the same day. The Information Security Manager retested the A120, A121 and A122 fixes on his own Android phone (Pixel 10 Pro XL, Android 17) and iPhone (iOS 18.7) against production, with the steps guided and recorded by the testing tooling; see docs/security/pentest-runs/A60-2026-10-04/ for the run manifest and per-test records. The run used the Information Security Manager's own production account rather than the pseudonymous identity PT-A, a deviation from the runbooks that the Information Security Manager authorised on 2026-10-04; individual checks are not attributed to the run's two sessions (production releases decd7938 and c34332b6) except where server logs place them. Both builds contain the A120, A121 and A122 fixes. Results:

Retest record	Finding	Result
Push registration after sign out everywhere (AND-07 , IOS-07 step 6)	A120, logout half	Pass, both phones
Push registration resumes after sign in	A120, resume half	Fail on one earlier Android attempt (tracked as A138); Pass on re-run, both phones
Lock with the app open (IOS-03 , Android equivalent AND-03)	A121	Pass, both phones
Cold start from a notification tap with the lock on	A121	Pass, both phones
App-switcher cover (IOS-02 snapshot sub-step, Android equivalent)	A122	Pass, both phones

These are retest records, not new catalogue cases, so they are not counted in the matrix totals above. Not retested in this run: AND-02 token-at-rest (needs a debug build to inspect the on-disk storage; the adb backup half was verified only by package-flag inspection, see the A129 record in section 5), A123 staying signed in across restarts (result pending from the Information Security Manager), and AND-09 (A119 was closed by static verification of the signed release APK on 2026-09-28). See section 6.

WP12 deviation (recorded). PENTEST-METHODOLOGY.md section 9 specifies a second review pass with different tooling from the testing sessions. The Information Security Manager decided on 2026-10-04 not to perform it. The review that was performed is a separate review pass over the evidence on 2026-10-04 (section 10, "WP12 review"), which used the same tooling as the testing sessions and so was not independent of them. Consequence, stated plainly: the testing has not been reviewed with different tooling, so every severity in this report is the judgement of AURIQ LTD's testing sessions, the review pass, and the Information Security Manager's sign-off.

Two further gaps recorded on the coverage side, not visible as a work package row above: FIN-06 (webhook payload retention confirmation) and the accepted-delivery live halves of FIN-01 and TL-02 could not be completed within WP9, because this testing has no production database read path and no provider-approved sandbox consent exists; these are recorded Blocked within WP9's own tally above, not silently passed.

5. Findings register

Severity bands are SECURITY.md section 3's Critical / High / Medium / Low / Informational. "Status" reflects the board (TODO.md) state as of 2026-10-04. "Production status" and "retest status" are stated per the rule established in section 1: nothing here is "remediated" or "closed" until it is on production and retested; where only part of that is true, the row says which part. For A118 to A123 the commit shown is the integrate (merge) commit on main .

Severity bands. Severities use SECURITY.md section 3's four bands (Critical, High, Medium, Low). The Informational band comes from the testing methodology (PENTEST-METHODOLOGY.md section 8.3): a verified fact or hardening opportunity with no demonstrated adverse outcome and no P1-P4 SLA, used here for A94. A76 is listed as Low below, although the A48-2026-09-20 DSGN-04 record scored the same crawlable-preview exposure Informational (a business-confidentiality risk, not a security-boundary breach); the register carries the more conservative Low, and the board's rating governs.

High

Id	Title	Affected surface	Status	Fix commit	Production status	Retest status
A82	Account deletion never revokes the Finexer consent first, orphaning it at the provider	DELETE account, retention/deletion path	Fixed on main	2488763e	Deployed 2026-09-27 (release-20260927-0947 , confirmed still present in release-20260927-1844)	Source-confirmed 2026-09-27 (A112, live retest Blocked by an expired credential); Fixed, retested live on production 2026-10-04 (A60-2026-10-04 , API-15); the Finexer dashboard was not viewed in that run, so the provider-side revoke is evidenced by the response and the deployed source
A83	GET /connections does not list live Finexer connections, hiding the connection A82's disconnect-first step needs	Connections listing route	Fixed on main	c35ac008	Deployed 2026-09-27 (release-20260927-0947 , confirmed still present in release-20260927-1844)	Listing half confirmed Fixed live 2026-09-27 (A112); disconnect-before-delete half source-confirmed 2026-09-27, then Fixed, retested live on production 2026-10-04 (A60-2026-10-04 , API-15)
A84	A deleted account's session token is not invalidated and remains usable for up to 7 days, including for writes that can reattach if the account is recreated with the same email	Session/auth lifecycle	Fixed on main	40fed391	Deployed 2026-09-27 (release-20260927-0947 , confirmed still present in release-20260927-1844)	Source-confirmed 2026-09-27 (A112, live retest Blocked); Fixed, retested live on production 2026-10-04 (A60-2026-10-04 , API-15); the session token was rejected (401) immediately after deletion

Id	Title	Affected surface	Status	Fix commit	Production status	Retest status
A91	MCP output masking is structural only and never sanitises kept field content; an instruction-shaped merchant/category/insight string reaches the connecting assistant unmodified (prompt-injection surface)	MCP connector output masking	Fixed on main	9c5b7ef9	Deployed 2026-09-27 (<code>release-20260927-0947</code> , confirmed still present in <code>release-20260927-1844</code>); connector itself is off in production (A17), so not exploitable there today	Confirmed Fixed live 2026-09-27 (A112), tested on UAT since the connector is not registered on production
A129	Android backup gap, the pre-documented <code>AND-01</code> / <code>AND-02</code> storage-and-backup finding: with <code>android:allowBackup="true"</code> , a passwordless <code>adb backup</code> of the debug build captured the session token (<code>A54</code> static review of the manifest; <code>A55</code> live, 2026-09-27). Rated High (P2) per <code>PENTEST-METHODOLOGY.md</code> section 8.4 ("the Android auto-backup extraction, if it genuinely recovers a live session token")	Android app shell, manifest backup flags	Remediated: fix integrated 2026-10-04 (board item A129)	cbb05f3c (integrate commit)	In production (first shipped in <code>release-20261004-1833</code>)	Verified 2026-10-04 (<code>A60-2026-10-04</code>) by package-flag inspection: the Information Security Manager's <code>adb shell dumpsys package co.uk.auriqltd.sorted</code> on the production APK installed 2026-10-04 19:41:47 BST (built from <code>release-20261004-1833</code>) shows <code>flags=[HAS_CODE_ALLOW_CLEAR_USER_DATA]</code> , so no <code>ALLOW_BACKUP</code> and no <code>DEBUGGABLE</code> . An <code>adb backup</code> extraction was not re-run
A121	The iOS biometric privacy lock was bypassable: with the lock engaged (cold start or via a notification tap), the nav bar and Penny suggestion chips were tappable behind the visual overlay, and a chip tap rendered live safe-to-spend and upcoming-bills figures with no authentication. Android's equivalent overlay held	iOS lock overlay / <code>BiometricLock</code> , nav bar, Penny chips	Remediated: fix integrated 2026-09-29	eae3207e (integrate commit)	In production (first shipped in <code>release-20261001-2038</code>)	Retested on device 2026-10-04 (<code>A60-2026-10-04</code>): Pass on both phones, app open and cold start from a notification tap

A129 names both the finding row (the pre-documented `AND-01` / `AND-02` backup gap) and its fix item (board item A129).

A82. WP3's live account-deletion case (`API-15` , run `A50-2026-09-20`) found that `erase_user` deletes every local trace of an account but never calls a bank-connection disconnect first; the upstream Finexer consent is left live and orphaned. The fix inserts a disconnect-before-delete step ahead of the existing local erase, so the provider-side consent is revoked as part of account deletion rather than left dangling. Verified so far by the regression tests added alongside the fix commit. The retest ran 2026-09-27 (board item A112, disposable identity PT-C, production): the disconnect-then-delete procedure itself was Blocked, the supplied PT-C credential was already rejected (`401 Session expired`) on every pre-state read before the deletion call ran, so the live property could not be exercised. Source read of `backend/app/services/retention.py::erase_user / disconnect_connection` confirmed the disconnect-before-erase ordering is present as released. A live pass with a freshly issued PT-C credential then ran on 2026-10-04 (`API-15` , production, `A60-2026-10-04`): `DELETE /account` returned 200 with `connections_revoked` first in the removed keys, and the deployed source (`erase_user` calls `disconnect_connection` before the first `delete_many`) confirms the ordering. One limit: the Finexer dashboard was not viewed, so the provider-side revoke is evidenced by the response and the source. Status: Fixed, retested live.

A83. The same run found that `GET /connections` only lists TrueLayer connections, never Finexer ones, which meant a caller (including the account-deletion flow A82 needed to fix) had no reliable way to discover a live Finexer connection to disconnect. The fix adds Finexer connections to that listing. Verified so far by the regression tests added with the fix. The retest ran 2026-09-27 (board item A112, production, PT-A): `GET /connections` returned both live Finexer connections correctly, confirmed Fixed live. The disconnect-before-delete half is covered by the A82 record above (retested live on 2026-10-04, `API-15`).

A84. The same run's token-invalidation half found that a deleted account's bearer session token kept authenticating reads and writes for up to seven days after deletion, and that a write against a deleted account's identifiers could reattach if the account was later recreated with the same email. The fix invalidates the session token as part of account deletion. Verified so far by the regression tests added with the fix. The retest ran 2026-09-27 (board item A112, disposable identity PT-C, production) but could not exercise the live before/after property: the supplied PT-C credential was already rejected (`401 Session expired`) before any deletion call was made, so no token survived a live deletion to test against. Source read of `backend/app/core/session_revocation.py::revoke_sessions / is_revoked` and `backend/app/routers/profile.py::delete_account` confirmed the revoke-before-erase ordering is present as released. The live before/after property was then exercised on 2026-10-04 (`API-15` , PT-C, production, `A60-2026-10-04`): after the deletion call returned 200, the same session token was rejected with 401 on `/auth/session/validate` , `/connections` and `/accounts` within about a second. OAuth tokens were not exercised live (the connector is off in production). Status: Fixed, retested live for the session token.

A91. WP6's MCP-06 case found that `app/services/mcp_mask.py` drops fields by shape only and never inspects or sanitises the content of the fields it keeps, so an instruction-shaped string placed in a merchant name, recurring-series description, or insight trigger (all provider-supplied text a user does not fully control) would reach a connected external assistant unmodified: a live prompt-injection surface with no content-level mitigation. The fix adds content-level sanitisation to the masking layer. Verified so far by the regression test added with the fix, run against the affected code path directly. The connector is off in production by design (MCP_CONNECTOR_ENABLED unset, board item A17), confirmed live 2026-09-23 (an anonymous `initialize` request returns 401 with no `WWW-Authenticate` challenge on both the Vercel-fronted path and the direct Railway host, unlike UAT, which advertises the challenge), so this finding has no production attack surface today; it does have one on UAT, where the connector is enabled. It must be fixed and retested before the connector is enabled in production, which is separately gated on Finexer's written design sign-off (board item F1, still open). The retest ran 2026-09-27 (board item A112, UAT, since the connector is not registered on production): a canary goal named with an instruction-shaped string was returned by the `get_goals` MCP tool with its `name` field replaced by the fixed marker, confirming Fixed live. This does not by itself retest against production, since the connector has no route there today; that check is still owed once F1's design is agreed and the connector is enabled in production.

A121. WP8's IOS-03 case (A56-2026-09-27) found that, with the biometric privacy lock engaged, whether from a cold start or by tapping a notification, the nav bar and Penny suggestion chips remained tappable behind the visual lock overlay, and tapping a chip rendered live safe-to-spend and upcoming-bills figures with no authentication. It needed only physical possession of an already-locked, previously-signed-in phone. Android's own lock overlay held under the equivalent reproduction (A55-2026-09-27, AND-03). Per PENTEST-METHODOLOGY.md section 3.5 it met the stop-condition bar for a repeatable, previously undocumented High finding. The fix was integrated on `main` on 2026-09-29 (eae3207e) and first shipped in `release-20261001-2038`. It was retested on device on 2026-10-04 (A60-2026-10-04) on both phones: with the app open and the lock engaged, the nav bar is not visible and nothing behind the lock can be reached (Pass); with the app fully closed and a push notification tapped, the app opens to the lock screen and the lock cannot be bypassed (Pass). Status: remediated and retested. The 2026-10-04 evidence is the Information Security Manager's own on-device observation, recorded without screenshots.

A129. AND-01 (static, A54-2026-09-20) found `android:allowBackup="true"` with no `fullBackupContent` or data-extraction rules, and AND-02 (live, A55-2026-09-27) confirmed that a passwordless `adb backup` of the debug build captured the WebView storage with the session token byte-identical to the live value. It was a pre-documented gap (acknowledge clock 2026-09-18) rated High (P2) per the methodology. The fix, board item A129 (integrate commit cbb05f3c, first shipped in `release-20261004-1833`), sets `android:allowBackup="false"` and points `fullBackupContent` and `dataExtractionRules` at exclude-everything rules for cloud backup and device transfer (`capacitor-spike/scripts/setup-android-backup.sh`, `capacitor-spike/android-backup/`). Verification on 2026-10-04 was by package-flag inspection: the Information Security Manager's `adb shell dumpsys package co.uk.auriqltd.sorted` on the production APK the Information Security Manager built from `release` after `release-20261004-1833` (installed 2026-10-04 19:41:47 phone local time, BST; versionCode 1, versionName 1.0) shows `flags=[ HAS_CODE ALLOW_CLEAR_USER_DATA ]`, so neither `ALLOW_BACKUP` nor `DEBUGGABLE` is set. An `adb backup` extraction was not re-run. Defence in depth since the finding: A123 moved the native token into Keystore/Keychain-backed secure storage, whose keys are not backed up, and A118 revokes sessions server-side on logout. The AND-02 token-at-rest re-check on a debug build (A118) remains pending and is separate from this backup half. Status: remediated, verified by package-flag inspection.

A118. WP7b's AND-02 case found that after an in-app logout the Android session token value was still recoverable from the WebView's append-only Local Storage log on disk (on a debug build, via `adb run-as`), and that no server-side logout existed, so a recovered token stayed valid for its full 7-day expiry. The fix added a server-side logout that revokes every session for the account (sign out everywhere), integrated on `main` on 2026-09-29 and in production since `release-20261001-2038`. A deliberately cosmetic alternative (overwriting the key before removing it) was assessed and not built, because it leaves the original record recoverable. The on-disk residue itself is addressed by follow-up A123 (token moved to platform secure storage). Status: server-side revocation in production; the device re-check of on-disk residue has not been run (it needs a debug build; see section 6).

A119. WP7b's AND-09 case found that on the Android debug build the WebView is remotely inspectable, so the authenticated DOM was reachable behind the lock overlay. The accessibility tree and TalkBack did not leak financial content while locked. On 2026-09-28 the signed release APK was decompiled and verified: the manifest carries no `debuggable` attribute and Capacitor's WebView debugging resolves to false for that artefact, so the release build is not remotely inspectable. Status: closed, debug build only. This closure rests on static verification of the release artefact and was not re-run on a device.

A120. WP7b's AND-07 case, confirmed on iOS by IOS-07 step 6, found that the device push registration survived in-app logout, so a signed-out device kept receiving push notifications. The fix drops every web-push, FCM and APNs registration for the user at logout, with the client unregistering before the revoke, and re-registers on sign-in. It was integrated on `main` on 2026-09-29 and shipped in `release-20261001-2038`. Retested on device on 2026-10-04 (A60-2026-10-04): after sign out everywhere, test pushes no longer arrived on either phone (Pass). The resume half is recorded in both directions: on Android, earlier that day, the Settings test push returned "No device is registered yet" until the app was relaunched (Fail on that attempt, tracked as follow-up A138, intermittent); on a later re-run, on both phones, sign out, sign in and a test push with no restart delivered (Pass). Status: remediated and retested, with A138 open.

A122. The 2026-09-27 device rounds found that the app-switcher or recents snapshot showed live financial figures even with the biometric lock enabled, on both platforms (tapping back in correctly required unlock, so this was not an entry bypass). The fix covers the app while it is backgrounded, integrated on `main` on 2026-09-29 and shipped in `release-20261001-2038`. Retested on device on 2026-10-04 (A60-2026-10-04): with the lock on, the app-switcher card is covered and shows no figures on both phones, and on Android a screenshot is blocked while the lock is on (Pass). Status: remediated and retested. As for A121, the 2026-10-04 evidence is the Information Security Manager's own on-device observation, without screenshots.

Medium

Id	Title	Status	Fix commit	Production status	Retest status
A73	OAuth consent page under-emphasises the true redirect host relative to the connector's self-reported name	Open	none	N/A	Pending
A74	Refresh-token rotation does not cascade-revoke the sibling access token from the same grant	Fixed	eac94538	In production from release-20260927-0947	Confirmed Fixed live 2026-09-27 (A112), on UAT since the OAuth server is not registered on production
A79	Bank narrative text sent to OpenRouter for categorisation and Penny read tools, unredacted	Open	none	N/A	Pending
A88	Finexer consent callback accepted a missing state parameter	Fixed	683078c8	In production from release-20260927-0947	Confirmed Fixed 2026-09-27 (A112), by source read; the live differential could not be exercised without touching a real consent
A89	Webhook path-secret comparison was not constant-time	Fixed	f4983f8e	In production from release-20260927-0947	Confirmed Fixed 2026-09-27 (A112), by source read, with live behaviour unchanged as expected
A92	Production's proxy chain did not strip a caller-supplied X-Real-IP / X-Forwarded-For header, so IP-keyed rate limits were bypassable	Fixed	d5fbdfe1	In production from release-20260927-0947 , after its gate A110 cleared	Confirmed Fixed live 2026-09-27 (A112), 3 requests
A95	GET /logo/{domain} carried no rate limit at all	Fixed	aeadb348	In production from release-20260927-0947	Confirmed Fixed 2026-09-27 (A112), by source read; the bounded live burst stayed under the configured limit
A118	After logout, the Android session token value is still recoverable on disk (LevelDB append-only storage), and no server-side logout existed, so a recovered token stayed valid for its full 7-day expiry	Remediated in part: server-side logout revocation (sign out everywhere), integrated 2026-09-29	24e79129 (integrate commit)	In production (first shipped in release-20261001-2038)	Server-side revocation in production. The device re-check of on-disk residue (AND-02) has not been run; the underlying storage root cause is addressed by follow-up A123
A119	On the Android debug build the WebView is remotely inspectable, and the authenticated DOM plus Capacitor bridge are reachable behind the lock overlay	Closed 2026-09-28: debug build only	none (no code change)	N/A, debug build only	The signed release APK (SHA-256 554d083b3de1228a60a1a072a4937dfedf8adc6ffa23701dcbe14dee7107455e) was decompiled and verified not remotely inspectable; closed by static verification, not by a device retest

Low

Id	Title	Status	Fix commit	Production status	Retest status
A76	/design/* preview routes were publicly indexable, no robots.txt / X-Robots-Tag	Fixed	e7621167	In production from release-20260927-0947	Confirmed Fixed live 2026-09-27 (A112)
A77	Native-purchase X-Client-Platform header check can be bypassed by omitting it (billing not live)	Open	none	N/A	Pending
A80	No global/service-wide OpenRouter spend ceiling, only a per-user monthly allowance	Partially fixed	7bea0094	In production from release-20260927-0947	Partially fixed (A112, 2026-09-27): the ceiling mechanism is in code, but the environment variable that enables it was unset on both production services that day, so no ceiling was enforced. Enabling it is the Information Security Manager's operational decision; its current state was not re-checked for this report
A81	Per-user LLM allowance check fails open, not closed, on an internal lookup error (documented, deliberate trade-off)	Open	none	N/A	Pending
A85	PATCH /preferences had no optimistic-concurrency check and accepted an unadvertised field (mass assignment)	Fixed	4b866395	In production from release-20260927-0947	Confirmed Fixed live 2026-09-27 (A112)
A86	Commitment state machine allowed out-of-order transitions, no create-time idempotency check	Fixed	1f8a318d	In production from release-20260927-0947	Confirmed Fixed live 2026-09-27 (A112)
A90	MCP initialize handler never validated or negotiated the client's requested protocol version	Fixed	141b057c	In production from release-20260927-0947	Confirmed Fixed 2026-09-27 (A112): live on UAT (envelope validation), source review (version negotiation)
A93	Unhandled NUL byte in a search query parameter crashed one endpoint with a 500 (no data leaked)	Fixed	4e0093e0	In production from release-20260927-0947	Confirmed Fixed live 2026-09-27 (A112)
none (no board item)	AND-08 scheme-exclusivity: Android gives no OS-level exclusivity for the bare wealtdash:// custom scheme, so a competing app can be offered alongside Sorted in a disambiguation dialog (found statically in A54-2026-09-20, confirmed live in A55-2026-09-27). The callback carries no code, token or account identifier, so the practical exploit path is closed off	Open (pre-documented design gap; acknowledge clock 2026-09-18; no remediation short of a verified https:// App Link)	none	N/A	Confirmed live 2026-09-27 (Fail, Low); not re-raised as a new item
A120	Push device registration survived logout on both Android (FCM) and iOS (APNs)	Remediated: sign out everywhere drops every push registration server-side, integrated 2026-09-29	44311669 (integrate commit)	In production (first shipped in release-20261001-2038)	Retested on device 2026-10-04 (A60-2026-10-04): logout half Pass on both phones; resume-after-sign-in half Pass on re-run, after one earlier Android Fail tracked as follow-up A138
A122	The app-switcher/recents snapshot showed live financial figures even with the biometric lock enabled, on both iOS and Android	Remediated: privacy cover while backgrounded, integrated 2026-09-29	bdbda0af (integrate commit)	In production (first shipped in release-20261001-2038)	Retested on device 2026-10-04 (A60-2026-10-04): Pass on both phones; screenshot also blocked on Android while the lock is on

Informational

Id	Title	Status	Fix commit	Production status	Retest status
A94	Dead, unreachable authorisation branch in current_user for an out-of-scope bot credential; access is still correctly denied elsewhere, not itself a weakness	Open	none	N/A	N/A, not a weakness

Residual follow-up disclosed alongside these findings

Id	Title	Status	Fix commit	Production status	Retest status
A106	Finexer consent revoke failure during a Finexer outage is swallowed and the local consent doc is deleted anyway, orphaning the consent with no record to retry from	Open	none	N/A	Pending

A106 is not itself one of this round's pentest findings; it is a follow-up gap identified in A82's own fix (the disconnect-then-delete ordering A82 introduced still has no retry path if the remote revoke call fails partway through, for example during a Finexer outage). It is disclosed here because it sits directly on the same account-deletion lifecycle as A82, A83 and A84 and is still open.

Remediation follow-ups (not new pentest findings)

Id	Title	State
A123	Move the native session token out of WebView <code>localStorage</code> into platform secure storage (Keychain on iOS, Keystore-backed storage on Android); the root cause behind A118	In production (integrated 2026-09-29, <code>9c11702c</code> , first shipped in <code>release-20261001-2038</code>); device retest pending
A138	Native push does not always re-register after sign-in (seen once on the Android APK on 2026-10-04; a later sign-in worked without a restart)	Open, intermittent

These came out of the remediation work for A118 and A120 and from the 2026-10-04 retest. They are tracked on the board as follow-ups and are not counted among this round's findings.

6. Blocker and limitation register

Blocker or limitation	Detail	Status
API-15 provider-side state (A82, A83)	The 2026-10-04 live deletion retest (<code>A60-2026-10-04</code>) confirmed the response and the deployed source, but the Finexer dashboard was not viewed, so the provider's own record of the revoke was not checked	Limit accepted; owner: the Information Security Manager (a dashboard check would close it)
FIN-06 (webhook payload retention/TTL)	No production database or admin-API read path exists for this testing session to confirm live payload retention behaviour	Blocked, unresolved; owner: the Information Security Manager (provide a scoped read path, or accept as not tested)
FIN-01 and TL-02 , accepted-delivery live halves	No Finexer-approved sandbox or test consent exists, and no TrueLayer-equivalent sandbox/test connection exists, to safely drive a live accepted-delivery webhook	Blocked, unresolved; owner: the Information Security Manager (obtain a provider sandbox, or accept as not tested)
OPEN_SIGNUP window on production (2026-09-19)	A roughly 36-minute window during which production's normal Google/Apple-identity allow-list gate was relaxed to create PT-A and PT-B, then closed (board item A63). The post-window check for unexpected registrations during that window was deliberately not run: this session's own permission boundary declined the read, and the Information Security Manager judged it unnecessary at the time given the gate admitted only a verified Google or Apple identity throughout, never anonymous registration	Not retrospectively checked; available to the Information Security Manager if the count is wanted later
Device testing, iOS sub-steps not tested in this round	IOS-01 , IOS-06 , the Keychain and file-protection halves of IOS-02 , and the instrumented halves of IOS-04 and IOS-05 need a Mac, a built IPA or a second signed app, none of which was available	Not tested in this round; carried as Blocked, never as passed
Device testing, Android sub-steps not tested in this round	The sub-steps listed in the "Deferred" table at the end of <code>docs/security/pentest-runs/A55-2026-09-27/records.md</code> need a rooted device, Frida or a scripted instrumentation harness, none of which was available	Not tested in this round; carried as Blocked, never as passed
AND-02 token-at-rest re-check (A118, A123)	Not retested on 2026-10-04: it needs a debug build to run <code>adb run-as</code> and inspect the on-disk storage. This stays pending, separate from the backup half below	Not tested since the fixes shipped; owner: the Information Security Manager
AND-01 / AND-02 backup half (A129), <code>adb backup</code> extraction	Verified on 2026-10-04 by package-flag inspection only (<code>dumpsys package</code> shows no <code>ALLOW_BACKUP</code>). An <code>adb backup</code> extraction was not re-run, so the fix is not confirmed by the same extraction that originally failed	Package-flag Pass; extraction not re-run; owner: the Information Security Manager
A123 session persistence across app restarts	Whether a signed-in user stays signed in across restarts on the new builds: result pending from the Information Security Manager (<code>A60-2026-10-04/records.md</code> , "Pending result")	Pending

Blocker or limitation	Detail	Status
WEB-03 (token-in-URL redirect timing)	Blocked in A48-2026-09-20 : all 8 live attempts on production were intercepted by Vercel's bot-verification challenge before the app mounted, so no clean observation of the fast-strip behaviour was obtained. Source review supports a synchronous strip before the validate call, but that is not what the case asks for	Blocked; owner: the Information Security Manager; decision: retest recommended once production browser access is stable, or with a real non-headless browser session; not credited as Pass
WEB-05 (cache-clearing across account switch)	Blocked in A48-2026-09-20 : the case exists to catch a live rendering gap that code review cannot see, and no live render was possible for the same reason. AuthProvider.tsx logout() was source-reviewed only	Blocked; owner: the Information Security Manager; decision: retest recommended on the same terms as WEB-03 ; not credited as Pass
WEB-02 , storage-inspection sub-component	Inconclusive in A48-2026-09-20 : the one completed attempt landed during a Vercel availability event, so the observed clearing is explained by that event and neither confirms nor contradicts the claim. The tamper and rejection half is Pass. lib/auth.ts was code-reviewed as supporting, non-live evidence	Inconclusive; owner: the Information Security Manager; decision: retest with a real browser session; no finding raised
AND-04 , user-CA trust leg	Inconclusive in A55-2026-09-27 : Android would not establish the mitmproxy user CA as trusted on the test device, so the live comparison could not run. The fail-closed leg (no CA) is Pass. This leg is settled by static reading only: no android:networkSecurityConfig at target SDK 36 means the platform default (user CAs not trusted) applies (A54-2026-09-20 , AND-01)	Inconclusive; owner: the Information Security Manager; decision: accepted on the static reading, with a live retest only if a device that can establish a user CA is available; no finding raised
WP12 review, second pass with different tooling	Not performed, by the Information Security Manager's decision of 2026-10-04 (see section 4); the review that was performed is a separate review pass using the same tooling as the testing, so not independent of it (section 10)	Recorded deviation; not a gap that will be closed
TrueLayer live cases (TL-01 , TL-03 , TL-05 , and TL-04 's live-write half)	Not run: TrueLayer is being removed from production (board item A67), and the 2026-09-20 board note on A57 scoped these out. They are recorded Not run, not Pass, Fail or N/A	Not run; owner: the Information Security Manager; decision: not run per that note, to be revisited only if TrueLayer is not removed

7. MCP connector production status

The MCP connector is disabled in production by design: the MCP_CONNECTOR_ENABLED environment variable is unset on the production Railway service, so backend/app/main.py's _routers() never registers the OAuth authorisation-server routes or the MCP connector routes there at all (board item A17). This was re-confirmed live on 2026-09-23: an anonymous initialize request to the connector returns 401 with no WWW-Authenticate challenge header, on both the Vercel-fronted path (https://wealth.auriqltd.co.uk) and the direct Railway host, whereas the equivalent request against UAT (https://uat.wealth.auriqltd.co.uk , where the connector is enabled) does advertise the challenge. This absence of a challenge header on production is the decisive signal that the connector is genuinely unregistered there, not merely returning a generic authentication failure for a route that exists.

Both cases that specifically test this absence, OAUTH-01 and MCP-01 , Passed (section 4, WP5 and WP6). Every other OAuth and MCP case in this round (OAUTH-02 through OAUTH-10 , MCP-02 through MCP-11) ran on UAT only, because there is no route on production for them to reach. A91, the one High finding against the MCP connector, is consequently not exploitable on production today; it is a live, UAT-only exposure until the connector is enabled there. Enabling the connector in production is gated on Finexer's written design sign-off (board item F1, open); that gate is separate from, and does not substitute for, fixing and retesting A91 itself first.

8. Remediation SLA and timeline

Remediation targets are SECURITY.md section 3a's bands, reproduced here for this report's own findings:

Severity	Acknowledge	Remediate or mitigate
Critical (P1)	Within 24 hours	Within 72 hours (a temporary mitigation counts, if the exposure genuinely stops)
High (P2)	Within 3 business days	Within 14 days
Medium (P3)	Within 5 business days	Within 30 days, or the next scheduled dependency/release cycle if sooner
Low (P4)	Best effort	Best effort, tracked on TODO.md , not silently dropped

All four original High findings (A82, A83, A84, A91) were acknowledged the same day they were found (2026-09-20/21) and fixed on main by 2026-09-22, comfortably inside the 14-day remediate target measured from acknowledgement. That target is about a fix existing and merged; it is not itself satisfied by deployment or retest, which this report tracks separately (see section 5).

A121, a High finding, was found and acknowledged on 2026-09-27 and its fix was integrated on `main` on 2026-09-29, inside its own 14-day target, which runs from that date and not from 2026-09-20/21. The fix first shipped in `release-20261001-2038` and was retested on device on 2026-10-04 (`A60-2026-10-04`).

A129 (the Android backup gap) was pre-documented, so its acknowledge clock is backdated to 2026-09-18. The fix was integrated on 2026-10-04 (`cbb05f3c`), about two days outside the 14-day remediate target counted from the 2026-09-18 acknowledge date, and first shipped in `release-20261004-1833` the same day.

Timeline, in order:

1. **A110** (trusted-proxy hop handling) was done on 2026-09-24; it resolved the two-ingress-path ambiguity (Vercel-fronted web traffic versus the mobile apps' direct Railway calls) that blocked releasing A92's rate-limit fix safely to production.
2. **Production release** of the four original High findings (`release-20260927-0947` , 2026-09-27) and of the eleven first-round Medium and Low fixes, which are ancestors of the same tag (A112 retested the later `release-20260927-1844` build).
3. **Retest** of those fifteen fixes ran the same day (board item A112, `docs/security/pentest-runs/A112-2026-09-27/`). The destructive `API-15` step (A82, A83's disconnect-before-delete half, A84) was Blocked that day by an already-expired test credential, and was retested live on production on 2026-10-04 (`A60-2026-10-04`).
4. **Device-round fixes**. A118, A120, A121, A122 and the follow-up A123 were integrated on `main` on 2026-09-29 and first shipped in `release-20261001-2038` . The on-device retest of A120, A121 and A122 ran on 2026-10-04 (`A60-2026-10-04`), against production releases `decd7938` and `c34332b6` .
5. **Still open**: A73, A77, A79, A81, A94 and A106 (none is High or Critical, so none blocks anything above), and the follow-up A138. Their current state is on the board and is not restated here.

9. Testing approach

This is a security assessment carried out by AURIQ LTD between 20 September and 4 October 2026, under the rules-of-engagement record signed by the Information Security Manager on 2026-09-20 (`docs/security/pentest-runs/roe-record.md`). The work packages were run by AURIQ LTD's own testing sessions against the scope in `docs/security/pentest-scope-2026-09.md` ; the device packages (WP7b, WP8) and the 2026-10-04 retest were performed by the Information Security Manager on his own phones, with the steps guided and recorded by the testing tooling. Scope, numeric caps and stop conditions are in section 2 and in the rules-of-engagement record. What was not tested in this round, and why, is listed in section 6; those items are carried as Blocked or Not tested, never as passed.

10. Sign-off and revision history

Sign-off. The underlying security testing programme (`SECURITY.md` section 3b) was signed off by the Information Security Manager (Kevin Maingi), 2026-09-21, given as a written attestation ("Happy to sign this"), not a handwritten or cryptographic signature. This report, as a document, has not separately been signed by the Information Security Manager as of 2026-10-04.

WP12 review. On 2026-10-04 a separate review pass audited the evidence behind this report, in two passes. It checked every Fail, Partially fixed, Blocked, Inconclusive and Not run result in runs A48 to A59, A55 and A56 (2026-09-27), A112 and A60-2026-10-04, and every finding in section 5 and `SECURITY.md` 3b against git (integrate commits, `release` ancestry and release tags) and the cited retest records. It also checked the report, `SECURITY.md` and the Q11 text for consistency with each other and with the records. The first pass found six defects: one wrong fix commit, the Android backup High missing from the register, missing coverage rows for Blocked and Inconclusive cases, miscounted matrix totals, a release-tag attribution that contradicted git, and one revision-history wording point. All were corrected, and the second pass confirmed each correction. This review used the same tooling as the testing sessions and so was not independent of them. The planned second review pass with different tooling (PENTEST-METHODOLOGY section 9) was not performed, by the Information Security Manager's decision of 2026-10-04. The review made no changes and ran no live tests. Its two limits are that the A121, A122 and A129 retest results rest on the Information Security Manager's relayed on-device observations (no screenshots), and that the A129 fix was verified by package flags only, with the `adb backup` extraction not re-run. The live `API-15` deletion retest on 2026-10-04 was recorded after this review and was not covered by it.

Revision history.

Version	Date	Change
v0.1 (DRAFT)	2026-09-23	First draft, produced for Finexer ahead of production release, retest and WP12; covers the 10 of 12 work packages executed 2026-09-20 to 2026-09-21
v0.1 (DRAFT, updated)	2026-09-27	A117: this Markdown updated in place to record WP7b (A55) and WP8 (A56) dynamic device testing, executed live 2026-09-27; coverage corrected from 10 of 12 to 12 of 12 work packages (to the extent possible without a Mac or a rooted device); five findings folded into section 5 (A118, A119, A120, A121, A122); headline corrected to five High findings, since A121 (iOS biometric-lock bypass) was not yet remediated

Version	Date	Change
v0.1 (DRAFT, updated)	2026-09-28	A117 correction: the earlier text stated that none of the four original High findings (A82, A83, A84, A91) had reached production and that no production retest had run; both were false by 2026-09-27 evening. All four shipped to production 2026-09-27 and were retested the same day (board item A112, docs/security/pentest-runs/A112-2026-09-27/). Section 5 corrected to record A112's actual outcome per finding. Also corrected a stale claim that A92's release gate, board item A110, was still in progress
v1.0	2026-10-04	A60: final consolidated report. Records the 2026-10-04 on-device retest (docs/security/pentest-runs/A60-2026-10-04/): A120, A121 and A122 remediated and retested on both phones; A118 server-side revocation in production with the on-device residue re-check not yet run; A119 closed (debug build only). Section 5's Medium and Low tables updated with A112's 2026-09-27 retest outcomes. Follow-ups A123 and A138 recorded, and the pre-documented Android backup High (AND-01 / AND-02 , fixed under A129) added to the High table. Section 9 rewritten as a plain testing-approach statement. WP12 recorded as a review with the same tooling as the testing, the planned second pass with different tooling not performed (Information Security Manager decision, 2026-10-04). WP12 review recorded in section 10 (2026-10-04, PASS on second pass). PDF and HTML regenerated
v1.0 (final)	2026-10-04	A60: live API-15 account-deletion retest ran on production with the disposable identity PT-C (A60-2026-10-04), superseding the Blocked, source-only verdict of A112. A82, A83 (destructive half) and A84 are now Fixed, retested live; the Finexer dashboard was not viewed. Version set to 1.0
v1.0.1	2026-10-05	A60: Wording of roles revised; Information Security Manager named; no change to findings, statuses or evidence