# OpenVINO 使用教學

作者: KevinChiu

参考: https://docs.openvinotoolkit.org/latest/\_docs\_install\_guides\_installing\_openvino\_linux.html

## OpenVINO install

到OpenVINO官網安裝OpenVINO,看得懂可以跳過本章節,看不懂看我們懶人包

https://docs.openvinotoolkit.org/latest/\_docs\_install\_guides\_installing\_openvino\_linux.html

選擇你的作業系統來安裝,建議Linux,以下教學也以Linux來說明:

- 1. 下載OpenVINO https://software.intel.com/en-us/openvino-toolkit/choose-download/free-download-linux
- 2. 下載完成後, 到該檔案的目錄下如:

```
cd ~/Downloads/
```

3. 解壓縮該檔案,I\_openvino\_toolkit\_p\_<version>換成該檔名稱:

```
tar -xvzf l_openvino_toolkit_p_<version>.tgz
```

4. 到解壓縮完的目錄下:

```
cd l_openvino_toolkit_p_<version>
```

5. 安裝OpenVINO

用GUI介面安裝

```
sudo ./install_GUI.sh
```

或Command-Line安裝

```
sudo ./install.sh
```

6. 在prerequisites回顯示缺乏的軟件,一直下一步就安裝完成了

7. 安裝完成後, 到install\_dependencies目錄下:

```
cd /opt/intel/openvino/install_dependencies
```

8. 執行install\_openvino\_dependencies.sh

```
sudo -E ./install_openvino_dependencies.sh
```

9. 設定環境變數 setupvars.sh:

每次開啟terminal後都要執行:

```
source /opt/intel/openvino/bin/setupvars.sh
```

如果嫌麻煩也可以加到.bashrc,讓他自動執行:

```
sudo vim ~/.bashrc
source /opt/intel/openvino/bin/setupvars.sh
```

"i"加在最後一行"ESC"後, ":wq"儲存退出

10. 切換到Model Optimizer prerequisites目錄下:

```
cd
/opt/intel/openvino/deployment_tools/model_optimizer/install_prerequisites
```

11. 配置一些軟件Caffe, TensorFlow, MXNet, Kaldi\*, and ONNX:

```
sudo ./install_prerequisites.sh
```

### Run a Demo

1. 到Inference Engine demo目錄下:

```
cd /opt/intel/openvino/deployment_tools/demo
```

2. 執行demo\_squeezenet\_download\_convert\_run.sh:

下載一些Demo會用到的東西

```
./demo_squeezenet_download_convert_run.sh
```

#### 3. 執行demo:

```
./demo_security_barrier_camera.sh
```

正常運作就是安裝成功了!

## **Build the Sample Applications**

```
cd '/opt/intel/openvino/inference_engine/demos'

./build_demos.sh
```

### Model downloader

```
cd /opt/intel/openvino/deployment_tools/tools/model_downloader
```

```
./downloader.py --print_all
```

```
./downloader.py --name
```

# Security Barrier Camera C++ Demo

```
cd /home/user/omz_demos_build/intel64/Release
```

```
./security_barrier_camera_demo -i
/opt/intel/openvino_2019.3.334/deployment_tools/demo/car_1.bmp -m
/home/user/openvino_models/ir/FP16/intel/vehicle-license-plate-detection-barrier-
0106/FP16/vehicle-license-plate-detection-barrier-0106.xml
```

### yolo

#### 轉tf

```
cd ~/tensorflow-yolo-v3
python convert_weights_pb.py --class_names coco.names --data_format NHWC --
weight_file yolov3.weights
```

#### 轉IR

```
cd ~/Desktop/openvino/deployment_tools/model_optimizer

sudo python3 mo_tf.py --input_model '/home/user/tensorflow-yolo-
v3/frozen_darknet_yolov3_model.pb' --tensorflow_use_custom_operations_config
'/home/user/Desktop/openvino/deployment_tools/model_optimizer/extensions/front/tf/
yolo_v3.json' --batch 1
```

#### 執行

```
cd ~/omz_demos_build/intel64/Release
./object_detection_demo_yolov3_async -i cam -m
'/home/user/Desktop/openvino/deployment_tools/model_optimizer/frozen_darknet_yolov
3_model.xml' -d MYRIAD
```

#### ру

cd
/opt/intel/openvino\_2019.3.334/inference\_engine/demos/python\_demos/object\_detectio
n\_demo\_yolov3\_async

```
python3 object_detection_demo_yolov3_async.py -i cam -m
'/home/user/Desktop/openvino/deployment_tools/model_optimizer/frozen_darknet_yolov
3_model.xml' -d MYRIAD
```

```
python3 object_detection_demo_yolov3_async.py -i '/home/user/Videos/FILE0149.MOV'
-m
'/home/user/Desktop/openvino/deployment_tools/model_optimizer/frozen_darknet_yolov
3_model.xml' -d MYRIAD
```

```
python3 object_detection_demo_yolov3_async.py -i '/home/user/Videos/FILE0149.MOV'
-m
```

'/home/user/Desktop/openvino/deployment\_tools/model\_optimizer/frozen\_darknet\_yolov 3\_model.xml' -d MYRIAD --labels '/home/user/tensorflow-yolo-v3/coco.names'

#### tiny

```
cd ~/tensorflow-yolo-v3
python convert_weights_pb.py --class_names coco.names --data_format NHWC --
weight_file yolov3-tiny.weights --tiny --output_graph frozen_darknet_yolov3-
tiny_model.pb
```

```
cd ~/Desktop/openvino/deployment_tools/model_optimizer
sudo python3 mo_tf.py --input_model '/home/user/tensorflow-yolo-
v3/frozen_darknet_yolov3-tiny_model.pb' --tensorflow_use_custom_operations_config
'/home/user/Desktop/openvino/deployment_tools/model_optimizer/extensions/front/tf/
yolo_v3_tiny.json' --batch 1
```

cd

/opt/intel/openvino\_2019.3.334/inference\_engine/demos/python\_demos/object\_detectio
n\_demo\_yolov3\_async

```
python3 object_detection_demo_yolov3_async.py -i '/home/user/Videos/FILE0149.MOV'
-m
```

'/home/user/Desktop/openvino/deployment\_tools/model\_optimizer/frozen\_darknet\_yolov 3-tiny\_model.xml' -d MYRIAD --labels '/home/user/tensorflow-yolo-v3/coco.names'

```
python3 object_detection_demo_yolov3_async.py -i cam -m
'/home/user/Desktop/openvino/deployment_tools/model_optimizer/frozen_darknet_yolov
3-tiny_model.xml' -d MYRIAD --labels '/home/user/tensorflow-yolo-v3/coco.names'
```

## 開啟檔案位置

nautilus
xdg-open

### intel 開發板 開機啟動

- > fs0:
- > cd EFI\ubuntu
- > grubx64.efi

### face

cd

~/Desktop/openvino/deployment\_tools/inference\_engine/demos/python\_demos/face\_recog nition\_demo

# Al\_class

```
cd ~/AI_class/face_recognition_demo
```

```
python ./face_recognition_demo.py -m_fd
~/Desktop/openvino/deployment_tools/tools/model_downloader/intel/face-detection-
retail-0004/FP16/face-detection-retail-0004.xml -m_lm
~/Desktop/openvino/deployment_tools/tools/model_downloader/intel/landmarks-
```

regression-retail-0009/FP16/landmarks-regression-retail-0009.xml -m\_reid ~/Desktop/openvino/deployment\_tools/tools/model\_downloader/intel/face-reidentification-retail-0095/FP16/face-reidentification-retail-0095.xml -l /home/user/Desktop/openvino/deployment\_tools/inference\_engine/lib/intel64/libcpu\_e xtension\_sse4.so --verbose -fg "/home/user/AI\_class/face\_tran/" --run\_detector --allow\_grow