HARD

PROBLEM-SOLVING AND DATA ANALYSIS

Probability and conditional probability

01

8 questions · ~12 min

Q1 GRID-IN PROBLEM-SOLVING AND DATA ANALYSIS

	Site A	Site B	Total
Tulip	35	15	50
Daffodil	31	21	52
Total	66	36	102

The table shows the distribution of two types of flowers at two different sites. If a flower represented in the table is selected at random, what is the probability of selecting a flower from site A, given that the flower is a tulip? (Express your answer as a decimal or fraction, not as a percent.)

STUDENT-PRODUCED RESPONSE



Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

Q2 GRID-IN PROBLEM-SOLVING AND DATA ANALYSIS

On May 10, 2015, there were 83 million Internet subscribers in Nigeria. The major Internet providers were MTN, Globacom, Airtel, Etisalat, and Visafone. By September 30, 2015, the number of Internet subscribers in Nigeria had increased to 97 million. If an Internet subscriber in Nigeria on September 30, 2015, is selected at random, the probability that the person selected was an MTN subscriber is 0.43. There were p million MTN subscribers in Nigeria on September 30, 2015. To the nearest integer, what is the value of p ?

STUDENT-PRODUCED RESPONSE

.	/ .	/ .	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

The table below shows the distribution of US states according to whether they have a state-level sales tax and a state-level income tax.

2013 State-Level Taxes

	State sales tax	No state sales tax
State income tax	39	4
No state income tax	6	1

To the nearest tenth of a percent, what percent of states with a state-level sales tax do not have a state-level income tax?

A. 6.0%

B. 12.0%

C. 13.3%

D. 14.0%

Q4 GRID-IN PROBLEM-SOLVING AND DATA ANALYSIS

The table summarizes the distribution of age and assigned group for 90 participants in a study.

	0–9 **years**	10–19 **years**	20 + **years**	**Total**
Group A	7	14	9	30
Group B	6	4	20	30
Group C	17	12	1	30
Total	30	30	30	90

One of these participants will be selected at random. What is the probability of selecting a participant from group A, given that the participant is at least 10 years of age? (Express your answer as a decimal or fraction, not as a percent.)

STUDENT-PRODUCED RESPONSE

.	/ .	/ .	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

Q5 PROBLEM-SOLVING AND DATA ANALYSIS

The table summarizes the distribution of age and assigned group for 90 participants in a study.

	0–9 **years**	10–19 **years**	20 + **years**	**Total**
Group A	5	17	8	30
Group B	6	8	16	30
Group C	19	5	6	30
Total	30	30	30	90

One of these participants will be selected at random. What is the probability of selecting a participant from group A, given that the participant is at least 10 years of age?

A. $\frac{5}{18}$

B. $\frac{5}{12}$

C. $\frac{17}{30}$

D. $\frac{5}{6}$

Q6

Set K consists of all the positive integers that are less than or equal to 160, where none of the integers are repeated. If a number is selected at random from set K, what is the probability of selecting a number that is even and less than or equal to 50?

A. $\frac{5}{32}$

B. $\frac{3}{16}$

C. $\frac{5}{21}$

D. $\frac{5}{16}$

Q7

GRID-IN PROBLEM-SOLVING AND DATA ANALYSIS

	Blood type			
Rhesus factor	A	B	AB	O
+	33	9	3	37
−	7	2	1	x

Human blood can be classified into four common blood types—A, B, AB, and O. It is also characterized by the presence $(+)$ or absence $(-)$ of the rhesus factor. The table above shows the distribution of blood type and rhesus factor for a group of people. If one of these people who is rhesus negative $(-)$ is chosen at random, the probability that the person has blood type B is $\frac{1}{9}$. What is the value of x ?

STUDENT-PRODUCED RESPONSE

.	/ .	/ .	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

Q8

PROBLEM-SOLVING AND DATA ANALYSIS

A grove has 6 rows of birch trees and 5 rows of maple trees. Each row of birch trees has 8 trees 20 feet or taller and 6 trees shorter than 20 feet. Each row of maple trees has 9 trees 20 feet or taller and 7 trees shorter than 20 feet. A tree from one of these rows will be selected at random. What is the probability of selecting a maple tree, given that the tree is 20 feet or taller?

A. $\frac{9}{164}$

B. $\frac{3}{10}$

C. $\frac{15}{31}$

D. $\frac{9}{17}$