

● EASY

● PROBLEM-SOLVING AND DATA ANALYSIS

● ANSWER KEY

Problem-Solving and Data Analysis

13

10 answers · Rationale-rich · Teach from doc

Q1**C****C. 210****Correct Answer Rationale**

Choice C is correct. According to the model, the stopping distance, in feet, of a vehicle traveling 55 miles per hour is about 200 feet. Of the choices given, the best estimate of the stopping distance for a car traveling 55 miles per hour is 210 feet.

Incorrect Answer Rationale

Choices A, B, and D are incorrect and may be the result of incorrectly reading the given quadratic model. The corresponding x-values to the y-values of 25 and 30 are not part of the model. The corresponding x-value to a y-value of 250 is approximately 60 mph, not 55 mph.

Q2**A****A. 18**

Choice A is correct. Dividing the number of revolutions by the number of minutes gives the number of revolutions the turbine completes per minute. It's given that the wind turbine completes 900 revolutions in 50 minutes. Therefore, at this rate, this turbine completes $\frac{900}{50}$, or 18, revolutions per minute.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Q3**B****B.** 294

Choice B is correct. It's given that the number of students enrolled in an interior design program this year is 147% of last year's number, which is 200. 147% of 200 can be expressed as $\frac{147}{100}200$, or 1.47200, which is equivalent to 294. Therefore, 294 students are enrolled in the interior design program this year.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Q4**B****B.** $\frac{415}{799}$

Choice B is correct. If one of the teens surveyed is selected at random, the probability that the teen talks on a cell phone daily is equal to the quotient of the total number of teens who reported that they talk on a cell phone daily, 415, and the total number of teens surveyed, 799.

Therefore, this probability is equal to $\frac{415}{799}$.

Choice A is incorrect. This fraction represents the probability of selecting at random any one of the 799 teens surveyed. Choice C is incorrect and may result from conceptual errors. Choice D is incorrect. This fraction represents the probability of selecting at random one of the 799 teens surveyed who doesn't talk on a cell phone daily.

Q5**B**

B. The mean of data set X is less than the mean of data set Y.

Choice B is correct. The mean of a data set is the sum of the values in the data set divided by the number of values in the data set. It follows that the mean of data set X is $\frac{5+9+9+13}{4}$, or 9, and the mean of data set Y is $\frac{5+9+9+13+27}{5}$, or 12.6. Since 9 is less than 12.6, the mean of data set X is less than the mean of data set Y.

Alternate approach: Data set Y consists of the 4 values in data set X and one additional value, 27. Since the additional value, 27, is larger than any value in data set X, the mean of data set X is less than the mean of data set Y.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Q6**40**

The correct answer is 40. For each data point on the scatterplot, the x-value represents the growing season after transplantation and the y-value represents the weight, in pounds, of all nectarines that grew on the tree during the season. The scatterplot shows a data point at 4, 40. It follows that during the 4th growing season after the tree's transplantation, 40 pounds of nectarines grew on the tree.

Q7**A****A.** $39p$

Choice A is correct. It's given that Tilly earns p dollars for every w hours of work. This can be represented by the proportion $\frac{p}{w}$. The amount of money, x , Tilly earns for $39w$ hours of work can be found by setting up the proportion $\frac{p}{w} = \frac{x}{39w}$. This can be rewritten as $39pw = xw$. Dividing both sides by w results in $x = 39p$.

Choice B is incorrect. This is the amount of money Tilly earns in dollars per hour, not the amount of money Tilly earns for $39w$ hours of work.

Choice C is incorrect. This is the amount of money Tilly earns for w hours of work plus 39, not the amount of money Tilly earns for $39w$ hours of work.

Choice D is incorrect. This is the amount of money Tilly earns for w hours of work minus 39, not the amount of money Tilly earns for $39w$ hours of work.

Q8**D****D.** \$5.00

Choice D is correct. The total bill was \$25.00. The percentage 20% is equivalent to the decimal 0.2. The tip is the product of the percentage and the total bill; therefore, $0.2 \times 25 = 5$, so the tip was \$5.00.

Choices A, B, and C are incorrect and may be the result of incorrectly converting the given percentage or a calculation error.

Q9**B****B.** 6, 6, 8, 8, 10, 10

Choice B is correct. If a data set contains an odd number of data values, the median is represented by the middle data value in the list when the data values are listed in ascending or descending order. Since the data set shown has 7 data values and is in ascending order, it follows that the median is the fourth data value in the list, or 8. If a data set contains an even number of data values, the median is between the two middle data values when the values are listed in ascending or descending order. Since each of the choices consists of a data set with 6 data values in ascending order, it follows that the median is between the third and fourth data value. The third and fourth data values in choice B are 8 and 8. Thus, choice B represents a data set with a median of 8. Since the median of the data set shown is 8 and choice B represents a data set with a median of 8, it follows that choice B represents a data set that has the same median as the data set shown.

Choice A is incorrect. This list represents a data set with a median of 6, not 8.

Choice C is incorrect. This list represents a data set with a median of 10, not 8.

Choice D is incorrect. This list represents a data set with a median of 10, not 8.

Q10

D

D. $y = 0.9x + 2.2$

Choice D is correct. A linear model can be written in the form $y = mx + b$, where m is the slope of the graph of the model in the xy -plane and $(0, b)$ is the y -intercept. The graph of an appropriate linear model for this relationship passes near the points $(1, 3)$ and $(9, 10)$ in the xy -plane. Two points on a line, x_1, y_1 and x_2, y_2 , can be used to find the slope of the line using the slope formula, $m = \frac{y_2 - y_1}{x_2 - x_1}$. Substituting the points $(1, 3)$ and $(9, 10)$ for x_1, y_1 and x_2, y_2 , respectively, in the slope formula yields $m = \frac{10 - 3}{9 - 1}$, or $m = 0.875$. Therefore, the value of m for an appropriate linear model is approximately 0.875. Substituting 0.875 for m in $y = mx + b$ yields $y = 0.875x + b$. Since an appropriate linear model passes near the point $(1, 3)$, the approximate value of b can be found by substituting 1 for x and 3 for y in the equation $y = 0.875x + b$, which yields $3 = (0.875)(1) + b$, or $3 = 0.875 + b$. Subtracting 0.875 from both sides of this equation yields $2.125 = b$. Therefore, the value of b for an appropriate linear model is approximately 2.125. Thus, of the given choices, $y = 0.9x + 2.2$ is the most appropriate linear model for this relationship.

Alternate approach: A linear model can be written in the form $y = mx + b$, where m is the slope of the graph of the model in the xy -plane and $(0, b)$ is the y -intercept. The scatterplot shows that as the x -values of the data points increase, the y -values of the data points increase, which means the graph of an appropriate linear model has a positive slope. Of the given choices, $y = 0.9x + 2.2$ is the only linear model whose graph has a positive slope.

Choice A is incorrect. The graph of this model has a negative slope, not a positive slope.

Choice B is incorrect. The graph of this model has a negative slope, not a positive slope.

Choice C is incorrect. The graph of this model has a negative slope, not a positive slope.

Notes

Accept equivalent forms (e.g. $0.25 \equiv 1/4$). For grid-in items, decimal and fraction answers are both valid.

Generated 2026-05-29 · cb-educator-question-bank