

● EASY

● PROBLEM-SOLVING AND DATA ANALYSIS

Problem-Solving and Data Analysis


13

10 questions · ~15 min

Q1

PROBLEM-SOLVING AND DATA ANALYSIS

A study was done to determine a new car's stopping distance when it was traveling at different speeds. The study was done on a dry road with good surface conditions. The results are shown below, along with the graph of a quadratic function that models the data.



According to the model, which of the following is the best estimate for the stopping distance, in feet, if the vehicle was traveling 55 miles per hour?

- A. 25
- B. 30
- C. 210
- D. 250

Q2

PROBLEM-SOLVING AND DATA ANALYSIS

A wind turbine completes 900 revolutions in 50 minutes. At this rate, how many revolutions per minute does this turbine complete?

- A. 18
- B. 850
- C. 950
- D. 1,400

Q3

PROBLEM-SOLVING AND DATA ANALYSIS

Last year, 200 students enrolled in an interior design program. This year, the number of students enrolled is 147% of last year's number. How many students are enrolled in the interior design program this year?

- A. 247
- B. 294
- C. 347
- D. 394

Texting behavior	Talks on cell phone daily	Does not talk on cell phone daily	Total
Light	110	146	256
Medium	139	164	303
Heavy	166	74	240
Total	415	384	799

In a study of cell phone use, 799 randomly selected US teens were asked how often they talked on a cell phone and about their texting behavior. The data are summarized in the table above. If one of the 799 teens surveyed is selected at random, what is the probability that the teen talks on a cell phone daily?

A. $\frac{1}{799}$

B. $\frac{415}{799}$

C. $\frac{384}{415}$

D.

$$\frac{384}{799}$$

Q5

PROBLEM-SOLVING AND DATA ANALYSIS


Data set X: 5, 9, 9, 13

Data set Y: 5, 9, 9, 13, 27

The lists give the values in data sets X and Y. Which statement correctly compares the mean of data set X and the mean of data set Y?

- A. The mean of data set X is greater than the mean of data set Y.
- B. The mean of data set X is less than the mean of data set Y.
- C. The means of data set X and data set Y are equal.
- D. There is not enough information to compare the means.

An orchard owner recorded the weight, in pounds, of all nectarines that grew on a dwarf nectarine tree during each growing season after the tree's transplantation. The scatterplot shows this weight, in pounds, for each growing season after the tree's transplantation.



- The scatterplot has 8 data points.
- The data points are in a linear pattern trending up from left to right.
- The data points have the following coordinates:
 - (1 comma 0)
 - (2 comma 10)
 - (3 comma 21)
 - (4 comma 40)
 - (5 comma 46)
 - (6 comma 60)
 - (7 comma 76)
 - (8 comma 85)

What was the weight, to the nearest pound, of all nectarines that grew on the tree during the 4th growing season after the tree's transplantation?

STUDENT-PRODUCED RESPONSE

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

Q7

PROBLEM-SOLVING AND DATA ANALYSIS

Tilly earns p dollars for every w hours of work. Which expression represents the amount of money, in dollars, Tilly earns for $39w$ hours of work?

- A. $39p$
- B. $\frac{p}{39}$
- C. $p + 39$
- D. $p - 39$

Q8

PROBLEM-SOLVING AND DATA ANALYSIS

Rita's total bill at a restaurant was \$25.00, including tax. If she left a tip of 20% of the total bill, what was the amount of the tip?

- A. \$3.50
- B. \$4.00
- C. \$4.50
- D. \$5.00

Q9


PROBLEM-SOLVING AND DATA ANALYSIS

6, 6, 8, 8, 8, 10, 21

Which of the following lists represents a data set that has the same median as the data set shown?

- A. 4, 6, 6, 6, 8, 8
- B. 6, 6, 8, 8, 10, 10
- C. 6, 8, 10, 10, 10, 12
- D. 8, 8, 10, 10, 21, 21

The scatterplot shows the relationship between two variables, x and y .



- The scatterplot has 5 data points.
- The data points are in a linear pattern trending up from left to right.
- The data points have the following coordinates:
 - (1 comma 3.0)
 - (3 comma 5.0)
 - (5 comma 6.0)
 - (7 comma 8.0)
 - (9 comma 10.0)

Which equation is the most appropriate linear model for this relationship?

A. $y = -0.9x - 2.2$

B. $y = -0.9x + 2.2$

C. $y = -0.9x$

D. $y = 0.9x + 2.2$