

● HARD

● ADVANCED MATH

Advanced Math

07

10 questions · ~15 min

SAT QUESTION BANK

2026-05-29

Q1

ADVANCED MATH

$$f(x) = x^2 - 14x + 19$$

The function f is defined by the given equation. For what value of x does $f(x)$ reach its minimum?

A. -266

B. -19

C. $-\frac{33}{2}$ D. $-\frac{5}{2}$

$$y = x^2 + 3x - 7$$
$$y - 5x + 8 = 0$$

How many solutions are there to the system of equations above?

- A. There are exactly 4 solutions.
- B. There are exactly 2 solutions.
- C. There is exactly 1 solution.
- D. There are no solutions.

Q3

GRID-IN

ADVANCED MATH

$$(7532 + 100y^2) + 10(10y^2 - 110)$$

The expression above can be written in the form $ay^2 + b$, where a and b are constants. What is the value of $a + b$?

STUDENT-PRODUCED RESPONSE

.	/	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

$$f(x) = 9,000(0.66)^x$$

The given function f models the number of advertisements a company sent to its clients each year, where x represents the number of years since 1997, and $0 \leq x \leq 5$. If $y = f(x)$ is graphed in the xy -plane, which of the following is the best interpretation of the y -intercept of the graph in this context?

- A. The minimum estimated number of advertisements the company sent to its clients during the 5 years was 1,708.
- B. The minimum estimated number of advertisements the company sent to its clients during the 5 years was 9,000.
- C. The estimated number of advertisements the company sent to its clients in 1997 was 1,708.
- D. The estimated number of advertisements the company sent to its clients in 1997 was 9,000.

Q5

ADVANCED MATH

$$x^2 - 40x - 10 = 0$$

What is the sum of the solutions to the given equation?

- A. 0
- B. 5
- C. 10
- D. 40

Q6

ADVANCED MATH

Which expression is equivalent to $\frac{4}{4x-5} - \frac{1}{x+1}$?

- A. $\frac{1}{x+14x-5}$
- B. $\frac{3}{3x-6}$
- C. $-\frac{1}{x+14x-5}$
- D. $\frac{9}{x+14x-5}$

$$f(t) = 8,000(0.65)^t$$

The given function f models the number of coupons a company sent to their customers at the end of each year, where t represents the number of years since the end of 1998, and $0 \leq t \leq 5$. If $y = f(t)$ is graphed in the ty -plane, which of the following is the best interpretation of the y -intercept of the graph in this context?

- A. The minimum estimated number of coupons the company sent to their customers during the 5 years was 1,428.
- B. The minimum estimated number of coupons the company sent to their customers during the 5 years was 8,000.
- C. The estimated number of coupons the company sent to their customers at the end of 1998 was 1,428.
- D. The estimated number of coupons the company sent to their customers at the end of 1998 was 8,000.

In the xy -plane, a line with equation $2y = c$ for some constant c intersects a parabola at exactly one point. If the parabola has equation $y = -2x^2 + 9x$, what is the value of c ?

STUDENT-PRODUCED RESPONSE

.	/	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

Q9

ADVANCED MATH

If $k - x$ is a factor of the expression $-x^2 + \frac{1}{29}nk^2$, where n and k are constants and $k > 0$, what is the value of n ?

A. -29**B.** $-\frac{1}{29}$ **C.** $\frac{1}{29}$ **D.** 29**Q10**

ADVANCED MATH

$$fx = ax^2 + 4x + c$$

In the given quadratic function, a and c are constants. The graph of $y = fx$ in the xy -plane is a parabola that opens upward and has a vertex at the point h, k , where h and k are constants. If $k < 0$ and $f(-9) = f(3)$, which of the following must be true?

I. $c < 0$ **II.** $a \geq 1$ **A.** I only**B.** II only**C.** I and II**D.** Neither I nor II