

● HARD

● ALGEBRA

Algebra

10 questions · ~15 min

11

Q1

ALGEBRA

One gallon of paint will cover 220 square feet of a surface. A room has a total wall area of w square feet. Which equation represents the total amount of paint P , in gallons, needed to paint the walls of the room twice?

A. $P = \frac{w}{110}$

B. $P = 440w$

C. $P = \frac{w}{220}$

D. $P = 220w$

A piece of wire with a length of 32 inches is cut into two parts. One part has a length of x inches, and the other part has a length of y inches. The value of x is 4 more than 3 times the value of y . What is the value of x ?

STUDENT-PRODUCED RESPONSE

.	/	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

In the xy -plane, line l passes through the point $0, 0$ and is parallel to the line represented by the equation $y = 8x + 2$. If line l also passes through the point $3, d$, what is the value of d ?

STUDENT-PRODUCED RESPONSE

.	/	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

An object hangs from a spring. The formula $\ell = 30 + 2w$ relates the length ℓ , in centimeters, of the spring to the weight w , in newtons, of the object. Which of the following describes the meaning of the 2 in this context?

- A. The length, in centimeters, of the spring with no weight attached
- B. The weight, in newtons, of an object that will stretch the spring 30 centimeters
- C. The increase in the weight, in newtons, of the object for each one-centimeter increase in the length of the spring
- D. The increase in the length, in centimeters, of the spring for each one-newton increase in the weight of the object

Q5

GRID-IN

ALGEBRA

$$24x + y = 48$$

$$6x + y = 72$$

The solution to the given system of equations is (x, y) . What is the value of y ?

STUDENT-PRODUCED RESPONSE

.	/	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

The graph of $7x + 2y = -31$ in the xy -plane has an x -intercept at $(a, 0)$ and a y -intercept at $(0, b)$, where a and b are constants. What is the value of $\frac{b}{a}$?

A. $-\frac{7}{2}$

B. $-\frac{2}{7}$

C. $\frac{2}{7}$

D. $\frac{7}{2}$

x	fx
1	-64
2	0
3	64

For the linear function f , the table shows three values of x and their corresponding values of fx . Function f is defined by $fx = ax + b$, where a and b are constants. What is the value of $a - b$?

- A. -64
- B. 62
- C. 128
- D. 192

$$3x = 36y - 45$$

One of the two equations in a system of linear equations is given. The system has no solution. Which equation could be the second equation in this system?

A. $x = 4y$

B. $\frac{1}{3}x = 4y$

C. $x = 12y - 15$

D. $\frac{1}{3}x = 12y - 15$

$$5G + 45R = 380$$

At a school fair, students can win colored tokens that are worth a different number of points depending on the color. One student won G green tokens and R red tokens worth a total of 380 points. The given equation represents this situation. How many more points is a red token worth than a green token?

STUDENT-PRODUCED RESPONSE

.	/	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

Oil and gas production in a certain area dropped from 4 million barrels in 2000 to 1.9 million barrels in 2013. Assuming that the oil and gas production decreased at a constant rate, which of the following linear functions f best models the production, in millions of barrels, t years after the year 2000?

A. $f(t) = \frac{21}{130}t + 4$

B. $f(t) = \frac{19}{130}t + 4$

C. $f(t) = -\frac{21}{130}t + 4$

D. $f(t) = -\frac{19}{130}t + 4$