

● MEDIUM

● GEOMETRY AND TRIGONOMETRY

Mixed

10 questions · ~15 min

03

Q1

GEOMETRY AND TRIGONOMETRY

The length of the edge of the base of a right square prism is 6 units. The volume of the prism is 2,880 cubic units. What is the height, in units, of the prism?

- A. $4\sqrt{30}$
- B. 36
- C. $24\sqrt{5}$
- D. 80

In triangle ABC, the measure of angle A is 50° . If triangle ABC is isosceles, which of the following is NOT a possible measure of angle B ?

- A. 50°
- B. 65°
- C. 80°
- D. 100°

A line in the xy -plane has a slope of 9 and passes through the point $(0, -5)$. The equation $y = px + r$ defines the line, where p and r are constants. What is the value of p ?

STUDENT-PRODUCED RESPONSE

.	/	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

If $f(x) = x + 6$ and $g(x) = 6x$, what is the value of $7f(2) - g(2)$?

A. -4

B. 8

C. 42

D. 44

Energy per Gram of Typical Macronutrients

Macronutrient	Food calories	Kilojoules
Protein	4.0	16.7
Fat	9.0	37.7
Carbohydrate	4.0	16.7

The table above gives the typical amounts of energy per gram, expressed in both food calories and kilojoules, of the three macronutrients in food. If x food calories is equivalent to k kilojoules, of the following, which best represents the relationship between x and k ?

- A. $k = 0.24x$
- B. $k = 4.2x$
- C. $x = 4.2k$
- D. $xk = 4.2$

$$y = 3,600a^x$$

The given equation, where a is a positive constant, gives the predicted number of bacteria, y , in a growth medium x hours after the number of bacteria was initially measured. According to the equation, what was the predicted number of bacteria initially measured in the growth medium?

STUDENT-PRODUCED RESPONSE

.	/	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

A function p estimates that there were 2,000 animals in a population in 1998. Each year from 1998 to 2010, the function estimates that the number of animals in this population increased by 3% of the number of animals in the population the previous year. Which equation defines this function, where px is the estimated number of animals in the population x years after 1998?

- A. $px = 2,0003^x$
- B. $px = 2,0001.97^x$
- C. $px = 2,0001.03^x$
- D. $px = 2,0000.97^x$

Which expression is equivalent to $\frac{h^{15}q^7}{h^5q^{21}}$, where $h > 0$ and $q > 0$?

- A. $\frac{h^{10}}{q^{14}}$
- B. $\frac{h^3}{q^3}$
- C. $h^{10}q^{14}$
- D. h^3q^3

For which of the following data sets is the mean greater than the median?

- A. 5, 5, 5, 5, 5, 5, 5, 5, 5
- B. 0, 10, 20, 30, 40, 50, 60, 70, 80
- C. 2, 4, 8, 16, 32, 64, 128, 256, 512
- D. 7, 107, 107, 207, 207, 207, 307, 307, 307

A study was done on the weights of different types of fish in a pond. A random sample of fish were caught and marked in order to ensure that none were weighed more than once. The sample contained 150 largemouth bass, of which 30% weighed more than 2 pounds. Which of the following conclusions is best supported by the sample data?

- A. The majority of all fish in the pond weigh less than 2 pounds.
- B. The average weight of all fish in the pond is approximately 2 pounds.
- C. Approximately 30% of all fish in the pond weigh more than 2 pounds.
- D. Approximately 30% of all largemouth bass in the pond weigh more than 2 pounds.