

● EASY

● PROBLEM-SOLVING AND DATA ANALYSIS

● ANSWER KEY

---

# One-variable data: Distributions and measures of center and spread

# 04

5 answers · Rationale-rich · Teach from doc

**Q1****C****C. 82**

Choice C is correct. The table gives the results of 200 people who were asked how often they see a movie in a theater. The table shows that 29 people responded “never” and 53 people responded “almost never.” Therefore,  $29 + 53$ , or 82, people responded either “never” or “almost never.”

Choice A is incorrect. This is the difference between the number of people who responded “almost never” and the number of people who responded “never.”

Choice B is incorrect. This is the number of people who responded “almost never” but doesn't include those who responded “never.”

Choice D is incorrect. This is the number of people who responded something other than “never” or “almost never,” rather than the number of people who responded either “never” or “almost never.”

**Q2****C****C. 235**

Choice C is correct. The table shows that for a certain region in 2016, the average number of store employees in warehouse stores was 365 and the average number of store employees in supermarkets was 130. Subtracting 130 from 365 yields  $365 - 130$ , or 235. Therefore, the average number of store employees was 235 greater in warehouse stores than in supermarkets.

Choice A is incorrect. For this region in 2016, this is how much greater the average number of store employees was in department stores than in supermarkets.

Choice B is incorrect. For this region in 2016, this is how much greater the average number of store employees was in warehouse stores than in department stores.

Choice D is incorrect. For this region in 2016, this is the sum of the average number of store employees in warehouse stores and in supermarkets.

**Q3**

**B**

B. 3

---

Choice B is correct. When a data set has an odd number of values, the median can be found by ordering the values from least to greatest and determining the value in the middle. Since the values are already presented in order from least to greatest and there are 7 values, the median is the fourth value in the list. Therefore, the median is 3.

Choice A is incorrect. This is the mode. Choice C is incorrect. This is the mean. Choice D is incorrect. This is the range.

---

**Q4**

**A**

A. 48.8

---

Choice A is correct. The mean low temperature can be calculated by finding the sum of the low temperatures for all the days shown in the table,  $49 + 37 + 41 + 54 + 63 = 244$ , and then dividing the sum by the number of days the temperature was recorded,  $244 \div 5 = 48.8$ .

Choice B is incorrect. This may be the result of choosing the median rather than calculating the mean. Choices C and D are incorrect and may be the result of calculation errors.

---

**Q5**

**B**

**B.** 7

---

Choice B is correct. The height of each bar in the graph shown represents the number of containers that contain the number of walnuts specified at the bottom of the bar. The bar for 78 walnuts has a height of 7. Therefore, 7 of these containers of walnuts contain exactly 78 walnuts.

Choice A is incorrect. This is the number of containers that contain exactly 75 walnuts, not 78 walnuts.

Choice C is incorrect. This is the total number of containers of walnuts represented in the bar graph, not the number that contain exactly 78 walnuts.

Choice D is incorrect. This is the number of walnuts in a container that contains exactly 78 walnuts, not the number of containers that contain exactly 78 walnuts.

---

#### Notes

Accept equivalent forms (e.g.  $0.25 \equiv 1/4$ ). For grid-in items, decimal and fraction answers are both valid.

Generated 2026-05-29 · cb-educator-question-bank