


● HARD

● ALGEBRA

Linear equations in two variables

02

10 questions · ~15 min



- The line slants sharply down from left to right.
- The line passes through the following points:
 - (0 comma 6)
 - (1 comma 3)

The graph shows a linear relationship between x and y . Which equation represents this relationship, where R is a positive constant?

- A. $Rx + 18y = 36$
- B. $Rx - 18y = -36$
- C. $18x + Ry = 36$
- D. $18x - Ry = -36$

A certain apprentice has enrolled in 85 hours of training courses. The equation $10x + 15y = 85$ represents this situation, where x is the number of on-site training courses and y is the number of online training courses this apprentice has enrolled in. How many more hours does each online training course take than each on-site training course?


STUDENT-PRODUCED RESPONSE

--	--	--	--

.	/	.	/	.	.
---	---	---	---	---	---

0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.



- The line slants gradually down from left to right.
- The line passes through the following points:
 - (negative 6 comma 0)
 - (0 comma negative 5)

Line k is shown in the xy -plane. Line j (not shown) is perpendicular to line k . What is the slope of line j ?

STUDENT-PRODUCED RESPONSE

.	/	.	.
(0)	(0)	(0)	(0)
(1)	(1)	(1)	(1)
(2)	(2)	(2)	(2)
(3)	(3)	(3)	(3)
(4)	(4)	(4)	(4)
(5)	(5)	(5)	(5)

6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

Q4

ALGEBRA

x	y
$-2s$	24
$-s$	21
s	15

The table shows three values of x and their corresponding values of y , where s is a constant. There is a linear relationship between x and y . Which of the following equations represents this relationship?

- A. $sx + 3y = 18s$
- B. $3x + sy = 18s$
- C. $3x + sy = 18$
- D. $sx + 3y = 18$

Q5

ALGEBRA

The graph of $7x + 2y = -31$ in the xy -plane has an x -intercept at $(a, 0)$ and a y -intercept at $(0, b)$, where a and b are constants. What is the value of $\frac{b}{a}$?

A. $-\frac{7}{2}$

B. $-\frac{2}{7}$

C. $\frac{2}{7}$

D. $\frac{7}{2}$

Q6

ALGEBRA

Line ℓ in the xy -plane is perpendicular to the line with equation $x = 2$. What is the slope of line ℓ ?

A. 0

B. $-\frac{1}{2}$

C. -2

D. The slope of line ℓ is undefined.

Q7

GRID-IN ALGEBRA

In the xy -plane, line p has a slope of $-\frac{5}{3}$ and an x -intercept of $(-6, 0)$. What is the y -coordinate of the y -intercept of line p ?

STUDENT-PRODUCED RESPONSE


.	/	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.

x	y
18	130
23	160
26	178

For line h , the table shows three values of x and their corresponding values of y . Line k is the result of translating line h down 5 units in the xy -plane. What is the x -intercept of line k ?

- A. $-\frac{26}{3}, 0$
- B. $-\frac{9}{2}, 0$
- C. $-\frac{11}{3}, 0$
- D. $-\frac{17}{6}, 0$



- The line slants gradually down from left to right.
- The line passes through the following points:
 - (0 comma 7)
 - (8 comma 0)

The point with coordinates $(d, 4)$ lies on the line shown. What is the value of d ?

- A. $\frac{7}{2}$
- B. $\frac{26}{7}$
- C. $\frac{24}{7}$
- D. $\frac{27}{8}$

Q10

GRID-IN ALGEBRA

What is the y -coordinate of the y -intercept of the graph of $\frac{3x}{7} = -\frac{5y}{9} + 21$ in the xy -plane?

STUDENT-PRODUCED RESPONSE

.	/	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Write the answer above. Fill the matching bubble for each digit, plus the fraction bar or decimal point if needed.