


PEDESTAL SCHEDULE				
PEDESTAL	X	Y	MAIN STEEL	STIRRUPS
C1	600	800	8-16 # + 6-12 #	8# - 150 C/C



STABILITY NOTES:-

- THE STRUCTURAL STABILITY OF THE GIVEN BUILDING DRAWING WILL BE VALID FOR 3 YEARS FROM THE GIVEN DRAWING DATE. CLIENT/OWNER/CONTRACTOR HAS TO GET STRUCTURAL STABILITY REPORT AFTER 3 YEARS ON THEIR OWN.
- CLIENT/OWNER/CONTRACTOR TO KEEP REQUIRED TEST OF ALL MATERIALS LIKE CONCRETE/STEEL/BRICKS ETC. AND SUBMIT TO STRUCTURAL DESIGNER OR CONSULTANT. IF REPORTS ARE NOT SUBMITTED, STRUCTURAL ENGINEER WILL NOT BE RESPONSIBLE FOR STRUCTURAL SAFETY OF BUILDING.
- THIS STRUCTURAL DESIGN & DRAWING IS MADE ON BASIS OF ARCHITECTURAL DRAWING BY CLIENT. ANY CHANGES AFTERWARDS MADE BY CLIENT OR OWNER WILL BE RESPONSIBILITY OF CLIENT OR OWNER & AFTER THAT STRUCTURAL STABILITY OF THAT BUILDING WILL NOT BE RESPONSIBILITY OF STRUCTURAL ENGINEER.

02.	AS PER COMMENTS	PC	11.03.25
REV.	DESCRIPTION:	BY:	DATE:
NO.	REFERENCE DRAWING	DRG. NO.	
01.	FOUNDATION LAYOUT PLAN	RC-01	
02.	FOUNDATION SECTION DETAIL	RC-02	
03.	-	RC-03	

CLIENT:
M/S. TRACTEBEL ENGINEERING PVT.LTD

AGENCY:
SHREE BALAJI ROOFING

PROJECT NAME:
IOCL JNPT TERMINAL SHED

LOCATION:
NAVI MUMBAI, MAHARASHTRA

STRUCTURAL CONSULTANT :

PARSHWA CONSULTANCY

GF-29 & 31 , THE EMPORER COMPLEX
FATEHGUNJ MAIN ROAD
VADODARA - 390002.
MOB:- +91-6355614784 / +91-9979877931
E-MAIL: parshwa.strl@gmail.com

DRAWING TITLE:			
FOUNDATION SECTION DETAIL			
DRAWING NO. :	DESIGN	DRAWN	CHECK
RC-02	J.P.B	S.P.P	J.P.B
REVISION	SHEET	SCALE	SIZE
R2	2 OF 2	1:75	A2
JOB NUMBER		DATE	
PC-UP-18-2025		11/03/2025	

19000

450
DIA PILE
450
DIA PILE

