

- Write a PHP program to include a file using include and require function
Note : Create Header and footer file separate and use include or require function to add content.

Footer.php

```
<hr>
<footer>
  <p>Copyright 2026 - My Website</p>
</footer>
</body>
</html>
```

=====

Header.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Header</title>
</head>
<body>
  <a href = "">Home</a>
  <a href = "">About Us</a>
  <a href = "">Service</a>
  <a href = "">Contact Us</a>
  <a href = "">Help</a>
</body>
</html>
```

=====

Index.php

```
<?php

  require("header.php");

?>
```

```
<h2> Welcome to our Website </h2>
<p2> This is the main page content </p2>
```

```
<?php
```

```
    require("footer.php");
```

```
?>
```

```
=====
=====
```

- Write a PHP code to create numeric array for Monday to Saturday, associative array for month with total days of month such as January=>30,February=>28 upto December and multidimensional array for laptop along with company name inside that model and price(any two companies).

```
<?php
```

```
// Numeric Array
```

```
$days = array("Monday", "Tuesday", "Wednesday", "Thursday", "Friday", "Saturday");
```

```
echo "<h3>Numeric Array (Days)</h3>";
```

```
foreach($days as $day){
```

```
    echo $day . "<br>";
```

```
}
```

```
$months = array(
```

```
    "January" => 31,
```

```
    "February" => 28,
```

```
    "March" => 31,
```

```
    "April" => 30,
```

```
    "May" => 31,
```

```
    "June" => 30,
```

```
    "July" => 31,
```

```
    "August" => 31,
```

```
    "September" => 30,
```

```
    "October" => 31,
```

```
    "November" => 30,
```

```
    "December" => 31
```

```
);
```

```
// Associative Array
```

```
echo "<h3>Associative Array (Months and Days)</h3>";
foreach($months as $month => $days){
    echo $month . " => " . $days . "<br>";
}
```

```
$laptops = array(
    "Dell" => array(
        "Model" => "Inspiron 15",
        "Price" => 55000
    ),
    "HP" => array(
        "Model" => "Pavilion 14",
        "Price" => 60000
    )
);
```

```
// MultiDimensional Array
```

```
echo "<h3>Multidimensional Array (Laptop Details)</h3>";
foreach($laptops as $company => $details){
    echo "Company: " . $company . "<br>";
    echo "Model: " . $details["Model"] . "<br>";
    echo "Price: Rs." . $details["Price"] . "<br><br>";
}
```

```
?>
```