

2.2 Write a PHP code for sorting an array entered by user.

code :

```
<!DOCTYPE html>

<html>

<head>

    <title>Sort an Array</title>

</head>

<body>


<form method="post">

    Enter array elements (comma-separated): <br><br>

    <input type="text" name="array" required>

    <input type="submit" name="submit" value="Sort">

</form>


<?php

if (isset($_POST['submit'])) {

    $input = $_POST['array'];

    $arr = explode(",", $input);

    $arr = array_map('trim', $arr);

    sort($arr);

    echo "<h3>Sorted Array:</h3>";
```

```
foreach ($arr as $value) {  
    echo $value . " ";  
}  
}  
?>
```

</body>

</html>

2.3 Write a program to perform following array functions:

1) array_change_key_case(\$var, CASE_LOWER/CASE_UPPER).

code :

```
<?php  
  
$array = array(  
    "Name" => "Rahul",  
    "City" => "Rajkot",  
    "Course" => "BCA"  
);  
  
print_r(array_change_key_case($array, CASE_LOWER));  
?>
```

2) array_chunk(\$var,size) //array of months

code :

```
<?php  
  
$array = array(  
    "Name" => "Rahul",  
    "City" => "Rajkot",  
    "Course" => "BCA"  
);  
  
print_r(array_change_key_case($array, CASE_LOWER));  
  
?>
```

3) array_count_values()

code :

```
<?php  
  
$array = array("Apple","Banana","Apple","Mango","Banana","Apple");  
  
  
print_r(array_count_values($array));  
  
?>
```

4) array_pop()

code :

```
<?php  
  
$array = array("Red","Green","Blue");  
  
  
array_pop($array);  
  
  
print_r($array);  
  
?>
```

5) array_push()

code :

```
<?php
```

```
$array = array("Red","Green");
```

```
array_push($array,"Blue","Yellow");
```

```
print_r($array);
```

```
?>
```

6) array_unshift()

code :

```
<?php
```

```
$array = array("Green","Blue");
```

```
array_unshift($array,"Red");
```

```
print_r($array);
```

```
?>
```

7) array_shift()

code :

```
<?php
```

```
$array = array("Red","Green","Blue");
```

```
array_shift($array);
```

```
print_r($array);
```

```
?>
```