

1. Identificar la distribución y kernel

Comandos:

`/etc/os-release`

`uname -r`

```
kevin@kevin:~$ cat /etc/os-release
PRETTY_NAME="Ubuntu 26.04.1 LTS"
NAME="Ubuntu"
VERSION_ID="26.04"
VERSION="26.04.1 LTS (Resolute Raccoon)"
VERSION_CODENAME=resolute
ID=ubuntu
ID_LIKE=debian
HOME_URL="https://www.ubuntu.com/"
SUPPORT_URL="https://help.ubuntu.com/"
BUG_REPORT_URL="https://bugs.launchpad.net/ubuntu/"
PRIVACY_POLICY_URL="https://www.ubuntu.com/legal/terms-and-policies/privacy-policy"
UBUNTU_CODENAME=resolute
LOGO=ubuntu-logo
kevin@kevin:~$ uname -r
7.0.0-30-generic
kevin@kevin:~$
```

2. Cofirmar usuarios, grupos y ruta.

Comandos:

`whoami`

`id`

```
kevin@kevin:~$ whoami
kevin
kevin@kevin:~$ id
uid=1000(kevin) gid=1000(kevin) groups=1000(kevin),4(adm),24(cdrom),27(sudo),30(dip),46(plugdev),100(users),111(lpadmin),114(lxd),974(vboxsf)
kevin@kevin:~$ pwd
/home/kevin
kevin@kevin:~$
```

3. Examinar archivos y permisos.

Comandos:

`ls -la`

`stat`

```
kevin@kevin:~$ ls -la
total 100
drwxr-x--- 14 kevin kevin 4096 Sep 18 19:41 .
drwxr-xr-x  3 root  root  4096 Aug 28 06:08 ..
-rw-----  1 kevin kevin 1254 Sep 18 19:41 .bash_history
-rw-r--r--  1 kevin kevin  220 Feb 13  2026 .bash_logout
-rw-r--r--  1 kevin kevin 3771 Feb 13  2026 .bashrc
drwxr-x--- 15 kevin kevin 4096 Aug 28 14:12 .cache
drwx----- 17 kevin kevin 4096 Sep 11 16:24 .config
drwx-----  2 kevin kevin 4096 Sep 11 16:24 .gnupg
drwx-----  4 kevin kevin 4096 Aug 28 09:45 .local
-rw-r--r--  1 kevin kevin  807 Feb 13  2026 .profile
drwx-----  2 kevin kevin 4096 Aug 28 06:27 .ssh
-rw-r-----  1 kevin kevin    6 Sep 18 19:36 .vboxclient-clipboard-tty2-control.pid
-rw-r-----  1 kevin kevin    6 Sep 18 19:36 .vboxclient-clipboard-tty2-service.pid
-rw-r-----  1 kevin kevin    6 Sep 18 19:36 .vboxclient-draganddrop-tty2-control.pid
-rw-r-----  1 kevin kevin    6 Sep 18 19:36 .vboxclient-hostversion-tty2-control.pid
-rw-r-----  1 kevin kevin    6 Sep 18 19:36 .vboxclient-seamless-tty2-control.pid
-rw-r-----  1 kevin kevin    6 Sep 18 19:36 .vboxclient-vmvga-session-tty2-control.pid
-rw-r-----  1 kevin kevin    6 Sep 18 19:36 .vboxclient-vmvga-session-tty2-service.pid
drwxr-xr-x  2 kevin kevin 4096 Aug 28 09:45 Desktop
drwxr-xr-x  2 kevin kevin 4096 Aug 28 09:45 Documents
drwxr-xr-x  2 kevin kevin 4096 Aug 28 09:45 Downloads
drwxr-xr-x  2 kevin kevin 4096 Aug 28 09:45 Music
drwxr-xr-x  3 kevin kevin 4096 Aug 28 14:11 Pictures
drwxr-xr-x  2 kevin kevin 4096 Aug 28 09:45 Templates
drwxr-xr-x  2 kevin kevin 4096 Aug 28 09:45 Videos
```

4. Observar procesos y servicios

Comandos:

ps

systemctl status

```

● kevin
  State: running
  Units: 558 loaded (incl. loaded aliases)
  Jobs: 0 queued
  Failed: 0 units
  Since: Fri 2026-09-18 19:35:26 UTC; 23min ago
  systemd: 259.5-0ubuntu3.4
  Tainted: unmerged-bin
  CGroup: /
└─init.scope
    └─1 /usr/lib/systemd/systemd --switched-root --system --deserialize=51
└─system.slice
    └─ModemManager.service
        └─1408 /usr/sbin/ModemManager
    └─NetworkManager.service
        └─1345 /usr/sbin/NetworkManager --no-daemon
    └─accounts-daemon.service
        └─1162 /usr/libexec/accounts-daemon
    └─avahi-daemon.service
        └─1118 "avahi-daemon: running [kevin.local]"
        └─1232 "avahi-daemon: chroot helper"
    └─chrony.service
        └─1121 /bin/sh /usr/lib/systemd/scripts/chronyd-starter.sh -n -F 1
        └─1298 /usr/sbin/chronyd -n -F 1
        └─1313 /usr/sbin/chronyd -n -F 1
    └─colord.service
        └─2169 /usr/libexec/colord
    └─cron.service
        └─1165 /usr/sbin/cron -f -P
    └─dbus.service
        └─1123 @dbus-daemon --system --address=systemd: --nofork --nopidfile --systemd-activation --syslog-only
    └─fwupd.service
        └─5577 /usr/libexec/fwupd/fwupd
    └─gdm.service
        └─1807 /usr/sbin/gdm3
    └─networkd-dispatcher.service
        └─1142 /usr/bin/python3 /usr/bin/networkd-dispatcher --run-startup-triggers
    └─polkit.service
        └─1146 /usr/lib/polkit-1/polkitd --no-debug --log-level=notice
    └─power-profiles-daemon.service
        └─2000 /usr/libexec/power-profiles-daemon
    └─rsyslog.service
        └─1202 /usr/sbin/rsyslogd -n -iNONE
    └─rtkit-daemon.service
        └─2001 /usr/libexec/rtkit-daemon
    └─snapd.service
        └─1159 /snap/snapd/current/usr/lib/snapd/snapd
    └─switcheroo-control.service
        └─1170 /usr/libexec/switcheroo-control
    └─system-cups.slice
        └─cups-browsed.service
            └─1636 /usr/sbin/cups-browsed
        └─cups.service
            └─1526 /usr/sbin/cupsd -l
            └─1632 /usr/lib/cups/notifier/dbus dbus://
    └─systemd-journald.service
        └─378 /usr/lib/systemd/systemd-journald
    └─systemd-logind.service

```

5. Relacionar puerto y evidencia.

Comandos:

ss -Ltnp

journalctl

```

kevin@Kevin:~$ ss -ltnp
ss: invalid option - l
Usage: ss [ OPTIONS ] [ FILTER ]
      ss [ OPTIONS ] [ FILTER ]
    -h, --help                this message
    -V, --version             output version information
    -n, --numeric             don't resolve service names
    -r, --resolve             resolve host names
    -a, --all                 display all sockets
    -l, --listening           display listening sockets
    -b, --bound-inactive      display TCP bound but inactive sockets
    -o, --options             show timer information
    -e, --extended            show detailed socket information
    -m, --memory              show socket memory usage
    -p, --processes           show process using socket
    -t, --threads             show thread using socket
    -i, --info                show internal TCP information
    -ti, --tipcinfo           show internal tipc socket information
    -s, --summary             show socket usage summary
    -to, --tos                show tos and priority information
    -cg, --cgroup             show cgroup information
    -b, --bpf                 show bpf filter socket information
    --bpf-maps                show all BPF socket-local storage maps
    --bpf-map-ids=MAP-IDs    show = BPF socket-local storage map
    -E, --events              continually display sockets as they are destroyed
    -Z, --context             display task SELinux security contexts
    -z, --contexts            display task and socket SELinux security contexts
    -N, --net                 switch to the specified network namespace name

    -4, --ipv4                display only IP version 4 sockets
    -6, --ipv6                display only IP version 6 sockets
    -p, --packet              display PACKET sockets
    -t, --tcp                 display only TCP sockets
    -M, --nptcp               display only NPTCP sockets
    -S, --sctp                display only SCTP sockets
    -u, --udp                 display only UDP sockets
    -d, --dccp                display only DCCP sockets
    -w, --raw                 display only RAW sockets
    -x, --unix                 display only Unix domain sockets
    -ti, --tipc               display only TIPC sockets
    -v, --vsock               display only vsock sockets
    -f, --family=FAMILY       display sockets of type FAMILY
    FAMILY := {inet|net6|link|unix|netlink|vsock|tipc|xdp|help}

    -K, --kill                forcibly close sockets, display what was closed
    -H, --no-header            suppress header line
    -Q, --no-queues            suppress sending and receiving queue columns
    -O, --oneline             socket's data printed on a single line
    --inet-sockopt             show various inet socket options

    -A, --query=QUERY, --socket=QUERY
    QUERY := {all|inet|tcp|nptcp|udp|raw|unix|unix_dgram|unix_stream|unix_seqpacket|packet|packet_raw|packet_dgram|netlink|dccp|sctp|vsock_stream|vsock_dgram|tipc|xdp}[.QUERY]

    -D, --diag=FILE            dump raw information about TCP sockets to FILE
    -f, --filter=FILE          read filter information from FILE
    FILTER := [ state STATE-FILTER ] [ EXPRESSION ]
    STATE-FILTER := {all|connected|synchronized|bucket|big}[TCP-STATES]
    TCP-STATES := {established|syn-sent|syn-recv|fin-wait-(1,2)|time-wait|closed|close-wait|last-ack|listening|closing}
    connected := {established|syn-sent|syn-recv|fin-wait-(1,2)|time-wait|close-wait|last-ack|closing}
    synchronized := {established|syn-recv|fin-wait-(1,2)|time-wait|close-wait|last-ack|closing}
    bucket := {syn-recv|time-wait}
    big := {established|syn-sent|fin-wait-(1,2)|closed|close-wait|last-ack|listening|closing}

kevin@Kevin:~$

```

```

kevin@Kevin:~$ journalctl
Aug 28 06:25:17 kevin kernel: Linux version 7.0.0-30-generic (build@lcy02-and64-048) (x86_64-linux-gnu-gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0, GNU ld (GNU Binutils for Ubuntu) 2.46) #30-Ubuntu SMP PREEM
Aug 28 06:25:17 kevin kernel: Command line: BOOT_IMAGE=/boot/vmlinuz-7.0.0-30-generic root=UUID=d9db1712-b744-49b4-96eb-177f523ed0cd ro crashkernel=2G-4G:32M,4G-32G:512M,32G-64G:1024M,64G-128G:2048M,1
Aug 28 06:25:17 kevin kernel: KERNEL supported cpus:
Aug 28 06:25:17 kevin kernel: Intel GenuineIntel
Aug 28 06:25:17 kevin kernel: AMD AuthenticAMD
Aug 28 06:25:17 kevin kernel: Hygon HygonGenuine
Aug 28 06:25:17 kevin kernel: Centaur CentaurHauls
Aug 28 06:25:17 kevin kernel: zhaoxin Shanghai
Aug 28 06:25:17 kevin kernel: BIOS-provided physical RAM map:
Aug 28 06:25:17 kevin kernel: BIOS-e820: [mem 0x0000000000000000-0x000000000009fbff] System RAM
Aug 28 06:25:17 kevin kernel: BIOS-e820: [mem 0x000000000009fc00-0x000000000000ffff] device reserved
Aug 28 06:25:17 kevin kernel: BIOS-e820: [gap 0x00000000000a0000-0x000000000000ffff]
Aug 28 06:25:17 kevin kernel: BIOS-e820: [mem 0x00000000000f0000-0x000000000000ffff] device reserved
Aug 28 06:25:17 kevin kernel: BIOS-e820: [mem 0x0000000000100000-0x000000000000ffff] System RAM
Aug 28 06:25:17 kevin kernel: BIOS-e820: [mem 0x000000000000ffff0000-0x000000000000ffff] ACPI data
Aug 28 06:25:17 kevin kernel: BIOS-e820: [gap 0x00000000e0000000-0x00000000febffff]
Aug 28 06:25:17 kevin kernel: BIOS-e820: [mem 0x00000000fec00000-0x00000000fec0ffff] device reserved
Aug 28 06:25:17 kevin kernel: BIOS-e820: [gap 0x00000000fec01000-0x00000000fed0ffff]
Aug 28 06:25:17 kevin kernel: BIOS-e820: [mem 0x00000000fec00000-0x00000000fec0ffff] device reserved
Aug 28 06:25:17 kevin kernel: BIOS-e820: [gap 0x00000000fec01000-0x00000000fffbffff]
Aug 28 06:25:17 kevin kernel: BIOS-e820: [mem 0x00000000fffc0000-0x00000000ffffffffff] device reserved
Aug 28 06:25:17 kevin kernel: BIOS-e820: [mem 0x000000001000000000-0x0000000021ffffff] System RAM
Aug 28 06:25:17 kevin kernel: NX (Execute Disable) protection: active
Aug 28 06:25:17 kevin kernel: APIC: Static calls initialized
Aug 28 06:25:17 kevin kernel: SMBIOS 2.5 present.
Aug 28 06:25:17 kevin kernel: DMI: innotek GmbH VirtualBox/VirtualBox, BIOS VirtualBox 12/01/2006
Aug 28 06:25:17 kevin kernel: DMI: Memory slots populated: 0/0
Aug 28 06:25:17 kevin kernel: Hypervisor detected: KVM
Aug 28 06:25:17 kevin kernel: Last_pfn = 0xe000 max_arch_pfn = 0x400000000
Aug 28 06:25:17 kevin kernel: kvm-clock: Using msrs 4b564d01 and 4b564d00
Aug 28 06:25:17 kevin kernel: kvm-clock: using sched offset of 2300453581452 cycles
Aug 28 06:25:17 kevin kernel: clocksource: kvm-clock: mask: 0xffffffffffffff max_cycles: 0x1cd42e4dffb, max_idle_ns: 801590591403 ns
Aug 28 06:25:17 kevin kernel: tsc: Detected 2496.008 MHz processor
Aug 28 06:25:17 kevin kernel: e820: update [mem 0x00000000-0x00000fff] System RAM ==> device reserved
Aug 28 06:25:17 kevin kernel: e820: remove [mem 0x000a0000-0x000ffff] System RAM
Aug 28 06:25:17 kevin kernel: Last_pfn = 0x220000 max_arch_pfn = 0x400000000
Aug 28 06:25:17 kevin kernel: MTRR map: 3 entries (3 fixed + 0 variable; max 19), built from 8 variable MTRRs
Aug 28 06:25:17 kevin kernel: x86/PAT: Configuration [0-7]: WB WC UC- UC WB WP UC- WT
Aug 28 06:25:17 kevin kernel: CPU MTRRs all blank - virtualized system.
Aug 28 06:25:17 kevin kernel: Last_pfn = 0xe000 max_arch_pfn = 0x400000000
Aug 28 06:25:17 kevin kernel: Found SMP MP-table at [mem 0x0009fbf0-0x0009fbff]
Aug 28 06:25:17 kevin kernel: RAMDISK: [mem 0x32dcf000-0x356defff]
Aug 28 06:25:17 kevin kernel: ACPI: Early table checksum verification disabled
Aug 28 06:25:17 kevin kernel: ACPI: RSDP 0x0000000000000000 000024 (v02 VBOX )
Aug 28 06:25:17 kevin kernel: ACPI: XSDT 0x0000000000ff0030 00003C (v01 VBOX VBOXXSDT 00000001 ASL 00000061)
Aug 28 06:25:17 kevin kernel: ACPI: FACP 0x0000000000ff00f0 0000f4 (v04 VBOX VBOXFACP 00000001 ASL 00000061)
Aug 28 06:25:17 kevin kernel: ACPI: DSDT 0x0000000000ff0310 002353 (v02 VBOX VBOXDSDT 00000002 VBOX 0002A9E5)
Aug 28 06:25:17 kevin kernel: ACPI: FACS 0x0000000000ff0200 000040
Aug 28 06:25:17 kevin kernel: ACPI: FACS 0x0000000000ff0200 000040
Aug 28 06:25:17 kevin kernel: ACPI: APIC 0x0000000000ff0240 00006C (v02 VBOX VBOXAPIC 00000001 ASL 00000061)
Aug 28 06:25:17 kevin kernel: ACPI: SSDT 0x0000000000ff0200 00005F (v01 VBOX VBOXCPU 00000002 VBOX 0002A9E5)
Aug 28 06:25:17 kevin kernel: ACPI: Reserving FACP table memory at [mem 0xdffff0f0-0xdffff01e3]
Aug 28 06:25:17 kevin kernel: ACPI: Reserving DSDT table memory at [mem 0xdffff0310-0xdffff2662]
Aug 28 06:25:17 kevin kernel: ACPI: Reserving FACS table memory at [mem 0xdffff0200-0xdffff023f]
Aug 28 06:25:17 kevin kernel: ACPI: Reserving FACS table memory at [mem 0xdffff0200-0xdffff023f]
Aug 28 06:25:17 kevin kernel: ACPI: Reserving APIC table memory at [mem 0xdffff0240-0xdffff02ab]
Aug 28 06:25:17 kevin kernel: ACPI: Reserving SSDT table memory at [mem 0xdffff02b0-0xdffff030e]
Aug 28 06:25:17 kevin kernel: No NUMA configuration found

```