

The George Washington University

2026 Laboratory/Studio Hazard Information Sheet Multiple Principal Investigators

Building Room # BioSafety Level

Principal Investigator 24 Hr. Phone
Dept & Email Bench ID

Alternate Contact 24 Hr. Phone

Principal Investigator 24 Hr. Phone
Dept & Email Bench ID

Alternate Contact 24 Hr. Phone

Principal Investigator 24 Hr. Phone
Dept & Email Bench ID

Alternate Contact 24 Hr. Phone

Principal Investigator 24 Hr. Phone
Dept & Email Bench ID

Alternate Contact 24 Hr. Phone


NFPA Hazard Information

HEALTH HAZARD	FIRE HAZARD
4. Deadly 3. Extreme Danger 2. Hazardous 1. Slightly Hazardous 0. Normal Material	(FLASH POINT) 4. Below 73°F 3. Below 100°F 2. Below 200°F 1. Above 200°F 0. Will Not Burn
Oxidizer...OXY Acid.....ACID Alkali.....ALK Corrosive.....COR Use No Water..... Radiation Hazard.....	4. May Detonate 3. Shock And Heat May Detonate 2. Violent Chemical Change 1. Unstable If Heated 0. Stable
SPECIFIC HAZARD	INSTABILITY HAZARD

Special Hazards:

☐ 	☐ 	☐ 	☐ 
IRRITANT	FLAMMABLE	CORROSIVE	OXIDIZER
☐ 	☐ 	☐ 	☐ 
TOXIC	BIOHAZARD	CARCINOGEN	MUTAGEN
☐ 	☐ 		
TERATOGEN	RADIATION		

- ☐ Housekeeping and Support Services may enter to clean floors and empty trash
- ☐ Housekeeping and Support Services may enter **ONLY** when escorted
- ☐ **NO ROUTINE ACCESS**



IN CASE OF EMERGENCY, call GW Emergency Services 202-994-6111 or 911.

Environmental Health & Safety | 202-994-4347 | safety@gwu.edu