

Direct Proofs


Recommended Reading



A Brief History of Infinity



The Mystery of the Aleph



Everything and More

Recommended Courses

Math 161: Set Theory

Outline for Today

• Mathematical Proof

• What is a mathematical proof? What does a proof look like?

• Direct Proofs

A versatile, powerful proof technique.

• Universal and Existential Statements

What exactly are we trying to prove?


Proofs on Set Theory

Formalizing our reasoning.

What is a Proof?

A *proof* is an argument that demonstrates why a conclusion is true.

A *mathematical proof* is an argument that demonstrates why a mathematical statement is true.



tion has been

Modern Proofs

Two Quick Definitions

- An integer n is **even** if there is some integer k such that n = 2k.
 - This means that 0 is even.
- An integer n is **odd** if there is some integer k such that n = 2k + 1.
 - This means that 0 is not odd.
- We'll assume the following for now:
 - Every integer is either even or odd.
 - No integer is both even and odd.

Theorem: If n is an even integer, then n^2 is even.

Theorem: If n is an even integer, then n^2 is even.

Proof: Let *n* be an even integer.

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

Since n is even, there is some integer k such that n = 2k.

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

Since n is even, there is some integer k such that n = 2k.

This means that $n^2 = (2k)^2$

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

Since n is even, there is some integer k such that n = 2k.

This means that $n^2 = (2k)^2 = 4k^2$

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

Since n is even, there is some integer k such that n = 2k.

This means that $n^2 = (2k)^2 = 4k^2 = 2(2k^2)$.

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

Since n is even, there is some integer k such that n = 2k.

This means that $n^2 = (2k)^2 = 4k^2 = 2(2k^2)$.

From this, we see that there is an integer m (namely, $2k^2$) where $n^2=2m$.

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

Since n is even, there is some integer k such that n = 2k.

This means that $n^2 = (2k)^2 = 4k^2 = 2(2k^2)$.

From this, we see that there is an integer m (namely, $2k^2$) where $n^2=2m$.

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

Since n is even, there is some integer k such that n = 2k.

This means that $n^2 = (2k)^2 = 4k^2 = 2(2k^2)$.

From this, we see that there is an integer m (namely, $2k^2$) where $n^2=2m$.

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

Since n is even, there is some integer k such that n = 2k.

This means that $n^2 = (2k)^2 = 4k^2 = 2(2k^2)$.

From this, we see that there is an integer m (namely, $2k^2$) where $n^2=2m$.

Therefore, n^2 is even.

This symbol means "end of proof"

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

Since n is even, there is some integer k such that n = 2k.

This means that $n^2 = (2k)^2 = 4k^2 = 2(2k^2)$.

From this, we see that there is an integer m (namely, $2k^2$) where $n^2=2m$.

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

Since n i such that To prove a statement of the form

This mea "If P, then Q"

From thi m (name Assume that P is true, then show that Q must be true as well."

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

Since n is even, there is some integer k such that n = 2k.

This means that $n^2 = (2k)^2 = 4k^2 = 2(2k^2)$.

From this, we see that there is an integer m (namely, $2k^2$) where $n^2=2m$.

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

> Since *n* is even, there is some integer *k* such that n = 2k.

This means the This is the definition of an From this, we mean integer. When writing a mathematical proof, it's common to call back to the definitions.

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

Since n is even, there is some integer k such that n = 2k.

This means that $n^2 = (2k)^2 = 4k^2 = 2(2k^2)$.

From this, we see that there is an integer m (namely, $2k^2$) where $n^2=2m$.

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

Since n is even, there is some integer k such that n = 2k.

This means that $n^2 = (2k)^2 = 4k^2 = 2(2k^2)$.

Notice how we use the value of k that we obtained above. Giving names to quantities, even if we aren't fully sure what they are, allows us to manipulate them. This is similar to variables in programs.

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

Since n is even, there is some integer k such that n = 2k.

This means that $n^2 = (2k)^2 = 4k^2 = 2(2k^2)$.

From this, we see that there is an integer m (namely, $2k^2$) where $n^2 = 2m$.

Theorem: If n Proof: Let n b Since n such that n^2 is even. This means that we need to find some m such that $n^2 = 2m$. Here, we're explicitly showing how we can do that.

This means that $n^2 = 2m$. This means that $n^2 = 2m$.

From this, we see that there is an integer m (namely, $2k^2$) where $n^2 = 2m$.

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

Since n is even, there is some integer k such that n = 2k.

This means that $n^2 = (2k)^2 = 4k^2 = 2(2k^2)$.

From this, we see that there is an integer m (namely, $2k^2$) where $n^2=2m$.

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.


Since n is even, there is some integer k such that the suc

Theorem: If n is an even integer, then n^2 is even. **Proof:** Let n be an even integer.

Since n is even, there is some integer k such that n = 2k.

This means that $n^2 = (2k)^2 = 4k^2 = 2(2k^2)$.

From this, we see that there is an integer m (namely, $2k^2$) where $n^2=2m$.



Set Theory Review

- Recall from last time that we write $x \in S$ if x is an element of set S and $x \notin S$ if x is not an element of set S.
- If S and T are sets, we say that S is a subset of T (denoted $S \subseteq T$) if the following statement is true:

For every object x, if $x \in S$, then $x \in T$.

• Let's explore some properties of the subset relation.

Theorem: For any sets A, B, and C, if $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.

Theorem: For any sets A, B, and C, if $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.

Theorem: For any sets A, B, and C, if $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.

How do we prove that this is true for any choice of sets?

Proving Something Always Holds

Many statements have the form

For any x, [some-property] holds of x.

• Examples:

For all integers n, if n is even, n^2 is even.

For any sets A, B, and C, if $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.

For all sets S, $|S| < |\wp(S)|$.

Everything that drowns me makes me wanna fly.

 How do we prove these statements when there are (potentially) infinitely many cases to check?

Arbitrary Choices

- To prove that some property holds true for all possible *x*, show that no matter what choice of *x* you make, that property must be true.
- Start the proof by making an *arbitrary* choice of x:
 - "Let x be chosen arbitrarily."
 - "Let *x* be an arbitrary even integer."
 - "Let *x* be an arbitrary set containing 137."
 - "Consider any x."
- Demonstrate that the property holds true for this choice of *x*.

Proof:

Proof: Let A, B, and C be arbitrary sets where $A \subseteq B$ and $B \subseteq C$.

- **Theorem:** For any sets A, B, and C, if $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.
- **Proof:** Let A, B, and C be arbitrary sets where $A \subseteq B$ and $B \subseteq C$.

Proof: Let A, B, and C be arbitrary sets where $A \subseteq B$

and $B \subseteq C$.

We're showing here that regardless of what A, B, and C you pick, the result will still be true.

- **Theorem:** For any sets A, B, and C, if $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.
- **Proof:** Let A, B, and C be arbitrary sets where $A \subseteq B$ and $B \subseteq C$.

Proof: Let A, B, and C be arbitrary sets where $A \subseteq B$ and $B \subseteq C$.

To prove a statement of the form

"If P, then Q"

Assume that P is true, then show that Q must be true as well.

Proof: Let A, B, and C be arbitrary sets where $A \subseteq B$ and $B \subseteq C$. We need to prove that $A \subseteq C$.

- **Theorem:** For any sets A, B, and C, if $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.
- **Proof:** Let A, B, and C be arbitrary sets where $A \subseteq B$ and $B \subseteq C$. We need to prove that $A \subseteq C$. To do so, we will prove that for every x, if $x \in A$, then $x \in C$.

- **Theorem:** For any sets A, B, and C, if $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.
- **Proof:** Let A, B, and C be arbitrary sets where $A \subseteq B$ and $B \subseteq C$. We need to prove that $A \subseteq C$. To do so, we will prove that for every x, if $x \in A$, then $x \in C$.

Proof: Let A, B, and C be arbitrary sets where $A \subseteq B$ and $B \subseteq C$. We need to prove that $A \subseteq C$. To do so, we will prove that for every x, if $x \in A$, then $x \in C$.

This is, by definition, what it means for $A \subseteq C$ to be true. Our job will be to prove this statement.

- **Theorem:** For any sets A, B, and C, if $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.
- **Proof:** Let A, B, and C be arbitrary sets where $A \subseteq B$ and $B \subseteq C$. We need to prove that $A \subseteq C$. To do so, we will prove that for every x, if $x \in A$, then $x \in C$. Consider any x where $x \in A$.

- **Theorem:** For any sets A, B, and C, if $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.
- **Proof:** Let A, B, and C be arbitrary sets where $A \subseteq B$ and $B \subseteq C$. We need to prove that $A \subseteq C$. To do so, we will prove that for every x, if $x \in A$, then $x \in C$.

Consider any x where $x \in A$.

Proof: Let A, B, and C be arbitrary sets where $A \subseteq B$ and $B \subseteq C$. We need to prove that $A \subseteq C$. To do so, we will prove that for every x, if $x \in A$, then $x \in C$.

Consider any x where $x \in A$.

We're showing here that regardless of what x you pick, the result will still be true.

- **Theorem:** For any sets A, B, and C, if $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.
- **Proof:** Let A, B, and C be arbitrary sets where $A \subseteq B$ and $B \subseteq C$. We need to prove that $A \subseteq C$. To do so, we will prove that for every x, if $x \in A$, then $x \in C$. Consider any x where $x \in A$.

- **Theorem:** For any sets A, B, and C, if $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.
- **Proof:** Let A, B, and C be arbitrary sets where $A \subseteq B$ and $B \subseteq C$. We need to prove that $A \subseteq C$. To do so, we will prove that for every x, if $x \in A$, then $x \in C$. Consider any x where $x \in A$.

To prove a statement of the form

"If P, then Q"

Assume that P is true, then show that Q must be true as well.

- **Theorem:** For any sets A, B, and C, if $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.
- **Proof:** Let A, B, and C be arbitrary sets where $A \subseteq B$ and $B \subseteq C$. We need to prove that $A \subseteq C$. To do so, we will prove that for every x, if $x \in A$, then $x \in C$.

Consider any x where $x \in A$. Since $A \subseteq B$ and $x \in A$, we see that $x \in B$.

- **Theorem:** For any sets A, B, and C, if $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.
- **Proof:** Let A, B, and C be arbitrary sets where $A \subseteq B$ and $B \subseteq C$. We need to prove that $A \subseteq C$. To do so, we will prove that for every x, if $x \in A$, then $x \in C$.

Consider any x where $x \in A$. Since $A \subseteq B$ and $x \in A$, we see that $x \in B$. Similarly, since $B \subseteq C$ and $x \in B$, we see that $x \in C$, which is what we needed to show.

- **Theorem:** For any sets A, B, and C, if $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.
- **Proof:** Let A, B, and C be arbitrary sets where $A \subseteq B$ and $B \subseteq C$. We need to prove that $A \subseteq C$. To do so, we will prove that for every x, if $x \in A$, then $x \in C$.

Consider any x where $x \in A$. Since $A \subseteq B$ and $x \in A$, we see that $x \in B$. Similarly, since $B \subseteq C$ and $x \in B$, we see that $x \in C$, which is what we needed to show.

Transitivity

- We just proved that if A, B and C are sets where $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.
- This property of the ⊆ relation is called transitivity. We'll revisit it later in the quarter.

Proof:

- **Theorem:** For any sets A, B, C, and D, if $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$, then $A \subseteq D$.
- **Proof:** Let A, B, C, and D be arbitrary sets where $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$.

- **Theorem:** For any sets A, B, C, and D, if $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$, then $A \subseteq D$.
- **Proof:** Let A, B, C, and D be arbitrary sets where $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$.

- **Theorem:** For any sets A, B, C, and D, if $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$, then $A \subseteq D$.
- **Proof:** Let A, B, C, and D be arbitrary sets where $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$.

- **Theorem:** For any sets A, B, C, and D, if $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$, then $A \subseteq D$.
- **Proof:** Let A, B, C, and D be arbitrary sets where $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$. We need to prove that $A \subseteq D$.

- **Theorem:** For any sets A, B, C, and D, if $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$, then $A \subseteq D$.
- **Proof:** Let A, B, C, and D be arbitrary sets where $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$. We need to prove that $A \subseteq D$.

Proof: Let A, B, C, and D be arbitrary sets where $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$. We need to prove that $A \subseteq D$.

Didn't we just prove something about this?

- **Theorem:** For any sets A, B, C, and D, if $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$, then $A \subseteq D$.
- **Proof:** Let A, B, C, and D be arbitrary sets where $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$. We need to prove that $A \subseteq D$.

Since $A \subseteq B$ and $B \subseteq C$, by our earlier theorem we know that $A \subseteq C$.

- **Theorem:** For any sets A, B, C, and D, if $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$, then $A \subseteq D$.
- **Proof:** Let A, B, C, and D be arbitrary sets where $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$. We need to prove that $A \subseteq D$.

Since $A \subseteq B$ and $B \subseteq C$, by our earlier theorem we know that $A \subseteq C$.

- **Theorem:** For any sets A, B, C, and D, if $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$, then $A \subseteq D$.
- **Proof:** Let A, B, C, and D be arbitrary sets where $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$. We need to prove that $A \subseteq D$.

Since $A \subseteq B$ and $B \subseteq C$, by our earlier theorem we know that $A \subseteq C$. Similarly, since $A \subseteq C$ and $C \subseteq D$, our previous theorem tells us that $A \subseteq D$, which is what we needed to show.

- **Theorem:** For any sets A, B, C, and D, if $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$, then $A \subseteq D$.
- **Proof:** Let A, B, C, and D be arbitrary sets where $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$. We need to prove that $A \subseteq D$.

Since $A \subseteq B$ and $B \subseteq C$, by our earlier theorem we know that $A \subseteq C$. Similarly, since $A \subseteq C$ and $C \subseteq D$, our previous theorem tells us that $A \subseteq D$, which is what we needed to show.

Proof: Let A, B, C, and D be arbitrary sets where $A \subseteq B$, $B \subseteq C$, and $C \subseteq D$. We need to prove that $A \subseteq D$.

Since $A \subseteq B$ and $B \subseteq C$, by our earlier theorem we know that $A \subseteq C$. Similarly, since $A \subseteq C$ and $C \subseteq D$, our previous theorem tells us that $A \subseteq D$, which is what we needed to show.

We're heavily leveraging our previous proof here. This is extremely common! Most of mathematics is about building on earlier results.

The Story So Far

- If you need to prove an implication (a statement of the form "if P, then Q"), you should assume P is true, then prove Q is true.
- To prove a statement of the form "for all x, some property P(x) is true," state that you're choosing an arbitrary x, then prove that P(x) must be true.
- Proofs usually call back to some key terms or definitions (here, even numbers, and subsets).
- Proofs build on top of one another. Once you do enough math, you start to use older proofs as building blocks in larger proofs.

How Not To Write Proofs

An Incorrect Proof

Theorem: For all sets A and B, we have $A \subseteq A \cap B$.

Proof: Consider two arbitrary sets, say, $A = \emptyset$ and $B = \mathbb{N}$. Since \emptyset is a subset of every set and $A = \emptyset$, we see that $A \subseteq A \cap B$. Since our choices of A and B were arbitrary, we conclude that if A and B are any sets, then $A \subseteq A \cap B$.

An Incorrect Proof

Theorem: For all sets A and B, we have $A \subseteq A \cap B$.

Proof: Consider two arbitrary sets, say, $A = \emptyset$ and $B = \mathbb{N}$. Since \emptyset is a subset of every set and $A = \emptyset$, we see that $A \subseteq A \cap B$. Since our choices of A and B were arbitrary, we conclude that if A and B are any sets, then $A \subseteq A \cap B$.

An Incorrect Proof

This eatis pushing a vatermelonoutofalake. $_{eA} \subseteq A \cap B$. Theorem: **Proof:** Cons $B = \mathbb{N}$. Si $A = \emptyset$, we of A and A and B a Your argument is invalid.

 $A = \emptyset$ and et and bur choices de that if

ar·bi·trar·y adjective /ˈärbiˌtrerē/

- 1. Based on random choice or personal whim, rather than any reason or system "his mealtimes were entirely arbitrary"
- 2. (of power or a ruling body) Unrestrained and autocratic in the use of authority "arbitrary rule by King and bishops has been made impossible"
- 3. (of a constant or other quantity) Of unspecified value

Source: Google

ar·bi·trar·y adjective /ˈärbiˌtrerē/

- 1. Based on random choice or personal whim, rather than any reason or system "his mealtimes were entirely arbitrary"
- 2. (of power or a ruling body) Unrestrained and autocratic in the use of authority "arbitrary rule by King and bishops has been made impossible"
- 3. (of a constant or other quantity) Of unspecified value

Use this definition...

Source: Google



- 1. Based on random choice or personal whim, rather than any reason or system "his mealtimes were entirely arbitrary"
- 2. (of power or a ruling body) Unrestrained and autocratic in the use of authority "arbitrary rule by King and bishops has been made impossible"
- 3. (of a constant or other quantity) Of unspecified value

Use this definition...

Source: Google

To prove something is true for all x, don't choose an x and base the proof off of your choice.

Instead, leave *x* unspecified and show that no matter what *x* is, the specified property must hold.

Theorem: For all sets A and B, we have $A \subseteq A \cap B$.

Theorem: For all sets A and B, we have $A \subseteq A \cap B$.

Proof: Consider two arbitrary sets *A* and *B*.

Theorem: For all sets A and B, we have $A \subseteq A \cap B$.

Proof: Consider two arbitrary sets A and B. We need to prove that $A \subseteq A \cap B$.

Theorem: For all sets A and B, we have $A \subseteq A \cap B$.

Proof: Consider two arbitrary sets A and B. We need to prove that $A \subseteq A \cap B$. To do so, we will prove that if $x \in A$, then $x \in A \cap B$ as well.

Theorem: For all sets A and B, we have $A \subseteq A \cap B$.

Proof: Consider two arbitrary sets A and B. We need to prove that $A \subseteq A \cap B$. To do so, we will prove that if $x \in A$, then $x \in A \cap B$ as well.

Consider any arbitrary $x \in A \cap B$. We will prove that $x \in A$.

Theorem: For all sets A and B, we have $A \subseteq A \cap B$.

Proof: Consider two arbitrary sets A and B. We need to prove that $A \subseteq A \cap B$. To do so, we will prove that if $x \in A$, then $x \in A \cap B$ as well.

Consider any arbitrary $x \in A \cap B$. We will prove that $x \in A$. To do so, notice that since $x \in A \cap B$, we know that $x \in A$ and that $x \in B$.

Theorem: For all sets A and B, we have $A \subseteq A \cap B$.

Proof: Consider two arbitrary sets A and B. We need to prove that $A \subseteq A \cap B$. To do so, we will prove that if $x \in A$, then $x \in A \cap B$ as well.

Consider any arbitrary $x \in A \cap B$. We will prove that $x \in A$. To do so, notice that since $x \in A \cap B$, we know that $x \in A$ and that $x \in B$. In particular, this means that $x \in A$, which is what we needed to show.

Theorem: For all sets A and B, we have $A \subseteq A \cap B$.

Proof: Consider two arbitrary sets A and B. We need to prove that $A \subseteq A \cap B$. To do so, we will prove that if $x \in A$, then $x \in A \cap B$ as well.

Consider any arbitrary $x \in A \cap B$. We will prove that $x \in A$. To do so, notice that since $x \in A \cap B$, we know that $x \in A$ and that $x \in B$. In particular, this means that $x \in A$, which is what we needed to show.

Theorem: For all sets A and B, we have $A \subseteq A \cap B$.

Proof: Consider two arbitrary sets A and B. We need to prove that $A \subseteq A \cap B$. To do so, we will prove that if $x \in A$, then $x \in A \cap B$ as well.

Consider any arbitrary $x \in A \cap B$. We will prove that $x \in A$. To do so, notice that since $x \in A \cap B$, we know that $x \in A$ and that $x \in B$. In particular, this means that $x \in A$, which is what we needed to show.

Theorem:

Proof: Con

nee

wil

we

Con

 $x \in$

 $x \in$

W



 $re A \subseteq A \cap B$.

and *B*. We
To do so, we


∈ *A* ∩ *B* as

B. We will ice that since and that $x \in A$, sow.

If you want to prove that P implies Q, assume P and prove Q.

Don't assume Q and then prove P!

Special Classes of Statements



Theorem:

There exists a natural number n > 0 such that the sum of all natural numbers less than n is equal to n.

Theorem: There exists a natural number n > 0such that the sum of all natural numbers less than n is equal to n.

Theorem: There exists a natural number n > 0such that the sum of all natural numbers less than n is equal to n.

> This is a fundamentally different type of proof that what we've done before. Instead of showing that every object has some property, we want to show that some object has a given property.

Universal vs. Existential Statements

• A *universal statement* is a statement of the form

For all x, [some-property] holds for x.

- We've seen how to prove these statements.
- An *existential statement* is a statement of the form

There is some x where [some-property] holds for x.

How do you prove an existential statement?

Proving an Existential Statement

- Over the course of the quarter, we will see several different ways to prove an existential statement.
- *Simplest approach:* Just go and find some x where the property P(x) is true.
 - In our case, we need to find a positive natural number *n* such that that sum of all smaller natural numbers is equal to *n*.
 - Can we find one?

Theorem: There exists a natural number n > 0 such that the sum of all natural numbers less than n is equal to n.

Theorem: There exists a natural number n > 0 such that the sum of all natural numbers less than n is equal to n.

Proof: Take n = 3.

The three natural numbers smaller than three are 0, 1, and 2.

Notice that 0 + 1 + 2 = 3.

Therefore, there is a natural number greater than zero equal to the sum of all smaller natural numbers. ■

Biconditional Statements

Biconditionals

You often see statements like these in mathematics:

The natural number n is even if and only if n^2 is even.

G is bipartite *if and only if G* has no odd cycles.

 $L \in \mathbf{RE}$ if and only if there is a verifier for L.

- All of these statements involve the phrase "if and only if."
- The statement "P if and only if Q" means the following:

If P, then Q, and if Q, then P.

- In other words, both P and Q imply each other.
- These statements are called **biconditional statements**. To prove a biconditional statement, you usually prove both implications separately.

Set Equality

• If A and B are sets, we say that A = B precisely when the following statement is true:

For any object x, $x \in A$ if and only if $x \in B$.

- (This is called the *axiom of extensionality*.)
- In practice, this definition is tricky to work with.
- It's often easier to use the following result to show that two sets are equal:

For any sets A and B, if $A \subseteq B$ and $B \subseteq A$, then A = B.

Theorem: For any sets A and B, if $A \subseteq B$ and $B \subseteq A$, then A = B.

Theorem: For any sets A and B, if $A \subseteq B$ and $B \subseteq A$, then A = B.

Proof:

- **Theorem:** For any sets A and B, if $A \subseteq B$ and $B \subseteq A$, then A = B.
- **Proof:** Let A and B be arbitrary sets where $A \subseteq B$ and $B \subseteq A$.

- **Theorem:** For any sets A and B, if $A \subseteq B$ and $B \subseteq A$, then A = B.
- **Proof:** Let A and B be arbitrary sets where $A \subseteq B$ and $B \subseteq A$. We will prove that A = B by proving that, for any arbitrary x, that $x \in A$ if and only if $x \in B$.

- **Theorem:** For any sets A and B, if $A \subseteq B$ and $B \subseteq A$, then A = B.
- **Proof:** Let A and B be arbitrary sets where $A \subseteq B$ and $B \subseteq A$. We will prove that A = B by proving that, for any arbitrary x, that $x \in A$ if and only if $x \in B$.

First, we'll prove that if $x \in A$, then $x \in B$. Take any $x \in A$.

- **Theorem:** For any sets A and B, if $A \subseteq B$ and $B \subseteq A$, then A = B.
- **Proof:** Let A and B be arbitrary sets where $A \subseteq B$ and $B \subseteq A$. We will prove that A = B by proving that, for any arbitrary x, that $x \in A$ if and only if $x \in B$.

First, we'll prove that if $x \in A$, then $x \in B$. Take any $x \in A$. Since $A \subseteq B$ and $x \in A$, we see that $x \in B$, as required.

- **Theorem:** For any sets A and B, if $A \subseteq B$ and $B \subseteq A$, then A = B.
- **Proof:** Let A and B be arbitrary sets where $A \subseteq B$ and $B \subseteq A$. We will prove that A = B by proving that, for any arbitrary x, that $x \in A$ if and only if $x \in B$.

Next, we'll prove that if $x \in B$, then $x \in A$. Take any $x \in B$.

- **Theorem:** For any sets A and B, if $A \subseteq B$ and $B \subseteq A$, then A = B.
- **Proof:** Let A and B be arbitrary sets where $A \subseteq B$ and $B \subseteq A$. We will prove that A = B by proving that, for any arbitrary x, that $x \in A$ if and only if $x \in B$.

Next, we'll prove that if $x \in B$, then $x \in A$. Take any $x \in B$. Since $B \subseteq A$ and $x \in B$, we see that $x \in A$, as required.

- **Theorem:** For any sets A and B, if $A \subseteq B$ and $B \subseteq A$, then A = B.
- **Proof:** Let A and B be arbitrary sets where $A \subseteq B$ and $B \subseteq A$. We will prove that A = B by proving that, for any arbitrary x, that $x \in A$ if and only if $x \in B$.

Next, we'll prove that if $x \in B$, then $x \in A$. Take any $x \in B$. Since $B \subseteq A$ and $x \in B$, we see that $x \in A$, as required.

Since we've proven both directions of implication, we see that A = B, as required.

- **Theorem:** For any sets A and B, if $A \subseteq B$ and $B \subseteq A$, then A = B.
- **Proof:** Let A and B be arbitrary sets where $A \subseteq B$ and $B \subseteq A$. We will prove that A = B by proving that, for any arbitrary x, that $x \in A$ if and only if $x \in B$.

Next, we'll prove that if $x \in B$, then $x \in A$. Take any $x \in B$. Since $B \subseteq A$ and $x \in B$, we see that $x \in A$, as required.

Since we've proven both directions of implication, we see that A = B, as required.

Time-Out for Announcements!

Things to Read


- We've released two handouts you should read over:
 - Handout 03: How to Succeed in CS103
 - Handout 04: Set Theory Definitions.
- Additionally, if you haven't yet read over the Guide to Elements and Subsets, we'd recommend doing so.
- Finally, we strongly recommend reading over Chapter 1 and Chapter 2 of the online course reader to get some more background with proofs and set theory.


Piazza


- We now have a Piazza site for CS103.
- Sign in to www.piazza.com and search for the course CS103 to sign in.
- Feel free to ask us questions!
- Use the site to find a partner for the problem sets!


Back to CS103!


Proofs on Set Combinations














Theorem: Let
$$A$$
, B , and C be any sets. Then $(A \cup B) \cap C = (A \cap C) \cup (B \cap C)$

To prove this, we'll prove each is a subset of the other:

$$(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$$
$$(A \cap C) \cup (B \cap C) \subseteq (A \cup B) \cap C$$

Relations Between Proofs

- Proofs often build off of one another: large results are almost often accomplished by building off of previous work.
 - Like writing a large program split the work into smaller methods, across different classes, etc. instead of putting the whole thing into main.
- A result that is proven specifically as a stepping stone toward a larger result is called a *lemma*.
- We'll prove each of these smaller statements as a lemma for part of the larger proof. It's decomposition, proof style!

Lemma 1: For any sets A, B, and C, the following is true: $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$.

Proof:

Proof: Consider any arbitrary sets *A*, *B*, and *C*.

 $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C).$

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$.

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$.

 $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C).$

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

 $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C).$

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know

$$(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C).$$

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C).$

Since $x \in (A \cup B) \cap C$, we know | ... what, exactly?

The Need for Formalisms

- In all of our previous proofs, we've used formal definitions for terms that we have a good intuitive feel for.
 - Even numbers, subsets, set equality, etc.
- Mathematics revolves around formal definitions. Definitions give us a clear sense of what something means and guides the structure of our proofs.

Set Operations

- Last time, we introduced four operations for combining sets together:
 - Union: $S \cup T$
 - Intersection: $S \cap T$
 - Difference: S T
 - Symmetric Difference: $S \Delta T$
- While we may have an intuitive feel for these terms, we haven't actually defined them anywhere. Therefore, we can't rigorously reason about them in proofs.
- Let's go fix that!

Set Operations

• The union of two sets S and T is defined as follows:

$$S \cup T = \{ x \mid x \in S \text{ or } x \in T \text{ (or both) } \}$$

- As a result, if x is any object, then $x \in S \cup T$ if and only if $x \in S$ or $x \in T$ (or both).
- The intersection of two sets *S* and *T* is defined as follows:

$$S \cap T = \{ x \mid x \in S \text{ and } x \in T \}$$

- As a result, if x is any object, then $x \in S \cap T$ if and only if $x \in S$ and $x \in T$.
- We can use these definitions and these properties to write formal proofs about unions and intersections.

$$(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C).$$

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C).$

Since $x \in (A \cup B) \cap C$, we know | ... what, exactly?

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know that $x \in A \cup B$ and that $x \in C$.

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know that $x \in A \cup B$ and that $x \in C$. Because $x \in A \cup B$, we know that $x \in A$ or $x \in B$ (or both).

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know that $x \in A \cup B$ and that $x \in C$. Because $x \in A \cup B$, we know that $x \in A$ or $x \in B$ (or both).

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know that $x \in A \cup B$ and that $x \in C$. Because $x \in A \cup B$, we know that $x \in A$ or $x \in B$ (or both).

This might be a problem - we can't say for certain which of A or B will contain x!

Fortunately, there's a way around this.

$$(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C).$$

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know that $x \in A \cup B$ and that $x \in C$. Because $x \in A \cup B$, we know that $x \in A$ or $x \in B$ (or both). We consider two cases:

Case 1: $x \in A$.

Case 2: $x \in B$.

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know that $x \in A \cup B$ and that $x \in C$. Because $x \in A \cup B$, we know that $x \in A$ or $x \in B$ (or both). We consider two cases:

Case 1: $x \in A$.

Case 2: $x \in B$.

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know that $x \in A \cup B$ and that $x \in C$. Because $x \in A \cup B$, we know that $x \in A$ or $x \in B$ (or both). We consider two cases:

Case 1: $x \in A$.

Case 2: $x \in B$.

This is called a proof by cases (alternatively, a proof by exhaustion) and works by showing that the theorem is true regardless of what specific outcome arises.

$$(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C).$$

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know that $x \in A \cup B$ and that $x \in C$. Because $x \in A \cup B$, we know that $x \in A$ or $x \in B$ (or both). We consider two cases:

Case 1: $x \in A$.

Case 2: $x \in B$.

$$(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C).$$

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know that $x \in A \cup B$ and that $x \in C$. Because $x \in A \cup B$, we know that $x \in A$ or $x \in B$ (or both). We consider two cases:

Case 1: $x \in A$. Then since $x \in A$ and $x \in C$, we know that $x \in A \cap C$.

Case 2: $x \in B$.

 $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C).$

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know that $x \in A \cup B$ and that $x \in C$. Because $x \in A \cup B$, we know that $x \in A$ or $x \in B$ (or both). We consider two cases:

Case 1: $x \in A$. Then since $x \in A$ and $x \in C$, we know that $x \in A \cap C$. Therefore, $x \in (A \cap C) \cup (B \cap C)$.

Case 2: $x \in B$.

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know that $x \in A \cup B$ and that $x \in C$. Because $x \in A \cup B$, we know that $x \in A$ or $x \in B$ (or both). We consider two cases:

- Case 1: $x \in A$. Then since $x \in A$ and $x \in C$, we know that $x \in A \cap C$. Therefore, $x \in (A \cap C) \cup (B \cap C)$.
- Case 2: $x \in B$. Then since $x \in B$ and $x \in C$, we know that $x \in B \cap C$.

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know that $x \in A \cup B$ and that $x \in C$. Because $x \in A \cup B$, we know that $x \in A$ or $x \in B$ (or both). We consider two cases:

- *Case 1:* $x \in A$. Then since $x \in A$ and $x \in C$, we know that $x \in A \cap C$. Therefore, $x \in (A \cap C) \cup (B \cap C)$.
- Case 2: $x \in B$. Then since $x \in B$ and $x \in C$, we know that $x \in B \cap C$. Therefore, $x \in (A \cap C) \cup (B \cap C)$.

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know that $x \in A \cup B$ and that $x \in C$. Because $x \in A \cup B$, we know that $x \in A$ or $x \in B$ (or both). We consider two cases:

- *Case 1:* $x \in A$. Then since $x \in A$ and $x \in C$, we know that $x \in A \cap C$. Therefore, $x \in (A \cap C) \cup (B \cap C)$.
- *Case 2:* $x \in B$. Then since $x \in B$ and $x \in C$, we know that $x \in B \cap C$. Therefore, $x \in (A \cap C) \cup (B \cap C)$.

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know that $x \in A \cup B$ and that $x \in C$. Because $x \in A \cup B$, we know that $x \in A$ or $x \in B$ (or both). We consider two cases:

- *Case 1:* $x \in A$. Then since $x \in A$ and $x \in C$, we know that $x \in A \cap C$. Therefore, $x \in (A \cap C) \cup (B \cap C)$.
- *Case 2:* $x \in B$. Then since $x \in B$ and $x \in C$, we know that $x \in B \cap C$. Therefore, $x \in (A \cap C) \cup (B \cap C)$.

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know that $x \in A \cup B$ and that

 $x \in C$. Because $x \in A \cup B$, we both). We consider two cases:

Case 1: $x \in A$. Then since that $x \in A \cap C$. Therefor

Case 2: $x \in B$. Then since that $x \in B \cap C$. Therefore, $x \in (A \cap C) \cup (B \cap C)$.

After splitting into cases, it's a good idea to summarize what you just did so that the reader knows what to take away from it.

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. To do so, consider an arbitrary $x \in (A \cup B) \cap C$. We will prove that $x \in (A \cap C) \cup (B \cap C)$.

Since $x \in (A \cup B) \cap C$, we know that $x \in A \cup B$ and that $x \in C$. Because $x \in A \cup B$, we know that $x \in A$ or $x \in B$ (or both). We consider two cases:

- *Case 1:* $x \in A$. Then since $x \in A$ and $x \in C$, we know that $x \in A \cap C$. Therefore, $x \in (A \cap C) \cup (B \cap C)$.
- *Case 2:* $x \in B$. Then since $x \in B$ and $x \in C$, we know that $x \in B \cap C$. Therefore, $x \in (A \cap C) \cup (B \cap C)$.

Lemma 2: For any sets A, B, and C, the following is true: $(A \cap C) \cup (B \cap C) \subseteq (A \cup B) \cap C$.

$$(A \cap C) \cup (B \cap C) \subseteq (A \cup B) \cap C.$$

Proof: Consider any arbitrary sets A, B, and C. We need to prove that $(A \cap C) \cup (B \cap C) \subseteq (A \cup B) \cap C$. To do so, consider an arbitrary $x \in (A \cap C) \cup (B \cap C)$. We will prove that $x \in (A \cup B) \cap C$.

Since $x \in (A \cap C) \cup (B \cap C)$, we know that either $x \in A \cap C$ or that $x \in B \cap C$ (or both). We consider two cases:

- *Case 1:* $x \in A \cap C$. This means that $x \in A$ and $x \in C$. Since $x \in A$, we see that $x \in A \cup B$. Therefore, we see that $x \in (A \cup B) \cap C$.
- *Case 2:* $x \in B \cap C$. This means that $x \in B$ and $x \in C$. Since $x \in B$, we see that $x \in A \cup B$. Therefore, we see that $x \in (A \cup B) \cap C$.

Theorem: For any sets A, B, and C, the following is true: $(A \cap C) \cup (B \cap C) = (A \cup B) \cap C$.

 $(A \cap C) \cup (B \cap C) = (A \cup B) \cap C.$

Proof:

$$(A \cap C) \cup (B \cap C) = (A \cup B) \cap C.$$

Proof: Consider any sets *A*, *B*, and *C*.

$$(A \cap C) \cup (B \cap C) = (A \cup B) \cap C.$$

Proof: Consider any sets A, B, and C. By Lemma 1, we see that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$.

 $(A \cap C) \cup (B \cap C) = (A \cup B) \cap C.$

Proof: Consider any sets A, B, and C. By Lemma 1, we see that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. From Lemma 2, we see that $(A \cap C) \cup (B \cap C) \subseteq (A \cup B) \cap C$.

$$(A \cap C) \cup (B \cap C) = (A \cup B) \cap C.$$

Proof: Consider any sets A, B, and C. By Lemma 1, we see that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. From Lemma 2, we see that $(A \cap C) \cup (B \cap C) \subseteq (A \cup B) \cap C$. Since each of these sets are subsets of one another, we conclude that the two sets are equal.

 $(A \cap C) \cup (B \cap C) = (A \cup B) \cap C.$

Proof: Consider any sets A, B, and C. By Lemma 1, we see that $(A \cup B) \cap C \subseteq (A \cap C) \cup (B \cap C)$. From Lemma 2, we see that $(A \cap C) \cup (B \cap C) \subseteq (A \cup B) \cap C$. Since each of these sets are subsets of one another, we conclude that the two sets are equal. \blacksquare

What We've Covered

• What is a mathematical proof?

• An argument – mostly written in English – outlining a mathematical argument.

What is a direct proof?

• It's a proof where you begin from some initial assumptions and reason your way to the conclusion.

• What are universal and existential statements?

• Universal statements make a claim about all objects of one type. Existential statements make claims about at least one object of some type.

How do we write proofs about set theory?

By calling back to definitions! Definitions are key.

Next Time

Indirect Proofs

 How do you prove something without actually proving it?

Mathematical Implications

• What exactly does "if *P*, then *Q*" mean?

Proof by Contrapositive

A helpful technique for proving implications.

Proof by Contradiction

Proving something is true by showing it can't be false.