pscHotel

Generated by Doxygen 1.9.1

1 Namespace Index 1

1.1 Packages . . . 1

2 Hierarchical Index 3

2.1 Class Hierarchy . . . 3

3 Class Index 5

3.1 Class List . . . 5

4 File Index 7

4.1 File List . . . 7

5 Namespace Documentation 9

5.1 Package es.deusto.spq.client . . . 9

5.2 Package es.deusto.spq.client.gui . . . 9

5.3 Package es.deusto.spq.server . . . 10

6 Class Documentation 11

6.1 es.deusto.spq.client.Cliente Class Reference . . . 11

6.1.1 Detailed Description . . . 11

6.1.2 Constructor & Destructor Documentation . . . 12

6.1.2.1 Cliente() [1/2] . . . 12

6.1.2.2 Cliente() [2/2] . . . 12

6.1.3 Member Function Documentation . . . 12

6.1.3.1 getApellido() . . . 12

6.1.3.2 getContrasenya() . . . 13

6.1.3.3 getDNI() . . . 13

6.1.3.4 getEmail() . . . 13

6.1.3.5 getNombre() . . . 13

6.1.3.6 isEsAdmin() . . . 13

6.1.3.7 main() . . . 13

6.1.3.8 setApellido() . . . 14

6.1.3.9 setContrasenya() . . . 14

6.1.3.10 setDNI() . . . 14

6.1.3.11 setEmail() . . . 14

6.1.3.12 setEsAdmin() . . . 14

6.1.3.13 setNombre() . . . 14

6.1.3.14 toString() . . . 15

6.2 es.deusto.spq.client.ClienteTest Class Reference . . . 15

6.2.1 Detailed Description . . . 15

6.2.2 Member Function Documentation . . . 15

6.2.2.1 getApellidoTest() . . . 15

6.2.2.2 getContrasenyaTest() . . . 15

6.2.2.3 getDNITest() . . . 16

6.2.2.4 getEmailTest() . . . 16
6.2.2.5 getEsAdminTest() . . . 16
6.2.2.6 getNombreTest() . . . 16
6.2.2.7 setUp() . . . 16
6.3 es.deusto.spq.client.Controller Class Reference . . . 17
6.3.1 Detailed Description . . . 17
6.3.2 Constructor & Destructor Documentation . . . 17
6.3.2.1 Controller() . . . 17
6.3.3 Member Function Documentation . . . 18
6.3.3.1 anadirCliente() . . . 18
6.3.3.2 anadirEvento() . . . 18
6.3.3.3 anadirReserva() . . . 19
6.3.3.4 borrarCliente() . . . 19
6.3.3.5 borrarEvento() . . . 19
6.3.3.6 borrarReserva() . . . 20
6.3.3.7 editarUsuario() . . . 20
6.3.3.8 getEvento() . . . 20
6.3.3.9 getEventos() . . . 20
6.3.3.10 getHabitacion() . . . 20
6.3.3.11 getReserva() . . . 21
6.3.3.12 getUsuario() . . . 21
6.3.3.13 iniciarSesion() . . . 21
6.3.3.14 obtenerClientes() . . . 22
6.3.3.15 obtenerHabitaciones() . . . 22
6.3.3.16 obtenerReservas() . . . 22
6.3.4 Member Data Documentation . . . 22
6.3.4.1 serviceLocator . . . 22
6.4 es.deusto.spq.client.ControllerTest Class Reference . . . 22
6.4.1 Detailed Description . . . 23
6.4.2 Member Function Documentation . . . 23
6.4.2.1 iniciarSesionTest() . . . 23
6.4.2.2 obtenerClientesTest() . . . 23
6.4.2.3 obtenerHabitacionesTest() . . . 23
6.4.2.4 obtenerReservasTest() . . . 23
6.4.2.5 registrarUsuarioTest() . . . 24
6.4.3 Member Data Documentation . . . 24
6.4.3.1 i . . . 24
6.5 es.deusto.spq.server.DBManager Class Reference . . . 24
6.5.1 Detailed Description . . . 25
6.5.2 Member Function Documentation . . . 25
6.5.2.1 actualizarDatosCliente() . . . 25
6.5.2.2 anadirCliente() . . . 25

6.5.2.3 anadirHabitaciones() . . . 25
6.5.2.4 borrarCliente() . . . 26
6.5.2.5 borrarEvento() . . . 26
6.5.2.6 borrarReserva() . . . 26
6.5.2.7 delete() [1/5] . . . 26
6.5.2.8 delete() [2/5] . . . 26
6.5.2.9 delete() [3/5] . . . 26
6.5.2.10 delete() [4/5] . . . 27
6.5.2.11 delete() [5/5] . . . 27
6.5.2.12 deleteClientes() . . . 27
6.5.2.13 deleteData() . . . 27
6.5.2.14 deletehabitaciones() . . . 27
6.5.2.15 deleteObjectFromDB() . . . 27
6.5.2.16 deleteReservas() . . . 28
6.5.2.17 getClientes() . . . 28
6.5.2.18 getEvento() . . . 28
6.5.2.19 getEventos() . . . 28
6.5.2.20 getHabitacion() . . . 28
6.5.2.21 getHabitaciones() . . . 28
6.5.2.22 getInstance() . . . 29
6.5.2.23 getReserva() . . . 29
6.5.2.24 getReservas() . . . 29
6.5.2.25 getUsuario() . . . 29
6.5.2.26 initializeData() . . . 29
6.5.2.27 seleccionaUsuarioBD() . . . 30
6.5.2.28 store() [1/5] . . . 30
6.5.2.29 store() [2/5] . . . 30
6.5.2.30 store() [3/5] . . . 30
6.5.2.31 store() [4/5] . . . 30
6.5.2.32 store() [5/5] . . . 30
6.5.2.33 storeObjectInDB() . . . 31
6.5.2.34 update() . . . 31
6.6 es.deusto.spq.client.EstadisticaFeedback Class Reference . . . 31
6.6.1 Detailed Description . . . 31
6.6.2 Member Function Documentation . . . 31
6.6.2.1 mediaPuntuacion() . . . 31
6.6.2.2 ReadAndLoad() . . . 32
6.6.2.3 siNo() . . . 32
6.7 es.deusto.spq.client.Evento Class Reference . . . 33
6.7.1 Detailed Description . . . 33
6.7.2 Constructor & Destructor Documentation . . . 33
6.7.2.1 Evento() [1/3] . . . 33

6.7.2.2 Evento() [2/3] . . . 34
6.7.2.3 Evento() [3/3] . . . 34
6.7.3 Member Function Documentation . . . 34
6.7.3.1 getAnyo() . . . 34
6.7.3.2 getCodigo() . . . 34
6.7.3.3 getDescripcion() . . . 34
6.7.3.4 getDia() . . . 35
6.7.3.5 getHora() . . . 35
6.7.3.6 getMes() . . . 35
6.7.3.7 getNombre() . . . 35
6.7.3.8 getNumMaxPersonas() . . . 35
6.7.3.9 setAnyo() . . . 35
6.7.3.10 setCodigo() . . . 36
6.7.3.11 setDescripcion() . . . 36
6.7.3.12 setDia() . . . 36
6.7.3.13 setHora() . . . 36
6.7.3.14 setMes() . . . 36
6.7.3.15 setNombre() . . . 36
6.7.3.16 setNumMaxPersonas() . . . 37
6.7.3.17 toString() . . . 37
6.8 es.deusto.spq.client.Feedback Class Reference . . . 37
6.8.1 Detailed Description . . . 37
6.8.2 Constructor & Destructor Documentation . . . 37
6.8.2.1 Feedback() [1/2] . . . 38
6.8.2.2 Feedback() [2/2] . . . 38
6.8.3 Member Function Documentation . . . 38
6.8.3.1 getEmail() . . . 38
6.8.3.2 getRecomendacion() . . . 38
6.8.3.3 getValoracion() . . . 38
6.8.3.4 setEmail() . . . 39
6.8.3.5 setRecomendacion() . . . 39
6.8.3.6 setValoracion() . . . 39
6.8.3.7 toString() . . . 39
6.9 es.deusto.spq.client.GetProperties Class Reference . . . 39
6.9.1 Detailed Description . . . 39
6.9.2 Member Function Documentation . . . 40
6.9.2.1 getURL() . . . 40
6.10 es.deusto.spq.server.GetProperties Class Reference . . . 40
6.10.1 Detailed Description . . . 40
6.10.2 Member Function Documentation . . . 40
6.10.2.1 getURL() . . . 40
6.11 es.deusto.spq.client.Habitacion Class Reference . . . 41

6.11.1 Detailed Description . . . 41
6.11.2 Constructor & Destructor Documentation . . . 41
6.11.2.1 Habitacion() [1/3] . . . 41
6.11.2.2 Habitacion() [2/3] . . . 42
6.11.2.3 Habitacion() [3/3] . . . 42
6.11.3 Member Function Documentation . . . 42
6.11.3.1 getCodigo() . . . 42
6.11.3.2 getNumCamas() . . . 42
6.11.3.3 getPrecio() . . . 42
6.11.3.4 isOcupada() . . . 43
6.11.3.5 setCodigo() . . . 43
6.11.3.6 setNumCamas() . . . 43
6.11.3.7 setOcupada() . . . 43
6.11.3.8 setPrecio() . . . 43
6.11.3.9 toString() . . . 43
6.12 es.deusto.spq.client.HabitacionTest Class Reference . . . 44
6.12.1 Detailed Description . . . 44
6.12.2 Member Function Documentation . . . 44
6.12.2.1 getCodigoTest() . . . 44
6.12.2.2 getNumCamasTest() . . . 44
6.12.2.3 getOcupadaTest() . . . 44
6.12.2.4 getPrecioTest() . . . 44
6.12.2.5 setUp() . . . 45
6.13 es.deusto.spq.server.IRemoteFacade Interface Reference . . . 45
6.13.1 Detailed Description . . . 45
6.13.2 Member Function Documentation . . . 45
6.13.2.1 borrarReserva() . . . 45
6.13.2.2 editarUsuario() . . . 46
6.13.2.3 encontrarCliente() . . . 46
6.13.2.4 encontrarClientes() . . . 46
6.13.2.5 encontrarHabitacion() . . . 46
6.13.2.6 encontrarHabitaciones() . . . 46
6.13.2.7 encontrarReserva() . . . 46
6.13.2.8 encontrarReservas() . . . 47
6.13.2.9 iniciarSesion() . . . 47
6.13.2.10 registrarCliente() . . . 47
6.13.2.11 registrarReserva() . . . 47
6.14 es.deusto.spq.client.gui.VentanaRegistro.JNumberTextField Class Reference . . . 47
6.14.1 Detailed Description . . . 48
6.15 es.deusto.spq.client.Main Class Reference . . . 48
6.15.1 Detailed Description . . . 48
6.15.2 Member Function Documentation . . . 48

6.15.2.1 main() . . . 48
6.16 es.deusto.spq.server.Main Class Reference . . . 48
6.16.1 Detailed Description . . . 49
6.16.2 Member Function Documentation . . . 49
6.16.2.1 crearFicheroLog() . . . 49
6.16.2.2 getURL() . . . 49
6.16.2.3 main() . . . 49
6.16.2.4 startServer() . . . 50
6.16.3 Member Data Documentation . . . 50
6.16.3.1 logFeedback . . . 50
6.16.3.2 loggerGeneral . . . 50
6.17 es.deusto.spq.client.Feedback.Recomendacion Enum Reference . . . 50
6.17.1 Detailed Description . . . 51
6.17.2 Member Data Documentation . . . 51
6.17.2.1 no . . . 51
6.17.2.2 si . . . 51
6.18 es.deusto.spq.server.RemoteFacade Class Reference . . . 51
6.18.1 Detailed Description . . . 52
6.18.2 Constructor & Destructor Documentation . . . 52
6.18.2.1 RemoteFacade() . . . 52
6.18.3 Member Function Documentation . . . 52
6.18.3.1 borrarEvento() . . . 52
6.18.3.2 borrarReserva() . . . 52
6.18.3.3 borrarUsuario() . . . 53
6.18.3.4 editarUsuario() . . . 53
6.18.3.5 encontrarCliente() . . . 53
6.18.3.6 encontrarClientes() . . . 53
6.18.3.7 encontrarEvento() . . . 53
6.18.3.8 encontrarEventos() . . . 54
6.18.3.9 encontrarHabitacion() . . . 54
6.18.3.10 encontrarHabitaciones() . . . 54
6.18.3.11 encontrarReserva() . . . 54
6.18.3.12 encontrarReservas() . . . 54
6.18.3.13 getInstance() . . . 55
6.18.3.14 iniciarSesion() . . . 55
6.18.3.15 registrarCliente() . . . 55
6.18.3.16 registrarReserva() [1/2] . . . 55
6.18.3.17 registrarReserva() [2/2] . . . 55
6.19 es.deusto.spq.server.RemoteFacadeTest Class Reference . . . 56
6.19.1 Detailed Description . . . 56
6.19.2 Member Function Documentation . . . 56
6.19.2.1 encontrarClientesTest() . . . 56

6.19.2.2 encontrarClienteTest() . . . 56
6.19.2.3 encontrarEventosTest() . . . 56
6.19.2.4 encontrarEventoTest() . . . 57
6.19.2.5 encontrarHabitacionesTest() . . . 57
6.19.2.6 encontrarHabitacionTest() . . . 57
6.19.2.7 encontrarReservasTest() . . . 57
6.19.2.8 encontrarReservaTest() . . . 57
6.19.2.9 registrarClienteTest() . . . 57
6.19.3 Member Data Documentation . . . 58
6.19.3.1 i . . . 58
6.20 es.deusto.spq.client.Reserva Class Reference . . . 58
6.20.1 Detailed Description . . . 58
6.20.2 Constructor & Destructor Documentation . . . 58
6.20.2.1 Reserva() [1/2] . . . 59
6.20.2.2 Reserva() [2/2] . . . 59
6.20.3 Member Function Documentation . . . 59
6.20.3.1 getAnyo() . . . 59
6.20.3.2 getCodigoHabitacion() . . . 59
6.20.3.3 getCodigoReserva() . . . 60
6.20.3.4 getDia() . . . 60
6.20.3.5 getEmailUsuario() . . . 60
6.20.3.6 getMes() . . . 60
6.20.3.7 setAnyo() . . . 60
6.20.3.8 setCodigoHabitacion() . . . 60
6.20.3.9 setCodigoReserva() . . . 61
6.20.3.10 setDia() . . . 61
6.20.3.11 setEmailUsuario() . . . 61
6.20.3.12 setMes() . . . 61
6.20.3.13 toString() . . . 61
6.21 es.deusto.spq.client.ReservaTest Class Reference . . . 62
6.21.1 Detailed Description . . . 62
6.21.2 Member Function Documentation . . . 62
6.21.2.1 getAnyoTest() . . . 62
6.21.2.2 getCodigoHabitacionTest() . . . 62
6.21.2.3 getCodigoReservaTest() . . . 62
6.21.2.4 getDiaTest() . . . 63
6.21.2.5 getMesTest() . . . 63
6.21.2.6 setUp() . . . 63
6.22 es.deusto.spq.client.RWException Class Reference . . . 63
6.22.1 Detailed Description . . . 63
6.22.2 Constructor & Destructor Documentation . . . 63
6.22.2.1 RWException() . . . 63

6.23 es.deusto.spq.client.ServiceLocator Class Reference . . . 64
6.23.1 Detailed Description . . . 64
6.23.2 Constructor & Destructor Documentation . . . 65
6.23.2.1 ServiceLocator() . . . 65
6.23.3 Member Function Documentation . . . 65
6.23.3.1 anadirCliente() . . . 65
6.23.3.2 anadirEvento() . . . 65
6.23.3.3 anadirReserva() . . . 66
6.23.3.4 borrarCliente() . . . 66
6.23.3.5 borrarEvento() . . . 67
6.23.3.6 borrarReserva() . . . 67
6.23.3.7 cogerUrl() . . . 67
6.23.3.8 editarUsuario() . . . 67
6.23.3.9 getReserva() . . . 67
6.23.3.10 getUsuario() . . . 67
6.23.3.11 iniciarSesion() . . . 67
6.23.3.12 obtenerClientes() . . . 68
6.23.3.13 obtenerEvento() . . . 68
6.23.3.14 obtenerEventos() . . . 68
6.23.3.15 obtenerHabitacion() . . . 68
6.23.3.16 obtenerHabitaciones() . . . 69
6.23.3.17 obtenerReservas() . . . 69
6.24 es.deusto.spq.client.gui.VentanaAdmin Class Reference . . . 69
6.24.1 Detailed Description . . . 69
6.24.2 Constructor & Destructor Documentation . . . 69
6.24.2.1 VentanaAdmin() . . . 70
6.25 es.deusto.spq.client.gui.VentanaCrearEvento Class Reference . . . 70
6.25.1 Detailed Description . . . 70
6.25.2 Constructor & Destructor Documentation . . . 70
6.25.2.1 VentanaCrearEvento() . . . 70
6.26 es.deusto.spq.client.gui.VentanaDatosCliente Class Reference . . . 71
6.26.1 Detailed Description . . . 71
6.26.2 Constructor & Destructor Documentation . . . 71
6.26.2.1 VentanaDatosCliente() . . . 71
6.27 es.deusto.spq.client.gui.VentanaEstadisticas Class Reference . . . 71
6.27.1 Detailed Description . . . 72
6.27.2 Constructor & Destructor Documentation . . . 72
6.27.2.1 VentanaEstadisticas() . . . 72
6.28 es.deusto.spq.client.gui.VentanaEventos Class Reference . . . 72
6.28.1 Detailed Description . . . 72
6.28.2 Constructor & Destructor Documentation . . . 72
6.28.2.1 VentanaEventos() . . . 73

6.29 es.deusto.spq.client.gui.VentanaFeedback Class Reference . . . 73
6.29.1 Detailed Description . . . 73
6.29.2 Constructor & Destructor Documentation . . . 73
6.29.2.1 VentanaFeedback() . . . 73
6.30 es.deusto.spq.client.gui.VentanaInicioSesion Class Reference . . . 74
6.30.1 Detailed Description . . . 74
6.30.2 Constructor & Destructor Documentation . . . 74
6.30.2.1 VentanaInicioSesion() . . . 74
6.30.3 Member Function Documentation . . . 74
6.30.3.1 cargarEmailUsuario() . . . 74
6.31 es.deusto.spq.client.gui.VentanaMenu Class Reference . . . 75
6.31.1 Detailed Description . . . 75
6.31.2 Constructor & Destructor Documentation . . . 75
6.31.2.1 VentanaMenu() . . . 75
6.32 es.deusto.spq.client.gui.VentanaMostrarReservas Class Reference . . . 75
6.32.1 Detailed Description . . . 76
6.32.2 Constructor & Destructor Documentation . . . 76
6.32.2.1 VentanaMostrarReservas() . . . 76
6.33 es.deusto.spq.client.gui.VentanaRegistro Class Reference . . . 76
6.33.1 Detailed Description . . . 76
6.33.2 Constructor & Destructor Documentation . . . 77
6.33.2.1 VentanaRegistro() . . . 77
6.34 es.deusto.spq.client.gui.VentanaReservas Class Reference . . . 77
6.34.1 Detailed Description . . . 77
6.34.2 Constructor & Destructor Documentation . . . 77
6.34.2.1 VentanaReservas() . . . 78
6.34.3 Member Function Documentation . . . 78
6.34.3.1 existeReserva() . . . 78
6.34.3.2 hayRebajas() . . . 78
6.35 es.deusto.spq.client.gui.VentanaReservasAdmin Class Reference . . . 78
6.35.1 Detailed Description . . . 79
6.35.2 Constructor & Destructor Documentation . . . 79
6.35.2.1 VentanaReservasAdmin() . . . 79
6.36 es.deusto.spq.client.gui.VentanaUsuariosAdmin Class Reference . . . 79
6.36.1 Detailed Description . . . 79
6.36.2 Constructor & Destructor Documentation . . . 79
6.36.2.1 VentanaUsuariosAdmin() . . . 79

7 File Documentation **81**

7.1 src/main/java/es/deusto/spq/client/Cliente.java File Reference . . . 81
7.2 src/main/java/es/deusto/spq/client/Controller.java File Reference . . . 81
7.3 src/main/java/es/deusto/spq/client/EstadisticaFeedback.java File Reference . . . 81

7.4 src/main/java/es/deusto/spq/client/Evento.java File Reference 82
7.5 src/main/java/es/deusto/spq/client/Feedback.java File Reference 82
7.6 src/main/java/es/deusto/spq/client/GetProperties.java File Reference 82
7.7 src/main/java/es/deusto/spq/server/GetProperties.java File Reference 82
7.8 src/main/java/es/deusto/spq/client/gui/VentanaAdmin.java File Reference 83
7.9 src/main/java/es/deusto/spq/client/gui/VentanaCrearEvento.java File Reference 83
7.10 src/main/java/es/deusto/spq/client/gui/VentanaDatosCliente.java File Reference 83
7.11 src/main/java/es/deusto/spq/client/gui/VentanaEstadisticas.java File Reference 83
7.12 src/main/java/es/deusto/spq/client/gui/VentanaEventos.java File Reference 84
7.13 src/main/java/es/deusto/spq/client/gui/VentanaFeedback.java File Reference 84
7.14 src/main/java/es/deusto/spq/client/gui/VentanaInicioSesion.java File Reference 84
7.15 src/main/java/es/deusto/spq/client/gui/VentanaMenu.java File Reference 84
7.16 src/main/java/es/deusto/spq/client/gui/VentanaMostrarReservas.java File Reference 85
7.17 src/main/java/es/deusto/spq/client/gui/VentanaRegistro.java File Reference 85
7.18 src/main/java/es/deusto/spq/client/gui/VentanaReservas.java File Reference 85
7.19 src/main/java/es/deusto/spq/client/gui/VentanaReservasAdmin.java File Reference 85
7.20 src/main/java/es/deusto/spq/client/gui/VentanaUsuariosAdmin.java File Reference 86
7.21 src/main/java/es/deusto/spq/client/Habitacion.java File Reference 86
7.22 src/main/java/es/deusto/spq/client/Main.java File Reference 86
7.23 src/main/java/es/deusto/spq/server/Main.java File Reference 86
7.24 src/main/java/es/deusto/spq/client/Reserva.java File Reference 87
7.25 src/main/java/es/deusto/spq/client/RWException.java File Reference 87
7.26 src/main/java/es/deusto/spq/client/ServiceLocator.java File Reference 87
7.27 src/main/java/es/deusto/spq/server/DBManager.java File Reference 87
7.28 src/main/java/es/deusto/spq/server/IRemoteFacade.java File Reference 88
7.29 src/main/java/es/deusto/spq/server/RemoteFacade.java File Reference 88
7.30 src/test/java/es/deusto/spq/client/ClienteTest.java File Reference 88
7.31 src/test/java/es/deusto/spq/client/ControllerTest.java File Reference 88
7.32 src/test/java/es/deusto/spq/client/HabitacionTest.java File Reference 89
7.33 src/test/java/es/deusto/spq/client/ReservaTest.java File Reference 89
7.34 src/test/java/es/deusto/spq/server/RemoteFacadeTest.java File Reference 89

Index **91**

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

es.deusto.spq.client 9
es.deusto.spq.client.gui 9
es.deusto.spq.server 10

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

es.deusto.spq.client.Cliente . . . 11
es.deusto.spq.client.ClienteTest . . . 15
es.deusto.spq.client.Controller . . . 17
es.deusto.spq.client.ControllerTest . . . 22
es.deusto.spq.server.DBManager . . . 24
es.deusto.spq.client.EstadisticaFeedback . . . 31
es.deusto.spq.client.Evento . . . 33
Exception
    es.deusto.spq.client.RWException . . . 63
es.deusto.spq.client.Feedback . . . 37
es.deusto.spq.client.GetProperties . . . 39
es.deusto.spq.server.GetProperties . . . 40
es.deusto.spq.client.Habitacion . . . 41
es.deusto.spq.client.HabitacionTest . . . 44
es.deusto.spq.server.IRemoteFacade . . . 45
    es.deusto.spq.server.RemoteFacade . . . 51
es.deusto.spq.client.Main . . . 48
es.deusto.spq.server.Main . . . 48
es.deusto.spq.client.Feedback.Recomendacion . . . 50
es.deusto.spq.server.RemoteFacadeTest . . . 56
es.deusto.spq.client.Reserva . . . 58
es.deusto.spq.client.ReservaTest . . . 62
es.deusto.spq.client.ServiceLocator . . . 64
JFrame
    es.deusto.spq.client.gui.VentanaAdmin . . . 69
    es.deusto.spq.client.gui.VentanaCrearEvento . . . 70
    es.deusto.spq.client.gui.VentanaDatosCliente . . . 71
    es.deusto.spq.client.gui.VentanaEstadisticas . . . 71
    es.deusto.spq.client.gui.VentanaEventos . . . 72
    es.deusto.spq.client.gui.VentanaFeedback . . . 73
    es.deusto.spq.client.gui.VentanaInicioSesion . . . 74
    es.deusto.spq.client.gui.VentanaMenu . . . 75
    es.deusto.spq.client.gui.VentanaMostrarReservas . . . 75
    es.deusto.spq.client.gui.VentanaRegistro . . . 76
    es.deusto.spq.client.gui.VentanaReservas . . . 77

es.deusto.spq.client.gui.VentanaReservasAdmin 78
es.deusto.spq.client.gui.VentanaUsuariosAdmin 79
JTextField
es.deusto.spq.client.gui.VentanaRegistro.JNumberTextField 47

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

es.deusto.spq.client.Cliente . . . 11
es.deusto.spq.client.ClienteTest . . . 15
es.deusto.spq.client.Controller . . . 17
es.deusto.spq.client.ControllerTest . . . 22
es.deusto.spq.server.DBManager . . . 24
es.deusto.spq.client.EstadisticaFeedback . . . 31
es.deusto.spq.client.Evento . . . 33
es.deusto.spq.client.Feedback . . . 37
es.deusto.spq.client.GetProperties . . . 39
es.deusto.spq.server.GetProperties . . . 40
es.deusto.spq.client.Habitacion . . . 41
es.deusto.spq.client.HabitacionTest . . . 44
es.deusto.spq.server.IRemoteFacade . . . 45
es.deusto.spq.client.gui.VentanaRegistro.JNumberTextField . . . 47
es.deusto.spq.client.Main . . . 48
es.deusto.spq.server.Main . . . 48
es.deusto.spq.client.Feedback.Recomendacion . . . 50
es.deusto.spq.server.RemoteFacade . . . 51
es.deusto.spq.server.RemoteFacadeTest . . . 56
es.deusto.spq.client.Reserva . . . 58
es.deusto.spq.client.ReservaTest . . . 62
es.deusto.spq.client.RWException . . . 63
es.deusto.spq.client.ServiceLocator . . . 64
es.deusto.spq.client.gui.VentanaAdmin . . . 69
es.deusto.spq.client.gui.VentanaCrearEvento . . . 70
es.deusto.spq.client.gui.VentanaDatosCliente . . . 71
es.deusto.spq.client.gui.VentanaEstadisticas . . . 71
es.deusto.spq.client.gui.VentanaEventos . . . 72
es.deusto.spq.client.gui.VentanaFeedback . . . 73
es.deusto.spq.client.gui.VentanaInicioSesion . . . 74
es.deusto.spq.client.gui.VentanaMenu . . . 75
es.deusto.spq.client.gui.VentanaMostrarReservas . . . 75
es.deusto.spq.client.gui.VentanaRegistro . . . 76
es.deusto.spq.client.gui.VentanaReservas . . . 77
es.deusto.spq.client.gui.VentanaReservasAdmin . . . 78
es.deusto.spq.client.gui.VentanaUsuariosAdmin . . . 79

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

src/main/java/es/deusto/spq/client/ **Cliente.java** . . . 81
src/main/java/es/deusto/spq/client/ **Controller.java** . . . 81
src/main/java/es/deusto/spq/client/ **EstadisticaFeedback.java** . . . 81
src/main/java/es/deusto/spq/client/ **Evento.java** . . . 82
src/main/java/es/deusto/spq/client/ **Feedback.java** . . . 82
src/main/java/es/deusto/spq/client/ **GetProperties.java** . . . 82
src/main/java/es/deusto/spq/client/ **Habitacion.java** . . . 86
src/main/java/es/deusto/spq/client/ **Main.java** . . . 86
src/main/java/es/deusto/spq/client/ **Reserva.java** . . . 87
src/main/java/es/deusto/spq/client/ **RWException.java** . . . 87
src/main/java/es/deusto/spq/client/ **ServiceLocator.java** . . . 87
src/main/java/es/deusto/spq/client/gui/ **VentanaAdmin.java** . . . 83
src/main/java/es/deusto/spq/client/gui/ **VentanaCrearEvento.java** . . . 83
src/main/java/es/deusto/spq/client/gui/ **VentanaDatosCliente.java** . . . 83
src/main/java/es/deusto/spq/client/gui/ **VentanaEstadisticas.java** . . . 83
src/main/java/es/deusto/spq/client/gui/ **VentanaEventos.java** . . . 84
src/main/java/es/deusto/spq/client/gui/ **VentanaFeedback.java** . . . 84
src/main/java/es/deusto/spq/client/gui/ **VentanaInicioSesion.java** . . . 84
src/main/java/es/deusto/spq/client/gui/ **VentanaMenu.java** . . . 84
src/main/java/es/deusto/spq/client/gui/ **VentanaMostrarReservas.java** . . . 85
src/main/java/es/deusto/spq/client/gui/ **VentanaRegistro.java** . . . 85
src/main/java/es/deusto/spq/client/gui/ **VentanaReservas.java** . . . 85
src/main/java/es/deusto/spq/client/gui/ **VentanaReservasAdmin.java** . . . 85
src/main/java/es/deusto/spq/client/gui/ **VentanaUsuariosAdmin.java** . . . 86
src/main/java/es/deusto/spq/server/ **DBManager.java** . . . 87
src/main/java/es/deusto/spq/server/ **GetProperties.java** . . . 82
src/main/java/es/deusto/spq/server/ **IRemoteFacade.java** . . . 88
src/main/java/es/deusto/spq/server/ **Main.java** . . . 86
src/main/java/es/deusto/spq/server/ **RemoteFacade.java** . . . 88
src/test/java/es/deusto/spq/client/ **ClienteTest.java** . . . 88
src/test/java/es/deusto/spq/client/ **ControllerTest.java** . . . 88
src/test/java/es/deusto/spq/client/ **HabitacionTest.java** . . . 89
src/test/java/es/deusto/spq/client/ **ReservaTest.java** . . . 89
src/test/java/es/deusto/spq/server/ **RemoteFacadeTest.java** . . . 89

Chapter 5

Namespace Documentation

5.1 Package es.deusto.spq.client

Packages

- package **gui**

Classes

- class **Cliente**
- class **Controller**
- class **EstadisticaFeedback**
- class **Evento**
- class **Feedback**
- class **GetProperties**
- class **Habitacion**
- class **Main**
- class **Reserva**
- class **RWException**
- class **ServiceLocator**
- class **ClienteTest**
- class **ControllerTest**
- class **HabitacionTest**
- class **ReservaTest**

5.2 Package es.deusto.spq.client.gui

Classes

- class **VentanaAdmin**
- class **VentanaCrearEvento**
- class **VentanaDatosCliente**
- class **VentanaEstadisticas**
- class **VentanaEventos**
- class **VentanaFeedback**
- class **VentanaInicioSesion**
- class **VentanaMenu**
- class **VentanaMostrarReservas**
- class **VentanaRegistro**
- class **VentanaReservas**
- class **VentanaReservasAdmin**
- class **VentanaUsuariosAdmin**

5.3 Package es.deusto.spq.server

Classes

- class **DBManager**
- class **GetProperties**
- interface **IRemoteFacade**
- class **Main**
- class **RemoteFacade**
- class **RemoteFacadeTest**

Chapter 6

Class Documentation

6.1 es.deusto.spq.client.Cliente Class Reference

Public Member Functions

- **Cliente** (String DNI, String nombre, String apellido, String email, String contrasenya, boolean esAdmin)
- **Cliente** ()
- String **getDNI** ()
- void **setDNI** (String dNI)
- String **getNombre** ()
- void **setNombre** (String nombre)
- String **getApellido** ()
- void **setApellido** (String apellido)
- String **getEmail** ()
- void **setEmail** (String email)
- String **getContrasenya** ()
- void **setContrasenya** (String contrasenya)
- boolean **isEsAdmin** ()
- void **setEsAdmin** (boolean esAdmin)
- String **toString** ()

Static Public Member Functions

- static void **main** (String[ ] args)

6.1.1 Detailed Description

Clase para la creación de clientes

Author

Sergio

Definition at line 14 of file Cliente.java.

6.1.2 Constructor & Destructor Documentation

6.1.2.1 Cliente() [1/2]

```
es.deusto.spq.client.Cliente.Cliente (
            String DNI,
            String nombre,
            String apellido,
            String email,
            String contrasenya,
            boolean esAdmin )
```

Constructor del cliente

Parameters

DNI	Dni del cliente
nombre	Nombre del cliente
apellido	Apellido del cliente
email	Email del cliente
contrasenya	Contraseña del cliente
esAdmin	Booleano del si es admin o no

Definition at line 32 of file Cliente.java.

6.1.2.2 Cliente() [2/2]

```
es.deusto.spq.client.Cliente.Cliente ( )
```

Definition at line 42 of file Cliente.java.

6.1.3 Member Function Documentation

6.1.3.1 getApellido()

```
String es.deusto.spq.client.Cliente.getApellido ( )
```

Definition at line 62 of file Cliente.java.

6.1.3.2 getContrasenya()

```
String es.deusto.spq.client.Cliente.getContrasenya ( )
```

Definition at line 78 of file Cliente.java.

6.1.3.3 getDNI()

```
String es.deusto.spq.client.Cliente.getDNI ( )
```

Definition at line 46 of file Cliente.java.

6.1.3.4 getEmail()

```
String es.deusto.spq.client.Cliente.getEmail ( )
```

Definition at line 70 of file Cliente.java.

6.1.3.5 getNombre()

```
String es.deusto.spq.client.Cliente.getNombre ( )
```

Definition at line 54 of file Cliente.java.

6.1.3.6 isEsAdmin()

```
boolean es.deusto.spq.client.Cliente.isEsAdmin ( )
```

Definition at line 86 of file Cliente.java.

6.1.3.7 main()

```
static void es.deusto.spq.client.Cliente.main (
            String[] args )  [static]
```

Definition at line 101 of file Cliente.java.

6.1.3.8 setApellido()

```
void es.deusto.spq.client.Cliente.setApellido (
            String apellido )
```

Definition at line 66 of file Cliente.java.

6.1.3.9 setContrasenya()

```
void es.deusto.spq.client.Cliente.setContrasenya (
            String contrasenya )
```

Definition at line 82 of file Cliente.java.

6.1.3.10 setDNI()

```
void es.deusto.spq.client.Cliente.setDNI (
            String dNI )
```

Definition at line 50 of file Cliente.java.

6.1.3.11 setEmail()

```
void es.deusto.spq.client.Cliente.setEmail (
            String email )
```

Definition at line 74 of file Cliente.java.

6.1.3.12 setEsAdmin()

```
void es.deusto.spq.client.Cliente.setEsAdmin (
            boolean esAdmin )
```

Definition at line 90 of file Cliente.java.

6.1.3.13 setNombre()

```
void es.deusto.spq.client.Cliente.setNombre (
            String nombre )
```

Definition at line 58 of file Cliente.java.

6.1.3.14 toString()

```
String es.deusto.spq.client.Cliente.toString ( )
```

Definition at line 97 of file Cliente.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/ **Cliente.java**

6.2 es.deusto.spq.client.ClienteTest Class Reference

Public Member Functions

- void **setUp** ()
- void **getDNITest** ()
- void **getNombreTest** ()
- void **getApellidoTest** ()
- void **getEmailTest** ()
- void **getContrasenyaTest** ()
- void **getEsAdminTest** ()

6.2.1 Detailed Description

Definition at line 10 of file ClienteTest.java.

6.2.2 Member Function Documentation

6.2.2.1 getApellidoTest()

```
void es.deusto.spq.client.ClienteTest.getApellidoTest ( )
```

Definition at line 28 of file ClienteTest.java.

6.2.2.2 getContrasenyaTest()

```
void es.deusto.spq.client.ClienteTest.getContrasenyaTest ( )
```

Definition at line 36 of file ClienteTest.java.

6.2.2.3 getDNITest()

```
void es.deusto.spq.client.ClienteTest.getDNITest ( )
```

Definition at line 20 of file ClienteTest.java.

6.2.2.4 getEmailTest()

```
void es.deusto.spq.client.ClienteTest.getEmailTest ( )
```

Definition at line 32 of file ClienteTest.java.

6.2.2.5 getEsAdminTest()

```
void es.deusto.spq.client.ClienteTest.getEsAdminTest ( )
```

Definition at line 40 of file ClienteTest.java.

6.2.2.6 getNombreTest()

```
void es.deusto.spq.client.ClienteTest.getNombreTest ( )
```

Definition at line 24 of file ClienteTest.java.

6.2.2.7 setUp()

```
void es.deusto.spq.client.ClienteTest.setUp ( )
```

Definition at line 15 of file ClienteTest.java.

The documentation for this class was generated from the following file:

- src/test/java/es/deusto/spq/client/ **ClienteTest.java**

6.3 es.deusto.spq.client.Controller Class Reference

Public Member Functions

- **Controller** (**ServiceLocator serviceLocator**)
- int **iniciarSesion** (String email, String contrasenya)
- **Cliente getUsuario** (String email)
- **Reserva getReserva** (String codigoReserva)
- boolean **anadirCliente** (String DNI, String nombre, String apellido, String email, String contrasenya, boolean esAdmin)
- boolean **anadirReserva** (String codigoReserva, String codigoHabitacion, String emailUsuario, int dia, int mes, int anyo)
- **Habitacion getHabitacion** (String codigo)
- List< **Habitacion** > **obtenerHabitaciones** ()
- List< **Cliente** > **obtenerClientes** ()
- List< **Reserva** > **obtenerReservas** ()
- boolean **editarUsuario** (**Cliente** user)
- Response **borrarCliente** (**Cliente** cliente)
- Response **borrarReserva** (**Reserva** reserva)
- boolean **anadirEvento** (String codigo, String nombre, String descripcion, int dia, int mes, int anyo, String hora, int numMaxPersonas)
- Response **borrarEvento** (**Evento** evento)
- **Evento getEvento** (String codigo)
- List< **Evento** > **getEventos** (String codigo)

Public Attributes

- **ServiceLocator serviceLocator**

6.3.1 Detailed Description

Clase que hace de conexion entre el **ServiceLocator** (p. 64) y las GUI.

Author

Sergio

Definition at line 17 of file Controller.java.

6.3.2 Constructor & Destructor Documentation

6.3.2.1 Controller()

```
es.deusto.spq.client.Controller.Controller (
            ServiceLocator serviceLocator )
```

Es el constructor de la clase **Controller** (p. 17).

Parameters

serviceLocator	El **ServiceLocator** (p. 64) con el que se conectará

Definition at line 24 of file Controller.java.

6.3.3 Member Function Documentation

6.3.3.1 anadirCliente()

```
boolean es.deusto.spq.client.Controller.anadirCliente (
            String DNI,
            String nombre,
            String apellido,
            String email,
            String contrasenya,
            boolean esAdmin )
```

Método para registrar un usuario nuevo

Parameters

DNI	DNI del usuario a registrar
nombre	Nombre del usuario a registrar
apellido	Apellido del usuario a registrar
email	Email del usuario a registrar
contrasenya	Contraseña del usuario a registrar
esAdmin	Booleano de si es admin o no

Returns

Devuelve un booleano el cual es true si no ha habido ningún error.

Definition at line 59 of file Controller.java.

6.3.3.2 anadirEvento()

```
boolean es.deusto.spq.client.Controller.anadirEvento (
            String codigo,
            String nombre,
            String descripcion,
            int dia,
            int mes,
            int anyo,
```

```
            String hora,
            int numMaxPersonas )
```

Definition at line 117 of file Controller.java.

6.3.3.3 anadirReserva()

```
boolean es.deusto.spq.client.Controller.anadirReserva (
            String codigoReserva,
            String codigoHabitacion,
            String emailUsuario,
            int dia,
            int mes,
            int anyo )
```

Método para registrar una nueva reserva

Parameters

codigoReserva	codigo de la reserva a registrar
codigoHabitacion	codigo de la habitacion que sera reservada
emailUsuario	email del usuario que reserva
dia	dia de la reserva
mes	mes de la reserva
anyo	anyo de la reserva

Returns

Devuelve un booleano el cual es true si no ha habido ningún error.

Definition at line 72 of file Controller.java.

6.3.3.4 borrarCliente()

```
Response es.deusto.spq.client.Controller.borrarCliente (
            Cliente cliente )
```

Definition at line 109 of file Controller.java.

6.3.3.5 borrarEvento()

```
Response es.deusto.spq.client.Controller.borrarEvento (
            Evento evento )
```

Definition at line 121 of file Controller.java.

6.3.3.6 borrarReserva()

```
Response es.deusto.spq.client.Controller.borrarReserva (
              Reserva reserva )
```

Definition at line 113 of file Controller.java.

6.3.3.7 editarUsuario()

```
boolean es.deusto.spq.client.Controller.editarUsuario (
              Cliente user )
```

Definition at line 102 of file Controller.java.

6.3.3.8 getEvento()

```
 Evento es.deusto.spq.client.Controller.getEvento (
             String codigo )
```

Definition at line 125 of file Controller.java.

6.3.3.9 getEventos()

```
List< Evento> es.deusto.spq.client.Controller.getEventos (
             String codigo )
```

Definition at line 129 of file Controller.java.

6.3.3.10 getHabitacion()

```
 Habitacion es.deusto.spq.client.Controller.getHabitacion (
             String codigo )
```

Método para obtener la habitaciones del hotel

Parameters

codigo	Código de la habitación

Returns

Devuelve la habitación seleccionada

Definition at line 82 of file Controller.java.

6.3.3.11 getReserva()

```
Reserva es.deusto.spq.client.Controller.getReserva (
            String codigoReserva )
```

Definition at line 45 of file Controller.java.

6.3.3.12 getUsuario()

```
Cliente es.deusto.spq.client.Controller.getUsuario (
            String email )
```

Método para encontrar un usuario por email

Definition at line 41 of file Controller.java.

6.3.3.13 iniciarSesion()

```
int es.deusto.spq.client.Controller.iniciarSesion (
            String email,
            String contrasenya )
```

Método para iniciar sesión con un email y una contraseña. Llama al método con el mismo nombre del **Service Locator** (p. 64)

Parameters

email	Email con el que el usuario va a iniciar sesión.
contrasenya	Contraseña con la que el usuario va a iniciar sesión.

Returns

Un int que es 0 en caso de que haya habido error o el usuario sea incorrecto, 1 en caso de que no sea un gestor y 2 en caso de que lo sea

Definition at line 34 of file Controller.java.

6.3.3.14 obtenerClientes()

```
List< Cliente> es.deusto.spq.client.Controller.obtenerClientes ( )
```

Definition at line 94 of file Controller.java.

6.3.3.15 obtenerHabitaciones()

```
List< Habitacion> es.deusto.spq.client.Controller.obtenerHabitaciones ( )
```

Método para encontrar un usuario por email

Definition at line 90 of file Controller.java.

6.3.3.16 obtenerReservas()

```
List< Reserva> es.deusto.spq.client.Controller.obtenerReservas ( )
```

Definition at line 98 of file Controller.java.

6.3.4 Member Data Documentation

6.3.4.1 serviceLocator

```
ServiceLocator es.deusto.spq.client.Controller.serviceLocator
```

Definition at line 19 of file Controller.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/ **Controller.java**

6.4 es.deusto.spq.client.ControllerTest Class Reference

Public Member Functions

- void **iniciarSesionTest** ()
- void **registrarUsuarioTest** ()
- void **obtenerHabitacionesTest** ()
- void **obtenerClientesTest** ()
- void **obtenerReservasTest** ()

Public Attributes

- ContiPerfRule **i** = new ContiPerfRule()

6.4.1 Detailed Description

Definition at line 15 of file ControllerTest.java.

6.4.2 Member Function Documentation

6.4.2.1 iniciarSesionTest()

```
void es.deusto.spq.client.ControllerTest.iniciarSesionTest ( )
```

Definition at line 26 of file ControllerTest.java.

6.4.2.2 obtenerClientesTest()

```
void es.deusto.spq.client.ControllerTest.obtenerClientesTest ( )
```

Definition at line 57 of file ControllerTest.java.

6.4.2.3 obtenerHabitacionesTest()

```
void es.deusto.spq.client.ControllerTest.obtenerHabitacionesTest ( )
```

Definition at line 47 of file ControllerTest.java.

6.4.2.4 obtenerReservasTest()

```
void es.deusto.spq.client.ControllerTest.obtenerReservasTest ( )
```

Definition at line 66 of file ControllerTest.java.

6.4.2.5 registrarUsuarioTest()

```
void es.deusto.spq.client.ControllerTest.registrarUsuarioTest ( )
```

Definition at line 31 of file ControllerTest.java.

6.4.3 Member Data Documentation

6.4.3.1 i

```
ContiPerfRule es.deusto.spq.client.ControllerTest.i = new ContiPerfRule()
```

Definition at line 23 of file ControllerTest.java.

The documentation for this class was generated from the following file:

- src/test/java/es/deusto/spq/client/ **ControllerTest.java**

6.5 es.deusto.spq.server.DBManager Class Reference

Public Member Functions

- void **deleteData** ()
- void **storeObjectInDB** (Object object)
- void **deleteObjectFromDB** (Object object)
- void **store** (**Cliente** client)
- void **delete** (**Cliente** client)
- void **update** (**Cliente** client)
- void **store** (**Habitacion** h)
- void **delete** (**Habitacion** h)
- void **store** (**Reserva** r)
- void **delete** (**Reserva** r)
- void **store** (**Evento** e)
- void **delete** (**Evento** e)
- void **store** (**Feedback** f)
- void **delete** (**Feedback** f)
- void **borrarCliente** (**Cliente** cliente)
- void **borrarReserva** (**Reserva** reserva)
- List< **Cliente** > **getClientes** ()
- List< **Reserva** > **getReservas** ()
- void **deleteClientes** ()
- void **deletehabitaciones** ()
- void **deleteReservas** ()
- void **actualizarDatosCliente** (String dni, String nombre, String apellido, String password, String correo)
- void **anadirHabitaciones** (List< **Habitacion** > habitaciones)
- void **anadirCliente** (List< **Cliente** > clientes)
- **Habitacion** **getHabitacion** (String codigo)
- List< **Habitacion** > **getHabitaciones** ()
- **Evento** **getEvento** (String codigo)
- void **borrarEvento** (**Evento** evento)
- List< **Evento** > **getEventos** ()
- void **initializeData** ()

Static Public Member Functions

- static **DBManager getInstance** ()
- static **Cliente getUsuario** (String email)
- static ArrayList< **Cliente** > **seleccionaUsuarioBD** ()
- static **Reserva getReserva** (String codigo)

6.5.1 Detailed Description

Definition at line 24 of file DBManager.java.

6.5.2 Member Function Documentation

6.5.2.1 actualizarDatosCliente()

```
void es.deusto.spq.server.DBManager.actualizarDatosCliente (
            String dni,
            String nombre,
            String apellido,
            String password,
            String correo )
```

Definition at line 445 of file DBManager.java.

6.5.2.2 anadirCliente()

```
void es.deusto.spq.server.DBManager.anadirCliente (
            List< Cliente > clientes )
```

Definition at line 491 of file DBManager.java.

6.5.2.3 anadirHabitaciones()

```
void es.deusto.spq.server.DBManager.anadirHabitaciones (
            List< Habitacion > habitaciones )
```

Definition at line 464 of file DBManager.java.

6.5.2.4 borrarCliente()

```
void es.deusto.spq.server.DBManager.borrarCliente (
            Cliente cliente )
```

Definition at line 193 of file DBManager.java.

6.5.2.5 borrarEvento()

```
void es.deusto.spq.server.DBManager.borrarEvento (
            Evento evento )
```

Definition at line 604 of file DBManager.java.

6.5.2.6 borrarReserva()

```
void es.deusto.spq.server.DBManager.borrarReserva (
            Reserva reserva )
```

Definition at line 214 of file DBManager.java.

6.5.2.7 delete() [1/5]

```
void es.deusto.spq.server.DBManager.delete (
            Cliente client )
```

Definition at line 115 of file DBManager.java.

6.5.2.8 delete() [2/5]

```
void es.deusto.spq.server.DBManager.delete (
            Evento e )
```

Definition at line 154 of file DBManager.java.

6.5.2.9 delete() [3/5]

```
void es.deusto.spq.server.DBManager.delete (
            Feedback f )
```

Definition at line 162 of file DBManager.java.

6.5.2.10 delete() [4/5]

```
void es.deusto.spq.server.DBManager.delete (
              Habitacion h )
```

Definition at line 138 of file DBManager.java.

6.5.2.11 delete() [5/5]

```
void es.deusto.spq.server.DBManager.delete (
              Reserva r )
```

Definition at line 146 of file DBManager.java.

6.5.2.12 deleteClientes()

```
void es.deusto.spq.server.DBManager.deleteClientes ( )
```

Definition at line 358 of file DBManager.java.

6.5.2.13 deleteData()

```
void es.deusto.spq.server.DBManager.deleteData ( )
```

Definition at line 55 of file DBManager.java.

6.5.2.14 deletehabitaciones()

```
void es.deusto.spq.server.DBManager.deletehabitaciones ( )
```

Definition at line 387 of file DBManager.java.

6.5.2.15 deleteObjectFromDB()

```
void es.deusto.spq.server.DBManager.deleteObjectFromDB (
             Object object )
```

Definition at line 84 of file DBManager.java.

6.5.2.16 deleteReservas()

```
void es.deusto.spq.server.DBManager.deleteReservas ( )
```

Definition at line 416 of file DBManager.java.

6.5.2.17 getClientes()

```
List< Cliente> es.deusto.spq.server.DBManager.getClientes ( )
```

Definition at line 271 of file DBManager.java.

6.5.2.18 getEvento()

```
Evento es.deusto.spq.server.DBManager.getEvento (
            String codigo )
```

Definition at line 577 of file DBManager.java.

6.5.2.19 getEventos()

```
List< Evento> es.deusto.spq.server.DBManager.getEventos ( )
```

Definition at line 625 of file DBManager.java.

6.5.2.20 getHabitacion()

```
Habitacion es.deusto.spq.server.DBManager.getHabitacion (
            String codigo )
```

Definition at line 520 of file DBManager.java.

6.5.2.21 getHabitaciones()

```
List< Habitacion> es.deusto.spq.server.DBManager.getHabitaciones ( )
```

Definition at line 547 of file DBManager.java.

6.5.2.22 getInstance()

```
static DBManager es.deusto.spq.server.DBManager.getInstance ( ) [static]
```

Método para obtener la instancia del **DBManager** (p. 24). En caso de no existir la crea Si ya existe la devuelve

Returns

la instancia de **DBManager** (p. 24)

Definition at line 40 of file DBManager.java.

6.5.2.23 getReserva()

```
static Reserva es.deusto.spq.server.DBManager.getReserva (
            String codigo ) [static]
```

Definition at line 331 of file DBManager.java.

6.5.2.24 getReservas()

```
List< Reserva> es.deusto.spq.server.DBManager.getReservas ( )
```

Definition at line 301 of file DBManager.java.

6.5.2.25 getUsuario()

```
static Cliente es.deusto.spq.server.DBManager.getUsuario (
            String email ) [static]
```

Definition at line 166 of file DBManager.java.

6.5.2.26 initializeData()

```
void es.deusto.spq.server.DBManager.initializeData ( )
```

Definition at line 657 of file DBManager.java.

6.5.2.27 seleccionaUsuarioBD()

```
static ArrayList< Cliente> es.deusto.spq.server.DBManager.seleccionaUsuarioBD ( )  [static]
```

Definition at line 235 of file DBManager.java.

6.5.2.28 store() [1/5]

```
void es.deusto.spq.server.DBManager.store (
            Cliente client )
```

Definition at line 106 of file DBManager.java.

6.5.2.29 store() [2/5]

```
void es.deusto.spq.server.DBManager.store (
            Evento e )
```

Definition at line 150 of file DBManager.java.

6.5.2.30 store() [3/5]

```
void es.deusto.spq.server.DBManager.store (
            Feedback f )
```

Definition at line 158 of file DBManager.java.

6.5.2.31 store() [4/5]

```
void es.deusto.spq.server.DBManager.store (
            Habitacion h )
```

Definition at line 134 of file DBManager.java.

6.5.2.32 store() [5/5]

```
void es.deusto.spq.server.DBManager.store (
            Reserva r )
```

Definition at line 142 of file DBManager.java.

6.5.2.33 storeObjectInDB()

```
void es.deusto.spq.server.DBManager.storeObjectInDB (
            Object object )
```

Definition at line 62 of file DBManager.java.

6.5.2.34 update()

```
void es.deusto.spq.server.DBManager.update (
             Cliente client )
```

Definition at line 125 of file DBManager.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/server/ **DBManager.java**

6.6 es.deusto.spq.client.EstadisticaFeedback Class Reference

Static Public Member Functions

- static double **mediaPuntuacion** (double a, double b)
- static Map< Integer, Double > **siNo** (double a, double b, double c)
- static Map< Integer, Double > **ReadAndLoad** () throws RWException

6.6.1 Detailed Description

Definition at line 13 of file EstadisticaFeedback.java.

6.6.2 Member Function Documentation

6.6.2.1 mediaPuntuacion()

```
static double es.deusto.spq.client.EstadisticaFeedback.mediaPuntuacion (
            double a,
            double b )  [static]
```

Este metodo sirve para realizar una puntuacion media de los feedbacks que realizan los usuarios

Parameters

a	Puntuacion a
b	Puntuacion b

Returns

El valor de la puntuacion media

Definition at line 24 of file EstadisticaFeedback.java.

6.6.2.2 ReadAndLoad()

```
static Map<Integer, Double> es.deusto.spq.client.EstadisticaFeedback.ReadAndLoad ( ) throws
RWException [static]
```

Este metodo sirve para recibir y guardar el **Feedback** (p. 37) de los usuarios en un .log Recibe y guarda la valoracion del usuario (del 1 al 5) y la recomendacion (si o no) Ademas, con esos datos realiza la media de valoracion y el porcentaje de si o no

Returns

Array con los resultados de la media de valoracion y el porcentaje si o no

Exceptions

RWException *(p. 63)*	En caso de error

Definition at line 67 of file EstadisticaFeedback.java.

6.6.2.3 siNo()

```
static Map<Integer, Double> es.deusto.spq.client.EstadisticaFeedback.siNo (
            double a,
            double b,
            double c )  [static]
```

Resultado de la recomendacion "si" o "no" que realizan los usuarios

Parameters

a	Recomendacion Si
b	Recomendacion No
c	c

Returns

Devuelve el array con los resultado de las recomendaciones

Definition at line 41 of file EstadisticaFeedback.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/ **EstadisticaFeedback.java**

6.7 es.deusto.spq.client.Evento Class Reference

Public Member Functions

- **Evento** (**Evento** e)
- **Evento** (String codigo, String nombre, String descripcion, int dia, int mes, int anyo, String hora, int num↩ MaxPersonas)
- **Evento** ()
- String **getCodigo** ()
- void **setCodigo** (String codigo)
- String **getNombre** ()
- void **setNombre** (String nombre)
- String **getDescripcion** ()
- void **setDescripcion** (String descripcion)
- int **getDia** ()
- void **setDia** (int dia)
- int **getMes** ()
- void **setMes** (int mes)
- int **getAnyo** ()
- void **setAnyo** (int anyo)
- String **getHora** ()
- void **setHora** (String hora)
- int **getNumMaxPersonas** ()
- void **setNumMaxPersonas** (int numMaxPersonas)
- String **toString** ()

6.7.1 Detailed Description

Definition at line 10 of file Evento.java.

6.7.2 Constructor & Destructor Documentation

6.7.2.1 Evento() [1/3]

```
es.deusto.spq.client.Evento.Evento (
            Evento e )
```

Definition at line 21 of file Evento.java.

6.7.2.2 Evento() [2/3]

```
es.deusto.spq.client.Evento.Evento (
            String codigo,
            String nombre,
            String descripcion,
            int dia,
            int mes,
            int anyo,
            String hora,
            int numMaxPersonas )
```

Definition at line 33 of file Evento.java.

6.7.2.3 Evento() [3/3]

```
es.deusto.spq.client.Evento.Evento ( )
```

Definition at line 46 of file Evento.java.

6.7.3 Member Function Documentation

6.7.3.1 getAnyo()

```
int es.deusto.spq.client.Evento.getAnyo ( )
```

Definition at line 99 of file Evento.java.

6.7.3.2 getCodigo()

```
String es.deusto.spq.client.Evento.getCodigo ( )
```

Definition at line 59 of file Evento.java.

6.7.3.3 getDescripcion()

```
String es.deusto.spq.client.Evento.getDescripcion ( )
```

Definition at line 75 of file Evento.java.

6.7.3.4 getDia()

```
int es.deusto.spq.client.Evento.getDia ( )
```

Definition at line 83 of file Evento.java.

6.7.3.5 getHora()

```
String es.deusto.spq.client.Evento.getHora ( )
```

Definition at line 107 of file Evento.java.

6.7.3.6 getMes()

```
int es.deusto.spq.client.Evento.getMes ( )
```

Definition at line 91 of file Evento.java.

6.7.3.7 getNombre()

```
String es.deusto.spq.client.Evento.getNombre ( )
```

Definition at line 67 of file Evento.java.

6.7.3.8 getNumMaxPersonas()

```
int es.deusto.spq.client.Evento.getNumMaxPersonas ( )
```

Definition at line 115 of file Evento.java.

6.7.3.9 setAnyo()

```
void es.deusto.spq.client.Evento.setAnyo (
            int anyo )
```

Definition at line 103 of file Evento.java.

6.7.3.10 setCodigo()

```
void es.deusto.spq.client.Evento.setCodigo (
            String codigo )
```

Definition at line 63 of file Evento.java.

6.7.3.11 setDescripcion()

```
void es.deusto.spq.client.Evento.setDescripcion (
            String descripcion )
```

Definition at line 79 of file Evento.java.

6.7.3.12 setDia()

```
void es.deusto.spq.client.Evento.setDia (
            int dia )
```

Definition at line 87 of file Evento.java.

6.7.3.13 setHora()

```
void es.deusto.spq.client.Evento.setHora (
            String hora )
```

Definition at line 111 of file Evento.java.

6.7.3.14 setMes()

```
void es.deusto.spq.client.Evento.setMes (
            int mes )
```

Definition at line 95 of file Evento.java.

6.7.3.15 setNombre()

```
void es.deusto.spq.client.Evento.setNombre (
            String nombre )
```

Definition at line 71 of file Evento.java.

6.7.3.16 setNumMaxPersonas()

```
void es.deusto.spq.client.Evento.setNumMaxPersonas (
            int numMaxPersonas )
```

Definition at line 119 of file Evento.java.

6.7.3.17 toString()

```
String es.deusto.spq.client.Evento.toString ( )
```

Definition at line 124 of file Evento.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/ **Evento.java**

6.8 es.deusto.spq.client.Feedback Class Reference

Classes

- enum **Recomendacion**

Public Member Functions

- **Feedback** (String email, String valoracion, **Recomendacion** recomendacion)
- **Feedback** ()
- String **getEmail** ()
- void **setEmail** (String email)
- String **getValoracion** ()
- void **setValoracion** (String valoracion)
- **Recomendacion** **getRecomendacion** ()
- void **setRecomendacion** (**Recomendacion** recomendacion)
- String **toString** ()

6.8.1 Detailed Description

Definition at line 10 of file Feedback.java.

6.8.2 Constructor & Destructor Documentation

6.8.2.1 Feedback() [1/2]

```
es.deusto.spq.client.Feedback.Feedback (
            String email,
            String valoracion,
             Recomendacion recomendacion )
```

Definition at line 21 of file Feedback.java.

6.8.2.2 Feedback() [2/2]

```
es.deusto.spq.client.Feedback.Feedback ( )
```

Definition at line 28 of file Feedback.java.

6.8.3 Member Function Documentation

6.8.3.1 getEmail()

```
String es.deusto.spq.client.Feedback.getEmail ( )
```

Definition at line 36 of file Feedback.java.

6.8.3.2 getRecomendacion()

```
 Recomendacion es.deusto.spq.client.Feedback.getRecomendacion ( )
```

Definition at line 52 of file Feedback.java.

6.8.3.3 getValoracion()

```
String es.deusto.spq.client.Feedback.getValoracion ( )
```

Definition at line 44 of file Feedback.java.

6.8.3.4 setEmail()

```
void es.deusto.spq.client.Feedback.setEmail (
             String email )
```

Definition at line 40 of file Feedback.java.

6.8.3.5 setRecomendacion()

```
void es.deusto.spq.client.Feedback.setRecomendacion (
              Recomendacion recomendacion )
```

Definition at line 56 of file Feedback.java.

6.8.3.6 setValoracion()

```
void es.deusto.spq.client.Feedback.setValoracion (
             String valoracion )
```

Definition at line 48 of file Feedback.java.

6.8.3.7 toString()

```
String es.deusto.spq.client.Feedback.toString ( )
```

Definition at line 61 of file Feedback.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/ **Feedback.java**

6.9 es.deusto.spq.client.GetProperties Class Reference

Public Member Functions

- String **getURL** () throws IOException

6.9.1 Detailed Description

Definition at line 8 of file GetProperties.java.

6.9.2 Member Function Documentation

6.9.2.1 getURL()

```
String es.deusto.spq.client.GetProperties.getURL ( ) throws IOException
```

Definition at line 13 of file GetProperties.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/ **GetProperties.java**

6.10 es.deusto.spq.server.GetProperties Class Reference

Public Member Functions

- String **getURL** () throws IOException

6.10.1 Detailed Description

Definition at line 8 of file GetProperties.java.

6.10.2 Member Function Documentation

6.10.2.1 getURL()

```
String es.deusto.spq.server.GetProperties.getURL ( ) throws IOException
```

Definition at line 13 of file GetProperties.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/server/ **GetProperties.java**

6.11 es.deusto.spq.client.Habitacion Class Reference

Public Member Functions

- **Habitacion** (String codigo, int numCamas, double precio, boolean ocupada)
- **Habitacion** ()
- **Habitacion** (**Habitacion** h)
- String **getCodigo** ()
- void **setCodigo** (String codigo)
- int **getNumCamas** ()
- void **setNumCamas** (int numCamas)
- double **getPrecio** ()
- void **setPrecio** (double precio)
- boolean **isOcupada** ()
- void **setOcupada** (boolean ocupada)
- String **toString** ()

6.11.1 Detailed Description

Clase para la creación de habitaciones

Author

Sergio

Definition at line 14 of file Habitacion.java.

6.11.2 Constructor & Destructor Documentation

6.11.2.1 Habitacion() [1/3]

```
es.deusto.spq.client.Habitacion.Habitacion (
            String codigo,
            int numCamas,
            double precio,
            boolean ocupada )
```

Constructor de la clase habitación

Parameters

codigo	Código de la habitacion
numCamas	Número de camas que tiene la habitación
precio	Precio de la habitación
ocupada	Booleano de si la habitación está ocupada o no

Definition at line 27 of file Habitacion.java.

6.11.2.2 Habitacion() [2/3]

```
es.deusto.spq.client.Habitacion.Habitacion ( )
```

Definition at line 35 of file Habitacion.java.

6.11.2.3 Habitacion() [3/3]

```
es.deusto.spq.client.Habitacion.Habitacion (
            Habitacion h )
```

Definition at line 43 of file Habitacion.java.

6.11.3 Member Function Documentation

6.11.3.1 getCodigo()

```
String es.deusto.spq.client.Habitacion.getCodigo ( )
```

Definition at line 51 of file Habitacion.java.

6.11.3.2 getNumCamas()

```
int es.deusto.spq.client.Habitacion.getNumCamas ( )
```

Definition at line 59 of file Habitacion.java.

6.11.3.3 getPrecio()

```
double es.deusto.spq.client.Habitacion.getPrecio ( )
```

Definition at line 67 of file Habitacion.java.

6.11.3.4 isOcupada()

```
boolean es.deusto.spq.client.Habitacion.isOcupada ( )
```

Definition at line 75 of file Habitacion.java.

6.11.3.5 setCodigo()

```
void es.deusto.spq.client.Habitacion.setCodigo (
            String codigo )
```

Definition at line 55 of file Habitacion.java.

6.11.3.6 setNumCamas()

```
void es.deusto.spq.client.Habitacion.setNumCamas (
            int numCamas )
```

Definition at line 63 of file Habitacion.java.

6.11.3.7 setOcupada()

```
void es.deusto.spq.client.Habitacion.setOcupada (
            boolean ocupada )
```

Definition at line 79 of file Habitacion.java.

6.11.3.8 setPrecio()

```
void es.deusto.spq.client.Habitacion.setPrecio (
            double precio )
```

Definition at line 71 of file Habitacion.java.

6.11.3.9 toString()

```
String es.deusto.spq.client.Habitacion.toString ( )
```

Definition at line 84 of file Habitacion.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/ **Habitacion.java**

6.12 es.deusto.spq.client.HabitacionTest Class Reference

Public Member Functions

- void **setUp** ()
- void **getCodigoTest** ()
- void **getNumCamasTest** ()
- void **getPrecioTest** ()
- void **getOcupadaTest** ()

6.12.1 Detailed Description

Definition at line 8 of file HabitacionTest.java.

6.12.2 Member Function Documentation

6.12.2.1 getCodigoTest()

```
void es.deusto.spq.client.HabitacionTest.getCodigoTest ( )
```

Definition at line 17 of file HabitacionTest.java.

6.12.2.2 getNumCamasTest()

```
void es.deusto.spq.client.HabitacionTest.getNumCamasTest ( )
```

Definition at line 22 of file HabitacionTest.java.

6.12.2.3 getOcupadaTest()

```
void es.deusto.spq.client.HabitacionTest.getOcupadaTest ( )
```

Definition at line 34 of file HabitacionTest.java.

6.12.2.4 getPrecioTest()

```
void es.deusto.spq.client.HabitacionTest.getPrecioTest ( )
```

Definition at line 28 of file HabitacionTest.java.

6.12.2.5 setUp()

```
void es.deusto.spq.client.HabitacionTest.setUp ( )
```

Definition at line 12 of file HabitacionTest.java.

The documentation for this class was generated from the following file:

- src/test/java/es/deusto/spq/client/ **HabitacionTest.java**

6.13 es.deusto.spq.server.IRemoteFacade Interface Reference

Inheritance diagram for es.deusto.spq.server.IRemoteFacade:



Public Member Functions

- Response **iniciarSesion** (**Cliente** cliente)
- Response **registrarCliente** (**Cliente** cliente)
- **Cliente** **encontrarCliente** (String email)
- **Reserva** **encontrarReserva** (String codigoReserva)
- List< **Cliente** > **encontrarClientes** ()
- **Habitacion** **encontrarHabitacion** (String codigo)
- List< **Habitacion** > **encontrarHabitaciones** ()
- Response **editarUsuario** (**Cliente** user)
- List< **Reserva** > **encontrarReservas** ()
- Response **borrarReserva** (**Reserva** reserva)
- Response **registrarReserva** (**Reserva** reserva)

6.13.1 Detailed Description

Definition at line 9 of file IRemoteFacade.java.

6.13.2 Member Function Documentation

6.13.2.1 borrarReserva()

```
Response es.deusto.spq.server.IRemoteFacade.borrarReserva (
            Reserva reserva )
```

Implemented in **es.deusto.spq.server.RemoteFacade** (p. 52).

6.13.2.2 editarUsuario()

```
Response es.deusto.spq.server.IRemoteFacade.editarUsuario (
              Cliente user )
```

Implemented in **es.deusto.spq.server.RemoteFacade** (p. 53).

6.13.2.3 encontrarCliente()

```
 Cliente es.deusto.spq.server.IRemoteFacade.encontrarCliente (
             String email )
```

6.13.2.4 encontrarClientes()

```
List< Cliente> es.deusto.spq.server.IRemoteFacade.encontrarClientes ( )
```

Implemented in **es.deusto.spq.server.RemoteFacade** (p. 53).

6.13.2.5 encontrarHabitacion()

```
 Habitacion es.deusto.spq.server.IRemoteFacade.encontrarHabitacion (
             String codigo )
```

6.13.2.6 encontrarHabitaciones()

```
List< Habitacion> es.deusto.spq.server.IRemoteFacade.encontrarHabitaciones ( )
```

Implemented in **es.deusto.spq.server.RemoteFacade** (p. 54).

6.13.2.7 encontrarReserva()

```
 Reserva es.deusto.spq.server.IRemoteFacade.encontrarReserva (
             String codigoReserva )
```

6.13.2.8 encontrarReservas()

```
List< Reserva> es.deusto.spq.server.IRemoteFacade.encontrarReservas ( )
```

Implemented in **es.deusto.spq.server.RemoteFacade** (p. 54).

6.13.2.9 iniciarSesion()

```
Response es.deusto.spq.server.IRemoteFacade.iniciarSesion (
              Cliente cliente )
```

Implemented in **es.deusto.spq.server.RemoteFacade** (p. 55).

6.13.2.10 registrarCliente()

```
Response es.deusto.spq.server.IRemoteFacade.registrarCliente (
              Cliente cliente )
```

Implemented in **es.deusto.spq.server.RemoteFacade** (p. 55).

6.13.2.11 registrarReserva()

```
Response es.deusto.spq.server.IRemoteFacade.registrarReserva (
              Reserva reserva )
```

Implemented in **es.deusto.spq.server.RemoteFacade** (p. 55).

The documentation for this interface was generated from the following file:

- src/main/java/es/deusto/spq/server/ **IRemoteFacade.java**

6.14 es.deusto.spq.client.gui.VentanaRegistro.JNumberTextField Class Reference

Inheritance diagram for es.deusto.spq.client.gui.VentanaRegistro.JNumberTextField:



6.14.1 Detailed Description

Definition at line 47 of file VentanaRegistro.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/gui/ **VentanaRegistro.java**

6.15 es.deusto.spq.client.Main Class Reference

Static Public Member Functions

- static void **main** (String[ ] args)

6.15.1 Detailed Description

La clase principal. Lanza la clase de VentanaInicioSesion y crea el serviceLocator y el controller.

Author

Sergio

Definition at line 10 of file Main.java.

6.15.2 Member Function Documentation

6.15.2.1 main()

```
static void es.deusto.spq.client.Main.main (
            String[] args ) [static]
```

Definition at line 12 of file Main.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/ **Main.java**

6.16 es.deusto.spq.server.Main Class Reference

Static Public Member Functions

- static HttpServer **startServer** ()
- static String **getURL** ()
- static void **crearFicheroLog** ()
- static void **main** (String[ ] args) throws IOException

Static Public Attributes

- static PrintStream **logFeedback**
- static Logger **loggerGeneral** = Logger.getLogger(Main.class.getName())

6.16.1 Detailed Description

Main (p. 48) class.

Definition at line 20 of file Main.java.

6.16.2 Member Function Documentation

6.16.2.1 crearFicheroLog()

```
static void es.deusto.spq.server.Main.crearFicheroLog ( )  [static]
```

Metodo para poder crear ficheros log, en nuestro caso el de FeedbackLog.log

Definition at line 61 of file Main.java.

6.16.2.2 getURL()

```
static String es.deusto.spq.server.Main.getURL ( )  [static]
```

Definition at line 40 of file Main.java.

6.16.2.3 main()

```
static void es.deusto.spq.server.Main.main (
            String[] args ) throws IOException  [static]
```

Main (p. 48) method.

Parameters

args	

Exceptions

IOException	

Definition at line 77 of file Main.java.

6.16.2.4 startServer()

```
static HttpServer es.deusto.spq.server.Main.startServer ( )  [static]
```

Starts Grizzly HTTP server exposing JAX-RS resources defined in this application.

Returns

Grizzly HTTP server.

Definition at line 30 of file Main.java.

6.16.3 Member Data Documentation

6.16.3.1 logFeedback

```
PrintStream es.deusto.spq.server.Main.logFeedback  [static]
```

Definition at line 54 of file Main.java.

6.16.3.2 loggerGeneral

```
Logger es.deusto.spq.server.Main.loggerGeneral = Logger.getLogger(Main.class.getName())  [static]
```

Definition at line 55 of file Main.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/server/ **Main.java**

6.17 es.deusto.spq.client.Feedback.Recomendacion Enum Reference

Public Attributes

- **si**
- **no**

6.17.1 Detailed Description

Definition at line 12 of file Feedback.java.

6.17.2 Member Data Documentation

6.17.2.1 no

`es.deusto.spq.client.Feedback.Recomendacion.no`

Definition at line 14 of file Feedback.java.

6.17.2.2 si

`es.deusto.spq.client.Feedback.Recomendacion.si`

Definition at line 13 of file Feedback.java.

The documentation for this enum was generated from the following file:

- src/main/java/es/deusto/spq/client/ **Feedback.java**

6.18 es.deusto.spq.server.RemoteFacade Class Reference

Inheritance diagram for es.deusto.spq.server.RemoteFacade:



Public Member Functions

- **RemoteFacade** ()
- Response **iniciarSesion** (**Cliente** cliente)
- Response **registrarCliente** (**Cliente** cliente)
- **Cliente** **encontrarCliente** (@QueryParam("email") String email)
- **Reserva** **encontrarReserva** (@QueryParam("codigoReserva") String codigo)
- List< **Cliente** > **encontrarClientes** ()
- **Habitacion** **encontrarHabitacion** (@QueryParam("codigo") String codigo)
- List< **Habitacion** > **encontrarHabitaciones** ()
- List< **Reserva** > **encontrarReservas** ()
- Response **borrarUsuario** (**Cliente** cliente)
- Response **borrarReserva** (**Reserva** reserva)
- Response **editarUsuario** (**Cliente** user)
- Response **registrarReserva** (**Reserva** reserva)
- Response **registrarReserva** (**Evento** evento)
- Response **borrarEvento** (**Evento** evento)
- **Evento** **encontrarEvento** (@QueryParam("codigo") String codigo)
- List< **Evento** > **encontrarEventos** ()

Static Public Member Functions

- static **RemoteFacade** **getInstance** ()

6.18.1 Detailed Description

Definition at line 25 of file RemoteFacade.java.

6.18.2 Constructor & Destructor Documentation

6.18.2.1 RemoteFacade()

```
es.deusto.spq.server.RemoteFacade.RemoteFacade ( )
```

Definition at line 30 of file RemoteFacade.java.

6.18.3 Member Function Documentation

6.18.3.1 borrarEvento()

```
Response es.deusto.spq.server.RemoteFacade.borrarEvento (
            Evento evento )
```

Definition at line 181 of file RemoteFacade.java.

6.18.3.2 borrarReserva()

```
Response es.deusto.spq.server.RemoteFacade.borrarReserva (
            Reserva reserva )
```

Implements **es.deusto.spq.server.IRemoteFacade** (p. 45).

Definition at line 132 of file RemoteFacade.java.

6.18.3.3 borrarUsuario()

```
Response es.deusto.spq.server.RemoteFacade.borrarUsuario (
              Cliente cliente )
```

Definition at line 121 of file RemoteFacade.java.

6.18.3.4 editarUsuario()

```
Response es.deusto.spq.server.RemoteFacade.editarUsuario (
              Cliente user )
```

Implements **es.deusto.spq.server.IRemoteFacade** (p. 45).

Definition at line 143 of file RemoteFacade.java.

6.18.3.5 encontrarCliente()

```
 Cliente es.deusto.spq.server.RemoteFacade.encontrarCliente (
            @QueryParam("email") String email )
```

Definition at line 67 of file RemoteFacade.java.

6.18.3.6 encontrarClientes()

```
List< Cliente> es.deusto.spq.server.RemoteFacade.encontrarClientes ( )
```

Implements **es.deusto.spq.server.IRemoteFacade** (p. 46).

Definition at line 85 of file RemoteFacade.java.

6.18.3.7 encontrarEvento()

```
 Evento es.deusto.spq.server.RemoteFacade.encontrarEvento (
            @QueryParam("codigo") String codigo )
```

Definition at line 192 of file RemoteFacade.java.

6.18.3.8 encontrarEventos()

```
List< Evento> es.deusto.spq.server.RemoteFacade.encontrarEventos ( )
```

Definition at line 201 of file RemoteFacade.java.

6.18.3.9 encontrarHabitacion()

```
Habitacion es.deusto.spq.server.RemoteFacade.encontrarHabitacion (
            @QueryParam("codigo") String codigo )
```

Definition at line 94 of file RemoteFacade.java.

6.18.3.10 encontrarHabitaciones()

```
List< Habitacion> es.deusto.spq.server.RemoteFacade.encontrarHabitaciones ( )
```

Implements **es.deusto.spq.server.IRemoteFacade** (p. 46).

Definition at line 103 of file RemoteFacade.java.

6.18.3.11 encontrarReserva()

```
Reserva es.deusto.spq.server.RemoteFacade.encontrarReserva (
            @QueryParam("codigoReserva") String codigo )
```

Definition at line 76 of file RemoteFacade.java.

6.18.3.12 encontrarReservas()

```
List< Reserva> es.deusto.spq.server.RemoteFacade.encontrarReservas ( )
```

Implements **es.deusto.spq.server.IRemoteFacade** (p. 46).

Definition at line 112 of file RemoteFacade.java.

6.18.3.13 getInstance()

```
static RemoteFacade es.deusto.spq.server.RemoteFacade.getInstance ( ) [static]
```

Definition at line 150 of file RemoteFacade.java.

6.18.3.14 iniciarSesion()

```
Response es.deusto.spq.server.RemoteFacade.iniciarSesion (
            Cliente cliente )
```

Implements **es.deusto.spq.server.IRemoteFacade** (p. 47).

Definition at line 40 of file RemoteFacade.java.

6.18.3.15 registrarCliente()

```
Response es.deusto.spq.server.RemoteFacade.registrarCliente (
            Cliente cliente )
```

Implements **es.deusto.spq.server.IRemoteFacade** (p. 47).

Definition at line 54 of file RemoteFacade.java.

6.18.3.16 registrarReserva() [1/2]

```
Response es.deusto.spq.server.RemoteFacade.registrarReserva (
            Evento evento )
```

Definition at line 173 of file RemoteFacade.java.

6.18.3.17 registrarReserva() [2/2]

```
Response es.deusto.spq.server.RemoteFacade.registrarReserva (
            Reserva reserva )
```

Implements **es.deusto.spq.server.IRemoteFacade** (p. 47).

Definition at line 165 of file RemoteFacade.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/server/ **RemoteFacade.java**

6.19 es.deusto.spq.server.RemoteFacadeTest Class Reference

Public Member Functions

- void **registrarClienteTest** ()
- void **encontrarClientesTest** ()
- void **encontrarClienteTest** ()
- void **encontrarHabitacionesTest** ()
- void **encontrarHabitacionTest** ()
- void **encontrarReservaTest** ()
- void **encontrarReservasTest** ()
- void **encontrarEventoTest** ()
- void **encontrarEventosTest** ()

Public Attributes

- ContiPerfRule **i** = new ContiPerfRule()

6.19.1 Detailed Description

Definition at line 21 of file RemoteFacadeTest.java.

6.19.2 Member Function Documentation

6.19.2.1 encontrarClientesTest()

```
void es.deusto.spq.server.RemoteFacadeTest.encontrarClientesTest ( )
```

Definition at line 38 of file RemoteFacadeTest.java.

6.19.2.2 encontrarClienteTest()

```
void es.deusto.spq.server.RemoteFacadeTest.encontrarClienteTest ( )
```

Definition at line 44 of file RemoteFacadeTest.java.

6.19.2.3 encontrarEventosTest()

```
void es.deusto.spq.server.RemoteFacadeTest.encontrarEventosTest ( )
```

Definition at line 82 of file RemoteFacadeTest.java.

6.19.2.4 encontrarEventoTest()

```
void es.deusto.spq.server.RemoteFacadeTest.encontrarEventoTest ( )
```

Definition at line 75 of file RemoteFacadeTest.java.

6.19.2.5 encontrarHabitacionesTest()

```
void es.deusto.spq.server.RemoteFacadeTest.encontrarHabitacionesTest ( )
```

Definition at line 50 of file RemoteFacadeTest.java.

6.19.2.6 encontrarHabitacionTest()

```
void es.deusto.spq.server.RemoteFacadeTest.encontrarHabitacionTest ( )
```

Definition at line 56 of file RemoteFacadeTest.java.

6.19.2.7 encontrarReservasTest()

```
void es.deusto.spq.server.RemoteFacadeTest.encontrarReservasTest ( )
```

Definition at line 69 of file RemoteFacadeTest.java.

6.19.2.8 encontrarReservaTest()

```
void es.deusto.spq.server.RemoteFacadeTest.encontrarReservaTest ( )
```

Definition at line 63 of file RemoteFacadeTest.java.

6.19.2.9 registrarClienteTest()

```
void es.deusto.spq.server.RemoteFacadeTest.registrarClienteTest ( )
```

Definition at line 30 of file RemoteFacadeTest.java.

6.19.3 Member Data Documentation

6.19.3.1 i

```
ContiPerfRule es.deusto.spq.server.RemoteFacadeTest.i = new ContiPerfRule()
```

Definition at line 27 of file RemoteFacadeTest.java.

The documentation for this class was generated from the following file:

- src/test/java/es/deusto/spq/server/ **RemoteFacadeTest.java**

6.20 es.deusto.spq.client.Reserva Class Reference

Public Member Functions

- **Reserva** (String codigoReserva, String codigoHabitacion, String emailUsuario, int dia, int mes, int anyo)
- **Reserva** ()
- String **getCodigoReserva** ()
- void **setCodigoReserva** (String codigoReserva)
- String **getCodigoHabitacion** ()
- void **setCodigoHabitacion** (String codigoHabitacion)
- String **getEmailUsuario** ()
- void **setEmailUsuario** (String emailUsuario)
- int **getDia** ()
- void **setDia** (int dia)
- int **getMes** ()
- void **setMes** (int mes)
- int **getAnyo** ()
- void **setAnyo** (int anyo)
- String **toString** ()

6.20.1 Detailed Description

Clase para la creacion de reservas

Author

Sergio

Definition at line 14 of file Reserva.java.

6.20.2 Constructor & Destructor Documentation

6.20.2.1 Reserva() [1/2]

```
es.deusto.spq.client.Reserva.Reserva (
            String codigoReserva,
            String codigoHabitacion,
            String emailUsuario,
            int dia,
            int mes,
            int anyo )
```

Constructor de la clase reservas

Parameters

codigoReserva	
codigoHabitacion	
emailUsuario	
dia	
mes	
anyo	

Definition at line 31 of file Reserva.java.

6.20.2.2 Reserva() [2/2]

```
es.deusto.spq.client.Reserva.Reserva ( )
```

Definition at line 40 of file Reserva.java.

6.20.3 Member Function Documentation

6.20.3.1 getAnyo()

```
int es.deusto.spq.client.Reserva.getAnyo ( )
```

Definition at line 89 of file Reserva.java.

6.20.3.2 getCodigoHabitacion()

```
String es.deusto.spq.client.Reserva.getCodigoHabitacion ( )
```

Definition at line 57 of file Reserva.java.

6.20.3.3 getCodigoReserva()

```
String es.deusto.spq.client.Reserva.getCodigoReserva ( )
```

Definition at line 49 of file Reserva.java.

6.20.3.4 getDia()

```
int es.deusto.spq.client.Reserva.getDia ( )
```

Definition at line 73 of file Reserva.java.

6.20.3.5 getEmailUsuario()

```
String es.deusto.spq.client.Reserva.getEmailUsuario ( )
```

Definition at line 65 of file Reserva.java.

6.20.3.6 getMes()

```
int es.deusto.spq.client.Reserva.getMes ( )
```

Definition at line 81 of file Reserva.java.

6.20.3.7 setAnyo()

```
void es.deusto.spq.client.Reserva.setAnyo (
            int anyo )
```

Definition at line 93 of file Reserva.java.

6.20.3.8 setCodigoHabitacion()

```
void es.deusto.spq.client.Reserva.setCodigoHabitacion (
            String codigoHabitacion )
```

Definition at line 61 of file Reserva.java.

6.20.3.9 setCodigoReserva()

```
void es.deusto.spq.client.Reserva.setCodigoReserva (
            String codigoReserva )
```

Definition at line 53 of file Reserva.java.

6.20.3.10 setDia()

```
void es.deusto.spq.client.Reserva.setDia (
            int dia )
```

Definition at line 77 of file Reserva.java.

6.20.3.11 setEmailUsuario()

```
void es.deusto.spq.client.Reserva.setEmailUsuario (
            String emailUsuario )
```

Definition at line 69 of file Reserva.java.

6.20.3.12 setMes()

```
void es.deusto.spq.client.Reserva.setMes (
            int mes )
```

Definition at line 85 of file Reserva.java.

6.20.3.13 toString()

```
String es.deusto.spq.client.Reserva.toString ( )
```

Definition at line 98 of file Reserva.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/ **Reserva.java**

6.21 es.deusto.spq.client.ReservaTest Class Reference

Public Member Functions

- void **setUp** ()
- void **getCodigoReservaTest** ()
- void **getCodigoHabitacionTest** ()
- void **getDiaTest** ()
- void **getMesTest** ()
- void **getAnyoTest** ()

6.21.1 Detailed Description

Definition at line 10 of file ReservaTest.java.

6.21.2 Member Function Documentation

6.21.2.1 getAnyoTest()

```
void es.deusto.spq.client.ReservaTest.getAnyoTest ( )
```

Definition at line 35 of file ReservaTest.java.

6.21.2.2 getCodigoHabitacionTest()

```
void es.deusto.spq.client.ReservaTest.getCodigoHabitacionTest ( )
```

Definition at line 23 of file ReservaTest.java.

6.21.2.3 getCodigoReservaTest()

```
void es.deusto.spq.client.ReservaTest.getCodigoReservaTest ( )
```

Definition at line 19 of file ReservaTest.java.

6.21.2.4 getDiaTest()

```
void es.deusto.spq.client.ReservaTest.getDiaTest ( )
```

Definition at line 27 of file ReservaTest.java.

6.21.2.5 getMesTest()

```
void es.deusto.spq.client.ReservaTest.getMesTest ( )
```

Definition at line 31 of file ReservaTest.java.

6.21.2.6 setUp()

```
void es.deusto.spq.client.ReservaTest.setUp ( )
```

Definition at line 14 of file ReservaTest.java.

The documentation for this class was generated from the following file:

- src/test/java/es/deusto/spq/client/ **ReservaTest.java**

6.22 es.deusto.spq.client.RWException Class Reference

Inheritance diagram for es.deusto.spq.client.RWException:



Public Member Functions

- **RWException** (String mensaje, Throwable e)

6.22.1 Detailed Description

Definition at line 3 of file RWException.java.

6.22.2 Constructor & Destructor Documentation

6.22.2.1 RWException()

```
es.deusto.spq.client.RWException.RWException (
            String mensaje,
            Throwable e )
```

Nos lanza un mensaje en caso de excepcion

Parameters

mensaje	Mensaje en caso de excepcion
e	La clase Throwable representa a todas las excepciones que pueden ocurrir en el programa

Definition at line 16 of file RWException.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/ **RWException.java**

6.23 es.deusto.spq.client.ServiceLocator Class Reference

Public Member Functions

- **ServiceLocator** ()
- boolean **anadirCliente** (String DNI, String nombre, String apellido, String email, String contrasenya, boolean esAdmin)
- Response **borrarCliente** (**Cliente** cliente)
- Response **borrarReserva** (**Reserva** reserva)
- boolean **anadirReserva** (String codigoReserva, String codigoHabitacion, String emailUsuario, int dia, int mes, int anyo)
- int **iniciarSesion** (String email, String contrasenya)
- **Habitacion** **obtenerHabitacion** (String codigo)
- List< **Habitacion** > **obtenerHabitaciones** ()
- **Cliente** **getUsuario** (String email)
- **Reserva** **getReserva** (String codigoReserva)
- List< **Cliente** > **obtenerClientes** ()
- List< **Reserva** > **obtenerReservas** ()
- Response **editarUsuario** (**Cliente** user)
- boolean **anadirEvento** (String codigo, String nombre, String descripcion, int dia, int mes, int anyo, String hora, int numMaxPersonas)
- Response **borrarEvento** (**Evento** evento)
- **Evento** **obtenerEvento** (String codigo)
- List< **Evento** > **obtenerEventos** ()

Static Public Member Functions

- static String **cogerUrl** ()

6.23.1 Detailed Description

Clase para la conexión entre el **Controller** (p. 17) y el RemoteFacade del servidor

Author

Sergio

Definition at line 27 of file ServiceLocator.java.

6.23.2 Constructor & Destructor Documentation

6.23.2.1 ServiceLocator()

```
es.deusto.spq.client.ServiceLocator.ServiceLocator ( )
```

Definition at line 33 of file ServiceLocator.java.

6.23.3 Member Function Documentation

6.23.3.1 anadirCliente()

```
boolean es.deusto.spq.client.ServiceLocator.anadirCliente (
            String DNI,
            String nombre,
            String apellido,
            String email,
            String contrasenya,
            boolean esAdmin )
```

Método para registrar usuario. Llama al método con el mismo nombre del RemoteFacade a través de la URL establecida.

Parameters

DNI	DNI del usuario a registrar
nombre	Nombre del usuario a registrar
apellido	Apellido del usuario a registrar
email	Email del usuario a registrar
contrasenya	Contraseña del usuario a registrar
esAdmin	Booleano de si es admin o no

Returns

Devuelve un booleano el cual es true si no ha habido ningún error.

Definition at line 62 of file ServiceLocator.java.

6.23.3.2 anadirEvento()

```
boolean es.deusto.spq.client.ServiceLocator.anadirEvento (
            String codigo,
```

```
            String nombre,
            String descripcion,
            int dia,
            int mes,
            int anyo,
            String hora,
            int numMaxPersonas )
```

Definition at line 237 of file ServiceLocator.java.

6.23.3.3 anadirReserva()

```
boolean es.deusto.spq.client.ServiceLocator.anadirReserva (
            String codigoReserva,
            String codigoHabitacion,
            String emailUsuario,
            int dia,
            int mes,
            int anyo )
```

Método para registrar una nueva reserva Llama al método con el mismo nombre del RemoteFacade a través de la URL establecida.

Parameters

codigoReserva	codigo de la reserva a registrar
codigoHabitacion	codigo de la habitacion que sera reservada
emailUsuario	email del usuario que reserva
dia	dia de la reserva
mes	mes de la reserva
anyo	anyo de la reserva

Returns

Devuelve un booleano el cual es true si no ha habido ningún error.

Definition at line 107 of file ServiceLocator.java.

6.23.3.4 borrarCliente()

```
Response es.deusto.spq.client.ServiceLocator.borrarCliente (
             Cliente cliente )
```

Definition at line 83 of file ServiceLocator.java.

6.23.3.5 borrarEvento()

```
Response es.deusto.spq.client.ServiceLocator.borrarEvento (
            Evento evento )
```

Definition at line 260 of file ServiceLocator.java.

6.23.3.6 borrarReserva()

```
Response es.deusto.spq.client.ServiceLocator.borrarReserva (
            Reserva reserva )
```

Definition at line 90 of file ServiceLocator.java.

6.23.3.7 cogerUrl()

```
static String es.deusto.spq.client.ServiceLocator.cogerUrl ( )  [static]
```

Definition at line 38 of file ServiceLocator.java.

6.23.3.8 editarUsuario()

```
Response es.deusto.spq.client.ServiceLocator.editarUsuario (
            Cliente user )
```

Definition at line 230 of file ServiceLocator.java.

6.23.3.9 getReserva()

```
Reserva es.deusto.spq.client.ServiceLocator.getReserva (
            String codigoReserva )
```

Definition at line 193 of file ServiceLocator.java.

6.23.3.10 getUsuario()

```
Cliente es.deusto.spq.client.ServiceLocator.getUsuario (
            String email )
```

Definition at line 180 of file ServiceLocator.java.

6.23.3.11 iniciarSesion()

```
int es.deusto.spq.client.ServiceLocator.iniciarSesion (
            String email,
            String contrasenya )
```

Método para iniciar sesión. Llama al método con el mismo nombre del RemoteFacade a través de la URL establecida.

Parameters

email	Email del usuario con el que iniciar sesión.
contrasenya	Contraseña del usuario con el que iniciar sesión. @returnUn Devuelve un int que es 0 en caso de que haya habido error o el usuario sea incorrecto, 1 en caso de que no sea un gestor y 2 en caso de que lo sea

Definition at line 136 of file ServiceLocator.java.

6.23.3.12 obtenerClientes()

```
List< Cliente> es.deusto.spq.client.ServiceLocator.obtenerClientes ( )
```

Definition at line 206 of file ServiceLocator.java.

6.23.3.13 obtenerEvento()

```
Evento es.deusto.spq.client.ServiceLocator.obtenerEvento (
            String codigo )
```

Definition at line 267 of file ServiceLocator.java.

6.23.3.14 obtenerEventos()

```
List< Evento> es.deusto.spq.client.ServiceLocator.obtenerEventos ( )
```

Definition at line 281 of file ServiceLocator.java.

6.23.3.15 obtenerHabitacion()

```
Habitacion es.deusto.spq.client.ServiceLocator.obtenerHabitacion (
            String codigo )
```

Definition at line 154 of file ServiceLocator.java.

6.23.3.16 obtenerHabitaciones()

```
List< Habitacion> es.deusto.spq.client.ServiceLocator.obtenerHabitaciones ( )
```

Definition at line 168 of file ServiceLocator.java.

6.23.3.17 obtenerReservas()

```
List< Reserva> es.deusto.spq.client.ServiceLocator.obtenerReservas ( )
```

Definition at line 218 of file ServiceLocator.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/ **ServiceLocator.java**

6.24 es.deusto.spq.client.gui.VentanaAdmin Class Reference

Inheritance diagram for es.deusto.spq.client.gui.VentanaAdmin:



Public Member Functions

- **VentanaAdmin** (final **Controller** controller)

6.24.1 Detailed Description

Definition at line 17 of file VentanaAdmin.java.

6.24.2 Constructor & Destructor Documentation

6.24.2.1 VentanaAdmin()

```
es.deusto.spq.client.gui.VentanaAdmin.VentanaAdmin (
            final  Controller controller )
```

Definition at line 29 of file VentanaAdmin.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/gui/ **VentanaAdmin.java**

6.25 es.deusto.spq.client.gui.VentanaCrearEvento Class Reference

Inheritance diagram for es.deusto.spq.client.gui.VentanaCrearEvento:



Public Member Functions

- **VentanaCrearEvento** (**Controller** controller)

6.25.1 Detailed Description

Definition at line 23 of file VentanaCrearEvento.java.

6.25.2 Constructor & Destructor Documentation

6.25.2.1 VentanaCrearEvento()

```
es.deusto.spq.client.gui.VentanaCrearEvento.VentanaCrearEvento (
             Controller controller )
```

Definition at line 43 of file VentanaCrearEvento.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/gui/ **VentanaCrearEvento.java**

6.26 es.deusto.spq.client.gui.VentanaDatosCliente Class Reference

Inheritance diagram for es.deusto.spq.client.gui.VentanaDatosCliente:



Public Member Functions

- **VentanaDatosCliente** (final **Controller** controller, **Cliente** u)

6.26.1 Detailed Description

Definition at line 19 of file VentanaDatosCliente.java.

6.26.2 Constructor & Destructor Documentation

6.26.2.1 VentanaDatosCliente()

```
es.deusto.spq.client.gui.VentanaDatosCliente.VentanaDatosCliente (
            final  Controller controller,
             Cliente u )
```

Definition at line 40 of file VentanaDatosCliente.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/gui/ **VentanaDatosCliente.java**

6.27 es.deusto.spq.client.gui.VentanaEstadisticas Class Reference

Inheritance diagram for es.deusto.spq.client.gui.VentanaEstadisticas:



Public Member Functions

- **VentanaEstadisticas** (**Controller** controller)

6.27.1 Detailed Description

Definition at line 19 of file VentanaEstadisticas.java.

6.27.2 Constructor & Destructor Documentation

6.27.2.1 VentanaEstadisticas()

```
es.deusto.spq.client.gui.VentanaEstadisticas.VentanaEstadisticas (
              Controller controller )
```

Definition at line 28 of file VentanaEstadisticas.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/gui/ **VentanaEstadisticas.java**

6.28 es.deusto.spq.client.gui.VentanaEventos Class Reference

Inheritance diagram for es.deusto.spq.client.gui.VentanaEventos:



Public Member Functions

- **VentanaEventos** (final **Controller** controller)

6.28.1 Detailed Description

Definition at line 23 of file VentanaEventos.java.

6.28.2 Constructor & Destructor Documentation

6.28.2.1 VentanaEventos()

```
es.deusto.spq.client.gui.VentanaEventos.VentanaEventos (
            final  Controller controller )
```

Definition at line 29 of file VentanaEventos.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/gui/ **VentanaEventos.java**

6.29 es.deusto.spq.client.gui.VentanaFeedback Class Reference

Inheritance diagram for es.deusto.spq.client.gui.VentanaFeedback:



Public Member Functions

- **VentanaFeedback** (final **Controller** controller)

6.29.1 Detailed Description

Definition at line 21 of file VentanaFeedback.java.

6.29.2 Constructor & Destructor Documentation

6.29.2.1 VentanaFeedback()

```
es.deusto.spq.client.gui.VentanaFeedback.VentanaFeedback (
            final  Controller controller )
```

Definition at line 27 of file VentanaFeedback.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/gui/ **VentanaFeedback.java**

6.30 es.deusto.spq.client.gui.VentanaInicioSesion Class Reference

Inheritance diagram for es.deusto.spq.client.gui.VentanaInicioSesion:



Public Member Functions

- **VentanaInicioSesion** (final **Controller** controller)

Static Public Member Functions

- static String **cargarEmailUsuario** ()

6.30.1 Detailed Description

Definition at line 31 of file VentanaInicioSesion.java.

6.30.2 Constructor & Destructor Documentation

6.30.2.1 VentanaInicioSesion()

```
es.deusto.spq.client.gui.VentanaInicioSesion.VentanaInicioSesion (
            final  Controller controller )
```

Definition at line 52 of file VentanaInicioSesion.java.

6.30.3 Member Function Documentation

6.30.3.1 cargarEmailUsuario()

```
static String es.deusto.spq.client.gui.VentanaInicioSesion.cargarEmailUsuario ( )  [static]
```

Definition at line 163 of file VentanaInicioSesion.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/gui/ **VentanaInicioSesion.java**

6.31 es.deusto.spq.client.gui.VentanaMenu Class Reference

Inheritance diagram for es.deusto.spq.client.gui.VentanaMenu:



Public Member Functions

- **VentanaMenu** (final **Controller** controller)

6.31.1 Detailed Description

Definition at line 21 of file VentanaMenu.java.

6.31.2 Constructor & Destructor Documentation

6.31.2.1 VentanaMenu()

```
es.deusto.spq.client.gui.VentanaMenu.VentanaMenu (
            final  Controller controller )
```

Definition at line 33 of file VentanaMenu.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/gui/ **VentanaMenu.java**

6.32 es.deusto.spq.client.gui.VentanaMostrarReservas Class Reference

Inheritance diagram for es.deusto.spq.client.gui.VentanaMostrarReservas:



Public Member Functions

- **VentanaMostrarReservas** (**Controller** controller, **Reserva** reserva)

6.32.1 Detailed Description

Definition at line 22 of file VentanaMostrarReservas.java.

6.32.2 Constructor & Destructor Documentation

6.32.2.1 VentanaMostrarReservas()

```
es.deusto.spq.client.gui.VentanaMostrarReservas.VentanaMostrarReservas (
              Controller controller,
              Reserva reserva )
```

Definition at line 44 of file VentanaMostrarReservas.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/gui/ **VentanaMostrarReservas.java**

6.33 es.deusto.spq.client.gui.VentanaRegistro Class Reference

Inheritance diagram for es.deusto.spq.client.gui.VentanaRegistro:



Classes

- class **JNumberTextField**

Public Member Functions

- **VentanaRegistro** (final **Controller** controller)

6.33.1 Detailed Description

Definition at line 24 of file VentanaRegistro.java.

6.33.2 Constructor & Destructor Documentation

6.33.2.1 VentanaRegistro()

```
es.deusto.spq.client.gui.VentanaRegistro.VentanaRegistro (
            final  Controller controller )
```

Definition at line 51 of file VentanaRegistro.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/gui/ **VentanaRegistro.java**

6.34 es.deusto.spq.client.gui.VentanaReservas Class Reference

Inheritance diagram for es.deusto.spq.client.gui.VentanaReservas:



Public Member Functions

- **VentanaReservas** (**Controller** controller)

Static Public Member Functions

- static boolean **existeReserva** (ArrayList< **Reserva** > reservas, String codigoHabitacion, int dia, int mes, int anyo)
- static boolean **hayRebajas** ()

6.34.1 Detailed Description

Definition at line 35 of file VentanaReservas.java.

6.34.2 Constructor & Destructor Documentation

6.34.2.1 VentanaReservas()

```
es.deusto.spq.client.gui.VentanaReservas.VentanaReservas (
              Controller controller )
```

Definition at line 49 of file VentanaReservas.java.

6.34.3 Member Function Documentation

6.34.3.1 existeReserva()

```
static boolean es.deusto.spq.client.gui.VentanaReservas.existeReserva (
             ArrayList<  Reserva > reservas,
             String codigoHabitacion,
             int dia,
             int mes,
             int anyo )  [static]
```

Definition at line 200 of file VentanaReservas.java.

6.34.3.2 hayRebajas()

```
static boolean es.deusto.spq.client.gui.VentanaReservas.hayRebajas ( )  [static]
```

Definition at line 216 of file VentanaReservas.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/gui/ **VentanaReservas.java**

6.35 es.deusto.spq.client.gui.VentanaReservasAdmin Class Reference

Inheritance diagram for es.deusto.spq.client.gui.VentanaReservasAdmin:



Public Member Functions

- **VentanaReservasAdmin** (final **Controller** controller)

6.35.1 Detailed Description

Definition at line 23 of file VentanaReservasAdmin.java.

6.35.2 Constructor & Destructor Documentation

6.35.2.1 VentanaReservasAdmin()

```
es.deusto.spq.client.gui.VentanaReservasAdmin.VentanaReservasAdmin (
            final  Controller controller )
```

Definition at line 31 of file VentanaReservasAdmin.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/gui/ **VentanaReservasAdmin.java**

6.36 es.deusto.spq.client.gui.VentanaUsuariosAdmin Class Reference

Inheritance diagram for es.deusto.spq.client.gui.VentanaUsuariosAdmin:



Public Member Functions

- **VentanaUsuariosAdmin** (final **Controller** controller)

6.36.1 Detailed Description

Definition at line 28 of file VentanaUsuariosAdmin.java.

6.36.2 Constructor & Destructor Documentation

6.36.2.1 VentanaUsuariosAdmin()

```
es.deusto.spq.client.gui.VentanaUsuariosAdmin.VentanaUsuariosAdmin (
            final  Controller controller )
```

Definition at line 36 of file VentanaUsuariosAdmin.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/spq/client/gui/ **VentanaUsuariosAdmin.java**

Chapter 7

File Documentation

7.1 src/main/java/es/deusto/spq/client/Cliente.java File Reference

Classes

- class **es.deusto.spq.client.Cliente**

Packages

- package **es.deusto.spq.client**

7.2 src/main/java/es/deusto/spq/client/Controller.java File Reference

Classes

- class **es.deusto.spq.client.Controller**

Packages

- package **es.deusto.spq.client**

7.3 src/main/java/es/deusto/spq/client/EstadisticaFeedback.java File Reference

Classes

- class **es.deusto.spq.client.EstadisticaFeedback**

Packages

- package **es.deusto.spq.client**

7.4 src/main/java/es/deusto/spq/client/Evento.java File Reference

Classes

- class **es.deusto.spq.client.Evento**

Packages

- package **es.deusto.spq.client**

7.5 src/main/java/es/deusto/spq/client/Feedback.java File Reference

Classes

- class **es.deusto.spq.client.Feedback**
- enum **es.deusto.spq.client.Feedback.Recomendacion**

Packages

- package **es.deusto.spq.client**

7.6 src/main/java/es/deusto/spq/client/GetProperties.java File Reference

Classes

- class **es.deusto.spq.client.GetProperties**

Packages

- package **es.deusto.spq.client**

7.7 src/main/java/es/deusto/spq/server/GetProperties.java File Reference

Classes

- class **es.deusto.spq.server.GetProperties**

Packages

- package **es.deusto.spq.server**

7.8 src/main/java/es/deusto/spq/client/gui/VentanaAdmin.java File Reference

Classes

- class **es.deusto.spq.client.gui.VentanaAdmin**

Packages

- package **es.deusto.spq.client.gui**

7.9 src/main/java/es/deusto/spq/client/gui/VentanaCrearEvento.java File Reference

Classes

- class **es.deusto.spq.client.gui.VentanaCrearEvento**

Packages

- package **es.deusto.spq.client.gui**

7.10 src/main/java/es/deusto/spq/client/gui/VentanaDatosCliente.java File Reference

Classes

- class **es.deusto.spq.client.gui.VentanaDatosCliente**

Packages

- package **es.deusto.spq.client.gui**

7.11 src/main/java/es/deusto/spq/client/gui/VentanaEstadisticas.java File Reference

Classes

- class **es.deusto.spq.client.gui.VentanaEstadisticas**

Packages

- package **es.deusto.spq.client.gui**

7.12 src/main/java/es/deusto/spq/client/gui/VentanaEventos.java File Reference

Classes

- class **es.deusto.spq.client.gui.VentanaEventos**

Packages

- package **es.deusto.spq.client.gui**

7.13 src/main/java/es/deusto/spq/client/gui/VentanaFeedback.java File Reference

Classes

- class **es.deusto.spq.client.gui.VentanaFeedback**

Packages

- package **es.deusto.spq.client.gui**

7.14 src/main/java/es/deusto/spq/client/gui/VentanaInicioSesion.java File Reference

Classes

- class **es.deusto.spq.client.gui.VentanaInicioSesion**

Packages

- package **es.deusto.spq.client.gui**

7.15 src/main/java/es/deusto/spq/client/gui/VentanaMenu.java File Reference

Classes

- class **es.deusto.spq.client.gui.VentanaMenu**

Packages

- package **es.deusto.spq.client.gui**

7.16 src/main/java/es/deusto/spq/client/gui/VentanaMostrarReservas.java File Reference

Classes

- class **es.deusto.spq.client.gui.VentanaMostrarReservas**

Packages

- package **es.deusto.spq.client.gui**

7.17 src/main/java/es/deusto/spq/client/gui/VentanaRegistro.java File Reference

Classes

- class **es.deusto.spq.client.gui.VentanaRegistro**
- class **es.deusto.spq.client.gui.VentanaRegistro.JNumberTextField**

Packages

- package **es.deusto.spq.client.gui**

7.18 src/main/java/es/deusto/spq/client/gui/VentanaReservas.java File Reference

Classes

- class **es.deusto.spq.client.gui.VentanaReservas**

Packages

- package **es.deusto.spq.client.gui**

7.19 src/main/java/es/deusto/spq/client/gui/VentanaReservasAdmin.java File Reference

Classes

- class **es.deusto.spq.client.gui.VentanaReservasAdmin**

Packages

- package **es.deusto.spq.client.gui**

7.20 src/main/java/es/deusto/spq/client/gui/VentanaUsuariosAdmin.java File Reference

Classes

- class **es.deusto.spq.client.gui.VentanaUsuariosAdmin**

Packages

- package **es.deusto.spq.client.gui**

7.21 src/main/java/es/deusto/spq/client/Habitacion.java File Reference

Classes

- class **es.deusto.spq.client.Habitacion**

Packages

- package **es.deusto.spq.client**

7.22 src/main/java/es/deusto/spq/client/Main.java File Reference

Classes

- class **es.deusto.spq.client.Main**

Packages

- package **es.deusto.spq.client**

7.23 src/main/java/es/deusto/spq/server/Main.java File Reference

Classes

- class **es.deusto.spq.server.Main**

Packages

- package **es.deusto.spq.server**

7.24 src/main/java/es/deusto/spq/client/Reserva.java File Reference

Classes

- class **es.deusto.spq.client.Reserva**

Packages

- package **es.deusto.spq.client**

7.25 src/main/java/es/deusto/spq/client/RWException.java File Reference

Classes

- class **es.deusto.spq.client.RWException**

Packages

- package **es.deusto.spq.client**

7.26 src/main/java/es/deusto/spq/client/ServiceLocator.java File Reference

Classes

- class **es.deusto.spq.client.ServiceLocator**

Packages

- package **es.deusto.spq.client**

7.27 src/main/java/es/deusto/spq/server/DBManager.java File Reference

Classes

- class **es.deusto.spq.server.DBManager**

Packages

- package **es.deusto.spq.server**

7.28 src/main/java/es/deusto/spq/server/IRemoteFacade.java File Reference

Classes

- interface **es.deusto.spq.server.IRemoteFacade**

Packages

- package **es.deusto.spq.server**

7.29 src/main/java/es/deusto/spq/server/RemoteFacade.java File Reference

Classes

- class **es.deusto.spq.server.RemoteFacade**

Packages

- package **es.deusto.spq.server**

7.30 src/test/java/es/deusto/spq/client/ClienteTest.java File Reference

Classes

- class **es.deusto.spq.client.ClienteTest**

Packages

- package **es.deusto.spq.client**

7.31 src/test/java/es/deusto/spq/client/ControllerTest.java File Reference

Classes

- class **es.deusto.spq.client.ControllerTest**

Packages

- package **es.deusto.spq.client**

7.32 src/test/java/es/deusto/spq/client/HabitacionTest.java File Reference

Classes

- class **es.deusto.spq.client.HabitacionTest**

Packages

- package **es.deusto.spq.client**

7.33 src/test/java/es/deusto/spq/client/ReservaTest.java File Reference

Classes

- class **es.deusto.spq.client.ReservaTest**

Packages

- package **es.deusto.spq.client**

7.34 src/test/java/es/deusto/spq/server/RemoteFacadeTest.java File Reference

Classes

- class **es.deusto.spq.server.RemoteFacadeTest**

Packages

- package **es.deusto.spq.server**

Index

actualizarDatosCliente
es.deusto.spq.server.DBManager, 25
anadirCliente
es.deusto.spq.client.Controller, 18
es.deusto.spq.client.ServiceLocator, 65
es.deusto.spq.server.DBManager, 25
anadirEvento
es.deusto.spq.client.Controller, 18
es.deusto.spq.client.ServiceLocator, 65
anadirHabitaciones
es.deusto.spq.server.DBManager, 25
anadirReserva
es.deusto.spq.client.Controller, 19
es.deusto.spq.client.ServiceLocator, 66

borrarCliente
es.deusto.spq.client.Controller, 19
es.deusto.spq.client.ServiceLocator, 66
es.deusto.spq.server.DBManager, 25
borrarEvento
es.deusto.spq.client.Controller, 19
es.deusto.spq.client.ServiceLocator, 66
es.deusto.spq.server.DBManager, 26
es.deusto.spq.server.RemoteFacade, 52
borrarReserva
es.deusto.spq.client.Controller, 19
es.deusto.spq.client.ServiceLocator, 67
es.deusto.spq.server.DBManager, 26
es.deusto.spq.server.IRemoteFacade, 45
es.deusto.spq.server.RemoteFacade, 52
borrarUsuario
es.deusto.spq.server.RemoteFacade, 52

cargarEmailUsuario
es.deusto.spq.client.gui.VentanaInicioSesion, 74
Cliente
es.deusto.spq.client.Cliente, 12
cogerUrl
es.deusto.spq.client.ServiceLocator, 67
Controller
es.deusto.spq.client.Controller, 17
crearFicheroLog
es.deusto.spq.server.Main, 49

delete
es.deusto.spq.server.DBManager, 26, 27
deleteClientes
es.deusto.spq.server.DBManager, 27
deleteData
es.deusto.spq.server.DBManager, 27
deletehabitaciones
es.deusto.spq.server.DBManager, 27
deleteObjectFromDB
es.deusto.spq.server.DBManager, 27
deleteReservas
es.deusto.spq.server.DBManager, 27

editarUsuario
es.deusto.spq.client.Controller, 20
es.deusto.spq.client.ServiceLocator, 67
es.deusto.spq.server.IRemoteFacade, 45
es.deusto.spq.server.RemoteFacade, 53
encontrarCliente
es.deusto.spq.server.IRemoteFacade, 46
es.deusto.spq.server.RemoteFacade, 53
encontrarClientes
es.deusto.spq.server.IRemoteFacade, 46
es.deusto.spq.server.RemoteFacade, 53
encontrarClientesTest
es.deusto.spq.server.RemoteFacadeTest, 56
encontrarClienteTest
es.deusto.spq.server.RemoteFacadeTest, 56
encontrarEvento
es.deusto.spq.server.RemoteFacade, 53
encontrarEventos
es.deusto.spq.server.RemoteFacade, 53
encontrarEventosTest
es.deusto.spq.server.RemoteFacadeTest, 56
encontrarEventoTest
es.deusto.spq.server.RemoteFacadeTest, 56
encontrarHabitacion
es.deusto.spq.server.IRemoteFacade, 46
es.deusto.spq.server.RemoteFacade, 54
encontrarHabitaciones
es.deusto.spq.server.IRemoteFacade, 46
es.deusto.spq.server.RemoteFacade, 54
encontrarHabitacionesTest
es.deusto.spq.server.RemoteFacadeTest, 57
encontrarHabitacionTest
es.deusto.spq.server.RemoteFacadeTest, 57
encontrarReserva
es.deusto.spq.server.IRemoteFacade, 46
es.deusto.spq.server.RemoteFacade, 54
encontrarReservas
es.deusto.spq.server.IRemoteFacade, 46
es.deusto.spq.server.RemoteFacade, 54
encontrarReservasTest
es.deusto.spq.server.RemoteFacadeTest, 57
encontrarReservaTest
es.deusto.spq.server.RemoteFacadeTest, 57

es.deusto.spq.client, 9
es.deusto.spq.client.Cliente, 11
Cliente, 12
getApellido, 12
getContrasenya, 12
getDNI, 13
getEmail, 13
getNombre, 13
isEsAdmin, 13
main, 13
setApellido, 13
setContrasenya, 14
setDNI, 14
setEmail, 14
setEsAdmin, 14
setNombre, 14
toString, 14
es.deusto.spq.client.ClienteTest, 15
getApellidoTest, 15
getContrasenyaTest, 15
getDNITest, 15
getEmailTest, 16
getEsAdminTest, 16
getNombreTest, 16
setUp, 16
es.deusto.spq.client.Controller, 17
anadirCliente, 18
anadirEvento, 18
anadirReserva, 19
borrarCliente, 19
borrarEvento, 19
borrarReserva, 19
Controller, 17
editarUsuario, 20
getEvento, 20
getEventos, 20
getHabitacion, 20
getReserva, 21
getUsuario, 21
iniciarSesion, 21
obtenerClientes, 21
obtenerHabitaciones, 22
obtenerReservas, 22
serviceLocator, 22
es.deusto.spq.client.ControllerTest, 22
i, 24
iniciarSesionTest, 23
obtenerClientesTest, 23
obtenerHabitacionesTest, 23
obtenerReservasTest, 23
registrarUsuarioTest, 23
es.deusto.spq.client.EstadisticaFeedback, 31
mediaPuntuacion, 31
ReadAndLoad, 32
siNo, 32
es.deusto.spq.client.Evento, 33
Evento, 33, 34
getAnyo, 34
getCodigo, 34
getDescripcion, 34
getDia, 34
getHora, 35
getMes, 35
getNombre, 35
getNumMaxPersonas, 35
setAnyo, 35
setCodigo, 35
setDescripcion, 36
setDia, 36
setHora, 36
setMes, 36
setNombre, 36
setNumMaxPersonas, 36
toString, 37
es.deusto.spq.client.Feedback, 37
Feedback, 37, 38
getEmail, 38
getRecomendacion, 38
getValoracion, 38
setEmail, 38
setRecomendacion, 39
setValoracion, 39
toString, 39
es.deusto.spq.client.Feedback.Recomendacion, 50
no, 51
si, 51
es.deusto.spq.client.GetProperties, 39
getURL, 40
es.deusto.spq.client.gui, 9
es.deusto.spq.client.gui.VentanaAdmin, 69
VentanaAdmin, 69
es.deusto.spq.client.gui.VentanaCrearEvento, 70
VentanaCrearEvento, 70
es.deusto.spq.client.gui.VentanaDatosCliente, 71
VentanaDatosCliente, 71
es.deusto.spq.client.gui.VentanaEstadisticas, 71
VentanaEstadisticas, 72
es.deusto.spq.client.gui.VentanaEventos, 72
VentanaEventos, 72
es.deusto.spq.client.gui.VentanaFeedback, 73
VentanaFeedback, 73
es.deusto.spq.client.gui.VentanaInicioSesion, 74
cargarEmailUsuario, 74
VentanaInicioSesion, 74
es.deusto.spq.client.gui.VentanaMenu, 75
VentanaMenu, 75
es.deusto.spq.client.gui.VentanaMostrarReservas, 75
VentanaMostrarReservas, 76
es.deusto.spq.client.gui.VentanaRegistro, 76
VentanaRegistro, 77
es.deusto.spq.client.gui.VentanaRegistro.JNumberTextField, 47
es.deusto.spq.client.gui.VentanaReservas, 77
existeReserva, 78
hayRebajas, 78
VentanaReservas, 77

es.deusto.spq.client.gui.VentanaReservasAdmin, 78
VentanaReservasAdmin, 79
es.deusto.spq.client.gui.VentanaUsuariosAdmin, 79
VentanaUsuariosAdmin, 79
es.deusto.spq.client.Habitacion, 41
getCodigo, 42
getNumCamas, 42
getPrecio, 42
Habitacion, 41, 42
isOcupada, 42
setCodigo, 43
setNumCamas, 43
setOcupada, 43
setPrecio, 43
toString, 43
es.deusto.spq.client.HabitacionTest, 44
getCodigoTest, 44
getNumCamasTest, 44
getOcupadaTest, 44
getPrecioTest, 44
setUp, 44
es.deusto.spq.client.Main, 48
main, 48
es.deusto.spq.client.Reserva, 58
getAnyo, 59
getCodigoHabitacion, 59
getCodigoReserva, 59
getDia, 60
getEmailUsuario, 60
getMes, 60
Reserva, 58, 59
setAnyo, 60
setCodigoHabitacion, 60
setCodigoReserva, 60
setDia, 61
setEmailUsuario, 61
setMes, 61
toString, 61
es.deusto.spq.client.ReservaTest, 62
getAnyoTest, 62
getCodigoHabitacionTest, 62
getCodigoReservaTest, 62
getDiaTest, 62
getMesTest, 63
setUp, 63
es.deusto.spq.client.RWException, 63
RWException, 63
es.deusto.spq.client.ServiceLocator, 64
anadirCliente, 65
anadirEvento, 65
anadirReserva, 66
borrarCliente, 66
borrarEvento, 66
borrarReserva, 67
cogerUrl, 67
editarUsuario, 67
getReserva, 67
getUsuario, 67
iniciarSesion, 67
obtenerClientes, 68
obtenerEvento, 68
obtenerEventos, 68
obtenerHabitacion, 68
obtenerHabitaciones, 68
obtenerReservas, 69
ServiceLocator, 65
es.deusto.spq.server, 10
es.deusto.spq.server.DBManager, 24
actualizarDatosCliente, 25
anadirCliente, 25
anadirHabitaciones, 25
borrarCliente, 25
borrarEvento, 26
borrarReserva, 26
delete, 26, 27
deleteClientes, 27
deleteData, 27
deletehabitaciones, 27
deleteObjectFromDB, 27
deleteReservas, 27
getClientes, 28
getEvento, 28
getEventos, 28
getHabitacion, 28
getHabitaciones, 28
getInstance, 28
getReserva, 29
getReservas, 29
getUsuario, 29
initializeData, 29
seleccionaUsuarioBD, 29
store, 30
storeObjectInDB, 30
update, 31
es.deusto.spq.server.GetProperties, 40
getURL, 40
es.deusto.spq.server.IRemoteFacade, 45
borrarReserva, 45
editarUsuario, 45
encontrarCliente, 46
encontrarClientes, 46
encontrarHabitacion, 46
encontrarHabitaciones, 46
encontrarReserva, 46
encontrarReservas, 46
iniciarSesion, 47
registrarCliente, 47
registrarReserva, 47
es.deusto.spq.server.Main, 48
crearFicheroLog, 49
getURL, 49
logFeedback, 50
loggerGeneral, 50
main, 49
startServer, 50
es.deusto.spq.server.RemoteFacade, 51

borrarEvento, 52
borrarReserva, 52
borrarUsuario, 52
editarUsuario, 53
encontrarCliente, 53
encontrarClientes, 53
encontrarEvento, 53
encontrarEventos, 53
encontrarHabitacion, 54
encontrarHabitaciones, 54
encontrarReserva, 54
encontrarReservas, 54
getInstance, 54
iniciarSesion, 55
registrarCliente, 55
registrarReserva, 55
RemoteFacade, 52
es.deusto.spq.server.RemoteFacadeTest, 56
encontrarClientesTest, 56
encontrarClienteTest, 56
encontrarEventosTest, 56
encontrarEventoTest, 56
encontrarHabitacionesTest, 57
encontrarHabitacionTest, 57
encontrarReservasTest, 57
encontrarReservaTest, 57
i, 58
registrarClienteTest, 57
Evento
es.deusto.spq.client.Evento, 33, 34
existeReserva
es.deusto.spq.client.gui.VentanaReservas, 78

Feedback
es.deusto.spq.client.Feedback, 37, 38

getAnyo
es.deusto.spq.client.Evento, 34
es.deusto.spq.client.Reserva, 59
getAnyoTest
es.deusto.spq.client.ReservaTest, 62
getApellido
es.deusto.spq.client.Cliente, 12
getApellidoTest
es.deusto.spq.client.ClienteTest, 15
getClientes
es.deusto.spq.server.DBManager, 28
getCodigo
es.deusto.spq.client.Evento, 34
es.deusto.spq.client.Habitacion, 42
getCodigoHabitacion
es.deusto.spq.client.Reserva, 59
getCodigoHabitacionTest
es.deusto.spq.client.ReservaTest, 62
getCodigoReserva
es.deusto.spq.client.Reserva, 59
getCodigoReservaTest
es.deusto.spq.client.ReservaTest, 62
getCodigoTest
es.deusto.spq.client.HabitacionTest, 44
getContrasenya
es.deusto.spq.client.Cliente, 12
getContrasenyaTest
es.deusto.spq.client.ClienteTest, 15
getDescripcion
es.deusto.spq.client.Evento, 34
getDia
es.deusto.spq.client.Evento, 34
es.deusto.spq.client.Reserva, 60
getDiaTest
es.deusto.spq.client.ReservaTest, 62
getDNI
es.deusto.spq.client.Cliente, 13
getDNITest
es.deusto.spq.client.ClienteTest, 15
getEmail
es.deusto.spq.client.Cliente, 13
es.deusto.spq.client.Feedback, 38
getEmailTest
es.deusto.spq.client.ClienteTest, 16
getEmailUsuario
es.deusto.spq.client.Reserva, 60
getEsAdminTest
es.deusto.spq.client.ClienteTest, 16
getEvento
es.deusto.spq.client.Controller, 20
es.deusto.spq.server.DBManager, 28
getEventos
es.deusto.spq.client.Controller, 20
es.deusto.spq.server.DBManager, 28
getHabitacion
es.deusto.spq.client.Controller, 20
es.deusto.spq.server.DBManager, 28
getHabitaciones
es.deusto.spq.server.DBManager, 28
getHora
es.deusto.spq.client.Evento, 35
getInstance
es.deusto.spq.server.DBManager, 28
es.deusto.spq.server.RemoteFacade, 54
getMes
es.deusto.spq.client.Evento, 35
es.deusto.spq.client.Reserva, 60
getMesTest
es.deusto.spq.client.ReservaTest, 63
getNombre
es.deusto.spq.client.Cliente, 13
es.deusto.spq.client.Evento, 35
getNombreTest
es.deusto.spq.client.ClienteTest, 16
getNumCamas
es.deusto.spq.client.Habitacion, 42
getNumCamasTest
es.deusto.spq.client.HabitacionTest, 44
getNumMaxPersonas
es.deusto.spq.client.Evento, 35
getOcupadaTest

es.deusto.spq.client.HabitacionTest, 44
getPrecio
es.deusto.spq.client.Habitacion, 42
getPrecioTest
es.deusto.spq.client.HabitacionTest, 44
getRecomendacion
es.deusto.spq.client.Feedback, 38
getReserva
es.deusto.spq.client.Controller, 21
es.deusto.spq.client.ServiceLocator, 67
es.deusto.spq.server.DBManager, 29
getReservas
es.deusto.spq.server.DBManager, 29
getURL
es.deusto.spq.client.GetProperties, 40
es.deusto.spq.server.GetProperties, 40
es.deusto.spq.server.Main, 49
getUsuario
es.deusto.spq.client.Controller, 21
es.deusto.spq.client.ServiceLocator, 67
es.deusto.spq.server.DBManager, 29
getValoracion
es.deusto.spq.client.Feedback, 38

Habitacion
es.deusto.spq.client.Habitacion, 41, 42
hayRebajas
es.deusto.spq.client.gui.VentanaReservas, 78

i
es.deusto.spq.client.ControllerTest, 24
es.deusto.spq.server.RemoteFacadeTest, 58
iniciarSesion
es.deusto.spq.client.Controller, 21
es.deusto.spq.client.ServiceLocator, 67
es.deusto.spq.server.IRemoteFacade, 47
es.deusto.spq.server.RemoteFacade, 55
iniciarSesionTest
es.deusto.spq.client.ControllerTest, 23
initializeData
es.deusto.spq.server.DBManager, 29
isEsAdmin
es.deusto.spq.client.Cliente, 13
isOcupada
es.deusto.spq.client.Habitacion, 42

logFeedback
es.deusto.spq.server.Main, 50
loggerGeneral
es.deusto.spq.server.Main, 50

main
es.deusto.spq.client.Cliente, 13
es.deusto.spq.client.Main, 48
es.deusto.spq.server.Main, 49
mediaPuntuacion
es.deusto.spq.client.EstadisticaFeedback, 31

no
es.deusto.spq.client.Feedback.Recomendacion, 51

obtenerClientes
es.deusto.spq.client.Controller, 21
es.deusto.spq.client.ServiceLocator, 68
obtenerClientesTest
es.deusto.spq.client.ControllerTest, 23
obtenerEvento
es.deusto.spq.client.ServiceLocator, 68
obtenerEventos
es.deusto.spq.client.ServiceLocator, 68
obtenerHabitacion
es.deusto.spq.client.ServiceLocator, 68
obtenerHabitaciones
es.deusto.spq.client.Controller, 22
es.deusto.spq.client.ServiceLocator, 68
obtenerHabitacionesTest
es.deusto.spq.client.ControllerTest, 23
obtenerReservas
es.deusto.spq.client.Controller, 22
es.deusto.spq.client.ServiceLocator, 69
obtenerReservasTest
es.deusto.spq.client.ControllerTest, 23

ReadAndLoad
es.deusto.spq.client.EstadisticaFeedback, 32
registrarCliente
es.deusto.spq.server.IRemoteFacade, 47
es.deusto.spq.server.RemoteFacade, 55
registrarClienteTest
es.deusto.spq.server.RemoteFacadeTest, 57
registrarReserva
es.deusto.spq.server.IRemoteFacade, 47
es.deusto.spq.server.RemoteFacade, 55
registrarUsuarioTest
es.deusto.spq.client.ControllerTest, 23
RemoteFacade
es.deusto.spq.server.RemoteFacade, 52
Reserva
es.deusto.spq.client.Reserva, 58, 59
RWException
es.deusto.spq.client.RWException, 63

seleccionaUsuarioBD
es.deusto.spq.server.DBManager, 29
ServiceLocator
es.deusto.spq.client.ServiceLocator, 65
serviceLocator
es.deusto.spq.client.Controller, 22
setAnyo
es.deusto.spq.client.Evento, 35
es.deusto.spq.client.Reserva, 60
setApellido
es.deusto.spq.client.Cliente, 13
setCodigo
es.deusto.spq.client.Evento, 35
es.deusto.spq.client.Habitacion, 43
setCodigoHabitacion

es.deusto.spq.client.Reserva, 60
setCodigoReserva
es.deusto.spq.client.Reserva, 60
setContrasenya
es.deusto.spq.client.Cliente, 14
setDescripcion
es.deusto.spq.client.Evento, 36
setDia
es.deusto.spq.client.Evento, 36
es.deusto.spq.client.Reserva, 61
setDNI
es.deusto.spq.client.Cliente, 14
setEmail
es.deusto.spq.client.Cliente, 14
es.deusto.spq.client.Feedback, 38
setEmailUsuario
es.deusto.spq.client.Reserva, 61
setEsAdmin
es.deusto.spq.client.Cliente, 14
setHora
es.deusto.spq.client.Evento, 36
setMes
es.deusto.spq.client.Evento, 36
es.deusto.spq.client.Reserva, 61
setNombre
es.deusto.spq.client.Cliente, 14
es.deusto.spq.client.Evento, 36
setNumCamas
es.deusto.spq.client.Habitacion, 43
setNumMaxPersonas
es.deusto.spq.client.Evento, 36
setOcupada
es.deusto.spq.client.Habitacion, 43
setPrecio
es.deusto.spq.client.Habitacion, 43
setRecomendacion
es.deusto.spq.client.Feedback, 39
setUp
es.deusto.spq.client.ClienteTest, 16
es.deusto.spq.client.HabitacionTest, 44
es.deusto.spq.client.ReservaTest, 63
setValoracion
es.deusto.spq.client.Feedback, 39
si
es.deusto.spq.client.Feedback.Recomendacion, 51
siNo
es.deusto.spq.client.EstadisticaFeedback, 32
src/main/java/es/deusto/spq/client/Cliente.java, 81
src/main/java/es/deusto/spq/client/Controller.java, 81
src/main/java/es/deusto/spq/client/EstadisticaFeedback.java, 81
src/main/java/es/deusto/spq/client/Evento.java, 82
src/main/java/es/deusto/spq/client/Feedback.java, 82
src/main/java/es/deusto/spq/client/GetProperties.java, 82
src/main/java/es/deusto/spq/client/gui/VentanaAdmin.java, 83
src/main/java/es/deusto/spq/client/gui/VentanaCrearEvento.java, 83
src/main/java/es/deusto/spq/client/gui/VentanaDatosCliente.java, 83
src/main/java/es/deusto/spq/client/gui/VentanaEstadisticas.java, 83
src/main/java/es/deusto/spq/client/gui/VentanaEventos.java, 84
src/main/java/es/deusto/spq/client/gui/VentanaFeedback.java, 84
src/main/java/es/deusto/spq/client/gui/VentanaInicioSesion.java, 84
src/main/java/es/deusto/spq/client/gui/VentanaMenu.java, 84
src/main/java/es/deusto/spq/client/gui/VentanaMostrarReservas.java, 85
src/main/java/es/deusto/spq/client/gui/VentanaRegistro.java, 85
src/main/java/es/deusto/spq/client/gui/VentanaReservas.java, 85
src/main/java/es/deusto/spq/client/gui/VentanaReservasAdmin.java, 85
src/main/java/es/deusto/spq/client/gui/VentanaUsuariosAdmin.java, 86
src/main/java/es/deusto/spq/client/Habitacion.java, 86
src/main/java/es/deusto/spq/client/Main.java, 86
src/main/java/es/deusto/spq/client/Reserva.java, 87
src/main/java/es/deusto/spq/client/RWException.java, 87
src/main/java/es/deusto/spq/client/ServiceLocator.java, 87
src/main/java/es/deusto/spq/server/DBManager.java, 87
src/main/java/es/deusto/spq/server/GetProperties.java, 82
src/main/java/es/deusto/spq/server/IRemoteFacade.java, 88
src/main/java/es/deusto/spq/server/Main.java, 86
src/main/java/es/deusto/spq/server/RemoteFacade.java, 88
src/test/java/es/deusto/spq/client/ClienteTest.java, 88
src/test/java/es/deusto/spq/client/ControllerTest.java, 88
src/test/java/es/deusto/spq/client/HabitacionTest.java, 89
src/test/java/es/deusto/spq/client/ReservaTest.java, 89
src/test/java/es/deusto/spq/server/RemoteFacadeTest.java, 89
startServer
es.deusto.spq.server.Main, 50
store
es.deusto.spq.server.DBManager, 30
storeObjectInDB
es.deusto.spq.server.DBManager, 30

toString
es.deusto.spq.client.Cliente, 14
es.deusto.spq.client.Evento, 37
es.deusto.spq.client.Feedback, 39
es.deusto.spq.client.Habitacion, 43
es.deusto.spq.client.Reserva, 61

update
es.deusto.spq.server.DBManager, 31

VentanaAdmin
es.deusto.spq.client.gui.VentanaAdmin, 69
VentanaCrearEvento
es.deusto.spq.client.gui.VentanaCrearEvento, 70
VentanaDatosCliente
es.deusto.spq.client.gui.VentanaDatosCliente, 71
VentanaEstadisticas
es.deusto.spq.client.gui.VentanaEstadisticas, 72
VentanaEventos
es.deusto.spq.client.gui.VentanaEventos, 72
VentanaFeedback
es.deusto.spq.client.gui.VentanaFeedback, 73
VentanaInicioSesion
es.deusto.spq.client.gui.VentanaInicioSesion, 74
VentanaMenu
es.deusto.spq.client.gui.VentanaMenu, 75
VentanaMostrarReservas
es.deusto.spq.client.gui.VentanaMostrarReservas, 76
VentanaRegistro
es.deusto.spq.client.gui.VentanaRegistro, 77
VentanaReservas
es.deusto.spq.client.gui.VentanaReservas, 77
VentanaReservasAdmin
es.deusto.spq.client.gui.VentanaReservasAdmin, 79
VentanaUsuariosAdmin
es.deusto.spq.client.gui.VentanaUsuariosAdmin, 79