

Homework #2

RELEASE DATE: 11/08/2019

DUE DATE: 12/13/2019, BEFORE 14:00

QUESTIONS ABOUT HOMEWORK MATERIALS ARE WELCOMED ON THE FACEBOOK FORUM.

Unless granted by the instructor in advance, you must turn in a printed/written copy of your solutions (without the source code) for all problems.

For problems marked with (), please follow the guidelines on the course website and upload your source code to designated places. You are encouraged to (but not required to) include a README to help the TAs check your source code. Any programming language/platform is allowed.*

Any form of cheating, lying, or plagiarism will not be tolerated. Students can get zero scores and/or fail the class and/or be kicked out of school and/or receive other punishments for those kinds of misconducts.

Discussions on course materials and homework solutions are encouraged. But you should write the final solutions alone and understand them fully. Books, notes, and Internet resources can be consulted, but not copied from.

Since everyone needs to write the final solutions alone, there is absolutely no need to lend your homework solutions and/or source codes to your classmates at any time. In order to maximize the level of fairness in this class, lending and borrowing homework solutions are both regarded as dishonest behaviors and will be punished according to the honesty policy.

You should write your solutions in English or Chinese with the common math notations introduced in class or in the problems. We do not accept solutions written in any other languages.

This homework set comes with 200 points and 20 bonus points. In general, every homework set would come with a full credit of 200 points, with some possible bonus points.

1. (60 points) Go register for the Coursera version of the first part of the class (<https://www.coursera.org/learn/ntumlone-mathematicalfoundations/>) and solve its homework 2. The registration should be totally free. Then, record the highest score that you get within up to 3 trials. Please print out a snapshot of your score as an evidence. (*Hint: The problems below are simple extensions of the Coursera problems.*)

- The answer to Question 10 on Coursera is 2^d . It is a hard problem. You do not need to solve it unless you really want to challenge yourself. But if you succeed on this question, please list your proof in Problem 9 for bonus.

2. (20 points) Consider the “positive rectangle” hypothesis set, which includes any hypothesis that returns +1 when \mathbf{x} is within an axis-parallel rectangle and -1 elsewhere. Show that the VC-Dimension of the hypothesis set is no less than 4. Please provide proof of your answer.

3. (20 points) Consider the “triangle waves” hypothesis set on \mathbb{R} , which is given by

$$\mathcal{H} = \{h_\alpha \mid h_\alpha(x) = \text{sign}(|\alpha x \bmod 4 - 2| - 1), \alpha \in \mathbb{R}\}$$

Here $(x \bmod 4)$ is a number $x - 4k$ for some integer k such that $x - 4k \in [0, 4)$. For instance, $(11.26 \bmod 4)$ is 3.26, and $(-11.26 \bmod 4)$ is 0.74. What the VC-Dimension of such an \mathcal{H} ? Please prove your answer.

4. (20 points) For any two hypothesis sets \mathcal{H}_1 and \mathcal{H}_2 that come with non-empty intersection, prove that $d_{vc}(\mathcal{H}_1 \cap \mathcal{H}_2) \leq d_{vc}(\mathcal{H}_1)$. (*Hint: This may partially help you solve Questions 14 and 15 on Coursera.*)
5. (20 points) Consider \mathcal{H}_1 as the positive-ray hypothesis set (as discussed in class), and \mathcal{H}_2 as the negative-ray hypothesis set (which contains the negation of each hypothesis in \mathcal{H}_1). We showed that $m_{\mathcal{H}_1}(N) = N + 1$ in class. Write down $m_{\mathcal{H}_1 \cup \mathcal{H}_2}(N)$ and use that to calculate $d_{vc}(\mathcal{H}_1 \cup \mathcal{H}_2)$. (*Hint: This may partially help you solve Question 15 on Coursera.*)

6. (20 points) For Problems 7–8, you will play with the decision stump algorithm. In class, we taught about the learning model of “positive and negative rays” (which is simply one-dimensional perceptron) for one-dimensional data. The model contains hypotheses of the form:

$$h_{s,\theta}(x) = s \cdot \text{sign}(x - \theta).$$

The model is frequently named the “decision stump” model and is one of the simplest learning models. As shown in class, for one-dimensional data, the VC-Dimension of the decision stump model is 2.

In fact, the decision stump model is one of the few models that we could easily minimize E_{in} efficiently by enumerating all possible thresholds. In particular, for N examples, there are at most $2N$ dichotomies (see page 22 of lecture 5 slides), and thus at most $2N$ different E_{in} values. We can then easily choose the dichotomy that leads to the lowest E_{in} , where ties can be broken by randomly choosing among the lowest E_{in} ones. The chosen dichotomy stands for a combination of some “spot” (range of θ) and s , and commonly the median of the range is chosen as the θ that realizes the dichotomy.

In the next problem, you are asked to implement such an algorithm and run your program on an artificial data set. We shall start by generating a one-dimensional data by the procedure below:

- (a) Generate x by a uniform distribution in $[-1, 1]$.
- (b) Generate y by $f(x) = \tilde{s}(x) + \text{noise}$ where $\tilde{s}(x) = \text{sign}(x)$ and the noise flips the result with 20% probability.

For any decision stump $h_{s,\theta}$ with $\theta \in [-1, 1]$, express $E_{out}(h_{s,\theta})$ as a function of θ and s . Write down your derivation steps.

- 7. (20 points, *) Generate a data set of size 20 by the procedure above and run the one-dimensional decision stump algorithm on the data set. Record E_{in} and compute E_{out} with the formula above. Repeat the experiment 1000 times and plot a histogram of $E_{in} - E_{out}$. Describe your findings.
- 8. (20 points, *) Generate a data set of size 2000 by the procedure above and run the one-dimensional decision stump algorithm on the data set. Record E_{in} and compute E_{out} with the formula above. Repeat the experiment 1000 times and plot a histogram of $E_{in} - E_{out}$. Describe your findings and compare the findings with those in the previous problem.

Bonus: VC Dimension of Decision Trees

- 9. (20 points) Prove what the VC-Dimension of the hypothesis set in Question 10 on Coursera is.