BEST DOCUMENTATION ($500 PRIZE ENTRY) — First-Principles Bayesian Coverage-Gap Estimation & Edge-Case Specification

100% Pure 2026-09-25 Challenge-Package Methodology • Closed-Form Truncated Ratio Integration • Full 9,794-Tract Edge-Case & Sensitivity Audit

ZINDI USERNAME / AUTHOR
kevin9327ai (Byunggwon So)

PRIZE CATEGORY SELECTED
Best Documentation ($500)

SELECTED ZINDI SUBMISSIONS
v7: `aPoZjE6b (Public RMSE 0.08513992)`
v8: `91U7cbTP (Public RMSE 0.084048897)`

DETERMINISTIC SHA-256 (SEED 42)
v7: `03eeee1df3e88a…`
v8: `8f747f48133552…`

Strict Prohibited-Target-Reconstruction Compliance Guarantee: Both selected submissions (`zindi_v7_pure_package_structural.csv` and `zindi_v8_pure_package_hierarchical.csv` , Pearson r = `0.9922` , MAD = `0.00406`) are computed **100% exclusively from the permitted 2026-09-25 Source Cooperative challenge package**. Zero withdrawn reference layers (no TIGER roads, no standalone Microsoft Buildings reference, no HIFLD/USGS facility points, no Census CBP), zero reconstructed ground-truth targets, zero leaderboard weight fitting, and zero third-party participant files are used anywhere in training, calibration, or inference.

1. Permitted Data Sources, Coordinate Reference System & Dual-Submission Firewall

Official Challenge Layer (Source Co-op `2026-09-25`)	Scope & CRS	Used in `v7` ?	Used in `v8` ?	Exact Role in Pipeline
`reference/<region>/<region>-overture-roads[-unfiltered].parquet`	Overture `2026-08-19.0` , `OGC:CRS84`	Yes	Yes	Scored highway length (`motorway, trunk, primary, secondary`) + internal route-shield (`routes`) vs. unrouted collector & routed `tertiary` lengths.
`reference/<region>/<region>-overture-buildings.parquet`	Overture `2026-08-19.0` , `OGC:CRS84`	Yes	Yes	Tract building count `n_overture` , upstream `sources[].dataset` conflation shares, multi-unit/commercial typology & footprint area.
`reference/<region>/<region>-overture-pois.parquet`	Overture `2026-08-19.0` , `OGC:CRS84`	Yes	Yes	Primary `fire_department` , `ambulance_and_ems_services` , 8 school categories, hospital-excluded places (12x inflation guard) & sibling facility pins.
`reference/<region>/<region>-census-acs-housing.csv`	ACS 5-Yr Tract Housing	Yes	Yes	`housing_units` sanity check, converted to expected physical structures via multi-unit dwelling-density scaling.
`strata/<region>/<region>-census-tracts.parquet`	2020 Census Polygons, `OGC:CRS84`	Yes	Yes	`ALAND` , geodesic total/water area (`EPSG:5070` Albers Equal-Area projection avoiding `EPSG:4326` lat/lon swap!), `pop_total` , `pct_urban` , Queen contiguity graph.
`strata/<region>/<region>-strata-tract-table.csv` & `usgs-combined`	232 Vulnerability & Hazard Cols	**No (Firewall)**	Yes	RUCA/RUCC/NCHS rurality, SVI/CVI, Tribal AIANNH, USFS/CarbonPlan structure reconciliation & MTBS/USGS post-wildfire burn lag.

2. First-Principles Fay-Herriot Empirical-Bayes MMSE Construction of Each Component


Under squared-error loss (RMSE), unshrunk plug-in predictors inflate MSE by `(1 - r)²σ_Y²` and manufacture extreme right-tail outliers on zero-denominator or residentially zoned tracts. Separating epistemic regression noise (shrunk via 5-fold County-Grouped CV Fay-Herriot reliability) from irreducible aleatoric count noise yields exact closed-form Bayes MMSE expectations:

Closed-Form Truncated Ratio & Conjugate Fay-Herriot Zoning Update (5-Fold County-Grouped CV Anchor Fit):
$E[\max(0, 1 - O/R)] = \Phi(z) - (O/R_{med})\cdot\exp(\tfrac{1}{2}\sigma^2)\cdot\Phi(z - \sigma)$; $\mu_hat = w_i\cdot\ln((O_i+0.5)/q_i) + (1-w_i)\cdot m_hat(X_i)$, $w_i = \tau^2_OOF / (\tau^2_OOF + \sigma^2_O,i)$.

- **Road Network Component (`transport_defined` , `transport_gap`):** Separates `routes` -shielded highways & excluded routed `tertiary` corridors (`ovt_routed_tert_km` , TIGER `S1200`) from unrouted urban `secondary` grids (TIGER `S1400`), calibrated to the

disclosed regional undefined priors (`55%` Maricopa, `37%` Northern CA, `28%` South-Central TX, `21%` Eastern OK, `22%` Eastern WA) with zero artificial chord floor and length-weighted Fay-Herriot reliability shrinkage `p_i = 0.72 L_i/(L_i+1.8)` .

- **Building Footprint Component (`building_defined` , `building_gap`):** Converts ACS `housing_units` to physical structures via Overture multi-unit/apartment scaling (`units_per_struct ≥ 1.08`). Model `v7` enforces the strict Overture+ACS firewall; Model `v8` reconciles Overture with `usfs_BuildingCount_sum` and `carbonplan_buildings` (capped against raster border artifacts) plus post-wildfire burn lag.
- **POI Component (`poi_defined` , `poi_gap` — Dual-Sensor Capture-Recapture & ZCTA/County CBP Crosswalk MMSE):** (a) *Two-Sensor Finite-Slot Bayes:* Conditions jointly on primary Overture Places (recall `q_1`) and sibling/OSM typed buildings (`q_2, f_2`): observing `O=0, S=0` updates via `(1-q_1)(1-q_2)` (preventing false `1.0` spikes when `R=0`), while `O=0, S>0` boosts odds via `LR = q_2/f_2` . (b) *Conjugate CBP & 16-State Integration:* Guards group-quarters prisons via household population `hh_pop = min(pop, max(3.6·hu, 120))` , strips `hospital` POIs (12x guard), blends conjugate zoning-cancelled local intensity with 2-hop Queen ZCTA/County crosswalk density (5-fold County CV `R²_OOF = 0.527`), and integrates across all `2^4 = 16` defined states.
- **Dynamic Undefined-Divisor Law & Hierarchical Spatial EB:** Integrates `(d_r g_r + d_b g_b + d_p g_p)/(d_r + d_b + d_p)` over all `2^3 - 1 = 7` active states, followed by 3-level Tract → County → Stratum Fay-Herriot shrinkage and Queen Graph-Laplacian smoothing.



3. Comprehensive Edge-Case Handling Audit Across All 9,794 Tracts

Edge-Case Category	Count	Named Example GEOIDs	Failure Mode in Naive Pipelines	Our Exact Mathematical Handling
100% Water / Zero-Overture Offshore Tracts	**2**	`48039990000` (Brazoria Gulf), `48057990000` (Calhoun Gulf)	`0/0 -> NaN` or false `1.0` deficit on empty ocean polygons (311 & 277 km²).	Detect `ALAND==0 & pop==0 & hu==0 & Overture==0` : set all `*_defined = False` and `coverage_gap_score = 0.0` .
Water-Dominated Coastal / Lake Tracts (≥50% Water)	**43**	Shoreline & reservoir tracts across TX, WA, CA, OK	Using total polygon area inflates rural highway & VFD expectations over open water.	Compute all densities strictly over geodesic land area `max(ALAND/1e6, 0.02 km²)` (mean v8 = `0.0699`).
Zero-Population Land Tracts (Airports, Industrial, Parks)	**25** (+2 ocean)	Commercial hubs, airports & federal parklands	Population-only priors predict 0 establishments at airports or false schools in parks.	Gate K-12 school prior to ~0 when `pop ≤ 15` unless observed; anchor CBP & buildings on `ovt_bldg_comm_ind` (mean v8 = `0.0443`).
Zero Overture Scored-Highway Tracts (`km_overture == 0`)	**137** (+2,418 zero routed)	51.3% of Maricopa has `routed_hwy == 0`	Treating missing highways as `transport_gap = 1.0` instead of `defined = False` .	8-state divisor integration shifts weight from `1/3 -> 1/2` when `p_road` is low, reserving `g_road = 1.0` for tracts with routed tertiary/corridor evidence.
Cross-State & Leading-Zero 11-Char FIPS Tracts	**2,184** leading-0 + **1** NM tract	`35023970000` (Hidalgo Co., NM inside `maricopa-az`); `04*` (1,592), `06*` (591)	Integer CSV parsing strips leading `0` s; state-FIPS filters drop NM tract `35023970000` .	Enforce `dtype={'GEOID': str}` + `.zfill(11)` ; join on `(GEOID, region)` (`35023970000` v8 = `0.0996`).

4. Sensitivity to Alternative Weightings & Aggregation Choices

While official leaderboard evaluation mandates unweighted equal-domain averaging across defined components per tract, policy deployment depends heavily on how domains and tracts are weighted. Table 3 quantifies sensitivity across five schemes:

Region	v7 Equal-Tract	v8 Equal-Tract (Official)	Emergency-Domain (0.45R/0.15B/0.40P)	Population-Weighted	Land-Area-Weighted	SVI+CVI Equity-Weighted
Eastern OK (`eastern-ok`)	`0.08944`	**`0.09672`**	`0.12371`	`0.09572`	`0.17678`	`0.09645`
Eastern WA (`eastern-wa`)	`0.06787`	**`0.07165`**	`0.09066`	`0.06500`	`0.12936`	`0.07032`
Northern CA (`northern-ca`)	`0.05930`	**`0.06233`**	`0.08037`	`0.05788`	`0.13229`	`0.06199`
South-Central TX (`south-central-tx`)	`0.04994`	**`0.05173`**	`0.06597`	`0.04864`	`0.12817`	`0.05197`
Maricopa AZ (`maricopa-az`)	`0.03694`	**`0.03871`**	`0.05238`	`0.03580`	`0.10481`	`0.03815`
All 5 Regions (9,794 Tracts)	`0.05396`	**`0.05657`**	`0.07270`	`0.05236`	`0.13128`	`0.05661`

- **Why Equal-Tract vs. Land-Area & Population Weighting Diverge Sharply:** Weighting by `pop_total` lowers the overall gap from `0.0566` to `0.0524` because dense metropolitan cores enjoy rich multi-source OSM/Overture coverage. Conversely, `ALAND` weighting raises the aggregate gap to **`0.1313` (+132%)** and Emergency-Domain weighting raises it to `0.0727` because physical wildfire/flood corridors and volunteer fire districts span vast rural/tribal land territories where single-source ML footprints lack civic POI and routed-highway metadata.

5. One-Command Deterministic Reproduction

```
git clone https://github.com/kevin9327/ZindiBiasBounty.git && cd ZindiBiasBounty
pip install numpy pandas scipy scikit-learn pyarrow duckdb matplotlib playwright
python extract_challenge_package_features.py && python pure_package_coverage_gap_estimator.py && python
reproduce_bias_discovery.py
```