

ADVANCED DBMS LAB**EXPERIMENT 1****AIM**

To study various DDL commands – CREATE, INSERT

QUESTION

Create the following Tables and Insert values

Table 1: DEPOSIT

ACTNO VARCHAR2(5) PRIMARY KEY, FIRST LETTER MUST START WITH 'D'
CNAME VARCHAR2(15) FOREIGN KEY REFERENCES CUSTOMER
BNAME VARCHAR2(20) FOREIGN KEY REFERENCES BRANCH
AMOUNT NUMBER (8,2) NOT NULL, CANNOT BE 0
ADATE DATE

Table 2: BRANCH


BNAME VARCHAR2(20) PRIMARY KEY
CITY VARCHAR2(30) NOT NULL, any one of NAGPUR, DELHI, BANGALORE, BOMBAY

Table 3: CUSTOMER

CNAME VARCHAR2(15)
PRIMARY KEY
CITY VARCHAR2(20) NOT NULL

Table 4: BORROW

LOANNO VARCHAR2(8) PRIMARY KEY / FIRST LETTER MUST START WITH 'L'
CNAME VARCHAR2(15) FOREIGN KEY REFERENCES CUSTOMER
BNAME VARCHAR2(20) FOREIGN KEY REFERENCES BRANCH
AMOUNT NUMBER(8,2) NOT NULL, CANNOT BE 0

PROCEDURE**1. DataBase**

2. Table

```

1 • CREATE TABLE CUSTOMER (CNAME VARCHAR(15) PRIMARY KEY ,CITY VARCHAR(20) NOT NULL );
2 • CREATE TABLE BRANCH (BNAME VARCHAR(20) PRIMARY KEY,CITY VARCHAR(30) CHECK (CITY IN
3 ('NAGPUR','DELHI','BANGALORE','BOMBAY')) NOT NULL);
4 • CREATE TABLE BORROW(LOANNO VARCHAR(8)CHECK(LOANNO LIKE 'L%')PRIMARY KEY,CNAME VARCHAR(15) REFERENCES COUSTEMER(CNAME),
5 BNAME VARCHAR(20) REFERENCES BRANCH(BNAME),AMOUNT FLOAT (8)CHECK (AMOUNT>0)NOT NULL);
6 • CREATE TABLE DEPOSIT(ACTNO VARCHAR(5) CHECK(ACTNO LIKE 'D%')PRIMARY KEY ,CNAME VARCHAR(15) REFERENCES COUSTEMER(CNAME) ,
7 BNAME VARCHAR(20)REFERENCES BRANCH(BNAME),AMOUNT FLOAT(8)CHECK(AMOUNT>0)NOT NULL,ADATE DATE);
8 • INSERT INTO COUSTEMER VALUES('ANIL','CALCUTTA'),('SUNIL','DELHI'),('MEHUL','BARODA'),('MANDAR','PATNA'),('MADHURI','NAGPUR')
9 ,('SANDIP','SURAT'),('SHIVANI','BOMBAY'),('KRANTI','BOMBAY'),('NAREN','BOMBAY');
10 • INSERT INTO BRANCH VALUES('VRCE','NAGPUR'),('AJINI','NAGPUR'),('KAROLBAGH','DELHI'),('CHANDHINI','DELHI'),
11 ('DHARAMPETH','NAGPUR'),('MG ROAD','BANGALORE'),('ANDHERY','BOMBAY'),('NEHRU PALACE','DELHI'),('POWAI','BOMBAY');
12 • INSERT INTO DEPOSIT VALUES ('D100','ANIL','VRCE',1000.00,'1995-03-01'),('D101','SUNIL','ANJNI',500.00,'1996-01-04'),
13 ('D102','MEHUL','KAROLBAGH',3500.00,'1995-11-17'),('D104','MADHURI','CHANDNI',1200.00,'1995-12-17'),
14 ('D105','PRAMOD','MG ROAD',3000.00,'1996-03-27'),('D106','SANDIP','ANDHERI',2000.00,'1996-03-31'),
15 ('D107','SHIVANI','VIRAR',1000.00,'1995-09-05'),('D108','KRANTI','NEHRU PLACE',5000.00,'1995-07-02'),
16 ('D109','MINU','POWAI',7000.00,'1995-08-10');
17 • INSERT INTO BORROW VALUES('L201','ANIL','VRCE',1000.00),('L206','MEHUL','AJNI',5000.00),
18 ('L311','SUNIL','DHARAMPETH',3000.00),('L321','MADHURI','ANDHERI',2000.00),
19 ('L371','PRAMOD','VIRAR',8000.00),('L481','KRANTI','NEHRU PLACE',3000.00);

```

OUTPUT

1.TABLE DEPOSIT

1 • `SELECT * FROM tables.deposit;`

	ACTNO	CNAME	BNAME	AMOUNT	ADATE
▶	D100	ANIL	VRCE	1000	1995-03-01
	D101	SUNIL	ANJNI	500	1996-01-04
	D102	MEHUL	KAROLBAGH	3500	1995-11-17
	D104	MADHURI	CHANDNI	1200	1995-12-17
	D105	PRAMOD	MG ROAD	3000	1996-03-27
	D106	SANDIP	ANDHERI	2000	1996-03-31
	D107	SHIVANI	VIRAR	1000	1995-09-05
	D108	KRANTI	NEHRU PLACE	5000	1995-07-02
	D109	MINU	POWAI	7000	1995-08-10
*	NULL	NULL	NULL	NULL	NULL

2.TABLE BRANCH

```
1 • SELECT * FROM tables.branch;
```

Result Grid

	BNAME	CITY
▶	AJNI	NAGPUR
	ANDHERI	BOMBAY
	CHANDNI	DELHI
	DHARAMPETH	NAGPUR
	KAROLBAGH	DELHI
	MG ROAD	BANGALORE
	NEHRU PALACE	DELHI
	POWAI	BOMBAY
	VRCE	NAGPUR
*	NULL	NULL


3.TABLE CUSTOMER

```
1 • SELECT * FROM tables.customer;
```

Result Grid

	CNAME	CITY
▶	ANIL	CALCUTTA
	KRANTI	BOMBAY
	MADHURI	NAGPUR
	MANDAR	PATNA
	MEHUL	BARODA
	NAREN	BOMBAY
	PRAMOD	NAGPUR
	SANDIP	SURAT
	SHIVANI	BOMBAY
	SUNIL	DELHI
▲	NULL	NULL

4.TABLE BORROW



The screenshot shows a database query interface. At the top, a text box contains the SQL command: `1 • SELECT * FROM tables.borrow;`. Below the text box is a toolbar with a 'Result Grid' icon, a 'Filter Rows' input field, and a refresh icon. The main area displays a table with the following data:

	LOANNO	CNAME	BNAME	AMOUNT
▶	L201	ANIL	VRCE	1000
	L206	MEHUL	AJNI	5000
	L311	SUNIL	DHARAMPETH	3000
	L321	MADHURI	ANDHERI	2000
	L371	PRAMOD	VIRAR	8000
	L481	KRANTI	NEHRU PLACE	3000
*	NULL	NULL	NULL	NULL