

Shopee Code League 2022 - Qualification Round

Mar 19, 2022, 03:00 PM SGT - Mar 19, 2022, 06:15 PM SGT

INSTRUCTIONS PROBLEMS SUBMISSIONS LEADERBOARD ANALYTICS JUDGE

← Problems / Fireworks Festival

Fireworks Festival

Max. score: 100

This problem is no longer available for practice. Apology for any inconvenience!

Shopee will be hosting a fireworks festival along one of Singapore's main streets. The main street spans across *N* number of roads and the distance between each adjacent road is 1.

The person-in-charge is expected to set off the fireworks for m times, with the i th time ($1 \le i \le m$) being set off at the timing ti along the road ai punctually. If you catch the i th firework at road x

($1 \le x \le n$), then you will be able to receive bi-|ai-x| amount of free Shopee coins. Note that the amount of Shopee coins may be a negative value.

You are able to move d amount of distance within each unit of time without leaving the main street. Alternatively, you may also pick a random spot along the main street at the beginning of the festival (where time = 1) to maximise your chances of gaining Shopee coins.

Note that the person-in-charge may concurrently set off two or more fireworks at one time.

Your aim is to strategise the best way to receive the highest amount of Shopee coins.


Input

The first row should feature three integers: n, m, d ($1 \le n \le 150000; 1 \le m \le 300; 1 \le d \le n$). For variable m, each row of input should include integers ai, bi, ti ($1 \le a_i \le n; 1 \le b_i \le 10^9; 1 \le t_i \le 10^9$). The i th row should feature the respective variables for the i th set off.

Note: It is ensured that the inputs fulfil the criteria of $ti \le ti+1$ ($1 \le i < m$).

Output:

To print an integer of the highest possible amount of Shopee coins.



Explanation

NA

Time Limit:	1.0 sec(s) for each input file.	
Memory Limit:	256 MB	
Source Limit:	1024 KB	
Marking Scheme:	Score is assigned when all the testcases pass.	
Allowed Languages:	Bash, C, C++, C++14, C++17, Clojure, C#, D, Erlang, F#, Go, Groovy, Haskell, Java, Java 8, Java 14, JavaScript(Rhino), JavaScript(Node.js), Julia, k	otlin,
	Lisp, Lisp (SBCL), Lua, Objective-C, OCaml, Octave, Pascal, Perl, PHP, Python, Python 3, Python 3.8, Racket, Ruby, Rust, Scala, Swift-4.1, Swift,	
	TypeScript, Visual Basic	?