

## Batch:

21490035

| User:    | 1    | shirleyf        |
|----------|------|-----------------|
| Product: | 2    | 20ml Production |
| Batch:   | 20ml | cap trial       |
| Notes:   |      |                 |
|          |      |                 |
|          |      |                 |

10 January 2018 11:21:46

## Date Time

 Starting date:
 10/01/2018
 11:21:46 AM

 Ending date:
 10/01/2018
 11:21:46 AM

## Counters:

| INSPECTED        | 20 |       |   |
|------------------|----|-------|---|
| ACCEPTED         | 0  | 0.00  | % |
| REJECTED         | 8  | 40.00 | % |
| TECHNICAL REJECT | 12 | 60.00 | % |

## Reject details:

| ST0                  | NOT AVAILABLE |       | OFF |
|----------------------|---------------|-------|-----|
| Totals:              | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
| ST1                  | AVAILABLE     |       | ON  |
| Totals:              | 8             | 40.00 | %   |
| Min Still particles  | 8             | 40.00 | %   |
| Tot. Still Particles | 8             | 40.00 | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
| ST2                  | AVAILABLE     |       | ON  |
| Totals:              | 2             | 10.00 | %   |
| Flip-off             | 0             | 0.00  | %   |
| Aluseal Area         | 1             | 5.00  | %   |
| Crimping             | 1             | 5.00  | %   |
|                      | 0             | 0.00  | %   |
| ST3                  | AVAILABLE     |       | ON  |
| Totals:              | 8             | 40.00 | %   |
| Single Particles     | 8             | 40.00 | %   |
| Total Particles      | 8             | 40.00 | %   |
|                      | 0             | 0.00  | %   |
| Fill Level           | 8             | 40.00 | %   |

| ST4                             | AVAILABLE |       | ON      |
|---------------------------------|-----------|-------|---------|
| Totals:                         | 8         | 40.00 | %       |
| Single Particles                | 8         | 40.00 | %       |
| Total Particles                 | 8         | 40.00 | %       |
|                                 | 0         | 0.00  | %       |
|                                 | 0         | 0.00  | %       |
|                                 |           |       |         |
| ST5                             | AVAIL     | ABLE  | ON      |
| ST5 Totals:                     | AVAIL/    | 40.00 | ON<br>% |
|                                 |           |       |         |
| Totals:                         | 8         | 40.00 | %       |
| <i>Totals:</i> Single Particles | 8         | 40.00 | %       |

| Approved by: | Verified by: |  |
|--------------|--------------|--|
|--------------|--------------|--|