

Batch:

21490035

| User: | 1 | adamb |
|----------|---|------------------|
| Product: | 4 | 100ml Production |
| Batch: | | |
| Notes: | | |
| | | |
| | | |

27 February 2020 14:51:48

Date Time

 Starting date:
 27/02/2020
 14:50:04

 Ending date:
 27/02/2020
 14:51:47

Counters:

| INSPECTED | 2 | | |
|------------------|---|--------|---|
| ACCEPTED | 0 | 0.00 | % |
| REJECTED | 2 | 100.00 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|--------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Min Still particles | 0 | 0.00 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Flip-off | 0 | 0.00 | % |
| Aluseal Area | 0 | 0.00 | % |
| Crimping | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 2 | 100.00 | % |
| Single Particles | 2 | 100.00 | % |
| Total Particles | 2 | 100.00 | % |
| | 0 | 0.00 | % |
| Fill Level | 1 | 50.00 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|-------------|------------------|---------|
| Totals: | 2 | 100.00 | % |
| Single Particles | 2 | 100.00 | % |
| Total Particles | 2 | 100.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ 2 | ABLE 100.00 | ON % |
| | | | |
| Totals: | 2 | 100.00 | % |
| <i>Totals:</i> Single Particles | 2 | 100.00 100.00 | % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|