

Batch:

21490030

User:	9	Admin
Product:	1	Ampoules. 1ml
Batch:	11111	1112
Notes:		

12 November 2015 13:25:28

Date Time

 Starting date:
 12/11/2015
 1:19:47 PM

 Ending date:
 12/11/2015
 1:25:28 PM

Counters:

INSPECTED	72		
ACCEPTED	35	48.61	%
REJECTED	20	27.78	%
TECNICAL REJECT	17	23.61	%

Reject details:

ST0	AVAILABLE		ON
Totals:	4	5.56	%
Height	3	4.17	%
Shape	1	1.39	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAIL	ABLE	ON
Totals:	5	6.94	%
Single Particles	5	6.94	%
Total Particles	5	6.94	%
	0	0.00	%
Fill Level	1	1.39	%
ST2	AVAIL	ABLE	ON
Totals:	3	4.17	%
Single Particles	2	2.78	%
Total Particles	3	4.17	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	6	8.33	%
Still Particles	6	8.33	%
Tot. Still Particles	5	6.94	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAIL	ABLE	ON
Totals:	4	5.56	%
Single Particles	2	2.78	%
Total Particles	4	5.56	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0 0	0.00	% %

LKD counters			
LKD1			ON
Totals:	3	4.17	%
LKD2			ON
Totals:	12	16.67	%

Approved by:	Verified by:
--------------	--------------