

| | | |
|----------|--------|----------------|
| User: | 5 | Supervisor |
| Product: | 4 | Ampoules. 10ml |
| Batch: | 123456 | |
| Notes: | | |
| | | |
| | | |

23 November 2015 05:09:59

Date Time

| | | |
|----------------|-------------------|------------|
| Starting date: | 23/11/2015 | 5:08:04 AM |
| Ending date: | 23/11/2015 | 5:09:59 AM |

Counters:

| | | | |
|-----------------|----------|-------|---|
| INSPECTED | 6 | | |
| ACCEPTED | 4 | 66.67 | % |
| REJECTED | 2 | 33.33 | % |
| TECNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | AVAILABLE | | ON |
|----------------------|-----------|-------|-----|
| <i>Totals:</i> | 2 | 33.33 | % |
| Height | 2 | 33.33 | % |
| Shape | 1 | 16.67 | % |
| Black Spot | 0 | 0.00 | % |
| Colour Rings | 0 | 0.00 | % |
| ST1 | AVAILABLE | | OFF |
| <i>Totals:</i> | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |
| ST2 | AVAILABLE | | OFF |
| <i>Totals:</i> | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | OFF |
| <i>Totals:</i> | 0 | 0.00 | % |
| Still Particles | 0 | 0.00 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| Charrings | 0 | 0.00 | % |
| Tot. Charrings | 0 | 0.00 | % |

| ST4 | AVAILABLE | | OFF |
|------------------|---------------|------|-----|
| <i>Totals:</i> | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST5 | NOT AVAILABLE | | OFF |
| <i>Totals:</i> | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |

| LKD counters | | | |
|----------------|---|------|-----|
| LKD1 | | | OFF |
| <i>Totals:</i> | 0 | 0.00 | % |
| LKD2 | | | OFF |
| <i>Totals:</i> | 0 | 0.00 | % |

Approved by:

Verified by: